



Full wwPDB EM Validation Report ⓘ

Mar 9, 2026 – 08:57 AM UTC

PDB ID : 7URA / pdb_00007ura
EMDB ID : EMD-26707
Title : Human PORCN in complex with Palmitoleoyl-CoA
Authors : Liu, Y.; Qi, X.; Li, X.
Deposited on : 2022-04-21
Resolution : 3.11 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	14465 (2.61 - 3.61)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	464	 6% 75% 18% 7%
2	L	234	 36% 9% 54%
3	H	250	 38% 9% 52%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	AJP	A	505	X	-	X	-

2 Entry composition

There are 8 unique types of molecules in this entry. The entry contains 5400 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isoform 2 of Protein-serine O-palmitoleoyltransferase porcupine.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	432	Total	C	N	O	S	0	0
			3449	2291	573	562	23		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	MET	-	initiating methionine	UNP Q9H237
A	-6	ASP	-	expression tag	UNP Q9H237
A	-5	TYR	-	expression tag	UNP Q9H237
A	-4	LYS	-	expression tag	UNP Q9H237
A	-3	ASP	-	expression tag	UNP Q9H237
A	-2	ASP	-	expression tag	UNP Q9H237
A	-1	ASP	-	expression tag	UNP Q9H237
A	0	ASP	-	expression tag	UNP Q9H237
A	1	LYS	-	expression tag	UNP Q9H237


- Molecule 2 is a protein called 2C11 light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	L	107	Total	C	N	O	S	0	0
			829	527	137	162	3		

- Molecule 3 is a protein called 2C11 heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	119	Total	C	N	O	S	0	0
			926	584	152	185	5		

- Molecule 4 is {S}-[2-[3-[(2 {R})-4-[[[(2 {R}),3 {R}),4 {R}),5 {R}]-5-(6-aminopurin-9-yl)-4-oxidanyl-3-phosphonooxy-oxolan-2-yl]methoxy-oxidanyl-phosphoryl]oxy-oxidanyl-phosphoryl]oxy-3,3-dimethyl-2-oxidanyl-butanoyl]amino]propanoylamino]ethyl] ({Z}))-hexadec-9-enethioate (CCD ID: OH6) (formula: C₃₇H₆₄N₇O₁₇P₃S) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms						AltConf
			Total	C	N	O	P	S	
4	A	1	65	37	7	17	3	1	0

- Molecule 5 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
5	A	1	1	1	0

- Molecule 6 is CHOLESTEROL (CCD ID: CLR) (formula: C₂₇H₄₆O).




Mol	Chain	Residues	Atoms			AltConf
6	A	1	Total	C	O	0
			28	27	1	
6	A	1	Total	C	O	0
			28	27	1	

- Molecule 7 is Digitonin (CCD ID: AJP) (formula: C₅₆H₉₂O₂₉).




Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	O	0
			54	39	15	

- Molecule 8 is OLEIC ACID (CCD ID: OLA) (formula: C₁₈H₃₄O₂).



Mol	Chain	Residues	Atoms			AltConf
8	A	1	Total	C	O	0
			20	18	2	



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	233902	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	8.5	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	5.152	Depositor
Minimum map value	-3.577	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.122	Depositor
Recommended contour level	0.7	Depositor
Map size ($\text{\AA}$)	232.4, 232.4, 232.4	wwPDB
Map dimensions	280, 280, 280	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.83, 0.83, 0.83	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CLR, AJP, OH6, ZN, OLA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.20	0/3555	0.39	3/4840 (0.1%)
2	L	0.17	0/851	0.31	0/1152
3	H	0.17	0/949	0.32	0/1286
All	All	0.19	0/5355	0.37	3/7278 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	381	SER	N-CA-C	-7.18	104.12	113.17
1	A	382	HIS	N-CA-C	5.95	118.89	109.96
1	A	380	CYS	N-CA-C	5.40	117.26	110.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3449	0	3462	58	0
2	L	829	0	794	13	0
3	H	926	0	873	13	0
4	A	65	0	0	17	0
5	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	56	0	92	4	0
7	A	54	0	0	30	0
8	A	20	0	33	2	0
All	All	5400	0	5254	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:505:AJP:C16	7:A:505:AJP:C15	1.75	1.61
4:A:501:OH6:C45	4:A:501:OH6:C44	1.77	1.58
7:A:505:AJP:C11	7:A:505:AJP:C12	1.80	1.57
4:A:501:OH6:C47	4:A:501:OH6:O48	1.64	1.46
7:A:505:AJP:C02	7:A:505:AJP:C01	1.95	1.43
7:A:505:AJP:C08	7:A:505:AJP:C07	1.99	1.40
7:A:505:AJP:C05	7:A:505:AJP:O09	1.80	1.28
7:A:505:AJP:C08	7:A:505:AJP:C05	2.21	1.17
7:A:505:AJP:C11	7:A:505:AJP:C07	2.30	1.09
4:A:501:OH6:C44	4:A:501:OH6:C46	2.48	0.92
4:A:501:OH6:C44	4:A:501:OH6:C47	2.41	0.91
7:A:505:AJP:C12	7:A:505:AJP:C08	2.49	0.90
1:A:103:ILE:HG22	7:A:505:AJP:C01	2.07	0.84
7:A:505:AJP:C01	7:A:505:AJP:C03	2.55	0.82
1:A:103:ILE:CG2	7:A:505:AJP:C01	2.58	0.82
1:A:340:PHE:O	1:A:341:HIS:ND1	2.14	0.81
7:A:505:AJP:C08	7:A:505:AJP:C06	2.58	0.81
1:A:100:SER:HB2	7:A:505:AJP:C83	2.11	0.81
1:A:371:VAL:HG11	1:A:393:LEU:HD23	1.62	0.80
7:A:505:AJP:C11	7:A:505:AJP:C81	2.61	0.78
7:A:505:AJP:C15	7:A:505:AJP:C17	2.62	0.78
7:A:505:AJP:C16	7:A:505:AJP:C20	2.63	0.77
7:A:505:AJP:C15	7:A:505:AJP:C11	2.62	0.76
7:A:505:AJP:C08	7:A:505:AJP:C81	2.64	0.76
7:A:505:AJP:C07	7:A:505:AJP:C10	2.64	0.75
7:A:505:AJP:C08	7:A:505:AJP:C04	2.64	0.75
7:A:505:AJP:O33	7:A:505:AJP:O40	2.05	0.74
7:A:505:AJP:C01	7:A:505:AJP:C85	2.64	0.70
3:H:49:THR:HA	3:H:72:PRO:HB2	1.74	0.69
2:L:109:GLN:HE21	2:L:116:TYR:HB3	1.59	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:505:AJP:C12	7:A:505:AJP:C10	2.72	0.67
1:A:103:ILE:HG21	7:A:505:AJP:C01	2.27	0.64
1:A:164:THR:HA	1:A:168:GLY:HA3	1.80	0.64
1:A:296:VAL:HG11	1:A:405:LEU:HD21	1.81	0.63
1:A:412:PHE:CE2	4:A:501:OH6:C11	2.82	0.63
2:L:94:LYS:HE3	2:L:96:ASN:HD21	1.64	0.63
1:A:219:ILE:HG22	1:A:221:LEU:H	1.64	0.62
4:A:501:OH6:C45	4:A:501:OH6:C43	2.75	0.62
1:A:165:ILE:HG23	1:A:166:VAL:HG23	1.80	0.62
1:A:137:LEU:HD21	1:A:150:PRO:HG2	1.82	0.61
1:A:91:HIS:HD2	3:H:121:SER:H	1.50	0.60
3:H:31:VAL:HG11	3:H:105:LEU:HD12	1.84	0.59
1:A:364:ALA:HB2	1:A:371:VAL:HG23	1.83	0.59
1:A:287:VAL:HG13	1:A:296:VAL:HG13	1.85	0.58
3:H:110:SER:HA	3:H:134:VAL:O	2.05	0.57
3:H:116:ALA:HB1	3:H:125:PHE:HB3	1.86	0.56
1:A:43:TRP:HZ2	1:A:56:THR:HB	1.70	0.56
1:A:168:GLY:HA2	1:A:257:SER:HB2	1.85	0.56
1:A:48:PRO:HD2	1:A:51:LEU:HD12	1.89	0.55
3:H:25:GLN:NE2	3:H:113:TYR:O	2.39	0.55
1:A:377:PRO:CB	1:A:378:PRO:CD	2.85	0.55
4:A:501:OH6:C05	4:A:501:OH6:C09	2.85	0.55
4:A:501:OH6:C01	4:A:501:OH6:C19	2.85	0.54
1:A:310:ASN:O	1:A:314:LYS:HB2	2.07	0.54
7:A:505:AJP:C11	7:A:505:AJP:C13	2.74	0.54
4:A:501:OH6:C20	4:A:501:OH6:C02	2.85	0.54
4:A:501:OH6:C01	4:A:501:OH6:C20	2.86	0.54
3:H:25:GLN:O	3:H:130:GLN:NE2	2.41	0.53
4:A:501:OH6:C09	4:A:501:OH6:C13	2.85	0.53
6:A:503:CLR:H261	8:A:506:OLA:H10	1.90	0.53
2:L:51:SER:HA	2:L:91:PHE:HE2	1.73	0.53
7:A:505:AJP:C16	7:A:505:AJP:C14	2.83	0.52
7:A:505:AJP:C83	7:A:505:AJP:C81	2.85	0.52
7:A:505:AJP:O43	7:A:505:AJP:O42	2.28	0.51
1:A:74:TRP:HD1	1:A:123:MET:HE1	1.76	0.51
4:A:501:OH6:C02	4:A:501:OH6:N21	2.73	0.51
1:A:345:VAL:HG11	4:A:501:OH6:C12	2.41	0.51
2:L:31:LEU:HD21	2:L:39:VAL:HB	1.93	0.51
3:H:58:GLN:HB2	3:H:64:LEU:HD23	1.92	0.51
1:A:309:ASN:O	1:A:313:PHE:HB3	2.10	0.50
1:A:74:TRP:CD1	1:A:123:MET:HE1	2.47	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:56:TYR:HE1	2:L:109:GLN:HB3	1.76	0.50
4:A:501:OH6:C19	4:A:501:OH6:C14	2.91	0.49
1:A:76:VAL:O	1:A:79:SER:OG	2.26	0.49
4:A:501:OH6:C01	4:A:501:OH6:N21	2.76	0.49
1:A:400:LEU:HD11	1:A:444:VAL:HG11	1.96	0.48
2:L:36:GLY:N	2:L:98:LEU:O	2.47	0.48
2:L:44:ARG:NH1	2:L:90:GLN:OE1	2.47	0.48
1:A:311:TYR:O	1:A:315:ASN:ND2	2.47	0.47
1:A:251:TYR:OH	1:A:287:VAL:HB	2.14	0.47
1:A:119:THR:HG23	1:A:122:LYS:HE2	1.97	0.46
3:H:105:LEU:HB3	3:H:136:VAL:HG11	1.98	0.46
1:A:147:GLY:HA3	2:L:111:HIS:O	2.15	0.46
1:A:43:TRP:CZ2	1:A:56:THR:HB	2.51	0.45
2:L:57:GLN:HB2	2:L:67:LEU:HD11	1.98	0.45
1:A:358:VAL:HG12	1:A:452:TYR:CE1	2.51	0.45
6:A:503:CLR:H272	6:A:503:CLR:H232	1.59	0.45
1:A:446:PHE:CE2	1:A:450:ILE:HD11	2.52	0.45
1:A:218:PHE:HD1	6:A:504:CLR:H183	1.82	0.45
3:H:39:MET:HG3	3:H:132:THR:HG21	1.98	0.45
1:A:304:MET:SD	1:A:336:HIS:NE2	2.86	0.44
7:A:505:AJP:C16	7:A:505:AJP:C80	2.95	0.44
1:A:347:LEU:HD23	8:A:506:OLA:H162	1.98	0.44
1:A:71:HIS:CD2	1:A:119:THR:HG21	2.52	0.44
2:L:94:LYS:HE3	2:L:96:ASN:ND2	2.32	0.43
1:A:140:ASP:HB3	1:A:146:VAL:HG23	2.00	0.43
2:L:37:GLU:HG2	2:L:38:THR:H	1.83	0.42
1:A:25:GLY:O	1:A:29:ILE:HG12	2.19	0.42
1:A:53:HIS:CE1	1:A:180:VAL:HG21	2.54	0.42
1:A:189:TRP:NE1	1:A:262:THR:O	2.48	0.42
7:A:505:AJP:C81	7:A:505:AJP:C10	2.97	0.42
1:A:258:GLU:HB3	1:A:281:VAL:HG23	2.01	0.42
1:A:95:ARG:HB2	1:A:142:ASP:OD1	2.20	0.42
1:A:377:PRO:HB2	1:A:378:PRO:CD	2.49	0.42
2:L:26:GLN:NE2	2:L:106:TYR:O	2.38	0.42
3:H:59:SER:HB2	3:H:62:LYS:HB2	2.02	0.42
1:A:380:CYS:HB3	1:A:382:HIS:H	1.85	0.42
3:H:106:THR:HG22	3:H:107:SER:N	2.36	0.41
1:A:35:ILE:HG22	1:A:162:VAL:HG21	2.01	0.41
1:A:107:LEU:O	1:A:111:GLU:HG2	2.20	0.41
1:A:400:LEU:HD12	1:A:400:LEU:HA	1.87	0.41
3:H:57:LYS:HB2	3:H:67:ILE:HD11	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:304:MET:HE3	1:A:304:MET:HB2	1.79	0.41
1:A:196:SER:HB3	1:A:259:ALA:HB2	2.03	0.41
1:A:412:PHE:HE2	4:A:501:OH6:C11	2.33	0.41
2:L:45:THR:HG22	2:L:47:GLU:H	1.84	0.41
1:A:358:VAL:HG12	1:A:452:TYR:CZ	2.56	0.41
1:A:53:HIS:ND1	1:A:176:TYR:OH	2.41	0.41
1:A:346:LEU:HD23	1:A:349:LEU:HD12	2.03	0.41
4:A:501:OH6:O28	4:A:501:OH6:C32	2.70	0.40
1:A:13:LEU:HG	1:A:18:LEU:HD13	2.02	0.40
1:A:407:TYR:CD1	1:A:441:SER:HB3	2.56	0.40
1:A:85:VAL:HG21	1:A:102:THR:HG21	2.02	0.40
1:A:160:TYR:HA	1:A:165:ILE:HD13	2.02	0.40
6:A:504:CLR:H193	6:A:504:CLR:H111	1.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	426/464 (92%)	410 (96%)	16 (4%)	0	100	100
2	L	105/234 (45%)	101 (96%)	4 (4%)	0	100	100
3	H	117/250 (47%)	110 (94%)	7 (6%)	0	100	100
All	All	648/948 (68%)	621 (96%)	27 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	365/398 (92%)	365 (100%)	0	100	100
2	L	92/204 (45%)	92 (100%)	0	100	100
3	H	102/215 (47%)	102 (100%)	0	100	100
All	All	559/817 (68%)	559 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	66	HIS
1	A	71	HIS
1	A	91	HIS
1	A	113	HIS
1	A	121	HIS
1	A	174	HIS
1	A	301	ASN
1	A	315	ASN
2	L	48	ASN
2	L	60	GLN
2	L	96	ASN
2	L	111	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	OH6	A	501	-	65,67,67	5.64	46 (70%)	87,93,93	1.75	18 (20%)
7	AJP	A	505	-	61,61,95	8.50	30 (49%)	93,98,149	2.62	30 (32%)
6	CLR	A	503	-	31,31,31	0.70	1 (3%)	48,48,48	1.63	11 (22%)
6	CLR	A	504	-	31,31,31	0.73	1 (3%)	48,48,48	1.66	9 (18%)
8	OLA	A	506	-	19,19,19	0.56	0	19,19,19	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	OH6	A	501	-	-	33/66/82/82	0/3/3/3
7	AJP	A	505	-	21/21/24/38	5/12/147/220	0/8/8/11
6	CLR	A	503	-	-	8/10/68/68	0/4/4/4
6	CLR	A	504	-	-	5/10/68/68	0/4/4/4
8	OLA	A	506	-	-	11/17/17/17	-

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	505	AJP	C07-C08	27.59	1.99	1.53
7	A	505	AJP	O09-C08	-25.51	0.99	1.43
7	A	505	AJP	O84-C05	-22.78	1.09	1.42
4	A	501	OH6	P39-O38	20.15	1.81	1.59
7	A	505	AJP	C12-C07	-19.66	1.19	1.56
7	A	505	AJP	C04-C05	-17.89	1.24	1.51
7	A	505	AJP	O09-C05	17.87	1.80	1.42
4	A	501	OH6	P35-O38	17.68	1.78	1.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	A	505	AJP	C03-C02	-14.21	1.14	1.52
7	A	505	AJP	C01-C02	13.73	1.95	1.52
4	A	501	OH6	C15-C16	13.69	1.64	1.50
7	A	505	AJP	C12-C11	13.50	1.80	1.56
7	A	505	AJP	C85-C02	-12.54	1.24	1.51
7	A	505	AJP	C16-C15	11.60	1.75	1.53
7	A	505	AJP	C10-C08	-9.83	1.31	1.53
4	A	501	OH6	O48-C47	9.52	1.64	1.42
4	A	501	OH6	C22-N21	9.39	1.55	1.33
4	A	501	OH6	C33-C30	9.33	1.67	1.52
4	A	501	OH6	C45-C44	9.29	1.77	1.52
4	A	501	OH6	C46-C45	-9.25	1.32	1.53
7	A	505	AJP	C11-C10	9.15	1.71	1.53
4	A	501	OH6	C27-N26	9.05	1.54	1.33
4	A	501	OH6	C16-S18	8.91	1.97	1.76
7	A	505	AJP	O84-C85	8.19	1.55	1.43
4	A	501	OH6	P61-O60	8.00	1.73	1.59
4	A	501	OH6	C53-N58	6.95	1.52	1.34
7	A	505	AJP	C13-C12	-6.76	1.42	1.54
7	A	505	AJP	C14-C15	6.61	1.64	1.53
4	A	501	OH6	C24-C22	6.32	1.64	1.51
4	A	501	OH6	O59-C46	5.99	1.57	1.43
7	A	505	AJP	C16-C11	-5.72	1.46	1.54
4	A	501	OH6	P35-O34	5.63	1.81	1.59
7	A	505	AJP	C20-C15	-5.53	1.46	1.56
7	A	505	AJP	C18-C19	4.96	1.65	1.53
4	A	501	OH6	O48-C44	-4.81	1.34	1.45
4	A	501	OH6	P39-O42	4.77	1.78	1.59
4	A	501	OH6	C20-N21	4.72	1.56	1.46
7	A	505	AJP	C07-C06	-4.64	1.41	1.54
7	A	505	AJP	C24-C23	4.26	1.60	1.52
7	A	505	AJP	O25-C23	-3.99	1.37	1.44
4	A	501	OH6	C14-C15	3.96	1.66	1.52
4	A	501	OH6	C31-C30	3.87	1.61	1.53
4	A	501	OH6	C25-C24	3.85	1.64	1.51
4	A	501	OH6	C46-C47	3.84	1.65	1.53
4	A	501	OH6	C50-N51	3.83	1.39	1.31
7	A	505	AJP	C17-C16	-3.68	1.46	1.53
4	A	501	OH6	C47-N49	-3.46	1.36	1.46
4	A	501	OH6	C19-S18	3.30	1.95	1.81
4	A	501	OH6	C57-N56	3.24	1.40	1.34
7	A	505	AJP	O40-C35	3.11	1.49	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	OH6	O17-C16	3.10	1.25	1.21
4	A	501	OH6	O34-C33	3.10	1.53	1.43
4	A	501	OH6	C19-C20	3.00	1.63	1.51
7	A	505	AJP	C18-C17	2.98	1.60	1.52
4	A	501	OH6	C25-N26	2.96	1.52	1.46
4	A	501	OH6	C52-C57	2.94	1.44	1.39
4	A	501	OH6	C43-C44	2.67	1.59	1.51
4	A	501	OH6	C55-N54	2.66	1.38	1.33
4	A	501	OH6	C32-C30	2.66	1.59	1.53
4	A	501	OH6	C13-C12	2.63	1.64	1.51
4	A	501	OH6	C55-N56	2.62	1.38	1.33
4	A	501	OH6	P61-O63	2.59	1.58	1.50
7	A	505	AJP	O44-C37	2.58	1.49	1.43
4	A	501	OH6	C14-C13	2.57	1.64	1.51
4	A	501	OH6	O60-C45	2.51	1.52	1.44
7	A	505	AJP	O79-C22	-2.50	1.38	1.43
6	A	504	CLR	C10-C9	-2.50	1.52	1.56
4	A	501	OH6	C10-C09	2.45	1.62	1.52
7	A	505	AJP	C22-C23	2.42	1.56	1.52
6	A	503	CLR	C10-C9	-2.39	1.52	1.56
4	A	501	OH6	P39-O41	2.39	1.59	1.50
4	A	501	OH6	C05-C06	2.29	1.62	1.52
4	A	501	OH6	C11-C10	2.28	1.63	1.51
7	A	505	AJP	O31-C26	2.18	1.47	1.41
7	A	505	AJP	C28-C29	-2.16	1.46	1.52
4	A	501	OH6	C12-C11	2.15	1.62	1.51
4	A	501	OH6	O42-C43	2.12	1.52	1.44
4	A	501	OH6	C09-C08	2.07	1.61	1.50

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	505	AJP	O84-C05-C04	10.58	119.97	110.76
7	A	505	AJP	C03-C02-C85	10.55	121.39	108.59
7	A	505	AJP	C13-C12-C07	7.20	125.61	115.36
7	A	505	AJP	O09-C08-C10	6.66	123.69	110.20
4	A	501	OH6	C52-C57-N56	-6.39	117.91	126.72
4	A	501	OH6	N56-C57-N49	5.13	135.89	127.17
4	A	501	OH6	C25-C24-C22	5.12	120.92	112.39
4	A	501	OH6	N56-C55-N54	-4.99	121.03	128.58
7	A	505	AJP	C81-C12-C13	-4.82	103.50	110.61
6	A	504	CLR	C13-C17-C20	-4.53	112.51	119.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	A	505	AJP	C21-C22-C23	4.48	116.45	110.46
7	A	505	AJP	C21-C20-C19	4.34	111.38	107.23
6	A	504	CLR	C19-C10-C9	-4.30	106.83	111.66
7	A	505	AJP	C81-C12-C11	-4.24	102.37	111.58
7	A	505	AJP	C06-C07-C08	-4.15	97.60	104.28
7	A	505	AJP	C13-C12-C11	4.05	116.03	108.11
4	A	501	OH6	C55-N56-C57	4.00	121.60	111.83
6	A	503	CLR	C13-C17-C20	-3.80	113.63	119.50
7	A	505	AJP	O40-C35-C36	3.62	117.80	110.37
6	A	503	CLR	C19-C10-C9	-3.61	107.61	111.66
6	A	504	CLR	C21-C20-C17	-3.58	107.51	112.88
7	A	505	AJP	C12-C11-C16	3.45	118.71	113.90
6	A	503	CLR	C14-C8-C9	-3.42	104.62	109.09
7	A	505	AJP	C12-C07-C06	3.40	130.56	120.50
4	A	501	OH6	C29-C27-N26	3.25	122.64	116.48
7	A	505	AJP	C04-C03-C02	2.98	117.63	111.67
4	A	501	OH6	C19-S18-C16	2.98	110.65	101.84
7	A	505	AJP	C04-C05-C06	-2.97	110.29	115.66
7	A	505	AJP	C20-C15-C16	-2.90	109.48	112.43
7	A	505	AJP	C24-C23-C22	2.90	114.10	111.07
7	A	505	AJP	C13-C14-C15	-2.86	108.27	113.14
7	A	505	AJP	C05-C06-C07	2.84	107.56	103.37
7	A	505	AJP	C80-C20-C15	-2.80	107.42	111.18
4	A	501	OH6	N49-C50-N51	-2.77	110.01	113.94
7	A	505	AJP	C85-O84-C05	2.74	118.41	113.69
4	A	501	OH6	C32-C30-C29	2.67	113.32	108.77
6	A	504	CLR	C13-C14-C8	-2.62	110.69	114.41
7	A	505	AJP	C15-C20-C19	2.59	112.12	108.51
6	A	504	CLR	C10-C9-C8	-2.58	108.95	112.71
6	A	503	CLR	C4-C5-C10	2.57	119.71	116.42
4	A	501	OH6	C24-C25-N26	-2.53	106.61	112.00
4	A	501	OH6	C14-C15-C16	-2.52	106.70	112.27
6	A	503	CLR	C3-C4-C5	-2.51	108.05	112.05
4	A	501	OH6	C52-N51-C50	2.47	107.33	103.45
6	A	503	CLR	C4-C5-C6	-2.44	117.26	120.57
6	A	504	CLR	C11-C12-C13	-2.40	108.69	112.74
6	A	503	CLR	C7-C8-C14	-2.39	107.55	110.93
7	A	505	AJP	C03-C04-C05	2.39	115.67	111.93
4	A	501	OH6	C57-N49-C50	2.38	108.23	105.74
7	A	505	AJP	C35-O34-C29	-2.38	112.34	117.98
4	A	501	OH6	C25-N26-C27	2.36	126.78	122.55
4	A	501	OH6	O28-C27-N26	-2.34	118.02	122.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	503	CLR	C1-C10-C5	2.32	112.74	108.74
6	A	504	CLR	C4-C5-C6	-2.30	117.46	120.57
6	A	503	CLR	C15-C14-C13	-2.28	101.16	103.84
6	A	504	CLR	C11-C9-C10	-2.28	110.28	113.08
7	A	505	AJP	O09-C05-C06	-2.24	101.59	104.56
7	A	505	AJP	O34-C35-O40	-2.18	104.96	110.69
7	A	505	AJP	C14-C13-C12	-2.17	109.08	112.74
7	A	505	AJP	O84-C85-C02	2.15	114.92	112.17
7	A	505	AJP	C24-C19-C20	-2.09	110.44	112.66
4	A	501	OH6	O34-C33-C30	-2.08	107.20	110.55
4	A	501	OH6	C45-C46-C47	2.08	104.46	99.89
6	A	503	CLR	C16-C15-C14	-2.07	101.10	105.14
4	A	501	OH6	C57-C52-N51	-2.06	108.23	110.58
7	A	505	AJP	C83-C06-C05	-2.05	111.63	114.94
6	A	504	CLR	C23-C22-C20	-2.05	109.35	115.08
6	A	503	CLR	C2-C3-C4	-2.03	107.44	110.29

All (21) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	A	505	AJP	C19
7	A	505	AJP	C10
7	A	505	AJP	C37
7	A	505	AJP	C36
7	A	505	AJP	C11
7	A	505	AJP	C20
7	A	505	AJP	C27
7	A	505	AJP	C28
7	A	505	AJP	C26
7	A	505	AJP	C23
7	A	505	AJP	C30
7	A	505	AJP	C07
7	A	505	AJP	C12
7	A	505	AJP	C16
7	A	505	AJP	C02
7	A	505	AJP	C39
7	A	505	AJP	C05
7	A	505	AJP	C35
7	A	505	AJP	C15
7	A	505	AJP	C38
7	A	505	AJP	C22

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	501	OH6	C13-C14-C15-C16
4	A	501	OH6	C15-C16-S18-C19
4	A	501	OH6	O17-C16-S18-C19
4	A	501	OH6	C29-C27-N26-C25
4	A	501	OH6	C27-C29-C30-C31
4	A	501	OH6	C27-C29-C30-C32
4	A	501	OH6	C27-C29-C30-C33
4	A	501	OH6	O65-C29-C30-C31
4	A	501	OH6	O65-C29-C30-C32
4	A	501	OH6	O65-C29-C30-C33
4	A	501	OH6	C29-C30-C33-O34
4	A	501	OH6	C31-C30-C33-O34
4	A	501	OH6	C32-C30-C33-O34
4	A	501	OH6	O42-C43-C44-O48
4	A	501	OH6	C43-O42-P39-O38
4	A	501	OH6	C43-O42-P39-O40
4	A	501	OH6	C43-O42-P39-O41
6	A	504	CLR	C16-C17-C20-C22
7	A	505	AJP	O31-C26-O25-C23
7	A	505	AJP	C30-C29-O34-C35
6	A	504	CLR	C16-C17-C20-C21
6	A	504	CLR	C13-C17-C20-C22
7	A	505	AJP	O31-C30-C32-O33
4	A	501	OH6	O28-C27-N26-C25
6	A	504	CLR	C13-C17-C20-C21
6	A	503	CLR	C17-C20-C22-C23
6	A	503	CLR	C21-C20-C22-C23
4	A	501	OH6	C09-C10-C11-C12
7	A	505	AJP	C29-C30-C32-O33
6	A	503	CLR	C22-C23-C24-C25
7	A	505	AJP	O40-C39-C41-O42
4	A	501	OH6	O42-C43-C44-C45
4	A	501	OH6	C03-C04-C05-C06
4	A	501	OH6	C08-C09-C10-C11
8	A	506	OLA	C12-C13-C14-C15
8	A	506	OLA	C11-C12-C13-C14
4	A	501	OH6	C02-C03-C04-C05
8	A	506	OLA	C5-C6-C7-C8
4	A	501	OH6	C01-C02-C03-C04
8	A	506	OLA	C10-C11-C12-C13
4	A	501	OH6	C05-C06-C07-C08
6	A	503	CLR	C13-C17-C20-C21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	506	OLA	C6-C7-C8-C9
4	A	501	OH6	C11-C12-C13-C14
4	A	501	OH6	O28-C27-C29-C30
4	A	501	OH6	N26-C27-C29-C30
4	A	501	OH6	C14-C15-C16-O17
4	A	501	OH6	C14-C15-C16-S18
6	A	503	CLR	C23-C24-C25-C26
6	A	503	CLR	C23-C24-C25-C27
8	A	506	OLA	C2-C3-C4-C5
6	A	503	CLR	C13-C17-C20-C22
6	A	503	CLR	C16-C17-C20-C21
4	A	501	OH6	P39-O38-P35-O36
8	A	506	OLA	C1-C2-C3-C4
8	A	506	OLA	C14-C15-C16-C17
8	A	506	OLA	O2-C1-C2-C3
8	A	506	OLA	C9-C10-C11-C12
8	A	506	OLA	O1-C1-C2-C3
4	A	501	OH6	P39-O38-P35-O37
4	A	501	OH6	C45-O60-P61-O64
6	A	504	CLR	C22-C23-C24-C25


There are no ring outliers.


5 monomers are involved in 52 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	501	OH6	17	0
7	A	505	AJP	30	0
6	A	503	CLR	2	0
6	A	504	CLR	2	0
8	A	506	OLA	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-26707. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 142




Y Index: 132




Z Index: 157


6.3.2 Raw map



X Index: 144



Y Index: 130




Z Index: 157


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 27 nm³; this corresponds to an approximate mass of 24 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.322 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.322 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.11	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.83	4.19	3.87

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.83 differs from the reported value 3.11 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-26707 and PDB model 7URA. Per-residue inclusion information can be found in section 3 on page 8.

9.1 Map-model overlay [i](#)

This section was not generated.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 77% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7580	0.5570
A	0.7490	0.5450
H	0.8010	0.5800
L	0.7490	0.5820

