



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:46 AM UTC

PDB ID : 8URK / pdb_00008urk
Title : Crystal structure of DNA N6-Adenine Methyltransferase M.BceJIV from Burkholderia cenocepacia in complex with duplex DNA substrates
Authors : Kottur, J.; Quintana-Feliciano, R.; Aggarwal, A.K.
Deposited on : 2023-10-26
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	283	57% 30% • 12%
1	B	283	70% 17% 12%
1	C	283	4% 50% 36% • 12%
1	D	283	5% 54% 30% • 14%
2	E	14	43% 57%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
2	G	14		
2	I	14		
2	K	14		
3	F	14		
3	H	14		
3	J	14		
3	L	14		
4	N	2		
4	O	2		

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10890 atoms, of which 61 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	249	Total	C	N	O	S	0	1	0
			1990	1269	348	363	10			
1	C	249	Total	C	N	O	S	0	1	0
			1950	1244	335	361	10			
1	D	244	Total	C	N	O	S	0	0	0
			1908	1214	329	355	10			
1	B	249	Total	C	N	O	S	0	0	0
			1992	1268	348	366	10			


- Molecule 2 is a DNA chain called DNA1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	14	Total	C	N	O	P	0	0	0
			282	137	49	83	13			
2	G	14	Total	C	N	O	P	0	0	0
			281	137	49	82	13			
2	I	14	Total	C	N	O	P	0	0	0
			282	137	49	83	13			
2	K	14	Total	C	N	O	P	0	0	0
			281	137	49	82	13			

- Molecule 3 is a DNA chain called DNA2.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	F	14	Total	C	N	O	P	0	0	0
			286	138	54	81	13			
3	H	14	Total	C	N	O	P	0	0	0
			285	138	54	80	13			
3	J	14	Total	C	N	O	P	0	0	0
			286	138	54	81	13			
3	L	14	Total	C	N	O	P	0	0	0
			286	138	54	81	13			

- Molecule 4 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	N	2	Total	C	H	O	0	0	0
			45	12	22	11			
4	O	2	Total	C	H	O	0	0	0
			45	12	22	11			

- Molecule 5 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: C₈H₁₈N₂O₄S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
5	A	1	Total	C	H	N	O	S	0	0
			32	8	17	2	4	1		

- Molecule 6 is SINEFUNGIN (CCD ID: SFG) (formula: C₁₅H₂₃N₇O₅) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total 27	C 15	N 7	O 5	0	0
6	C	1	Total 27	C 15	N 7	O 5	0	0
6	D	1	Total 27	C 15	N 7	O 5	0	0
6	B	1	Total 27	C 15	N 7	O 5	0	0

- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	154	Total O 154 154	0	0
7	E	19	Total O 19 19	0	0
7	F	12	Total O 12 12	0	0
7	C	46	Total O 46 46	0	0
7	D	75	Total O 75 75	0	0
7	B	149	Total O 149 149	0	0
7	G	17	Total O 17 17	0	0
7	H	16	Total O 16 16	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	I	16	Total 16	O 16	0	0
7	J	18	Total 18	O 18	0	0
7	K	12	Total 12	O 12	0	0
7	L	17	Total 17	O 17	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Methyltransferase




• Molecule 1: Methyltransferase




• Molecule 1: Methyltransferase





- Molecule 1: Methyltransferase

Chain B: 70% 17% 12%



- Molecule 2: DNA1

Chain E: 43% 57%



- Molecule 2: DNA1

Chain G: 71% 29%




- Molecule 2: DNA1

Chain I: 43% 57%



- Molecule 2: DNA1


Chain K: 57% 43%




• Molecule 3: DNA2

Chain F:  21% 79%



• Molecule 3: DNA2

Chain H:  21% 79%

• Molecule 3: DNA2

Chain J:  50% 50%

• Molecule 3: DNA2

Chain L:  36% 64%

• Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose

Chain N:  50% 50%

• Molecule 4: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose

Chain O:  50% 50%

4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	137.73Å 137.73Å 167.31Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.27 – 2.11 44.27 – 2.11	Depositor EDS
% Data completeness (in resolution range)	55.2 (44.27-2.11) 55.3 (44.27-2.11)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.10Å)	Xtriage
Refinement program	PHENIX (1.20rc3_4406: ???)	Depositor
R, R_{free}	0.184 , 0.234 (Not available) , 0.228	Depositor DCC
R_{free} test set	2484 reflections (2.78%)	wwPDB-VP
Wilson B-factor (Å ²)	41.3	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.41 , 76.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.026 for -h,k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	10890	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, FRU, SFG, EPE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.87	1/2049 (0.0%)	0.83	5/2782 (0.2%)
1	B	0.95	0/2048	0.85	6/2781 (0.2%)
1	C	0.79	1/2009 (0.0%)	0.77	2/2736 (0.1%)
1	D	0.70	0/1961	0.77	6/2667 (0.2%)
2	E	0.37	0/315	0.60	0/484
2	G	0.40	0/314	0.63	0/482
2	I	0.31	0/315	0.54	0/484
2	K	0.33	0/314	0.56	0/482
3	F	0.34	0/321	0.58	0/494
3	H	0.36	0/320	0.64	0/493
3	J	0.34	0/321	0.54	0/494
3	L	0.32	0/321	0.53	0/494
All	All	0.75	2/10608 (0.0%)	0.75	19/14873 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	168	ILE	CA-C	-5.26	1.48	1.53
1	A	150	ILE	C-N	-5.11	1.31	1.33

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	193	TYR	N-CA-C	7.50	121.63	110.52
1	B	99	GLY	N-CA-C	7.29	123.67	112.51
1	B	140	THR	N-CA-C	-7.29	103.36	114.16
1	A	242	MET	N-CA-C	6.58	120.57	112.54
1	A	253	ARG	N-CA-C	-6.51	102.41	110.41
1	B	69	GLY	N-CA-C	-6.27	106.67	115.32
1	C	242	MET	N-CA-C	6.04	120.38	112.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	140	THR	N-CA-C	-6.02	105.25	114.16
1	D	99	GLY	N-CA-C	6.01	123.29	112.54
1	D	69	GLY	N-CA-C	-5.97	107.00	115.43
1	D	242	MET	N-CA-C	5.92	120.34	113.18
1	B	242	MET	N-CA-C	5.92	120.11	113.01
1	D	140	THR	N-CA-C	-5.86	103.93	113.19
1	D	98	SER	N-CA-C	-5.73	106.10	112.57
1	B	260	GLY	N-CA-C	5.62	119.50	110.90
1	D	58	ALA	N-CA-C	5.48	117.61	108.02
1	A	69	GLY	N-CA-C	-5.44	107.75	115.43
1	A	258	PHE	N-CA-C	5.09	117.64	108.48
1	C	58	ALA	N-CA-C	5.00	116.88	108.73

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1990	0	1926	70	0
1	B	1992	0	1928	36	0
1	C	1950	0	1831	79	0
1	D	1908	0	1790	82	0
2	E	282	0	161	16	0
2	G	281	0	159	5	0
2	I	282	0	161	11	0
2	K	281	0	159	7	0
3	F	286	0	160	12	0
3	H	285	0	157	17	0
3	J	286	0	160	13	0
3	L	286	0	160	12	0
4	N	23	22	21	1	0
4	O	23	22	21	2	0
5	A	15	17	17	3	0
6	A	27	0	22	3	0
6	B	27	0	22	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	C	27	0	22	4	0
6	D	27	0	22	6	0
7	A	154	0	0	2	0
7	B	149	0	0	4	0
7	C	46	0	0	5	0
7	D	75	0	0	3	0
7	E	19	0	0	1	0
7	F	12	0	0	0	0
7	G	17	0	0	0	0
7	H	16	0	0	3	0
7	I	16	0	0	0	0
7	J	18	0	0	1	0
7	K	12	0	0	0	0
7	L	17	0	0	0	0
All	All	10829	61	8899	320	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (320) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:208:HIS:HD2	1:B:210:GLU:H	1.05	0.98
3:F:8:DG:H2''	3:F:9:DT:H5'	1.48	0.95
3:L:2:DT:H2'	3:L:3:DG:C8	2.07	0.89
1:C:51:ALA:HA	1:C:95:LEU:O	1.76	0.86
1:C:228:LEU:HD21	1:C:254:GLN:HG3	1.58	0.86
1:B:208:HIS:CD2	1:B:210:GLU:H	1.94	0.85
1:D:75:ARG:HD2	1:D:80:PHE:HA	1.57	0.84
1:A:208:HIS:HD2	1:A:210:GLU:H	1.20	0.84
2:E:12:DC:H6	2:E:12:DC:H5'	1.42	0.84
2:I:1:DT:H5''	2:I:1:DT:H6	1.40	0.84
1:C:214:HIS:CE1	6:C:601:SFG:HB1	2.16	0.80
1:D:133:VAL:HG11	1:D:203:ARG:HH21	1.47	0.80
1:A:141:ARG:HH11	1:A:141:ARG:HG2	1.48	0.78
3:F:3:DG:H2''	3:F:4:DG:C8	2.18	0.78
1:D:56:ILE:HB	1:D:101:MET:HG2	1.66	0.77
2:K:12:DC:H2''	2:K:13:DC:H5'	1.66	0.76
1:A:112:GLU:OE2	1:B:118:LYS:HE2	1.86	0.76
3:L:3:DG:H2''	3:L:4:DG:C8	2.20	0.76
1:C:84:THR:HA	1:C:87:TRP:CD1	2.21	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:141:ARG:HG2	1:B:141:ARG:HH11	1.50	0.76
3:J:6:DT:H2''	3:J:7:DA:H5'	1.68	0.76
1:C:166:VAL:HG11	1:C:229:ALA:HB2	1.69	0.75
2:E:10:DA:H2''	2:E:11:DG:C8	2.22	0.75
3:L:5:DC:H2'	3:L:6:DT:C6	2.22	0.74
1:D:205:HIS:CE1	1:D:207:GLN:HG3	2.21	0.74
1:C:181:LYS:HA	1:C:184:GLU:HG3	1.69	0.73
3:F:6:DT:H4'	3:F:7:DA:OP1	1.89	0.72
1:D:166:VAL:HG21	1:D:229:ALA:HB2	1.71	0.72
2:E:2:DT:H2''	2:E:3:DG:C8	2.24	0.72
1:D:84:THR:HA	1:D:87:TRP:CD1	2.24	0.72
2:I:1:DT:H5''	2:I:1:DT:C6	2.23	0.72
2:K:2:DT:H2'	2:K:3:DG:C8	2.24	0.71
3:F:6:DT:H2'	3:F:7:DA:C8	2.25	0.71
1:C:77:GLY:O	1:C:81:LEU:HG	1.91	0.71
1:C:56:ILE:HB	1:C:101:MET:HG3	1.73	0.71
2:E:12:DC:H5'	2:E:12:DC:C6	2.24	0.70
3:H:13:DC:H2'	3:H:14:DA:C8	2.26	0.70
2:I:1:DT:H2''	2:I:2:DT:H5'	1.73	0.70
3:L:3:DG:H2''	3:L:4:DG:H8	1.55	0.70
1:A:223:ILE:HA	1:A:226:MET:HE2	1.72	0.70
1:D:48:LEU:O	1:D:94:LYS:HE3	1.93	0.69
1:D:75:ARG:HB3	1:D:80:PHE:HB2	1.73	0.68
1:D:242:MET:HE2	1:D:245:GLY:HA2	1.75	0.68
3:L:6:DT:H2'	3:L:7:DA:C8	2.29	0.68
1:D:248:ALA:HB2	1:D:258:PHE:CE2	2.30	0.67
1:A:187:LYS:HE3	1:A:191:MET:SD	2.35	0.67
1:C:223:ILE:HA	1:C:226:MET:HE2	1.77	0.67
1:A:85:ARG:HD2	7:A:915:HOH:O	1.95	0.66
3:L:13:DC:H2'	3:L:14:DA:C8	2.30	0.66
1:A:241:PHE:HB3	6:A:802:SFG:O4'	1.96	0.65
1:A:206:ARG:HD2	2:E:6:DA:OP1	1.97	0.65
1:C:75:ARG:HB3	1:C:80:PHE:HB2	1.79	0.64
1:A:141:ARG:HG2	1:A:141:ARG:NH1	2.12	0.64
1:B:208:HIS:HD2	1:B:210:GLU:N	1.88	0.63
2:E:10:DA:H4'	2:E:11:DG:OP1	1.97	0.63
1:C:220:LEU:HG	1:C:224:GLU:HG3	1.81	0.62
1:D:205:HIS:HE1	1:D:207:GLN:HG3	1.61	0.62
1:A:56:ILE:HG13	1:A:95:LEU:HD21	1.79	0.62
1:A:214:HIS:CE1	6:A:802:SFG:HB1	2.35	0.62
1:C:145:SER:HA	1:D:197:ASP:OD2	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:F:8:DG:C2'	3:F:9:DT:H5'	2.27	0.62
3:J:6:DT:H2''	3:J:7:DA:C5'	2.29	0.62
1:A:236:ARG:HA	1:A:257:ASP:HB2	1.82	0.61
1:C:228:LEU:HD21	1:C:254:GLN:CG	2.30	0.61
1:B:141:ARG:HG2	1:B:141:ARG:NH1	2.13	0.61
1:C:121:LEU:HB3	1:C:154:ALA:O	2.00	0.61
3:H:6:DT:H2'	3:H:7:DA:C8	2.36	0.61
1:D:110:ALA:N	1:D:111:PRO:HD2	2.15	0.61
3:H:6:DT:H1'	7:H:101:HOH:O	2.00	0.61
2:E:1:DT:H5''	2:E:1:DT:H6	1.65	0.61
1:A:214:HIS:CG	1:A:215:PRO:HD2	2.36	0.61
1:D:167:ARG:NH2	3:J:9:DT:OP1	2.28	0.61
1:C:182:LEU:HD23	1:C:182:LEU:O	2.01	0.61
1:A:30:LEU:HD21	1:A:272:HIS:ND1	2.16	0.60
1:A:269:ALA:O	1:A:273:GLU:HG3	2.01	0.60
3:F:13:DC:H2'	3:F:14:DA:C8	2.37	0.60
3:L:2:DT:H2''	3:L:3:DG:O5'	2.01	0.60
1:C:188:TRP:HA	1:C:192:GLY:O	2.02	0.59
1:B:182:LEU:O	1:B:182:LEU:HD12	2.03	0.59
1:C:54:ASP:O	1:C:99:GLY:HA2	2.02	0.59
1:C:123:MET:HG2	1:D:107:TRP:HZ3	1.67	0.59
1:B:241:PHE:HB3	6:B:601:SFG:O4'	2.02	0.59
3:L:2:DT:H4'	3:L:3:DG:OP1	2.02	0.59
1:A:48:LEU:HD12	1:A:49:PRO:HD2	1.84	0.58
1:C:54:ASP:HB3	7:C:712:HOH:O	2.03	0.58
1:B:54:ASP:OD2	1:B:96:LYS:HD2	2.02	0.58
1:C:34:ILE:HG23	1:C:258:PHE:HB3	1.84	0.58
1:D:36:LEU:HD22	1:D:36:LEU:H	1.67	0.58
2:I:9:DT:H2''	2:I:10:DA:C8	2.39	0.58
1:C:86:GLU:O	1:C:90:LEU:HG	2.03	0.57
2:I:9:DT:H5'	2:I:9:DT:H6	1.69	0.57
1:D:59:ASP:HB3	6:D:601:SFG:HG1	1.85	0.57
1:C:139:THR:OG1	2:I:10:DA:H5'	2.03	0.57
1:D:133:VAL:HG21	1:D:203:ARG:NH2	2.20	0.57
3:J:14:DA:N7	7:J:101:HOH:O	2.32	0.57
1:B:269:ALA:O	1:B:273:GLU:HG3	2.04	0.57
1:A:208:HIS:CD2	1:A:210:GLU:H	2.11	0.57
3:H:6:DT:H4'	3:H:7:DA:OP1	2.05	0.56
1:D:242:MET:HG3	1:D:262:GLU:HB2	1.87	0.56
1:C:263:ILE:HD11	6:C:601:SFG:C5	2.35	0.56
1:D:236:ARG:HG3	1:D:257:ASP:CB	2.36	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:J:13:DC:H2'	3:J:14:DA:C8	2.41	0.56
1:C:163:LEU:O	1:C:166:VAL:HG22	2.06	0.55
1:C:107:TRP:HZ3	1:D:123:MET:HG2	1.71	0.55
1:D:83:TRP:O	1:D:86:GLU:HB2	2.06	0.55
1:D:236:ARG:HA	1:D:257:ASP:HB2	1.87	0.55
1:D:58:ALA:O	1:D:60:PRO:HD3	2.07	0.55
1:C:249:VAL:HG13	1:C:278:LEU:HD11	1.89	0.55
1:C:146:VAL:HG12	1:D:197:ASP:OD1	2.06	0.55
1:A:167:ARG:NH2	3:H:9:DT:OP1	2.39	0.55
1:C:194:ASN:O	1:C:196:LYS:HG3	2.08	0.54
1:D:187:LYS:NZ	3:J:8:DG:OP1	2.38	0.54
1:B:66:LYS:NZ	7:B:704:HOH:O	2.41	0.54
1:D:236:ARG:HG3	1:D:257:ASP:HB2	1.89	0.53
1:D:92:ILE:HB	1:D:93:PRO:HD3	1.90	0.53
3:J:5:DC:H2''	3:J:6:DT:O5'	2.09	0.53
1:C:47:HIS:N	7:C:701:HOH:O	2.40	0.53
1:C:249:VAL:HG12	1:C:253:ARG:HD3	1.90	0.53
2:E:9:DT:H2''	2:E:10:DA:C8	2.43	0.53
3:F:2:DT:H4'	3:F:3:DG:OP1	2.09	0.53
1:A:88:LEU:HD22	1:A:117:LEU:HD21	1.91	0.53
1:D:244:SER:HB3	6:D:601:SFG:O	2.09	0.53
1:A:271:ALA:O	1:A:275:VAL:HG23	2.09	0.53
1:C:179:SER:O	1:C:180:ARG:HG2	2.08	0.53
1:A:30:LEU:HD11	1:A:272:HIS:CE1	2.43	0.52
1:C:73:ASP:OD2	2:I:7:DA:H2	1.93	0.52
1:C:241:PHE:HB3	6:C:601:SFG:O4'	2.10	0.52
2:I:9:DT:H5'	2:I:9:DT:C6	2.44	0.52
1:C:137:GLY:O	3:J:8:DG:N2	2.39	0.52
1:B:208:HIS:CD2	1:B:210:GLU:HB3	2.45	0.52
2:K:12:DC:H2'	2:K:13:DC:C6	2.45	0.52
1:A:249:VAL:O	1:A:253:ARG:HG2	2.09	0.52
5:A:801:EPE:H102	3:F:9:DT:H3	1.74	0.52
1:C:224:GLU:HG2	1:C:250:ALA:HB1	1.92	0.52
1:D:187:LYS:HG2	1:D:191:MET:SD	2.50	0.51
1:C:127:ILE:HG21	1:C:199:TRP:CE2	2.46	0.51
1:C:141:ARG:NE	2:I:11:DG:OP1	2.41	0.51
2:I:5:DT:H2''	2:I:6:DA:N7	2.26	0.51
1:A:164:ASP:HA	1:A:167:ARG:HD2	1.92	0.50
2:E:10:DA:C2'	2:E:11:DG:C8	2.94	0.50
1:B:53:ILE:O	1:B:96:LYS:HG2	2.10	0.50
1:D:203:ARG:HD3	2:K:6:DA:H4'	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:237:VAL:N	1:D:257:ASP:O	2.37	0.50
1:B:30:LEU:HD21	1:B:36:LEU:HD13	1.94	0.50
1:A:199:TRP:CE3	1:A:222:ILE:HG23	2.46	0.50
1:C:57:VAL:HG12	1:C:57:VAL:O	2.11	0.50
1:D:231:CYS:SG	1:D:256:ARG:HG2	2.51	0.50
1:C:142:ARG:NH1	2:I:10:DA:OP1	2.39	0.49
1:B:214:HIS:CE1	6:B:601:SFG:HB1	2.47	0.49
3:H:4:DG:H2''	3:H:5:DC:OP2	2.12	0.49
1:A:57:VAL:HG13	1:A:226:MET:HE1	1.94	0.49
1:A:241:PHE:HD1	6:A:802:SFG:C4	2.26	0.49
1:D:251:CYS:HB3	1:D:256:ARG:O	2.11	0.49
2:E:1:DT:H5''	2:E:1:DT:C6	2.47	0.49
1:D:179:SER:O	1:D:180:ARG:HG2	2.13	0.49
1:C:56:ILE:HG12	1:C:238:LEU:HD23	1.95	0.49
1:A:45:ALA:O	1:A:94:LYS:HE3	2.11	0.49
1:C:141:ARG:HA	1:D:161:PHE:HD2	1.78	0.49
1:D:264:ASN:HB3	1:D:267:TYR:CD2	2.48	0.49
1:A:262:GLU:HG2	1:A:267:TYR:HB2	1.95	0.48
2:G:5:DT:H6	4:O:1:GLC:H62	1.78	0.48
3:J:6:DT:H4'	3:J:7:DA:OP1	2.13	0.48
1:C:178:ARG:NH1	7:C:703:HOH:O	2.45	0.48
3:L:1:DA:H2''	3:L:2:DT:O5'	2.13	0.48
1:A:179:SER:O	1:A:180:ARG:HG2	2.13	0.48
1:D:59:ASP:O	6:D:601:SFG:HG1	2.13	0.48
1:D:203:ARG:HD2	1:D:204:LEU:C	2.39	0.48
2:G:13:DC:H2''	2:G:14:DA:N7	2.28	0.48
1:C:181:LYS:CA	1:C:184:GLU:HG3	2.42	0.48
1:D:252:ALA:O	1:D:253:ARG:CB	2.62	0.48
1:A:236:ARG:HG3	1:A:257:ASP:HB3	1.95	0.48
3:L:6:DT:H4'	3:L:7:DA:OP1	2.14	0.48
1:A:92:ILE:N	1:A:93:PRO:HD2	2.28	0.48
1:D:59:ASP:HB3	6:D:601:SFG:CG	2.44	0.48
1:D:66:LYS:HB2	1:D:73:ASP:OD2	2.14	0.48
1:A:164:ASP:HA	1:A:167:ARG:HG3	1.96	0.47
1:C:110:ALA:O	1:C:111:PRO:C	2.57	0.47
3:H:6:DT:H2''	3:H:7:DA:O5'	2.13	0.47
1:A:47:HIS:N	1:A:47:HIS:CD2	2.83	0.47
1:C:55:LEU:HD13	1:C:230:SER:HB3	1.96	0.47
3:H:5:DC:H2'	3:H:6:DT:H72	1.96	0.47
1:A:88:LEU:O	1:A:92:ILE:HG13	2.14	0.47
1:A:178:ARG:NH1	7:A:907:HOH:O	2.44	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:213:ASP:N	7:C:704:HOH:O	2.46	0.47
1:A:137:GLY:N	5:A:801:EPE:O2S	2.48	0.47
1:C:123:MET:HG2	1:D:107:TRP:CZ3	2.49	0.47
1:B:249:VAL:O	1:B:253:ARG:HG3	2.14	0.47
1:D:206:ARG:HD2	1:D:206:ARG:HA	1.66	0.47
1:B:30:LEU:HD12	1:B:30:LEU:HA	1.74	0.47
1:C:141:ARG:HG2	1:C:141:ARG:HH11	1.80	0.47
1:C:164:ASP:N	1:C:165:PRO:HD2	2.30	0.46
1:C:199:TRP:CZ2	1:C:225:ARG:HD2	2.50	0.46
2:G:5:DT:H73	4:O:1:GLC:O6	2.15	0.46
3:H:2:DT:H2''	3:H:3:DG:C8	2.51	0.46
1:A:118:LYS:NZ	1:B:112:GLU:OE1	2.47	0.46
3:H:2:DT:H2''	3:H:3:DG:O5'	2.13	0.46
1:A:143:PHE:CD1	1:B:195:PRO:HG2	2.50	0.46
2:E:2:DT:H3'	7:E:101:HOH:O	2.15	0.46
3:L:1:DA:C8	3:L:1:DA:H5''	2.50	0.46
1:A:235:GLY:O	1:A:257:ASP:HB2	2.16	0.46
1:C:52:SER:C	1:C:96:LYS:HE2	2.40	0.46
1:D:179:SER:C	1:D:180:ARG:HG2	2.40	0.46
3:J:7:DA:H1'	3:J:8:DG:H5'	1.98	0.46
1:C:154:ALA:HB1	1:C:159:TYR:HB3	1.98	0.46
1:A:142:ARG:HB2	1:B:125:ASN:OD1	2.16	0.46
1:C:42:LEU:HD13	1:C:90:LEU:HD12	1.98	0.46
1:C:44:ASP:OD1	1:C:44:ASP:O	2.34	0.46
1:C:141:ARG:HA	1:D:161:PHE:CD2	2.50	0.46
1:D:36:LEU:HD12	1:D:242:MET:HE1	1.98	0.46
1:D:272:HIS:HA	1:D:275:VAL:HG22	1.98	0.46
1:A:132[A]:ARG:HE	1:A:200:SER:HB3	1.81	0.46
1:A:198:VAL:CG2	1:B:147:HIS:HB3	2.46	0.46
1:D:84:THR:HA	1:D:87:TRP:NE1	2.29	0.46
1:C:84:THR:HA	1:C:87:TRP:NE1	2.31	0.45
1:C:92:ILE:N	1:C:93:PRO:HD2	2.31	0.45
1:D:37:HIS:O	1:D:261:TYR:HA	2.16	0.45
3:H:9:DT:H5''	7:H:105:HOH:O	2.17	0.45
1:B:207:GLN:O	3:H:14:DA:H5'	2.16	0.45
1:C:208:HIS:CD2	3:J:13:DC:H5''	2.52	0.45
1:D:207:GLN:NE2	2:K:3:DG:H21	2.14	0.45
1:C:70:ASN:HB2	1:C:71:ASP:H	1.65	0.45
1:A:214:HIS:CD2	1:A:215:PRO:HD2	2.51	0.45
1:C:147:HIS:HB3	1:D:198:VAL:CG2	2.46	0.45
1:C:207:GLN:O	3:J:14:DA:H5'	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:242:MET:HE2	1:D:242:MET:HB2	1.60	0.45
1:A:164:ASP:HA	1:A:167:ARG:CD	2.47	0.45
1:D:110:ALA:N	1:D:111:PRO:CD	2.79	0.45
1:B:110:ALA:N	1:B:111:PRO:HD2	2.31	0.45
3:J:6:DT:H2'	3:J:7:DA:C8	2.53	0.44
1:D:242:MET:HE3	1:D:258:PHE:CE2	2.53	0.44
7:B:747:HOH:O	2:G:7:DA:H5''	2.18	0.44
1:A:133:VAL:HA	1:A:134:PRO:HD3	1.88	0.44
1:D:116:PHE:HD2	1:D:117:LEU:HD12	1.82	0.44
1:A:146:VAL:CG1	1:B:198:VAL:HG23	2.48	0.44
2:E:1:DT:H2''	2:E:2:DT:O5'	2.16	0.44
1:C:40:ASP:HB3	1:C:43:THR:HG23	1.99	0.44
1:A:163:LEU:HG	1:A:167:ARG:HG2	2.00	0.44
1:C:214:HIS:HE1	1:C:216:THR:OG1	2.01	0.44
1:B:212:VAL:HG22	1:B:217:GLN:OE1	2.18	0.44
1:C:42:LEU:HD13	1:C:90:LEU:CD1	2.48	0.44
1:D:272:HIS:O	1:D:276:ASN:HB2	2.18	0.44
1:A:143:PHE:CE1	1:B:195:PRO:HG2	2.53	0.43
1:A:179:SER:C	1:A:180:ARG:HG2	2.42	0.43
1:C:244:SER:O	1:C:274:ARG:HD3	2.17	0.43
1:A:68:TYR:HD2	1:A:72:SER:OG	2.01	0.43
1:A:142:ARG:HD2	2:E:10:DA:OP1	2.18	0.43
1:A:186:SER:HB3	1:A:188:TRP:CD1	2.53	0.43
1:A:207:GLN:O	3:F:14:DA:H5'	2.18	0.43
3:F:2:DT:H2''	3:F:3:DG:O5'	2.17	0.43
1:D:56:ILE:HG12	1:D:238:LEU:HD23	2.00	0.43
1:C:251:CYS:HB3	1:C:256:ARG:O	2.17	0.43
1:D:266:SER:O	1:D:269:ALA:HB3	2.18	0.43
2:E:12:DC:C6	2:E:12:DC:C5'	3.00	0.43
1:A:141:ARG:HD3	2:E:11:DG:OP1	2.19	0.43
3:H:6:DT:O2	7:H:101:HOH:O	2.20	0.43
1:A:199:TRP:HE3	1:A:222:ILE:HG23	1.83	0.43
1:A:194:ASN:HD21	1:B:143:PHE:HA	1.84	0.43
1:D:236:ARG:HG3	1:D:257:ASP:HB3	2.01	0.43
1:D:133:VAL:HG11	1:D:203:ARG:NH2	2.26	0.43
1:D:34:ILE:N	7:D:708:HOH:O	2.52	0.42
2:E:11:DG:H2''	2:E:12:DC:C5'	2.49	0.42
1:D:131:ARG:HD3	7:D:707:HOH:O	2.18	0.42
1:D:203:ARG:HD3	2:K:6:DA:C4'	2.49	0.42
6:B:601:SFG:HG2	6:B:601:SFG:H4'	1.89	0.42
3:F:1:DA:C8	3:F:1:DA:H5''	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:47:HIS:HB2	7:C:701:HOH:O	2.20	0.42
1:C:123:MET:HE3	1:D:107:TRP:CE3	2.54	0.42
1:D:203:ARG:HH11	1:D:205:HIS:N	2.18	0.42
1:A:134:PRO:HG3	1:B:196:LYS:HD3	2.01	0.42
1:C:141:ARG:HG2	1:C:141:ARG:NH1	2.33	0.42
1:B:139:THR:HA	7:B:783:HOH:O	2.19	0.42
1:A:137:GLY:CA	5:A:801:EPE:O2S	2.67	0.42
1:A:237:VAL:HG22	1:A:258:PHE:HD1	1.84	0.42
1:D:102:TYR:CD2	1:D:226:MET:HB3	2.54	0.42
1:D:236:ARG:HG3	1:D:236:ARG:HH11	1.84	0.42
1:B:30:LEU:N	7:B:709:HOH:O	2.52	0.42
1:A:37:HIS:O	1:A:261:TYR:HA	2.18	0.42
3:F:10:DT:H72	1:B:188:TRP:CZ2	2.55	0.42
1:C:35:GLU:O	1:C:259:VAL:HA	2.19	0.42
1:C:57:VAL:HG22	1:C:226:MET:HE3	2.01	0.42
1:D:148:ASP:HA	7:D:705:HOH:O	2.19	0.42
1:B:132:ARG:O	3:H:11:DA:H4'	2.20	0.42
3:H:6:DT:H2''	3:H:7:DA:C5'	2.50	0.42
1:C:56:ILE:CB	1:C:101:MET:HG3	2.47	0.42
1:A:264:ASN:HB3	1:A:267:TYR:CD2	2.54	0.42
1:A:36:LEU:N	1:A:36:LEU:CD1	2.83	0.41
1:A:84:THR:HG22	1:A:88:LEU:HD12	2.02	0.41
1:A:218:LYS:HA	1:A:219:PRO:HD3	1.95	0.41
6:C:601:SFG:H4'	6:C:601:SFG:HG2	1.67	0.41
3:H:2:DT:C2'	3:H:3:DG:C8	3.03	0.41
1:D:166:VAL:CG1	1:D:195:PRO:HG2	2.50	0.41
1:B:116:PHE:O	1:B:119:THR:OG1	2.32	0.41
1:A:188:TRP:HA	1:A:192:GLY:O	2.21	0.41
1:C:80:PHE:CD2	1:C:81:LEU:HD23	2.56	0.41
1:C:92:ILE:HG23	1:C:121:LEU:HD21	2.03	0.41
1:D:91:ALA:O	1:D:92:ILE:C	2.63	0.41
1:A:108:GLN:HG2	4:N:2:FRU:O4	2.19	0.41
1:D:53:ILE:HG23	1:D:236:ARG:O	2.20	0.41
1:D:62:TYR:HB2	2:K:7:DA:C2	2.55	0.41
1:D:235:GLY:O	1:D:257:ASP:N	2.43	0.41
1:B:104:PHE:CE1	1:B:226:MET:HE1	2.55	0.41
1:A:187:LYS:HD2	3:H:8:DG:OP1	2.20	0.41
1:C:122:THR:O	1:C:153:PHE:HA	2.20	0.41
1:D:206:ARG:HA	1:D:211:ARG:HG2	2.02	0.41
1:A:163:LEU:HD12	1:A:166:VAL:HG23	2.03	0.41
1:C:68:TYR:HD1	1:C:68:TYR:HA	1.78	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:107:TRP:CZ3	1:D:123:MET:HG2	2.55	0.41
1:D:231:CYS:HA	1:D:232:PRO:HD3	1.95	0.41
1:A:48:LEU:HA	1:A:49:PRO:HD3	1.91	0.41
1:D:102:TYR:CE2	1:D:226:MET:HB3	2.56	0.41
1:C:125:ASN:HB2	1:C:152:PHE:HD2	1.86	0.40
1:D:263:ILE:HG22	6:D:601:SFG:C4	2.50	0.40
1:B:34:ILE:HG22	1:B:36:LEU:HD11	2.04	0.40
1:B:62:TYR:CD1	2:G:7:DA:C6	3.09	0.40
1:A:208:HIS:CD2	1:A:210:GLU:HB2	2.56	0.40
1:D:44:ASP:C	1:D:46:ALA:H	2.29	0.40
1:D:223:ILE:HD13	1:D:226:MET:HE2	2.03	0.40
3:L:5:DC:H2'	3:L:6:DT:C5	2.56	0.40
1:D:262:GLU:OE1	6:D:601:SFG:H1'	2.21	0.40
1:C:267:TYR:O	1:C:268:CYS:C	2.65	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/283 (88%)	232 (94%)	14 (6%)	2 (1%)	16	12
1	B	247/283 (87%)	232 (94%)	15 (6%)	0	100	100
1	C	248/283 (88%)	223 (90%)	23 (9%)	2 (1%)	16	12
1	D	242/283 (86%)	219 (90%)	23 (10%)	0	100	100
All	All	985/1132 (87%)	906 (92%)	75 (8%)	4 (0%)	30	28

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	32	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	31	PRO
1	C	48	LEU
1	C	146	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/231 (91%)	198 (94%)	12 (6%)	18	16
1	B	212/231 (92%)	205 (97%)	7 (3%)	33	36
1	C	199/231 (86%)	187 (94%)	12 (6%)	17	15
1	D	194/231 (84%)	181 (93%)	13 (7%)	15	12
All	All	815/924 (88%)	771 (95%)	44 (5%)	20	18

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LEU
1	A	35	GLU
1	A	74	LYS
1	A	100	SER
1	A	140	THR
1	A	182	LEU
1	A	224	GLU
1	A	237	VAL
1	A	247	THR
1	A	259	VAL
1	A	266	SER
1	A	270	ILE
1	C	42	LEU
1	C	64	LEU
1	C	70	ASN
1	C	98	SER
1	C	103	ILE
1	C	106	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	144	THR
1	C	197	ASP
1	C	218	LYS
1	C	247	THR
1	C	263	ILE
1	C	266	SER
1	D	54	ASP
1	D	72	SER
1	D	94	LYS
1	D	101	MET
1	D	103	ILE
1	D	121	LEU
1	D	140	THR
1	D	142	ARG
1	D	213	ASP
1	D	218	LYS
1	D	242	MET
1	D	270	ILE
1	D	276	ASN
1	B	32	SER
1	B	75	ARG
1	B	100	SER
1	B	121	LEU
1	B	122	THR
1	B	242	MET
1	B	268	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	HIS
1	A	149	ASN
1	A	208	HIS
1	C	38	ASN
1	C	147	HIS
1	C	149	ASN
1	C	214	HIS
1	D	108	GLN
1	D	207	GLN
1	B	120	GLN
1	B	208	HIS
1	B	276	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GLC	N	1	4	11,11,12	0.38	0	15,15,17	0.58	0
4	FRU	N	2	4	11,12,12	0.41	0	10,18,18	1.04	1 (10%)
4	GLC	O	1	4	11,11,12	0.33	0	15,15,17	1.15	1 (6%)
4	FRU	O	2	4	11,12,12	0.46	0	10,18,18	1.60	2 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLC	N	1	4	-	1/2/19/22	0/1/1/1
4	FRU	N	2	4	-	5/5/24/24	0/1/1/1
4	GLC	O	1	4	-	2/2/19/22	0/1/1/1
4	FRU	O	2	4	-	5/5/24/24	0/1/1/1

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	O	2	FRU	O2-C2-O5	3.77	116.56	109.33
4	O	1	GLC	C2-C3-C4	-2.43	106.59	110.86
4	N	2	FRU	C6-C5-C4	-2.34	109.58	115.10
4	O	2	FRU	O6-C6-C5	-2.12	104.12	111.33

There are no chirality outliers.

All (13) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	N	2	FRU	O1-C1-C2-O2
4	O	2	FRU	O5-C5-C6-O6
4	O	1	GLC	C4-C5-C6-O6
4	O	1	GLC	O5-C5-C6-O6
4	O	2	FRU	C4-C5-C6-O6
4	N	2	FRU	C4-C5-C6-O6
4	N	1	GLC	O5-C5-C6-O6
4	O	2	FRU	O1-C1-C2-C3
4	N	2	FRU	O1-C1-C2-O5
4	O	2	FRU	O1-C1-C2-O5
4	N	2	FRU	O5-C5-C6-O6
4	O	2	FRU	O1-C1-C2-O2
4	N	2	FRU	O1-C1-C2-C3

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	O	1	GLC	2	0
4	N	2	FRU	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	SFG	B	601	-	28,29,29	1.42	6 (21%)	34,42,42	1.94	9 (26%)
6	SFG	A	802	-	28,29,29	1.43	6 (21%)	34,42,42	1.96	9 (26%)
5	EPE	A	801	-	15,15,15	0.94	1 (6%)	19,20,20	1.89	7 (36%)
6	SFG	C	601	-	28,29,29	1.43	7 (25%)	34,42,42	1.95	8 (23%)
6	SFG	D	601	-	28,29,29	1.48	6 (21%)	34,42,42	2.06	11 (32%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	SFG	B	601	-	-	2/17/33/33	0/3/3/3
6	SFG	A	802	-	-	1/17/33/33	0/3/3/3
5	EPE	A	801	-	-	7/9/19/19	0/1/1/1
6	SFG	C	601	-	-	4/17/33/33	0/3/3/3
6	SFG	D	601	-	-	9/17/33/33	0/3/3/3

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	601	SFG	C5-C4	4.24	1.46	1.39
6	C	601	SFG	C5-C4	4.18	1.46	1.39
6	A	802	SFG	C5-C4	4.12	1.46	1.39
6	B	601	SFG	C5-C4	4.05	1.46	1.39
5	A	801	EPE	C10-S	3.23	1.82	1.77
6	D	601	SFG	OXT-C	-3.22	1.20	1.30
6	A	802	SFG	OXT-C	-2.74	1.21	1.30
6	B	601	SFG	C4-N9	-2.65	1.32	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	601	SFG	C5-N7	-2.65	1.34	1.39
6	C	601	SFG	C5-N7	-2.62	1.34	1.39
6	A	802	SFG	C5-C6	2.56	1.48	1.41
6	A	802	SFG	C5-N7	-2.56	1.34	1.39
6	C	601	SFG	OXT-C	-2.54	1.22	1.30
6	B	601	SFG	OXT-C	-2.52	1.22	1.30
6	B	601	SFG	C5-C6	2.50	1.48	1.41
6	D	601	SFG	C5-C6	2.44	1.47	1.41
6	A	802	SFG	C4-N9	-2.42	1.32	1.37
6	D	601	SFG	C5-N7	-2.40	1.34	1.39
6	C	601	SFG	C5-C6	2.39	1.47	1.41
6	C	601	SFG	C4-N9	-2.27	1.33	1.37
6	D	601	SFG	C4-N9	-2.22	1.33	1.37
6	B	601	SFG	C8-N9	-2.18	1.33	1.37
6	C	601	SFG	C8-N9	-2.10	1.34	1.37
6	D	601	SFG	C8-N7	2.07	1.35	1.31
6	A	802	SFG	C8-N9	-2.04	1.34	1.37
6	C	601	SFG	C8-N7	2.03	1.35	1.31

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	601	SFG	C5-C4-N3	-5.60	119.00	126.72
6	A	802	SFG	C5-C4-N3	-5.50	119.14	126.72
6	D	601	SFG	C5-C4-N3	-5.38	119.30	126.72
6	B	601	SFG	C5-C4-N3	-5.30	119.41	126.72
6	C	601	SFG	N3-C4-N9	4.76	135.26	127.17
6	D	601	SFG	N3-C4-N9	4.44	134.72	127.17
6	A	802	SFG	N3-C4-N9	4.35	134.56	127.17
6	B	601	SFG	N3-C4-N9	4.26	134.40	127.17
5	A	801	EPE	C5-N4-C3	4.25	117.99	108.84
5	A	801	EPE	C7-N4-C5	3.85	121.51	111.24
6	D	601	SFG	CB-CA-N	-3.74	100.38	110.12
6	A	802	SFG	C4-C5-N7	-3.70	106.35	110.58
6	B	601	SFG	C4-C5-N7	-3.62	106.44	110.58
6	C	601	SFG	C2-N3-C4	3.59	120.60	111.83
6	A	802	SFG	C2-N3-C4	3.58	120.56	111.83
6	D	601	SFG	C2-N3-C4	3.53	120.45	111.83
6	B	601	SFG	C2-N3-C4	3.50	120.38	111.83
6	D	601	SFG	C4-C5-N7	-3.40	106.70	110.58
6	B	601	SFG	C4-N9-C8	3.36	109.26	105.74
6	D	601	SFG	C4-N9-C8	3.31	109.21	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	601	SFG	N3-C2-N1	-3.29	123.60	128.58
6	C	601	SFG	C4-N9-C8	3.27	109.17	105.74
5	A	801	EPE	C7-N4-C3	3.26	119.93	111.24
6	C	601	SFG	N3-C2-N1	-3.23	123.70	128.58
6	A	802	SFG	N3-C2-N1	-3.20	123.74	128.58
6	A	802	SFG	C4-N9-C8	3.16	109.06	105.74
6	C	601	SFG	C4-C5-N7	-3.10	107.04	110.58
6	B	601	SFG	N3-C2-N1	-3.07	123.93	128.58
6	A	802	SFG	C5-N7-C8	2.73	107.74	103.45
6	B	601	SFG	C5-N7-C8	2.65	107.61	103.45
6	D	601	SFG	C5-N7-C8	2.62	107.57	103.45
6	B	601	SFG	C6-C5-N7	2.43	136.78	132.09
6	A	802	SFG	C6-C5-N7	2.43	136.77	132.09
6	B	601	SFG	N9-C8-N7	-2.42	110.51	113.94
6	D	601	SFG	N9-C8-N7	-2.39	110.54	113.94
6	A	802	SFG	N9-C8-N7	-2.38	110.56	113.94
6	C	601	SFG	C5-N7-C8	2.37	107.18	103.45
6	D	601	SFG	C6-C5-N7	2.24	136.42	132.09
5	A	801	EPE	O1S-S-C10	2.21	110.06	106.73
5	A	801	EPE	O3S-S-C10	2.19	110.29	106.00
6	C	601	SFG	N9-C8-N7	-2.16	110.88	113.94
5	A	801	EPE	C6-N1-C2	2.06	113.29	108.84
5	A	801	EPE	O2S-S-O1S	-2.04	107.20	113.82
6	D	601	SFG	C2'-C3'-C4'	2.01	106.50	102.61

There are no chirality outliers.

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	801	EPE	C9-C10-S-O1S
5	A	801	EPE	C9-C10-S-O3S
6	D	601	SFG	O-C-CA-N
6	D	601	SFG	C4'-C5'-CD-CG
6	D	601	SFG	OXT-C-CA-N
5	A	801	EPE	C8-C7-N4-C3
5	A	801	EPE	C10-C9-N1-C2
5	A	801	EPE	C9-C10-S-O2S
6	D	601	SFG	O-C-CA-CB
6	D	601	SFG	OXT-C-CA-CB
6	A	802	SFG	C2'-C1'-N9-C8
6	C	601	SFG	C2'-C1'-N9-C8
6	D	601	SFG	C2'-C1'-N9-C8

Continued on next page...

Continued from previous page...




Mol	Chain	Res	Type	Atoms
6	B	601	SFG	C2'-C1'-N9-C8
6	D	601	SFG	C4'-C5'-CD-NE
5	A	801	EPE	N4-C7-C8-O8
5	A	801	EPE	C10-C9-N1-C6
6	C	601	SFG	O4'-C4'-C5'-CD
6	D	601	SFG	O4'-C4'-C5'-CD
6	C	601	SFG	C4'-C5'-CD-CG
6	B	601	SFG	C4'-C5'-CD-CG
6	C	601	SFG	C3'-C4'-C5'-CD
6	D	601	SFG	C3'-C4'-C5'-CD


There are no ring outliers.

5 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	601	SFG	3	0
6	A	802	SFG	3	0
5	A	801	EPE	3	0
6	C	601	SFG	4	0
6	D	601	SFG	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	249/283 (87%)	-0.17	0 100 100	10, 31, 48, 61	1 (0%)
1	B	249/283 (87%)	-0.24	0 100 100	14, 26, 41, 59	0
1	C	249/283 (87%)	0.55	12 (4%) 35 38	16, 52, 74, 96	1 (0%)
1	D	244/283 (86%)	0.57	14 (5%) 29 32	29, 54, 76, 85	0
2	E	14/14 (100%)	-0.57	0 100 100	25, 36, 55, 60	0
2	G	14/14 (100%)	-0.30	0 100 100	22, 37, 67, 69	0
2	I	14/14 (100%)	-0.26	0 100 100	37, 45, 58, 62	0
2	K	14/14 (100%)	0.34	0 100 100	51, 58, 87, 91	0
3	F	14/14 (100%)	-0.38	0 100 100	24, 37, 65, 66	0
3	H	14/14 (100%)	-0.12	0 100 100	22, 34, 64, 64	0
3	J	14/14 (100%)	-0.33	0 100 100	29, 42, 60, 63	0
3	L	14/14 (100%)	0.02	0 100 100	41, 56, 72, 74	0
All	All	1103/1244 (88%)	0.14	26 (2%) 59 62	10, 39, 72, 96	2 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	51	ALA	3.6
1	D	41	PHE	3.6
1	D	48	LEU	3.1
1	D	261	TYR	3.0
1	C	261	TYR	2.9
1	D	105	CYS	2.7
1	D	90	LEU	2.6
1	C	259	VAL	2.6
1	C	74	LYS	2.6
1	D	34	ILE	2.5
1	D	66	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	223	ILE	2.5
1	D	56	ILE	2.5
1	C	68	TYR	2.4
1	C	65	GLY	2.4
1	D	65	GLY	2.4
1	D	42	LEU	2.3
1	D	55	LEU	2.2
1	D	253	ARG	2.2
1	D	263	ILE	2.2
1	C	34	ILE	2.1
1	C	31	PRO	2.1
1	C	263	ILE	2.1
1	C	278	LEU	2.0
1	C	39	ARG	2.0
1	D	237	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	GLC	N	1	11/12	0.58	0.20	45,47,57,57	0
4	FRU	N	2	12/12	0.73	0.18	45,48,58,59	0
4	GLC	O	1	11/12	-	-	63,66,80,81	0
4	FRU	O	2	12/12	-	-	64,66,80,81	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain N:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EPE	A	801	15/15	0.76	0.18	67,81,84,86	0
6	SFG	D	601	27/27	0.78	0.15	56,66,72,73	0
6	SFG	C	601	27/27	0.89	0.09	44,46,48,49	0
6	SFG	A	802	27/27	0.94	0.06	22,24,27,27	0
6	SFG	B	601	27/27	0.95	0.06	22,24,28,28	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around SFG D 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around SFG C 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around SFG A 802:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around SFG B 601:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.