



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 02:51 PM UTC

PDB ID : 3USX / pdb_00003usx
Title : Crystal structure of PGRP-S complexed with Myristic Acid at 2.28 Å resolution
Authors : Yamini, S.; Sharma, P.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.
Deposited on : 2011-11-24
Resolution : 2.28 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	171	6% 71% 25% .
1	B	171	14% 68% 27% 5%
1	C	171	6% 74% 23% ..
1	D	171	6% 63% 29% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	D	503	-	-	X	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 5919 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peptidoglycan recognition protein 1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	B	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	C	171	Total	C	N	O	S	0	0	0
			1337	834	254	241	8			
1	D	171	Total	C	N	O	S	0	0	0
			1336	834	254	240	8			

- Molecule 2 is MYRISTIC ACID (CCD ID: MYR) (formula: C₁₄H₂₈O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	C	O	0	0
			16	14	2		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	153	Total	O	0	0
			153	153		
4	B	135	Total	O	0	0
			135	135		
4	C	150	Total	O	0	0
			150	150		
4	D	112	Total	O	0	0
			112	112		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Peptidoglycan recognition protein 1



• Molecule 1: Peptidoglycan recognition protein 1




• Molecule 1: Peptidoglycan recognition protein 1



• Molecule 1: Peptidoglycan recognition protein 1





4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	89.63Å 101.41Å 163.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.91 – 2.28 47.91 – 2.28	Depositor EDS
% Data completeness (in resolution range)	99.6 (47.91-2.28) 99.6 (47.91-2.28)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	8.54 (at 2.29Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.224 , 0.243 0.243 , 0.298	Depositor DCC
R_{free} test set	1727 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	30.1	Xtriage
Anisotropy	0.836	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 43.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	5919	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.16% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MYR, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.95	1/1374 (0.1%)	1.41	17/1871 (0.9%)
1	B	1.04	3/1374 (0.2%)	1.39	17/1871 (0.9%)
1	C	0.98	2/1374 (0.1%)	1.35	17/1871 (0.9%)
1	D	1.08	4/1373 (0.3%)	1.51	36/1871 (1.9%)
All	All	1.02	10/5495 (0.2%)	1.42	87/7484 (1.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	D	0	1
All	All	0	3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	116	PRO	CA-C	16.11	1.62	1.52
1	C	89	ILE	CA-CB	6.25	1.61	1.54
1	B	60	HIS	C-O	-6.03	1.17	1.24
1	C	34	VAL	CA-CB	6.02	1.61	1.54
1	D	115	VAL	CA-CB	5.90	1.61	1.54
1	B	116	PRO	CA-C	5.79	1.57	1.52
1	A	101	ILE	CA-CB	5.62	1.60	1.54
1	D	105	ILE	CA-CB	5.38	1.60	1.54
1	B	114	ARG	C-O	-5.27	1.17	1.23
1	D	103	ILE	CA-CB	5.01	1.60	1.54

All (87) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	92	ALA	N-CA-C	16.03	133.42	112.26
1	D	92	ALA	N-CA-C	15.04	131.96	112.41
1	A	22	CYS	CB-CA-C	-11.34	91.29	110.22
1	D	6	CYS	N-CA-C	10.89	127.15	109.40
1	B	22	CYS	CB-CA-C	-10.70	92.26	109.80
1	A	22	CYS	N-CA-C	10.65	125.89	108.96
1	C	92	ALA	N-CA-C	10.46	126.26	111.30
1	C	2	ASP	CB-CA-C	-9.94	91.11	109.51
1	A	96	PRO	N-CA-C	9.74	126.01	114.03
1	B	5	ALA	N-CA-C	-8.91	96.66	109.31
1	C	5	ALA	CB-CA-C	-8.58	97.39	110.26
1	D	116	PRO	N-CA-C	-8.42	101.58	110.58
1	C	61	VAL	N-CA-C	7.88	117.91	110.74
1	D	78	ASP	N-CA-C	-7.71	103.33	112.89
1	A	107	PHE	N-CA-C	-7.61	100.00	110.35
1	A	50	ALA	N-CA-C	-7.55	102.40	111.69
1	C	5	ALA	N-CA-C	7.50	120.62	109.59
1	B	96	PRO	N-CA-C	7.37	123.60	113.65
1	D	113	ASN	CB-CA-C	7.31	121.25	109.27
1	D	93	HIS	CB-CA-C	7.30	120.65	109.34
1	B	116	PRO	N-CA-C	-7.26	101.84	110.70
1	B	134	LEU	N-CA-C	6.93	118.84	111.28
1	B	22	CYS	N-CA-C	6.92	120.96	109.46
1	D	22	CYS	CB-CA-C	-6.92	98.32	109.75
1	C	93	HIS	CB-CA-C	6.88	121.73	110.24
1	D	95	GLY	CA-C-N	6.86	127.43	119.47
1	D	95	GLY	C-N-CA	6.86	127.43	119.47
1	D	115	VAL	CB-CA-C	-6.79	99.00	111.36
1	C	3	PRO	C-N-CD	-6.61	97.89	125.00
1	B	5	ALA	CA-C-N	6.59	133.56	121.70
1	B	5	ALA	C-N-CA	6.59	133.56	121.70
1	D	115	VAL	CA-C-N	-6.57	114.93	119.66
1	D	115	VAL	C-N-CA	-6.57	114.93	119.66
1	A	77	GLU	N-CA-C	-6.57	105.23	113.18
1	C	8	SER	N-CA-C	-6.42	102.75	111.55
1	D	7	GLY	N-CA-C	6.36	128.24	113.18
1	D	32	TYR	N-CA-C	6.34	119.86	109.72
1	B	132	VAL	N-CA-C	-6.30	104.14	111.00
1	A	2	ASP	C-N-CD	-6.27	99.28	125.00
1	D	10	VAL	CA-C-N	6.26	126.22	120.03
1	D	10	VAL	C-N-CA	6.26	126.22	120.03
1	D	93	HIS	N-CA-C	-6.22	105.72	113.55

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	88	ASN	N-CA-C	6.12	121.03	113.50
1	C	113	ASN	N-CA-C	6.10	120.34	112.41
1	D	87	TRP	N-CA-C	6.09	118.89	111.82
1	A	108	MET	N-CA-C	6.09	119.15	108.56
1	A	153	LEU	CB-CA-C	-6.02	100.04	110.09
1	B	103	ILE	CA-C-N	-6.01	117.14	122.73
1	B	103	ILE	C-N-CA	-6.01	117.14	122.73
1	D	116	PRO	CB-CA-C	-5.98	105.55	111.17
1	B	18	LEU	N-CA-C	-5.97	102.08	110.50
1	C	18	LEU	N-CA-C	-5.94	102.69	110.53
1	C	2	ASP	N-CA-C	5.89	118.69	110.20
1	A	18	LEU	N-CA-C	-5.87	102.22	110.50
1	C	96	PRO	N-CA-C	5.85	121.44	113.84
1	C	42	HIS	CB-CA-C	-5.84	100.35	110.45
1	D	92	ALA	CA-C-N	5.81	133.13	122.79
1	D	92	ALA	C-N-CA	5.81	133.13	122.79
1	D	113	ASN	N-CA-C	5.75	122.72	114.39
1	D	3	PRO	C-N-CD	-5.74	101.49	125.00
1	C	92	ALA	CA-C-N	5.73	133.37	122.60
1	C	92	ALA	C-N-CA	5.73	133.37	122.60
1	A	93	HIS	CB-CA-C	5.73	119.27	109.65
1	B	92	ALA	CA-C-N	5.73	132.21	122.36
1	B	92	ALA	C-N-CA	5.73	132.21	122.36
1	A	16	ARG	NE-CZ-NH2	-5.68	114.08	119.20
1	D	103	ILE	N-CA-C	-5.66	99.39	107.77
1	A	116	PRO	CA-C-N	5.64	126.19	120.38
1	A	116	PRO	C-N-CA	5.64	126.19	120.38
1	D	88	ASN	N-CA-C	5.63	120.31	113.38
1	D	166	TRP	N-CA-C	5.61	118.58	110.28
1	A	26	LEU	N-CA-C	-5.59	103.01	110.55
1	B	6	CYS	N-CA-C	-5.58	95.38	111.00
1	D	168	HIS	N-CA-C	5.49	119.61	113.02
1	D	16	ARG	CA-C-N	5.30	128.75	120.75
1	D	16	ARG	C-N-CA	5.30	128.75	120.75
1	D	15	TRP	N-CA-C	-5.28	106.15	112.59
1	B	89	ILE	CB-CA-C	5.27	117.34	110.96
1	D	160	TYR	N-CA-C	-5.27	105.62	111.36
1	C	157	ASP	N-CA-C	5.22	116.65	111.07
1	D	15	TRP	CB-CA-C	-5.13	102.76	111.02
1	D	45	THR	CB-CA-C	-5.11	101.53	109.55
1	D	35	VAL	N-CA-C	5.11	114.93	107.37
1	C	15	TRP	N-CA-C	-5.05	106.43	112.59

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	81	VAL	CB-CA-C	-5.05	103.86	110.98
1	D	22	CYS	N-CA-C	5.02	117.42	109.24
1	A	2	ASP	CB-CA-C	5.01	120.03	110.17

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	16	ARG	Sidechain
1	B	92	ALA	Peptide
1	D	92	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1337	0	1288	26	0
1	B	1337	0	1288	45	0
1	C	1337	0	1288	30	0
1	D	1336	0	1288	43	0
2	B	16	0	27	8	0
3	D	6	0	8	4	0
4	A	153	0	0	2	0
4	B	135	0	0	1	0
4	C	150	0	0	2	0
4	D	112	0	0	1	0
All	All	5919	0	5187	145	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (145) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:ASP:HA	1:B:4:PRO:HD3	1.28	1.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:PRO:HB2	1:D:4:PRO:HD3	1.35	1.06
1:B:72:ASN:ND2	1:B:104:GLY:H	1.57	1.02
1:B:72:ASN:HD22	1:B:104:GLY:H	0.98	0.96
1:A:13:ARG:HG2	1:A:13:ARG:HH11	1.30	0.96
1:D:3:PRO:HB2	1:D:4:PRO:CD	2.00	0.92
1:A:13:ARG:HH11	1:A:13:ARG:CG	1.83	0.91
1:C:2:ASP:CG	1:C:3:PRO:CD	2.46	0.88
1:D:74:LEU:HD22	1:D:108:MET:HE3	1.58	0.84
1:A:13:ARG:HG2	1:A:13:ARG:NH1	1.85	0.84
1:C:72:ASN:HD22	1:C:104:GLY:H	1.26	0.83
1:B:2:ASP:CA	1:B:4:PRO:HD3	2.09	0.81
1:D:2:ASP:OD2	1:D:5:ALA:HB2	1.80	0.80
1:A:12:ARG:HG3	1:A:83:GLU:OE1	1.82	0.79
1:A:72:ASN:HD22	1:A:104:GLY:H	1.31	0.79
1:C:2:ASP:OD1	1:C:3:PRO:CD	2.32	0.78
1:B:72:ASN:HD22	1:B:104:GLY:N	1.80	0.78
1:D:3:PRO:CB	1:D:4:PRO:HD3	2.10	0.77
1:D:146:HIS:HE1	3:D:503:GOL:H2	1.52	0.75
1:B:6:CYS:HB3	2:B:172:MYR:H61	1.68	0.75
1:D:146:HIS:CE1	3:D:503:GOL:H2	2.22	0.74
1:B:6:CYS:CB	2:B:172:MYR:H61	2.19	0.73
1:B:2:ASP:HA	1:B:4:PRO:CD	2.13	0.73
1:C:72:ASN:ND2	1:C:104:GLY:H	1.87	0.71
1:D:53:ALA:CA	1:D:108:MET:HE1	2.20	0.71
1:D:142:GLU:OE1	1:D:170:ARG:HG2	1.92	0.69
1:B:7:GLY:HA2	1:B:126:ASN:ND2	2.07	0.69
1:A:129:ALA:HB1	2:B:172:MYR:H102	1.75	0.69
1:D:113:ASN:C	1:D:158:ARG:HG3	2.19	0.68
1:C:2:ASP:OD1	1:C:3:PRO:HD3	1.93	0.67
1:A:6:CYS:C	1:A:130:CYS:SG	2.78	0.66
1:D:3:PRO:CB	1:D:4:PRO:CD	2.68	0.66
1:D:53:ALA:HA	1:D:108:MET:HE1	1.78	0.66
1:B:1:GLU:HA	1:B:2:ASP:HB3	1.78	0.65
1:B:85:ARG:HD2	1:B:91:GLY:HA2	1.77	0.65
1:C:2:ASP:OD1	1:C:3:PRO:HD2	1.97	0.65
1:A:11:PRO:HG2	1:A:14:GLU:HB2	1.78	0.64
1:A:112:MET:HE1	1:A:153:LEU:HD22	1.78	0.63
1:C:2:ASP:CG	1:C:3:PRO:HD2	2.23	0.63
1:D:105:ILE:O	1:D:105:ILE:HG13	1.96	0.63
1:B:134:LEU:HD21	2:B:172:MYR:H21	1.81	0.63
1:A:85:ARG:HD2	1:A:91:GLY:HA2	1.80	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:40:GLY:O	1:A:109:GLY:HA2	1.99	0.62
1:B:5:ALA:HB1	1:B:6:CYS:HA	1.81	0.62
1:D:72:ASN:HD22	1:D:104:GLY:H	1.47	0.62
1:C:85:ARG:HD2	1:C:91:GLY:HA2	1.82	0.61
1:C:59:TYR:HA	1:C:63:ASN:HD22	1.66	0.60
1:B:134:LEU:CD2	2:B:172:MYR:H21	2.33	0.59
1:A:72:ASN:ND2	1:A:104:GLY:H	2.02	0.58
2:B:172:MYR:H71	2:B:172:MYR:H32	1.84	0.58
1:D:28:ARG:HH21	1:D:88:ASN:HD21	1.53	0.57
1:B:97:THR:HG1	1:B:98:TRP:CD1	2.22	0.57
1:B:155:PRO:O	1:B:159:LEU:HB3	2.04	0.57
1:D:72:ASN:ND2	1:D:104:GLY:H	2.02	0.57
1:D:111:TYR:HD1	1:D:114:ARG:O	1.88	0.57
1:C:2:ASP:CG	1:C:3:PRO:N	2.63	0.57
1:D:53:ALA:N	1:D:108:MET:HE1	2.20	0.56
1:C:151:PRO:O	3:D:503:GOL:H12	2.05	0.55
1:B:28:ARG:HD2	1:B:136:ALA:HA	1.87	0.55
1:B:36:SER:C	1:B:155:PRO:HB3	2.32	0.55
1:C:77:GLU:OE2	1:C:114:ARG:NH1	2.40	0.54
1:C:28:ARG:HH21	1:C:88:ASN:HD21	1.55	0.54
1:B:6:CYS:C	1:B:8:SER:H	2.17	0.52
1:C:158:ARG:NH1	1:C:161:GLU:OE1	2.42	0.52
1:A:128:LEU:O	1:A:132:VAL:HG23	2.09	0.52
1:D:28:ARG:HH21	1:D:88:ASN:ND2	2.08	0.52
1:B:72:ASN:ND2	1:B:104:GLY:N	2.42	0.51
1:B:81:VAL:HG23	1:B:123:ALA:HB1	1.92	0.51
1:B:125:GLN:HA	1:B:125:GLN:OE1	2.12	0.50
1:B:32:TYR:HD2	1:B:101:ILE:O	1.95	0.50
1:D:78:ASP:OD2	1:D:82:TYR:OH	2.25	0.49
1:C:111:TYR:CD1	1:C:116:PRO:HG3	2.47	0.49
1:B:37:HIS:CD2	1:B:155:PRO:HA	2.47	0.49
1:B:37:HIS:CD2	1:B:154:SER:HA	2.48	0.49
1:B:2:ASP:CB	1:B:4:PRO:HD3	2.42	0.49
1:D:98:TRP:CD1	1:D:149:VAL:HB	2.47	0.49
1:D:15:TRP:CZ2	1:D:17:ALA:HB2	2.49	0.48
1:B:132:VAL:O	1:B:133:ALA:C	2.57	0.48
1:C:71:TYR:CD1	1:C:106:SER:HB2	2.49	0.48
1:B:81:VAL:HG11	1:B:127:LEU:HD13	1.96	0.47
1:C:29:PRO:HG2	1:C:138:ARG:HG2	1.95	0.47
1:A:43:CYS:HB2	1:A:48:SER:OG	2.13	0.47
1:A:7:GLY:N	1:A:130:CYS:SG	2.87	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:155:PRO:HB2	1:D:159:LEU:HD23	1.96	0.47
1:B:51:GLN:NE2	1:B:51:GLN:HA	2.28	0.47
1:C:40:GLY:O	1:C:109:GLY:HA2	2.15	0.47
1:D:63:ASN:N	1:D:63:ASN:HD22	2.13	0.47
1:C:77:GLU:HG3	4:C:193:HOH:O	2.15	0.47
1:C:158:ARG:HA	1:C:158:ARG:HD3	1.70	0.47
1:A:1:GLU:OE1	1:A:28:ARG:NH2	2.48	0.46
1:A:24:GLU:HG2	4:A:318:HOH:O	2.16	0.46
1:A:75:ILE:HB	1:A:107:PHE:HA	1.98	0.46
1:D:37:HIS:CD2	1:D:154:SER:HB2	2.50	0.46
1:D:12:ARG:HA	1:D:15:TRP:NE1	2.31	0.46
1:D:142:GLU:CD	1:D:170:ARG:NH1	2.74	0.46
1:C:2:ASP:CG	1:C:3:PRO:HD3	2.32	0.45
1:A:60:HIS:HA	1:A:64:LEU:HD12	1.98	0.45
1:C:99:ASN:N	1:C:100:PRO:HD2	2.32	0.45
1:D:6:CYS:HB2	1:D:130:CYS:HB2	1.70	0.45
1:B:2:ASP:HB2	1:B:3:PRO:HA	1.99	0.45
1:B:78:ASP:OD1	1:B:79:GLY:N	2.49	0.45
1:A:129:ALA:CB	2:B:172:MYR:H102	2.44	0.44
1:B:87:TRP:CZ3	1:B:137:LEU:HG	2.52	0.44
1:D:48:SER:O	1:D:51:GLN:HB3	2.17	0.44
1:C:6:CYS:HB2	1:C:130:CYS:HB2	1.94	0.44
1:D:85:ARG:HD2	1:D:91:GLY:HA2	2.00	0.44
1:C:43:CYS:O	1:C:77:GLU:HB2	2.18	0.44
1:B:126:ASN:O	1:B:127:LEU:C	2.61	0.44
1:D:42:HIS:HD2	4:D:442:HOH:O	2.02	0.43
1:B:98:TRP:CD1	1:B:149:VAL:HB	2.53	0.43
1:D:53:ALA:HA	1:D:108:MET:CE	2.46	0.43
1:D:63:ASN:N	1:D:63:ASN:ND2	2.67	0.43
1:B:146:HIS:HB3	1:B:154:SER:O	2.18	0.43
1:A:80:LEU:HB2	1:A:82:TYR:CE2	2.54	0.43
1:B:45:THR:O	1:B:48:SER:N	2.52	0.42
1:B:145:GLY:O	1:B:146:HIS:C	2.62	0.42
1:C:157:ASP:O	1:C:161:GLU:HG3	2.18	0.42
1:D:13:ARG:CZ	1:D:13:ARG:HB3	2.48	0.42
1:D:57:GLN:HG3	1:D:69:VAL:HB	2.02	0.42
1:D:78:ASP:N	1:D:78:ASP:OD1	2.52	0.42
1:C:3:PRO:N	1:C:4:PRO:HD3	2.34	0.42
1:C:142:GLU:OE2	1:C:170:ARG:NH1	2.53	0.42
1:D:146:HIS:HB3	1:D:154:SER:O	2.20	0.41
1:B:85:ARG:O	1:B:89:ILE:HB	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:3:PRO:HB2	1:D:4:PRO:HD2	1.95	0.41
1:D:116:PRO:HG2	1:D:159:LEU:HD13	2.02	0.41
1:B:159:LEU:O	1:B:163:ILE:HG12	2.20	0.41
1:C:4:PRO:HG3	4:C:205:HOH:O	2.19	0.41
1:B:1:GLU:HA	1:B:2:ASP:CB	2.45	0.41
1:D:74:LEU:CD2	1:D:108:MET:HE3	2.40	0.41
1:A:147:ARG:HD2	1:A:160:TYR:CG	2.55	0.41
1:B:78:ASP:OD2	1:B:80:LEU:HD12	2.21	0.41
1:A:13:ARG:HB3	4:A:179:HOH:O	2.21	0.41
1:A:112:MET:O	1:A:158:ARG:HG2	2.20	0.41
1:C:151:PRO:HG2	3:D:503:GOL:H32	2.03	0.41
1:C:59:TYR:O	1:C:63:ASN:HB2	2.21	0.40
1:A:43:CYS:O	1:A:77:GLU:HB2	2.21	0.40
1:B:6:CYS:HB3	2:B:172:MYR:C6	2.43	0.40
1:B:6:CYS:C	1:B:8:SER:N	2.79	0.40
1:D:160:TYR:CE2	1:D:164:GLN:NE2	2.89	0.40
1:A:74:LEU:HD12	1:A:74:LEU:N	2.37	0.40
1:B:13:ARG:NH2	4:B:462:HOH:O	2.52	0.40
1:B:36:SER:CA	1:B:155:PRO:HB3	2.52	0.40
1:D:105:ILE:O	1:D:105:ILE:CG1	2.66	0.40
1:D:15:TRP:CH2	1:D:17:ALA:HB2	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	169/171 (99%)	161 (95%)	6 (4%)	2 (1%)	10	10
1	B	169/171 (99%)	157 (93%)	11 (6%)	1 (1%)	21	25
1	C	169/171 (99%)	161 (95%)	6 (4%)	2 (1%)	10	10
1	D	169/171 (99%)	163 (96%)	4 (2%)	2 (1%)	10	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	676/684 (99%)	642 (95%)	27 (4%)	7 (1%)	12	13

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	PRO
1	C	3	PRO
1	C	4	PRO
1	D	4	PRO
1	D	7	GLY
1	A	4	PRO
1	B	7	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/139 (100%)	135 (97%)	4 (3%)	37	52
1	B	139/139 (100%)	136 (98%)	3 (2%)	45	62
1	C	139/139 (100%)	138 (99%)	1 (1%)	76	86
1	D	139/139 (100%)	135 (97%)	4 (3%)	37	52
All	All	556/556 (100%)	544 (98%)	12 (2%)	45	62

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	ARG
1	A	24	GLU
1	A	28	ARG
1	A	170	ARG
1	B	54	GLN
1	B	114	ARG
1	B	128	LEU
1	C	114	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	21	GLU
1	D	52	GLN
1	D	114	ARG
1	D	161	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	54	GLN
1	A	72	ASN
1	A	93	HIS
1	A	126	ASN
1	B	72	ASN
1	B	168	HIS
1	C	63	ASN
1	C	72	ASN
1	C	88	ASN
1	D	42	HIS
1	D	51	GLN
1	D	63	ASN
1	D	72	ASN
1	D	88	ASN
1	D	146	HIS
1	D	164	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	D	503	-	5,5,5	0.37	0	5,5,5	0.30	0
2	MYR	B	172	-	15,15,15	0.67	0	15,15,15	0.92	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	D	503	-	-	2/4/4/4	-
2	MYR	B	172	-	-	8/13/13/13	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	172	MYR	O2-C1-O1	-2.49	116.93	123.33
2	B	172	MYR	O2-C1-C2	2.16	120.84	114.00

There are no chirality outliers.

All (10) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	503	GOL	O1-C1-C2-C3
2	B	172	MYR	C1-C2-C3-C4
2	B	172	MYR	C5-C6-C7-C8
2	B	172	MYR	C11-C10-C9-C8
2	B	172	MYR	C3-C4-C5-C6
2	B	172	MYR	C10-C11-C12-C13

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	D	503	GOL	O1-C1-C2-O2
2	B	172	MYR	C6-C7-C8-C9
2	B	172	MYR	C11-C12-C13-C14
2	B	172	MYR	C7-C8-C9-C10

There are no ring outliers.

2 monomers are involved in 12 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	503	GOL	4	0
2	B	172	MYR	8	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	171/171 (100%)	0.57	10 (5%) 29 30	20, 35, 54, 96	0
1	B	171/171 (100%)	0.85	24 (14%) 6 7	24, 36, 65, 94	0
1	C	171/171 (100%)	0.31	10 (5%) 29 30	18, 31, 49, 92	0
1	D	171/171 (100%)	0.44	11 (6%) 25 26	18, 31, 50, 92	0
All	All	684/684 (100%)	0.54	55 (8%) 18 19	18, 33, 59, 96	0

All (55) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	5	ALA	7.5
1	B	3	PRO	6.5
1	B	2	ASP	6.4
1	D	2	ASP	6.4
1	B	4	PRO	5.9
1	A	2	ASP	5.6
1	C	5	ALA	5.5
1	D	3	PRO	5.0
1	D	92	ALA	4.7
1	D	4	PRO	4.7
1	A	5	ALA	4.5
1	B	1	GLU	4.5
1	A	3	PRO	4.4
1	B	7	GLY	4.4
1	A	4	PRO	4.3
1	A	171	ALA	4.2
1	B	92	ALA	4.2
1	C	3	PRO	4.1
1	D	5	ALA	4.1
1	C	4	PRO	4.1
1	C	2	ASP	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	1	GLU	3.5
1	B	22	CYS	3.5
1	B	134	LEU	3.5
1	C	8	SER	3.4
1	C	92	ALA	3.4
1	A	6	CYS	3.1
1	B	130	CYS	3.0
1	B	131	GLY	3.0
1	D	171	ALA	2.9
1	C	40	GLY	2.9
1	B	76	GLY	2.9
1	D	1	GLU	2.8
1	D	158	ARG	2.8
1	B	30	VAL	2.6
1	B	132	VAL	2.6
1	B	135	GLY	2.6
1	B	27	THR	2.6
1	B	6	CYS	2.5
1	B	133	ALA	2.5
1	C	6	CYS	2.5
1	A	22	CYS	2.4
1	D	113	ASN	2.4
1	A	130	CYS	2.4
1	D	47	ALA	2.4
1	B	136	ALA	2.3
1	C	7	GLY	2.3
1	B	23	ARG	2.3
1	B	89	ILE	2.3
1	D	8	SER	2.2
1	B	8	SER	2.2
1	A	92	ALA	2.1
1	A	1	GLU	2.1
1	B	138	ARG	2.1
1	B	10	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MYR	B	172	16/16	0.68	0.24	33,42,48,48	16
3	GOL	D	503	6/6	0.82	0.20	52,54,55,57	0

6.5 Other polymers [i](#)

There are no such residues in this entry.