



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 06:55 AM UTC

PDB ID : 6USN / pdb_00006usn
Title : Co-crystal structure of SPR with compound 5
Authors : Huang, X.; Wang, K.
Deposited on : 2019-10-28
Resolution : 2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5248 (2.80-2.76)
Clashscore	190562	5693 (2.80-2.76)
Ramachandran outliers	187476	5590 (2.80-2.76)
Sidechain outliers	187428	5592 (2.80-2.76)
RSRZ outliers	180081	5251 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	 90% 8% .
1	B	263	 91% 7% .
1	C	263	 89% 9% .
1	D	263	 87% 11% ..

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 8297 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Sepiapterin reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	258	Total	C	N	O	S	0	0	0
			1937	1221	344	363	9			
1	B	258	Total	C	N	O	S	0	0	0
			1923	1213	340	361	9			
1	C	258	Total	C	N	O	S	0	1	0
			1921	1210	338	363	10			
1	D	258	Total	C	N	O	S	0	1	0
			1909	1203	337	359	10			

There are 8 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	GLY	-	expression tag	UNP P35270
A	-3	SER	-	expression tag	UNP P35270
B	-4	GLY	-	expression tag	UNP P35270
B	-3	SER	-	expression tag	UNP P35270
C	-4	GLY	-	expression tag	UNP P35270
C	-3	SER	-	expression tag	UNP P35270
D	-4	GLY	-	expression tag	UNP P35270
D	-3	SER	-	expression tag	UNP P35270

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NAP) (formula: C₂₁H₂₈N₇O₁₇P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	C	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is (2-hydroxyphenyl)[3-methyl-1-(pyridin-2-yl)-1H-pyrazolo[3,4-b]pyridin-5-yl]methanone (CCD ID: QGV) (formula: C₁₉H₁₄N₄O₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	0	0
			25	19	4	2		
6	B	1	Total	C	N	O	0	0
			25	19	4	2		
6	C	1	Total	C	N	O	0	0
			25	19	4	2		
6	D	1	Total	C	N	O	0	0
			25	19	4	2		

- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	52	Total	O	0	0
			52	52		
7	B	49	Total	O	0	0
			49	49		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	C	44	Total	O	0	0
			44	44		
7	D	29	Total	O	0	0
			29	29		

- Molecule 1: Sepiapterin reductase





Chain B: 2% 91% 7%



Chain C: 89% 9% 2%



Chain D:  3% 87% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	146.29Å 146.29Å 179.50Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	47.88 – 2.77 47.88 – 2.77	Depositor EDS
% Data completeness (in resolution range)	99.8 (47.88-2.77) 92.5 (47.88-2.77)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.14 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.168 , 0.201 0.179 , 0.208	Depositor DCC
R_{free} test set	1995 reflections (3.62%)	wwPDB-VP
Wilson B-factor (Å ²)	48.9	Xtriage
Anisotropy	0.285	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 38.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.048 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8297	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.83% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: QGV, SO4, NAP, GOL, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/1964	0.74	0/2658
1	B	0.37	0/1950	0.75	0/2642
1	C	0.35	0/1948	0.74	2/2642 (0.1%)
1	D	0.35	0/1936	0.77	0/2628
All	All	0.36	0/7798	0.75	2/10570 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	85	ARG	CA-C-N	5.74	125.76	119.90
1	C	85	ARG	C-N-CA	5.74	125.76	119.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1937	0	2001	14	0
1	B	1923	0	1975	11	0
1	C	1921	0	1955	13	0
1	D	1909	0	1936	17	0
2	A	48	0	24	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	48	0	25	1	0
2	C	48	0	25	0	0
2	D	48	0	25	1	0
3	A	20	0	0	0	0
3	B	20	0	0	0	0
3	C	15	0	0	0	0
3	D	35	0	0	0	0
4	A	18	0	24	0	0
4	B	6	0	8	0	0
4	C	6	0	8	0	0
5	A	7	0	10	2	0
5	B	7	0	10	1	0
5	C	7	0	10	1	0
6	A	25	0	0	1	0
6	B	25	0	0	0	0
6	C	25	0	0	0	0
6	D	25	0	0	0	0
7	A	52	0	0	2	0
7	B	49	0	0	2	0
7	C	44	0	0	3	0
7	D	29	0	0	0	0
All	All	8297	0	8036	54	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (54) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:137:LYS:HG2	1:C:109:VAL:HG12	1.68	0.73
1:A:37:SER:OG	7:A:401:HOH:O	2.13	0.67
1:D:85:ARG:HH11	1:D:85:ARG:HG2	1.61	0.66
1:A:75:GLN:OE1	7:A:402:HOH:O	2.15	0.65
1:D:4:ARG:NH1	1:D:88:GLY:O	2.29	0.65
1:C:215:MET:HA	5:C:306:PEG:H31	1.79	0.63
1:C:216:ARG:O	1:C:220:GLN:HG3	2.00	0.61
1:C:59:ARG:HG3	7:C:429:HOH:O	2.02	0.59
1:B:207:ARG:HD3	7:B:408:HOH:O	2.02	0.58
1:D:18:ARG:HD2	1:D:47:LEU:HD13	1.86	0.57
1:C:195:PRO:HB2	1:C:198:LEU:HD21	1.88	0.55
1:C:230:ASP:HB3	1:C:233:VAL:HG23	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:240:SER:O	1:D:244:LYS:HG3	2.06	0.55
1:B:157:ALA:HB2	1:B:171:LYS:HB3	1.89	0.55
1:D:157:ALA:HB2	1:D:171:LYS:HB3	1.90	0.54
1:C:7[B]:CYS:SG	1:C:24:LEU:HD21	2.48	0.53
1:A:157:ALA:HB2	1:A:171:LYS:HB3	1.90	0.53
1:B:223:LYS:NZ	7:B:405:HOH:O	2.39	0.53
1:B:230:ASP:HB2	1:B:233:VAL:HG23	1.91	0.53
1:A:230:ASP:HB3	1:A:233:VAL:HG23	1.91	0.52
1:D:7[B]:CYS:SG	1:D:24:LEU:HD21	2.48	0.52
1:A:109:VAL:HG23	7:C:419:HOH:O	2.09	0.52
1:A:195:PRO:HB2	1:A:198:LEU:HD21	1.92	0.52
1:D:197:PRO:HB2	1:D:228:LEU:HD22	1.94	0.50
1:C:240:SER:O	1:C:244:LYS:HG3	2.13	0.48
1:B:21:ALA:HB3	1:B:22:PRO:HD3	1.96	0.48
1:B:2:LEU:O	1:B:91:ARG:HD2	2.14	0.48
1:B:153:SER:O	2:B:301:NAP:H6N	2.15	0.46
1:B:173:ALA:HB2	1:D:173:ALA:HB2	1.97	0.46
1:B:218:GLY:HA3	5:B:307:PEG:H31	1.98	0.45
1:C:103:ASP:OD2	1:C:106:LYS:HE2	2.17	0.45
1:A:63:VAL:HG11	1:A:76:LEU:HA	1.98	0.45
1:A:11:GLY:HA2	2:A:301:NAP:H1B	1.99	0.44
1:A:215:MET:HE2	1:A:215:MET:HB2	1.89	0.43
1:B:240:SER:O	1:B:244:LYS:HG3	2.19	0.43
1:D:153:SER:O	2:D:301:NAP:H6N	2.18	0.43
1:B:38:ALA:O	1:B:64:PRO:HA	2.19	0.43
1:A:153:SER:O	2:A:301:NAP:H6N	2.18	0.42
1:C:55:ARG:O	1:C:55:ARG:HG2	2.19	0.42
1:D:104:VAL:O	1:D:211:VAL:HG23	2.20	0.41
1:D:230:ASP:HB3	1:D:233:VAL:HG23	2.01	0.41
1:D:23:LEU:HD11	1:D:232:LYS:HG3	2.01	0.41
1:A:218:GLY:HA3	5:A:309:PEG:H12	2.02	0.41
1:C:157:ALA:HB2	1:C:171:LYS:HB3	2.03	0.41
1:C:2:LEU:O	1:C:91:ARG:HD2	2.20	0.41
1:D:38:ALA:O	1:D:64:PRO:HA	2.20	0.41
1:C:62:ARG:NH1	7:C:403:HOH:O	2.29	0.41
1:D:207:ARG:O	1:D:216:ARG:HG3	2.20	0.41
1:D:63:VAL:HG11	1:D:76:LEU:HA	2.02	0.41
1:D:128:MET:SD	1:D:174:ARG:HG2	2.60	0.40
1:D:18:ARG:HH21	1:D:50:GLU:CD	2.29	0.40
1:A:83:LEU:HA	1:A:84:PRO:HD3	1.93	0.40
1:A:240:SER:O	1:A:244:LYS:HG3	2.22	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:309:PEG:H22	6:A:310:QGV:N03	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	256/263 (97%)	253 (99%)	3 (1%)	0	100	100
1	B	256/263 (97%)	251 (98%)	5 (2%)	0	100	100
1	C	257/263 (98%)	253 (98%)	4 (2%)	0	100	100
1	D	257/263 (98%)	253 (98%)	4 (2%)	0	100	100
All	All	1026/1052 (98%)	1010 (98%)	16 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	208/213 (98%)	207 (100%)	1 (0%)	81	92
1	B	205/213 (96%)	204 (100%)	1 (0%)	81	92
1	C	204/213 (96%)	203 (100%)	1 (0%)	81	92
1	D	201/213 (94%)	199 (99%)	2 (1%)	68	86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	818/852 (96%)	813 (99%)	5 (1%)	78	91

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	217	LYS
1	B	54	GLU
1	C	42	GLU
1	D	85	ARG
1	D	244	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	203	GLN
1	C	116	GLN
1	C	146	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	D	306	-	4,4,4	0.25	0	6,6,6	0.09	0
5	PEG	A	309	-	6,6,6	0.58	0	5,5,5	0.23	0
5	PEG	B	307	-	6,6,6	0.61	0	5,5,5	0.20	0
3	SO4	B	304	-	4,4,4	0.25	0	6,6,6	0.08	0
6	QGV	D	309	-	28,28,28	1.53	6 (21%)	39,40,40	2.76	15 (38%)
3	SO4	A	303	-	4,4,4	0.27	0	6,6,6	0.08	0
3	SO4	C	302	-	4,4,4	0.25	0	6,6,6	0.13	0
3	SO4	B	305	-	4,4,4	0.25	0	6,6,6	0.10	0
3	SO4	D	305	-	4,4,4	0.24	0	6,6,6	0.11	0
2	NAP	B	301	-	50,52,52	3.79	15 (30%)	71,80,80	1.66	13 (18%)
3	SO4	C	304	-	4,4,4	0.25	0	6,6,6	0.10	0
3	SO4	D	304	-	4,4,4	0.23	0	6,6,6	0.12	0
4	GOL	A	308	-	5,5,5	0.28	0	5,5,5	0.28	0
6	QGV	C	307	-	28,28,28	1.51	6 (21%)	39,40,40	2.78	17 (43%)
3	SO4	A	302	-	4,4,4	0.26	0	6,6,6	0.10	0
3	SO4	D	303	-	4,4,4	0.25	0	6,6,6	0.12	0
2	NAP	D	301	-	50,52,52	3.82	17 (34%)	71,80,80	1.64	13 (18%)
6	QGV	B	308	-	28,28,28	1.50	6 (21%)	39,40,40	2.82	16 (41%)
4	GOL	B	306	-	5,5,5	0.40	0	5,5,5	0.25	0
6	QGV	A	310	-	28,28,28	1.49	6 (21%)	39,40,40	2.83	16 (41%)
5	PEG	C	306	-	6,6,6	0.57	0	5,5,5	0.35	0
3	SO4	B	302	-	4,4,4	0.24	0	6,6,6	0.15	0
4	GOL	A	307	-	5,5,5	0.29	0	5,5,5	0.29	0
4	GOL	A	306	-	5,5,5	0.30	0	5,5,5	0.34	0
3	SO4	B	303	-	4,4,4	0.26	0	6,6,6	0.13	0
3	SO4	A	305	-	4,4,4	0.22	0	6,6,6	0.15	0
3	SO4	D	307	-	4,4,4	0.26	0	6,6,6	0.12	0
3	SO4	C	303	-	4,4,4	0.24	0	6,6,6	0.11	0
2	NAP	C	301	-	50,52,52	3.78	16 (32%)	71,80,80	1.64	13 (18%)
3	SO4	A	304	-	4,4,4	0.25	0	6,6,6	0.09	0
3	SO4	D	302	-	4,4,4	0.25	0	6,6,6	0.07	0
4	GOL	C	305	-	5,5,5	0.30	0	5,5,5	0.32	0
2	NAP	A	301	-	50,52,52	3.79	16 (32%)	71,80,80	1.67	13 (18%)
3	SO4	D	308	-	4,4,4	0.24	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	QGV	A	310	-	-	1/12/12/12	0/4/4/4
5	PEG	C	306	-	-	2/4/4/4	-
2	NAP	B	301	-	-	5/35/67/67	0/5/5/5
6	QGV	B	308	-	-	0/12/12/12	0/4/4/4
2	NAP	C	301	-	-	13/35/67/67	0/5/5/5
4	GOL	A	307	-	-	0/4/4/4	-
4	GOL	C	305	-	-	0/4/4/4	-
4	GOL	A	308	-	-	0/4/4/4	-
6	QGV	C	307	-	-	0/12/12/12	0/4/4/4
5	PEG	A	309	-	-	3/4/4/4	-
5	PEG	B	307	-	-	1/4/4/4	-
2	NAP	A	301	-	-	3/35/67/67	0/5/5/5
4	GOL	A	306	-	-	2/4/4/4	-
6	QGV	D	309	-	-	0/12/12/12	0/4/4/4
2	NAP	D	301	-	-	12/35/67/67	0/5/5/5
4	GOL	B	306	-	-	2/4/4/4	-

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	301	NAP	C3B-C2B	-11.94	1.26	1.53
2	D	301	NAP	C3B-C2B	-11.90	1.27	1.53
2	C	301	NAP	C3B-C2B	-11.89	1.27	1.53
2	A	301	NAP	C3B-C2B	-11.74	1.27	1.53
2	A	301	NAP	O4D-C1D	11.20	1.55	1.40
2	B	301	NAP	O4D-C1D	11.13	1.55	1.40
2	D	301	NAP	O4D-C1D	10.91	1.55	1.40
2	C	301	NAP	O4D-C1D	10.64	1.54	1.40
2	D	301	NAP	C2D-C3D	-9.73	1.27	1.53
2	B	301	NAP	C2D-C3D	-9.70	1.27	1.53
2	C	301	NAP	C2D-C3D	-9.68	1.27	1.53
2	A	301	NAP	C2D-C3D	-9.53	1.27	1.53
2	C	301	NAP	C7N-N7N	8.04	1.47	1.33
2	A	301	NAP	C7N-N7N	8.03	1.47	1.33
2	C	301	NAP	O4D-C4D	-8.01	1.27	1.45
2	B	301	NAP	C7N-N7N	7.99	1.47	1.33
2	D	301	NAP	C7N-N7N	7.98	1.47	1.33
2	A	301	NAP	O4D-C4D	-7.91	1.27	1.45
2	D	301	NAP	O4D-C4D	-7.79	1.27	1.45
2	B	301	NAP	O4D-C4D	-7.76	1.27	1.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	301	NAP	O4B-C1B	-5.95	1.28	1.42
2	D	301	NAP	C2B-C1B	5.84	1.67	1.53
2	B	301	NAP	O4B-C1B	-5.76	1.28	1.42
2	C	301	NAP	O4B-C1B	-5.67	1.28	1.42
2	C	301	NAP	C2B-C1B	5.64	1.67	1.53
2	D	301	NAP	O4B-C1B	-5.61	1.29	1.42
2	A	301	NAP	C2B-C1B	5.57	1.66	1.53
2	A	301	NAP	C5B-C4B	-5.57	1.34	1.51
2	D	301	NAP	C5B-C4B	-5.50	1.35	1.51
2	B	301	NAP	C5B-C4B	-5.43	1.35	1.51
2	B	301	NAP	C2B-C1B	5.41	1.66	1.53
2	D	301	NAP	C3D-C4D	5.39	1.66	1.53
2	C	301	NAP	C5B-C4B	-5.32	1.35	1.51
2	C	301	NAP	C3D-C4D	5.26	1.66	1.53
2	A	301	NAP	C3D-C4D	5.16	1.66	1.53
2	B	301	NAP	C3D-C4D	5.13	1.66	1.53
2	C	301	NAP	O4B-C4B	4.77	1.55	1.45
2	D	301	NAP	O4B-C4B	4.77	1.55	1.45
2	B	301	NAP	O4B-C4B	4.60	1.55	1.45
2	A	301	NAP	O4B-C4B	4.50	1.55	1.45
6	D	309	QGV	C05-N04	-4.21	1.34	1.42
6	B	308	QGV	C05-N04	-4.17	1.34	1.42
2	A	301	NAP	O3B-C3B	4.17	1.53	1.43
6	A	310	QGV	C05-N04	-4.16	1.34	1.42
2	D	301	NAP	O3B-C3B	4.15	1.53	1.43
2	C	301	NAP	O3B-C3B	4.13	1.53	1.43
2	B	301	NAP	O3B-C3B	4.04	1.53	1.43
2	C	301	NAP	O2D-C2D	3.98	1.52	1.43
6	C	307	QGV	C05-N04	-3.97	1.35	1.42
2	D	301	NAP	O2D-C2D	3.96	1.52	1.43
2	A	301	NAP	O2D-C2D	3.93	1.52	1.43
2	B	301	NAP	O2D-C2D	3.91	1.52	1.43
2	D	301	NAP	C6A-N6A	3.86	1.44	1.34
2	D	301	NAP	PN-O3	3.77	1.63	1.59
2	B	301	NAP	C6A-N6A	3.74	1.43	1.34
2	A	301	NAP	C6A-N6A	3.69	1.43	1.34
2	C	301	NAP	C6A-N6A	3.66	1.43	1.34
2	B	301	NAP	PN-O3	3.30	1.63	1.59
6	D	309	QGV	C02-N03	2.99	1.35	1.32
6	A	310	QGV	N04-N03	-2.98	1.35	1.38
2	A	301	NAP	PN-O3	2.93	1.62	1.59
6	D	309	QGV	N04-N03	-2.91	1.35	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	C	307	QGV	N04-N03	-2.90	1.35	1.38
6	B	308	QGV	N04-N03	-2.88	1.35	1.38
2	A	301	NAP	O7N-C7N	-2.86	1.18	1.24
6	C	307	QGV	C02-N03	2.84	1.35	1.32
2	C	301	NAP	O7N-C7N	-2.83	1.18	1.24
6	A	310	QGV	C16-C11	-2.81	1.37	1.41
2	C	301	NAP	PN-O3	2.78	1.62	1.59
6	B	308	QGV	C02-N03	2.77	1.35	1.32
2	D	301	NAP	O7N-C7N	-2.71	1.19	1.24
6	B	308	QGV	C16-C11	-2.68	1.37	1.41
6	C	307	QGV	C16-C11	-2.66	1.37	1.41
2	B	301	NAP	O7N-C7N	-2.65	1.19	1.24
6	A	310	QGV	C02-N03	2.61	1.34	1.32
6	D	309	QGV	C16-C11	-2.54	1.37	1.41
6	C	307	QGV	O25-C24	2.51	1.41	1.36
6	A	310	QGV	O25-C24	2.43	1.41	1.36
6	D	309	QGV	O25-C24	2.41	1.41	1.36
6	B	308	QGV	C11-N12	2.13	1.38	1.34
6	C	307	QGV	C11-N12	2.10	1.38	1.34
6	D	309	QGV	C11-N12	2.09	1.38	1.34
2	D	301	NAP	C3N-C7N	2.08	1.53	1.50
6	B	308	QGV	O25-C24	2.07	1.40	1.36
2	D	301	NAP	C2A-N1A	2.06	1.37	1.33
6	A	310	QGV	C11-N12	2.04	1.38	1.34
2	C	301	NAP	C2A-N1A	2.04	1.37	1.33
2	A	301	NAP	C2A-N1A	2.01	1.37	1.33

All (116) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	310	QGV	C16-C02-N03	-6.91	108.05	110.76
6	D	309	QGV	C16-C11-N12	-6.72	119.04	127.01
6	C	307	QGV	C16-C11-N12	-6.67	119.11	127.01
6	B	308	QGV	C16-C11-N12	-6.59	119.20	127.01
6	A	310	QGV	C16-C11-N12	-6.47	119.34	127.01
6	D	309	QGV	C16-C02-N03	-6.38	108.26	110.76
6	B	308	QGV	C16-C02-N03	-6.27	108.31	110.76
6	C	307	QGV	C16-C02-N03	-5.88	108.46	110.76
6	B	308	QGV	C11-N04-N03	-5.64	107.86	110.29
6	D	309	QGV	N12-C11-N04	5.63	132.21	125.88
6	C	307	QGV	N12-C11-N04	5.59	132.16	125.88
6	A	310	QGV	C11-N04-N03	-5.58	107.88	110.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	NAP	C5A-C4A-N3A	-5.56	119.06	126.72
2	B	301	NAP	C5A-C4A-N3A	-5.50	119.15	126.72
2	C	301	NAP	C5A-C4A-N3A	-5.47	119.18	126.72
6	B	308	QGV	N12-C11-N04	5.47	132.02	125.88
6	C	307	QGV	C11-N04-N03	-5.37	107.97	110.29
6	A	310	QGV	N12-C11-N04	5.36	131.91	125.88
2	A	301	NAP	C5A-C4A-N3A	-5.35	119.36	126.72
6	C	307	QGV	C05-N04-N03	5.33	125.58	117.86
6	A	310	QGV	C05-N04-N03	5.24	125.45	117.86
6	D	309	QGV	C11-N04-N03	-5.22	108.04	110.29
6	B	308	QGV	C05-N04-N03	5.20	125.39	117.86
6	D	309	QGV	C05-N04-N03	5.20	125.39	117.86
6	A	310	QGV	C02-N03-N04	5.10	109.62	107.17
6	C	307	QGV	C01-C02-N03	4.93	126.57	119.93
6	B	308	QGV	C02-N03-N04	4.81	109.48	107.17
6	D	309	QGV	C02-N03-N04	4.71	109.43	107.17
6	B	308	QGV	C01-C02-N03	4.71	126.28	119.93
6	A	310	QGV	C01-C02-N03	4.67	126.22	119.93
6	D	309	QGV	C01-C02-N03	4.65	126.19	119.93
2	C	301	NAP	N3A-C2A-N1A	-4.59	121.64	128.58
6	C	307	QGV	C02-N03-N04	4.45	109.31	107.17
2	D	301	NAP	N3A-C2A-N1A	-4.38	121.95	128.58
2	B	301	NAP	N3A-C2A-N1A	-4.30	122.07	128.58
2	A	301	NAP	N3A-C2A-N1A	-4.30	122.07	128.58
6	B	308	QGV	C16-C11-N04	4.24	108.78	106.62
2	A	301	NAP	N3A-C4A-N9A	4.21	134.33	127.17
6	A	310	QGV	C16-C11-N04	4.19	108.75	106.62
2	B	301	NAP	N3A-C4A-N9A	4.18	134.28	127.17
6	D	309	QGV	C16-C11-N04	4.18	108.75	106.62
6	C	307	QGV	C16-C11-N04	4.15	108.73	106.62
2	D	301	NAP	N3A-C4A-N9A	4.13	134.19	127.17
2	D	301	NAP	C4D-O4D-C1D	-4.05	106.22	109.92
2	C	301	NAP	N3A-C4A-N9A	3.97	133.93	127.17
2	B	301	NAP	C4D-O4D-C1D	-3.76	106.48	109.92
2	C	301	NAP	C2A-N3A-C4A	3.66	120.77	111.83
2	A	301	NAP	N9A-C8A-N7A	-3.57	108.86	113.94
2	D	301	NAP	C2A-N3A-C4A	3.56	120.52	111.83
2	B	301	NAP	N9A-C8A-N7A	-3.54	108.92	113.94
2	B	301	NAP	C2A-N3A-C4A	3.48	120.33	111.83
2	C	301	NAP	N9A-C8A-N7A	-3.46	109.03	113.94
2	A	301	NAP	C2A-N3A-C4A	3.43	120.20	111.83
2	D	301	NAP	N9A-C8A-N7A	-3.37	109.16	113.94

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	NAP	C2B-C1B-N9A	-3.21	108.47	113.75
2	C	301	NAP	C4D-O4D-C1D	-3.13	107.06	109.92
2	A	301	NAP	C2B-C1B-N9A	-3.09	108.67	113.75
2	B	301	NAP	C2B-C1B-N9A	-3.07	108.69	113.75
2	A	301	NAP	C3N-C7N-N7N	3.05	121.50	117.74
2	D	301	NAP	C5A-N7A-C8A	3.02	108.20	103.45
2	A	301	NAP	C4D-O4D-C1D	-3.01	107.17	109.92
2	C	301	NAP	C5A-N7A-C8A	3.01	108.17	103.45
2	B	301	NAP	C5A-N7A-C8A	2.99	108.14	103.45
6	C	307	QGV	C15-C16-C11	2.86	120.55	117.67
2	A	301	NAP	C5A-N7A-C8A	2.86	107.94	103.45
2	A	301	NAP	C4A-N9A-C8A	2.84	108.72	105.74
6	B	308	QGV	C09-N10-C05	2.82	120.92	116.81
2	D	301	NAP	O4B-C1B-N9A	2.74	113.34	108.09
6	C	307	QGV	C09-N10-C05	2.72	120.77	116.81
6	A	310	QGV	C09-N10-C05	2.69	120.72	116.81
6	B	308	QGV	C15-C16-C11	2.68	120.36	117.67
6	D	309	QGV	C09-N10-C05	2.68	120.70	116.81
2	C	301	NAP	C2D-C3D-C4D	2.67	107.77	102.61
6	C	307	QGV	C15-C16-C02	-2.65	133.93	136.72
2	C	301	NAP	C3N-C7N-N7N	2.63	120.98	117.74
2	C	301	NAP	C4A-C5A-N7A	-2.62	107.59	110.58
2	C	301	NAP	C2B-C1B-N9A	-2.56	109.53	113.75
6	A	310	QGV	C15-C16-C11	2.55	120.23	117.67
2	D	301	NAP	C4A-C5A-N7A	-2.55	107.67	110.58
2	B	301	NAP	C3N-C7N-N7N	2.55	120.87	117.74
2	B	301	NAP	C4A-N9A-C8A	2.54	108.41	105.74
6	D	309	QGV	C15-C16-C11	2.53	120.21	117.67
6	A	310	QGV	C14-C13-N12	-2.53	119.86	123.59
6	B	308	QGV	C15-C16-C02	-2.53	134.06	136.72
6	A	310	QGV	C15-C16-C02	-2.51	134.07	136.72
6	C	307	QGV	N10-C05-N04	2.46	120.43	115.91
2	C	301	NAP	C4A-N9A-C8A	2.44	108.30	105.74
2	A	301	NAP	C6N-N1N-C2N	-2.41	119.83	121.88
2	A	301	NAP	C2D-C3D-C4D	2.38	107.21	102.61
2	D	301	NAP	C4A-N9A-C8A	2.37	108.22	105.74
6	B	308	QGV	C07-C06-C05	2.34	120.84	117.61
6	D	309	QGV	C15-C16-C02	-2.33	134.27	136.72
2	C	301	NAP	O4B-C1B-N9A	2.31	112.53	108.09
6	C	307	QGV	C07-C06-C05	2.31	120.79	117.61
2	B	301	NAP	C4A-C5A-N7A	-2.29	107.96	110.58
2	B	301	NAP	C6N-N1N-C2N	-2.29	119.93	121.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	307	QGV	C19-C17-C14	2.28	123.21	119.56
6	D	309	QGV	N10-C05-N04	2.28	120.10	115.91
6	A	310	QGV	C07-C06-C05	2.27	120.73	117.61
6	B	308	QGV	C14-C13-N12	-2.26	120.26	123.59
6	D	309	QGV	C13-N12-C11	2.26	122.17	115.19
6	A	310	QGV	C13-N12-C11	2.26	122.17	115.19
6	B	308	QGV	N10-C05-N04	2.21	119.97	115.91
6	A	310	QGV	N10-C05-N04	2.19	119.94	115.91
6	B	308	QGV	C13-N12-C11	2.19	121.96	115.19
6	C	307	QGV	C13-N12-C11	2.17	121.91	115.19
6	D	309	QGV	C14-C13-N12	-2.14	120.43	123.59
2	A	301	NAP	C4A-C5A-N7A	-2.12	108.16	110.58
6	D	309	QGV	C07-C06-C05	2.12	120.53	117.61
6	C	307	QGV	C14-C13-N12	-2.08	120.53	123.59
6	A	310	QGV	C08-C07-C06	-2.08	117.67	120.24
2	D	301	NAP	C2D-C3D-C4D	2.08	106.63	102.61
2	D	301	NAP	O7N-C7N-N7N	-2.05	119.66	122.62
6	B	308	QGV	C08-C07-C06	-2.04	117.72	120.24
6	C	307	QGV	C08-C07-C06	-2.04	117.73	120.24
2	B	301	NAP	O7N-C7N-N7N	-2.02	119.70	122.62

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	NAP	O4D-C1D-N1N-C2N
2	B	301	NAP	O4D-C1D-N1N-C2N
2	C	301	NAP	C5B-O5B-PA-O1A
2	C	301	NAP	C5B-O5B-PA-O2A
2	C	301	NAP	C5B-O5B-PA-O3
2	C	301	NAP	O4D-C1D-N1N-C2N
2	C	301	NAP	O4D-C1D-N1N-C6N
2	C	301	NAP	C2D-C1D-N1N-C6N
2	D	301	NAP	C5B-O5B-PA-O1A
2	D	301	NAP	C5B-O5B-PA-O2A
2	D	301	NAP	C5B-O5B-PA-O3
2	D	301	NAP	O4D-C1D-N1N-C2N
4	A	306	GOL	O1-C1-C2-C3
4	B	306	GOL	O1-C1-C2-C3
4	B	306	GOL	O1-C1-C2-O2
2	C	301	NAP	O4D-C4D-C5D-O5D
2	C	301	NAP	C3D-C4D-C5D-O5D

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	A	309	PEG	O1-C1-C2-O2
2	C	301	NAP	O4B-C4B-C5B-O5B
4	A	306	GOL	O1-C1-C2-O2
2	C	301	NAP	C3B-C4B-C5B-O5B
2	D	301	NAP	C3D-C4D-C5D-O5D
2	D	301	NAP	C3B-C4B-C5B-O5B
2	D	301	NAP	O4D-C4D-C5D-O5D
2	D	301	NAP	O4B-C4B-C5B-O5B
2	C	301	NAP	PN-O3-PA-O5B
2	D	301	NAP	PN-O3-PA-O5B
5	C	306	PEG	C4-C3-O2-C2
5	C	306	PEG	C1-C2-O2-C3
2	C	301	NAP	C2B-O2B-P2B-O1X
2	B	301	NAP	O4D-C4D-C5D-O5D
5	B	307	PEG	O1-C1-C2-O2
5	A	309	PEG	O2-C3-C4-O4
2	B	301	NAP	C2B-O2B-P2B-O3X
2	C	301	NAP	C2D-C1D-N1N-C2N
2	A	301	NAP	O4D-C1D-N1N-C6N
2	B	301	NAP	O4D-C1D-N1N-C6N
2	D	301	NAP	O4D-C1D-N1N-C6N
2	B	301	NAP	C2B-O2B-P2B-O1X
5	A	309	PEG	C1-C2-O2-C3
6	A	310	QGV	C13-C14-C17-C19
2	A	301	NAP	C2B-O2B-P2B-O1X
2	D	301	NAP	C2B-O2B-P2B-O1X
2	D	301	NAP	PA-O3-PN-O2N


There are no ring outliers.



7 monomers are involved in 8 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	309	PEG	2	0
5	B	307	PEG	1	0
2	B	301	NAP	1	0
2	D	301	NAP	1	0
6	A	310	QGV	1	0
5	C	306	PEG	1	0
2	A	301	NAP	2	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	258/263 (98%)	-0.38	1 (0%) 88 85	28, 43, 66, 90	0
1	B	258/263 (98%)	-0.15	6 (2%) 61 53	34, 48, 76, 104	0
1	C	258/263 (98%)	-0.07	0 100 100	25, 53, 75, 91	1 (0%)
1	D	258/263 (98%)	0.00	9 (3%) 47 40	23, 56, 87, 105	1 (0%)
All	All	1032/1052 (98%)	-0.15	16 (1%) 70 63	23, 51, 77, 105	2 (0%)

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	52	GLY	4.2
1	D	54	GLU	3.5
1	D	53	ALA	3.2
1	B	52	GLY	3.0
1	A	258	LYS	3.0
1	B	258	LYS	2.8
1	D	220	GLN	2.7
1	D	55	ARG	2.7
1	B	143	PRO	2.5
1	D	258	LYS	2.5
1	B	55	ARG	2.4
1	B	53	ALA	2.4
1	D	213	PRO	2.3
1	B	220	GLN	2.2
1	D	81	ARG	2.1
1	D	56	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	C	304	5/5	0.48	0.12	94,106,132,135	0
3	SO4	D	307	5/5	0.60	0.27	97,99,118,132	0
3	SO4	D	308	5/5	0.65	0.10	106,110,124,136	0
3	SO4	D	306	5/5	0.71	0.10	115,120,134,135	0
3	SO4	A	304	5/5	0.71	0.09	102,105,126,129	0
3	SO4	D	302	5/5	0.71	0.08	112,114,123,138	0
3	SO4	B	305	5/5	0.74	0.24	101,106,119,133	0
4	GOL	C	305	6/6	0.76	0.19	62,78,85,87	0
3	SO4	C	303	5/5	0.78	0.09	100,106,123,134	0
5	PEG	C	306	7/7	0.79	0.20	70,74,86,86	0
3	SO4	B	304	5/5	0.81	0.19	87,104,114,118	0
4	GOL	A	306	6/6	0.81	0.17	65,71,79,80	0
3	SO4	D	304	5/5	0.82	0.19	85,101,114,124	0
4	GOL	A	307	6/6	0.83	0.23	57,69,75,81	0
3	SO4	D	305	5/5	0.84	0.22	84,103,124,127	0
5	PEG	B	307	7/7	0.85	0.18	62,70,74,81	0
4	GOL	A	308	6/6	0.86	0.14	63,65,66,74	0
3	SO4	A	303	5/5	0.86	0.24	74,89,112,116	0
3	SO4	A	305	5/5	0.87	0.13	83,97,103,104	0
5	PEG	A	309	7/7	0.87	0.19	67,75,83,84	0
3	SO4	D	303	5/5	0.91	0.11	73,81,95,103	0
3	SO4	B	303	5/5	0.91	0.15	76,78,95,103	0
3	SO4	B	302	5/5	0.91	0.13	60,69,75,86	0
4	GOL	B	306	6/6	0.91	0.14	47,61,76,77	0
3	SO4	C	302	5/5	0.92	0.15	66,67,83,84	0
3	SO4	A	302	5/5	0.93	0.12	54,62,81,81	0
6	QGV	D	309	25/25	0.93	0.13	56,66,97,102	0
6	QGV	C	307	25/25	0.94	0.12	38,58,103,105	0
6	QGV	B	308	25/25	0.95	0.10	33,53,87,87	0
6	QGV	A	310	25/25	0.96	0.10	34,55,94,96	0
2	NAP	C	301	48/48	0.97	0.07	36,45,52,63	0
2	NAP	B	301	48/48	0.98	0.05	32,40,47,57	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	NAP	A	301	48/48	0.98	0.05	29,34,40,46	0
2	NAP	D	301	48/48	0.98	0.06	41,54,62,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around QGV C 307:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around QGV B 308:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around QGV A 310:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP C 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around NAP B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.