



wwPDB EM Validation Summary Report ⓘ

Jun 24, 2026 – 12:29 AM EDT

PDB ID : 8UTJ / pdb_00008utj
EMDB ID : EMD-42541
Title : E. coli 70S ribosome with unmodified lys-tRNA^{Pro}(GGG) bound to slippery P-site CCC-C codon in the 0 frame
Authors : Kimbrough, E.M.; Dunham, C.M.; Nguyen, H.A.
Deposited on : 2023-10-31
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	13950 (3.00 - 4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1	2904	
2	2	1540	
3	3	120	












Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	4	18	
5	5	77	
6	A	232	
7	B	273	
8	C	209	
9	D	201	
10	E	179	
11	F	177	
12	G	149	
13	J	142	
14	K	123	
15	L	144	
16	M	136	
17	N	127	
18	O	117	
19	P	115	
20	Q	118	
21	R	103	
22	S	110	
23	T	100	
24	U	104	
25	V	94	
26	W	84	
27	X	78	
28	Y	63	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Z	59	
30	a	70	
31	b	57	
32	c	55	
33	d	46	
34	e	65	
35	f	38	
36	g	241	
37	h	233	
38	i	206	
39	j	167	
40	k	135	
41	l	179	
42	m	130	
43	n	130	
44	o	103	
45	p	129	
46	q	124	
47	r	118	
48	s	101	
49	t	89	
50	u	82	
51	v	84	
52	w	75	
53	x	92	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	y	87	 84%15%•
55	z	71	 86%13%•

2 Entry composition [i](#)

There are 58 unique types of molecules in this entry. The entry contains 146133 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	1	2903	Total	C	N	O	P	0	0
			62334	27814	11470	20147	2903		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	887	A	U	conflict	GB 2577360273

- Molecule 2 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	2	1534	Total	C	N	O	P	0	0
			32929	14693	6041	10661	1534		

- Molecule 3 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	3	120	Total	C	N	O	P	0	0
			2569	1144	468	837	120		

- Molecule 4 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	4	8	Total	C	N	O	P	0	0
			168	75	29	56	8		

- Molecule 5 is a RNA chain called Lys-tRNA^{pro}L.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	5	77	Total	C	N	O	P	0	0
			1648	733	297	541	77		

- Molecule 6 is a protein called Large ribosomal subunit protein uL1.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	67	Total	C	N	O	S	0	0
			507	321	90	95	1		

- Molecule 7 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 8 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	C	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 9 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 10 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 11 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 12 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 13 is a protein called Large ribosomal subunit protein uL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 14 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 15 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 16 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	M	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 17 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	N	119	Total	C	N	O	S	0	0
			951	588	195	163	5		

- Molecule 18 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 19 is a protein called Large ribosomal subunit protein bL19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 20 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 21 is a protein called Ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 22 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 23 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	T	94	Total	C	N	O	S	0	0
			746	470	140	134	2		

- Molecule 24 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
24	U	103	Total	C	N	O	0	0
			788	498	148	142		

- Molecule 25 is a protein called Large ribosomal subunit protein bL25.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 26 is a protein called Large ribosomal subunit protein bL27.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	W	78	Total	C	N	O	S	0	0
			592	365	119	107	1		

- Molecule 27 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 28 is a protein called Large ribosomal subunit protein uL29.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 29 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Z	58	Total	C	N	O	S	0	0
			448	281	87	78	2		

- Molecule 30 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	a	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 31 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 32 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
32	c	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 33 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 34 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 35 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 36 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	g	225	Total	C	N	O	S	0	0
			1760	1113	316	323	8		

- Molecule 37 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	h	208	Total	C	N	O	S	0	0
			1636	1036	307	290	3		

- Molecule 38 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 39 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 40 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	k	104	Total	C	N	O	S	0	0
			848	536	153	152	7		

- Molecule 41 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	l	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 42 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 43 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 44 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	o	99	Total	C	N	O	S	0	0
			790	495	151	143	1		

- Molecule 45 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	p	117	Total	C	N	O	S	0	0
			877	540	174	160	3		

- Molecule 46 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 47 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	r	116	Total	C	N	O	S	0	0
			900	558	181	158	3		

- Molecule 48 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 49 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 50 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	u	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 51 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	v	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 52 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	w	66	Total	C	N	O	S	0	0
			544	344	102	97	1		

- Molecule 53 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	x	83	Total	C	N	O	S	0	0
			663	424	126	111	2		

- Molecule 54 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	y	86	Total	C	N	O	S	0	0
			669	414	138	114	3		

- Molecule 55 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
56	1	355	Total	Mg	0
			355	355	
56	2	145	Total	Mg	0
			145	145	
56	3	7	Total	Mg	0
			7	7	
56	B	1	Total	Mg	0
			1	1	
56	D	2	Total	Mg	0
			2	2	
56	L	1	Total	Mg	0
			1	1	
56	O	1	Total	Mg	0
			1	1	
56	P	2	Total	Mg	0
			2	2	
56	Q	2	Total	Mg	0
			2	2	
56	S	1	Total	Mg	0
			1	1	
56	U	1	Total	Mg	0
			1	1	
56	V	1	Total	Mg	0
			1	1	
56	X	1	Total	Mg	0
			1	1	
56	b	1	Total	Mg	0
			1	1	
56	e	1	Total	Mg	0
			1	1	
56	f	3	Total	Mg	0
			3	3	
56	i	1	Total	Mg	0
			1	1	
56	l	1	Total	Mg	0
			1	1	
56	m	1	Total	Mg	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
56	n	1	Total	Mg	0
			1	1	
56	y	1	Total	Mg	0
			1	1	

- Molecule 57 is LYSINE (CCD ID: LYS) (formula: $C_6H_{15}N_2O_2$).



Mol	Chain	Residues	Atoms				AltConf
57	5	1	Total	C	N	O	0
			9	6	2	1	

- Molecule 58 is water.

Mol	Chain	Residues	Atoms		AltConf
58	1	498	Total	O	0
			498	498	
58	2	203	Total	O	0
			203	203	
58	3	3	Total	O	0
			3	3	
58	5	1	Total	O	0
			1	1	
58	A	13	Total	O	0
			13	13	
58	B	1	Total	O	0
			1	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	C	2	Total 2	O 2	0
58	D	2	Total 2	O 2	0
58	E	2	Total 2	O 2	0
58	F	2	Total 2	O 2	0
58	G	1	Total 1	O 1	0
58	K	1	Total 1	O 1	0
58	L	2	Total 2	O 2	0
58	M	1	Total 1	O 1	0
58	O	1	Total 1	O 1	0
58	Q	1	Total 1	O 1	0
58	S	1	Total 1	O 1	0
58	T	1	Total 1	O 1	0
58	V	1	Total 1	O 1	0
58	W	1	Total 1	O 1	0
58	Y	1	Total 1	O 1	0
58	a	1	Total 1	O 1	0
58	b	1	Total 1	O 1	0
58	d	1	Total 1	O 1	0
58	g	4	Total 4	O 4	0
58	h	4	Total 4	O 4	0
58	i	1	Total 1	O 1	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
58	k	2	Total 2	O 2	0
58	l	4	Total 4	O 4	0
58	n	1	Total 1	O 1	0
58	o	1	Total 1	O 1	0
58	q	1	Total 1	O 1	0
58	r	1	Total 1	O 1	0
58	t	2	Total 2	O 2	0
58	u	3	Total 3	O 3	0
58	v	2	Total 2	O 2	0
58	w	1	Total 1	O 1	0
58	z	1	Total 1	O 1	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA




G2413	G2414	G2415	U2305	A2191	G2121	U2022	A1927	G1835	G1721	A1586	G1482	A1359	G1237	C1064
G2416	G2417	G2418	G2308	U2192	U2122	C2023	A1928	G1836	A1722	G1587	G1483	G1360	G1238	U1065
G2419	G2420	G2421	A2309	G2193	G2123	G2024	G1929	G1837	G1723	G1588	A1490	G1361	G1239	U1066
U2418	U2419	U2420	U2194	G2194	G2124	C2025	G1930	G1838	G1724	U1589	A1491	A1362	A1253	A1067
A2418	A2419	A2420	C2313	A2198	G2125	U2028	G1931	G1839	U1729	A1590	C1493	G1363	U1254	G1068
U2423	U2424	U2425	G2316	G2204	G2127	G2029	A1936	G1840	C1730	A1593	G1501	C1370	G1255	A1069
G2426	G2427	G2428	A2322	G2208	G2128	A2030	A1937	C1844	G1731	C1600	A1502	G1371	G1256	A1070
G2429	G2430	G2431	G2325	C2208	U2131	G2032	A1938	A1848	G1732	G1603	A1503	C1372	U1263	G1071
U2432	U2433	U2434	G2326	A2211	U2132	U2033	G1942	U1856	G1733	G1604	C1507	C1373	G1266	A1072
U2435	U2436	U2437	A2327	U2220	G2133	U2034	G1943	A1857	U1736	A1608	A1508	G1374	G1271	G1073
A2430	A2431	A2432	A2333	A2225	G2134	C2043	G1944	A1858	G1737	A1609	A1509	U1375	A1272	G1074
A2433	A2434	A2435	A2334	C2226	A2135	C2044	G1950	U1859	G1738	A1610	G1510	G1380	U1273	G1075
A2436	A2437	A2438	G2344	G2226	G2138	C2045	U1951	A1866	G1743	A1614	G1514	A1383	A1274	C1076
U2439	U2440	U2441	G2345	G2227	G2141	G2049	A1952	G1869	C1752	A1615	A1515	A1384	A1275	C1079
U2442	U2443	U2444	A2346	C2239	A2142	C2050	G1954	U1870	G1753	A1616	G1516	A1385	A1276	A1080
U2445	U2446	U2447	U2347	U2240	G2143	A2051	U1955	A1871	A1754	A1618	U1520	C1386	G1283	U1081
U2448	U2449	U2450	U2348	A2241	G2144	A2052	U1956	A1872	G1755	C1638	G1521	A1395	A1286	U1082
C2443	C2444	C2445	G2349	G2249	C2145	C2055	C1957	A1873	G1756	G1644	U1523	U1396	G1287	A1083
G2446	G2447	G2448	C2350	U2250	A2147	G2056	C1958	G1875	A1762	G1645	G1524	U1397	G1288	A1084
G2449	G2450	G2451	G2353	G2251	G2148	A2060	U1962	G1876	G1763	G1646	A1528	C1398	C1293	A1085
G2452	G2453	G2454	A2357	G2252	C2150	G2061	U1963	G1877	C1764	U1647	A1529	U1400	U1294	A1086
G2455	G2456	G2457	G2360	G2253	C2151	C2065	G1964	U1880	A1773	G1648	C1533	G1408	C1295	A1087
U2458	U2459	U2460	U2361	C2258	A2154	G2069	A1966	U1881	U1775	G1649	C1534	U1409	C1296	A1088
C2461	C2462	C2463	G2362	U2261	U2155	A2070	G1967	U1882	C1774	A1652	U1535	G1410	C1300	U1094
U2464	U2465	U2466	A2363	U2262	G2156	C2072	A1968	U1883	U1776	G1653	C1536	G1411	G1301	A1095
U2467	U2468	U2469	A2364	A2263	A2157	C2073	U1969	U1884	U1777	G1654	G1537	C1412	A1302	A1096
U2470	U2471	U2472	G2365	A2264	G2158	U2079	U1970	U1885	A1784	A1655	G1543	C1413	G1311	U1097
U2473	U2474	U2475	A2366	A2265	C2160	U2079	U1971	U1886	A1785	G1656	C1544	C1414	C1100	
U2476	U2477	U2478	A2367	A2266	G2161	C2079	U1972	U1887	A1786	G1657	C1545	C1415	U1101	
U2479	U2480	U2481	G2368	A2267	G2162	C2081	U1973	U1888	A1787	G1658	C1546	C1416	U1102	
U2482	U2483	U2484	A2369	A2268	A2163	U2092	U1974	U1889	A1788	A1669	C1547	C1417	G1107	
U2485	U2486	U2487	G2370	A2269	C2164	U2093	U1975	A1890	A1789	G1670	C1548	C1418	U1108	
U2488	U2489	U2490	A2371	A2270	C2165	G2093	U1976	A1900	C1790	A1671	C1549	C1419	G1109	
U2491	U2492	U2493	G2372	A2271	U2166	U2099	U1977	A1901	U1798	G1672	C1550	C1420	G1110	
U2494	U2495	U2496	U2373	A2272	G2167	G2100	U1978	G1906	G1799	A1673	C1551	C1421	G1111	
U2497	U2498	U2499	A2374	A2273	A2168	A2101	U1979	G1907	C1800	A1674	C1552	C1422	G1112	
U2500	U2501	U2502	G2375	A2274	G2169	G2102	U1980	C1908	A1801	A1675	C1553	C1423	U1113	
U2503	U2504	U2505	A2376	A2275	A2170	A2103	U1981	C1909	G1807	A1676	C1554	C1424	G1114	
U2506	U2507	U2508	G2377	A2276	G2171	U2107	U1982	G1910	A1808	A1677	C1555	C1425	G1115	
U2509	U2510	U2511	A2378	A2277	A2172	A2108	U1983	G1911	U1809	A1678	C1556	C1426	C1116	
U2512	U2513	U2514	G2379	A2278	G2173	U2109	U1984	G1912	A1809	A1679	C1557	C1427	C1117	
U2515	U2516	U2517	A2380	A2279	C2174	G2110	U1985	G1913	A1809	A1680	C1558	C1428	C1118	
U2518	U2519	U2520	G2381	A2280	G2175	G2111	U1986	G1914	G1814	U1688	C1559	C1429	U1119	
U2521	U2522	U2523	A2382	A2281	A2176	G2112	U1987	U1915	A1815	C1706	C1560	C1430	U1219	
U2524	U2525	U2526	G2383	A2282	U2180	U2113	U1988	G1916	C1816	A1681	C1561	C1431	G1225	
U2527	U2528	U2529	A2384	A2283	U2181	G2114	U1989	G1917	U1817	U1712	C1562	C1432	A1226	
U2530	U2531	U2532	G2385	A2284	G2182	G2115	U1990	G1918	U1818	A1682	C1563	C1433	G1227	
U2533	U2534	U2535	A2386	A2285	A2183	G2116	U1991	G1919	U1819	U1713	C1564	C1434	C1119	
U2536	U2537	U2538	G2387	A2286	G2184	G2117	U1992	G1920	A1820	A1683	C1565	C1435	U1218	
U2539	U2540	U2541	A2388	A2287	A2185	G2118	U1993	G1921	U1821	U1684	C1566	C1436	G1219	
U2542	U2543	U2544	G2389	A2288	U2186	U2119	U1994	G1922	A1822	C1707	C1567	C1437	G1220	
U2545	U2546	U2547	U2390	A2289	G2187	G2120	U1995	G1923	U1823	A1685	C1568	C1438	C1120	
U2548	U2549	U2550	A2391	A2290	U2188	G2121	U1996	G1924	C1833	U1686	C1569	C1439	G1221	
U2551	U2552	U2553	G2392	A2291	U2189	U2122	U1997	G1925	U1834	A1687	C1570	C1440	G1222	
U2554	U2555	U2556	A2393	A2292	G2190	G2123	U1998	G1926	U1835	A1688	C1571	C1441	C1121	
U2557	U2558	U2559	G2394	A2293	U2191	G2124	U1999	G1927	A1836	U1689	C1572	C1442	G1122	
U2560	U2561	U2562	A2395	A2294	G2192	G2125	U2000	G1928	U1837	A1690	C1573	C1443	C1123	
U2563	U2564	U2565	G2396	A2295	U2193	G2126	U2001	G1929	A1838	U1691	C1574	C1444	G1223	
U2566	U2567	U2568	A2397	A2296	G2194	G2127	U2002	G1930	U1839	A1692	C1575	C1445	C1124	
U2569	U2570	U2571	G2398	A2297	U2195	G2128	U2003	G1931	A1840	U1693	C1576	C1446	G1224	
U2572	U2573	U2574	A2399	A2298	U2196	G2129	U2004	G1932	U1841	A1694	C1577	C1447	G1225	
U2575	U2576	U2577	G2400	A2299	G2197	G2130	U2005	G1933	A1842	U1695	C1578	C1448	C1125	
U2578	U2579	U2580	A2401	A2300	U2198	G2131	U2006	G1934	U1843	A1696	C1579	C1449	G1226	
U2581	U2582	U2583	G2402	A2301	U2199	G2132	U2007	G1935	A1844	U1697	C1580	C1450	C1126	
U2584	U2585	U2586	U2403	A2302	G2200	G2133	U2008	G1936	U1845	A1698	C1581	C1451	G1227	
U2587	U2588	U2589	A2404	A2303	A2013	G2134	U2009	G1937	U1846	U1699	C1582	C1452	C1127	
U2590	U2591	U2592	G2405	A2304	A2014	G2135	U2010	G1938	U1847	A1699	C1583	C1453	G1228	
U2593	U2594	U2595	A2406	A2305	A2015	G2136	U2011	G1939	U1848	U1700	C1584	C1454	C1128	
U2596	U2597	U2598	G2407	A2306	A2016	G2137	U2012	G1940	U1849	A1701	C1585	C1455	U1219	
U2599	U2600	U2601	A2408	A2307	U2188	G2138	U2013	G1941	A1850	C1706	C1586	C1456	G1229	
U2602	U2603	U2604	G2409	A2308	U2189	G2139	U2014	G1942	U1851	A1702	C1587	C1457	C1129	
U2605	U2606	U2607	A2410	A2309	U2190	G2140	U2015	G1943	U1852	A1703	C1588	C1458	G1230	
U2608	U2609	U2610	G2411	A2310	U2191	G2141	U2016	G1944	U1853	A1704	C1589	C1459	C1130	
U2611	U2612	U2613	A2412	A2311	U2192	G2142	U2017	G1945	U1854	A1705	C1590	C1460	G1231	
U2614	U2615	U2616	U2413	A2312	U2193	G2143	U2018	G1946	U1855	A1706	C1591	C1461	C1131	
U2617	U2618	U2619	G2414	A2313	U2194	G2144	U2019	G1947	U1856	A1707	C1592	C1462	G1232	
U2620	U2621	U2622	A2415	A2314	U2195	G2145	U2020	G1948	U1857	A1708	C1593	C1463	C1132	
U2623	U2624	U2625	G2416	A2315	U2196	G2146	U2021	G1949	U1858	A1709	C1594	C1464	G1233	
U2626	U2627	U2628	A2416	A2316	U2197	G2147	U2022	G1950	U1859	A1710	C1595	C1465	C1133	
U2629	U2630	U2631	G2417	A2317	U2198	G2148	U2023	G1951	U1860	A1711	C1596	C1466	G1234	
U2632	U2633	U2634	A2417	A2318	U2199	G2149	U2024	G1952	U1861	A1712	C1597	C1467	C1134	
U2635	U2636	U2637	G2418	A2319	U2200	G2150	U2025	G1953	U1862	A1713	C1598	C1468	G1235	
U2638	U2639	U2640	A2418	A2320	U2201	G2151	U2026	G1954	U1863	A1714	C1599	C1469	C1135	
U2641	U2642	U2643	G2419	A2321	U2202	G2152	U2027	G1955	U1864	A1715	C1600	C1470	G1236	
U2644	U2645	U2646	A2419	A2322	U2203	G2153	U2028	G1956	U1865	A1716	C1601	C1471	C1136	
U2647	U2648	U2649	G2420	A2323	U2204	G2154	U2029	G1957	U1866	A1717	C1602	C1472	G1237	
U2650	U2651	U2652	A2420	A2324	U2205	G2155	U2030	G1958	U1867	A1718	C1603	C1473	C1137	
U2653	U2654	U2655	G2421	A2325	U2206	G2156	U2031	G1959	U1868	A1719	C1604	C1474	G1238	
U2656	U2657	U2658	A2421	A2326	U2207	G2157	U2032	G1960	U1869	A1720	C1605	C1		





• Molecule 3: 5S ribosomal RNA

Chain 3: 57% 32% 11%




• Molecule 4: mRNA

Chain 4: 6% 28% 11% 56%




• Molecule 5: Lys-tRNA^{pro}L



Chain 5: 17% 57% 25%




- Chain E: 71% 28%




- Molecule 11: 50S ribosomal protein L6





- Molecule 12: 50S ribosomal protein L9





- Molecule 13: Large ribosomal subunit protein uL13



- Molecule 14: 50S ribosomal protein L14




- Molecule 15: 50S ribosomal protein L15



- Molecule 16: 50S ribosomal protein L16

Chain M:  76% 24%



- Molecule 17: 50S ribosomal protein L17

Chain N:  78% 16% 6%



- Molecule 18: Large ribosomal subunit protein uL18

Chain O:  74% 25%




- Molecule 19: Large ribosomal subunit protein bL19

Chain P:  80% 19%



- Molecule 20: 50S ribosomal protein L20

Chain Q:  81% 19%




- Molecule 21: Ribosomal protein L21

Chain R:  81% 19%



- Molecule 22: 50S ribosomal protein L22

Chain S:  81% 19%



- Molecule 23: 50S ribosomal protein L23

Chain T:  79% 15% 6%



- Molecule 24: 50S ribosomal protein L24

Chain U:  81% 18%



- Molecule 25: Large ribosomal subunit protein bL25

Chain V:  78% 22%




- Molecule 26: Large ribosomal subunit protein bL27

Chain W:  65% 27% 7%



- Molecule 27: 50S ribosomal protein L28

Chain X:  76% 23%



- Molecule 28: Large ribosomal subunit protein uL29

Chain Y:  84% 14%





- Molecule 29: 50S ribosomal protein L30



Chain Z:  80% 19%



- Molecule 30: 50S ribosomal protein L31





- Molecule 31: 50S ribosomal protein L32




- Molecule 32: 50S ribosomal protein L33




- Molecule 33: 50S ribosomal protein L34




- Molecule 34: 50S ribosomal protein L35




- Molecule 35: 50S ribosomal protein L36




- Molecule 36: 30S ribosomal protein S2







• Molecule 37: 30S ribosomal protein S3




• Molecule 38: 30S ribosomal protein S4



• Molecule 39: 30S ribosomal protein S5




• Molecule 40: 30S ribosomal protein S6




• Molecule 41: 30S ribosomal protein S7






- Molecule 42: Small ribosomal subunit protein uS8

Chain m: 80% 19% .




- Molecule 43: Small ribosomal subunit protein uS9

Chain n: 66% 32% .



- Molecule 44: Small ribosomal subunit protein uS10

Chain o: 68% 28% .




- Molecule 45: 30S ribosomal protein S11

Chain p: 77% 14% 9%




- Molecule 46: Small ribosomal subunit protein uS12

Chain q: 69% 29% .




- Molecule 47: 30S ribosomal protein S13

Chain r:  76% 22%



- Molecule 48: Small ribosomal subunit protein uS14

Chain s:  70% 29%




- Molecule 49: 30S ribosomal protein S15

Chain t:  69% 30%




- Molecule 50: 30S ribosomal protein S16

Chain u:  73% 27%



- Molecule 51: Small ribosomal subunit protein uS17

Chain v:  79% 17% 5%



- Molecule 52: 30S ribosomal protein S18

Chain w:  61% 27% 12%




- Molecule 53: Small ribosomal subunit protein uS19



Chain x:  72% 18% 10%



- Molecule 54: 30S ribosomal protein S20



• Molecule 55: 30S ribosomal protein S21



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	70298	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	61.23	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.057	Depositor
Minimum map value	-0.009	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.014	Depositor
Map size (Å)	547.3792, 547.3792, 547.3792	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.0691, 1.0691, 1.0691	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: G7M, 6MZ, 7MG, 2MG, MA6, 5MC, 4OC, UR3, 0TD, OMG, OMU, OMC, MG, 5MU, 2MA, 1MG, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1	0.13	0/69335	0.25	0/108168
2	2	0.12	0/36590	0.24	0/57074
3	3	0.11	0/2872	0.22	0/4478
4	4	0.39	0/186	0.68	0/287
5	5	0.22	0/1841	0.42	2/2870 (0.1%)
6	A	0.13	0/511	0.30	0/685
7	B	0.20	0/2121	0.34	0/2852
8	C	0.19	0/1586	0.34	0/2134
9	D	0.17	0/1571	0.31	0/2113
10	E	0.16	0/1434	0.35	0/1926
11	F	0.15	0/1333	0.32	0/1805
12	G	0.16	0/1122	0.36	0/1515
13	J	0.18	0/1152	0.30	0/1551
14	K	0.18	0/955	0.30	0/1279
15	L	0.20	0/1062	0.33	0/1413
16	M	0.18	0/1093	0.31	0/1460
17	N	0.20	0/964	0.35	0/1289
18	O	0.16	0/902	0.33	0/1209
19	P	0.18	0/929	0.32	0/1242
20	Q	0.17	0/960	0.29	0/1278
21	R	0.18	0/829	0.38	0/1107
22	S	0.19	0/864	0.32	0/1156
23	T	0.17	0/752	0.30	0/1005
24	U	0.15	0/796	0.32	0/1062
25	V	0.17	0/766	0.33	0/1025
26	W	0.18	0/599	0.33	0/792
27	X	0.18	0/635	0.34	0/848
28	Y	0.15	0/502	0.27	0/667
29	Z	0.17	0/452	0.32	0/605
30	a	0.16	0/531	0.32	0/709
31	b	0.17	0/450	0.30	0/599

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	c	0.18	0/433	0.28	0/576
33	d	0.19	0/380	0.32	0/498
34	e	0.40	0/513	0.48	0/676
35	f	0.20	0/303	0.33	0/397
36	g	0.15	0/1791	0.35	0/2413
37	h	0.17	0/1663	0.34	0/2241
38	i	0.15	0/1665	0.31	0/2227
39	j	0.17	0/1165	0.34	0/1568
40	k	0.16	0/867	0.35	0/1171
41	l	0.14	0/1195	0.33	0/1602
42	m	0.17	0/989	0.29	0/1326
43	n	0.17	0/1034	0.36	0/1375
44	o	0.16	0/800	0.35	0/1082
45	p	0.16	0/893	0.32	0/1205
46	q	0.17	0/960	0.34	0/1286
47	r	0.15	0/909	0.34	0/1215
48	s	0.15	0/817	0.30	0/1088
49	t	0.14	0/722	0.29	0/964
50	u	0.18	0/659	0.34	0/884
51	v	0.16	0/657	0.36	0/881
52	w	0.16	0/553	0.33	0/743
53	x	0.14	0/680	0.31	0/915
54	y	0.15	0/675	0.28	0/895
55	z	0.15	0/597	0.31	0/792
All	All	0.14	0/156615	0.27	2/234223 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	5	76	A	C2'-C3'-O3'	6.79	119.68	109.50
5	5	76	A	C1'-C2'-O2'	5.74	120.40	111.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	62334	0	31368	712	0
2	2	32929	0	16587	409	0
3	3	2569	0	1301	41	0
4	4	168	0	88	6	0
5	5	1648	0	833	65	0
6	A	507	0	542	10	0
7	B	2082	0	2154	32	0
8	C	1565	0	1616	41	0
9	D	1552	0	1619	32	0
10	E	1410	0	1444	39	0
11	F	1313	0	1358	19	0
12	G	1111	0	1148	24	0
13	J	1129	0	1162	26	0
14	K	946	0	1023	18	0
15	L	1053	0	1129	23	0
16	M	1074	0	1157	24	0
17	N	951	0	994	17	0
18	O	892	0	923	23	0
19	P	917	0	962	22	0
20	Q	947	0	1019	20	0
21	R	816	0	839	17	0
22	S	857	0	922	13	0
23	T	746	0	811	11	0
24	U	788	0	844	15	0
25	V	753	0	780	15	0
26	W	592	0	607	17	0
27	X	625	0	652	15	0
28	Y	501	0	531	8	0
29	Z	448	0	488	9	0
30	a	522	0	524	12	0
31	b	444	0	458	6	0
32	c	426	0	464	13	0
33	d	377	0	418	8	0
34	e	504	0	572	10	0
35	f	302	0	343	4	0
36	g	1760	0	1787	30	0
37	h	1636	0	1710	41	0
38	i	1643	0	1707	39	0
39	j	1152	0	1196	25	0
40	k	848	0	846	15	0
41	l	1181	0	1238	19	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
42	m	979	0	1031	19	0
43	n	1022	0	1070	35	0
44	o	790	0	831	26	0
45	p	877	0	887	17	0
46	q	957	0	1017	28	0
47	r	900	0	965	21	0
48	s	805	0	844	30	0
49	t	714	0	734	20	0
50	u	649	0	666	19	0
51	v	648	0	691	11	0
52	w	544	0	560	16	0
53	x	663	0	688	10	0
54	y	669	0	719	12	0
55	z	589	0	629	7	0
56	1	355	0	0	0	0
56	2	145	0	0	0	0
56	3	7	0	0	0	0
56	B	1	0	0	0	0
56	D	2	0	0	0	0
56	L	1	0	0	0	0
56	O	1	0	0	0	0
56	P	2	0	0	0	0
56	Q	2	0	0	0	0
56	S	1	0	0	0	0
56	U	1	0	0	0	0
56	V	1	0	0	0	0
56	X	1	0	0	0	0
56	b	1	0	0	0	0
56	e	1	0	0	0	0
56	f	3	0	0	0	0
56	i	1	0	0	0	0
56	l	1	0	0	0	0
56	m	1	0	0	0	0
56	n	1	0	0	0	0
56	y	1	0	0	0	0
57	5	9	0	12	3	0
58	1	498	0	0	43	0
58	2	203	0	0	24	0
58	3	3	0	0	0	0
58	5	1	0	0	1	0
58	A	13	0	0	2	0
58	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
58	C	2	0	0	0	0
58	D	2	0	0	1	0
58	E	2	0	0	2	0
58	F	2	0	0	1	0
58	G	1	0	0	0	0
58	K	1	0	0	0	0
58	L	2	0	0	0	0
58	M	1	0	0	0	0
58	O	1	0	0	0	0
58	Q	1	0	0	2	0
58	S	1	0	0	0	0
58	T	1	0	0	0	0
58	V	1	0	0	0	0
58	W	1	0	0	0	0
58	Y	1	0	0	0	0
58	a	1	0	0	0	0
58	b	1	0	0	0	0
58	d	1	0	0	0	0
58	g	4	0	0	0	0
58	h	4	0	0	1	0
58	i	1	0	0	0	0
58	k	2	0	0	0	0
58	l	4	0	0	0	0
58	n	1	0	0	0	0
58	o	1	0	0	0	0
58	q	1	0	0	0	0
58	r	1	0	0	0	0
58	t	2	0	0	0	0
58	u	3	0	0	1	0
58	v	2	0	0	0	0
58	w	1	0	0	0	0
58	z	1	0	0	0	0
All	All	146133	0	97508	1866	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1866 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:493:A:O2'	2:2:494:G:O4'	1.79	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1:1779:U:OP2	1:1:1784:A:N6	2.02	0.92
1:1:2585:U:H3	57:5:101:LYS:C	1.78	0.92
2:2:1032:G:N2	2:2:1033:G:O4'	2.03	0.91
2:2:1147:C:HO2'	43:n:7:TYR:HH	1.19	0.90

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
6	A	65/232 (28%)	62 (95%)	3 (5%)	0	100	100
7	B	269/273 (98%)	255 (95%)	14 (5%)	0	100	100
8	C	207/209 (99%)	195 (94%)	12 (6%)	0	100	100
9	D	199/201 (99%)	194 (98%)	5 (2%)	0	100	100
10	E	175/179 (98%)	168 (96%)	7 (4%)	0	100	100
11	F	173/177 (98%)	161 (93%)	12 (7%)	0	100	100
12	G	147/149 (99%)	137 (93%)	10 (7%)	0	100	100
13	J	140/142 (99%)	138 (99%)	2 (1%)	0	100	100
14	K	121/123 (98%)	117 (97%)	4 (3%)	0	100	100
15	L	142/144 (99%)	134 (94%)	8 (6%)	0	100	100
16	M	134/136 (98%)	128 (96%)	6 (4%)	0	100	100
17	N	117/127 (92%)	112 (96%)	5 (4%)	0	100	100
18	O	114/117 (97%)	110 (96%)	4 (4%)	0	100	100
19	P	112/115 (97%)	108 (96%)	4 (4%)	0	100	100
20	Q	115/118 (98%)	113 (98%)	2 (2%)	0	100	100
21	R	101/103 (98%)	97 (96%)	4 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
22	S	108/110 (98%)	105 (97%)	3 (3%)	0	100	100
23	T	92/100 (92%)	91 (99%)	1 (1%)	0	100	100
24	U	101/104 (97%)	97 (96%)	4 (4%)	0	100	100
25	V	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
26	W	76/84 (90%)	71 (93%)	5 (7%)	0	100	100
27	X	75/78 (96%)	72 (96%)	3 (4%)	0	100	100
28	Y	60/63 (95%)	60 (100%)	0	0	100	100
29	Z	56/59 (95%)	54 (96%)	2 (4%)	0	100	100
30	a	64/70 (91%)	59 (92%)	5 (8%)	0	100	100
31	b	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
32	c	50/55 (91%)	47 (94%)	3 (6%)	0	100	100
33	d	44/46 (96%)	44 (100%)	0	0	100	100
34	e	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
35	f	36/38 (95%)	34 (94%)	2 (6%)	0	100	100
36	g	223/241 (92%)	215 (96%)	8 (4%)	0	100	100
37	h	206/233 (88%)	195 (95%)	11 (5%)	0	100	100
38	i	203/206 (98%)	197 (97%)	6 (3%)	0	100	100
39	j	154/167 (92%)	147 (96%)	7 (4%)	0	100	100
40	k	102/135 (76%)	97 (95%)	5 (5%)	0	100	100
41	l	149/179 (83%)	135 (91%)	14 (9%)	0	100	100
42	m	127/130 (98%)	119 (94%)	8 (6%)	0	100	100
43	n	125/130 (96%)	116 (93%)	9 (7%)	0	100	100
44	o	97/103 (94%)	86 (89%)	11 (11%)	0	100	100
45	p	115/129 (89%)	109 (95%)	6 (5%)	0	100	100
46	q	120/124 (97%)	107 (89%)	13 (11%)	0	100	100
47	r	114/118 (97%)	108 (95%)	6 (5%)	0	100	100
48	s	98/101 (97%)	96 (98%)	2 (2%)	0	100	100
49	t	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
50	u	80/82 (98%)	78 (98%)	2 (2%)	0	100	100
51	v	78/84 (93%)	69 (88%)	9 (12%)	0	100	100
52	w	64/75 (85%)	61 (95%)	3 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
53	x	81/92 (88%)	79 (98%)	2 (2%)	0	100	100
54	y	84/87 (97%)	82 (98%)	2 (2%)	0	100	100
55	z	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
All	All	5675/6144 (92%)	5407 (95%)	268 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	A	54/179 (30%)	54 (100%)	0	100	100
7	B	216/218 (99%)	216 (100%)	0	100	100
8	C	164/164 (100%)	164 (100%)	0	100	100
9	D	165/165 (100%)	165 (100%)	0	100	100
10	E	148/150 (99%)	148 (100%)	0	100	100
11	F	136/138 (99%)	136 (100%)	0	100	100
12	G	114/114 (100%)	114 (100%)	0	100	100
13	J	116/116 (100%)	116 (100%)	0	100	100
14	K	104/104 (100%)	104 (100%)	0	100	100
15	L	103/103 (100%)	103 (100%)	0	100	100
16	M	109/109 (100%)	109 (100%)	0	100	100
17	N	99/103 (96%)	99 (100%)	0	100	100
18	O	86/87 (99%)	86 (100%)	0	100	100
19	P	99/100 (99%)	99 (100%)	0	100	100
20	Q	89/90 (99%)	89 (100%)	0	100	100
21	R	84/84 (100%)	84 (100%)	0	100	100
22	S	93/93 (100%)	93 (100%)	0	100	100
23	T	81/84 (96%)	81 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	U	84/85 (99%)	84 (100%)	0	100	100
25	V	78/78 (100%)	78 (100%)	0	100	100
26	W	59/62 (95%)	59 (100%)	0	100	100
27	X	67/68 (98%)	67 (100%)	0	100	100
28	Y	54/55 (98%)	54 (100%)	0	100	100
29	Z	48/49 (98%)	48 (100%)	0	100	100
30	a	59/62 (95%)	59 (100%)	0	100	100
31	b	47/48 (98%)	47 (100%)	0	100	100
32	c	47/49 (96%)	47 (100%)	0	100	100
33	d	38/38 (100%)	38 (100%)	0	100	100
34	e	51/52 (98%)	51 (100%)	0	100	100
35	f	34/34 (100%)	34 (100%)	0	100	100
36	g	187/199 (94%)	187 (100%)	0	100	100
37	h	171/190 (90%)	171 (100%)	0	100	100
38	i	172/173 (99%)	172 (100%)	0	100	100
39	j	119/126 (94%)	119 (100%)	0	100	100
40	k	91/116 (78%)	91 (100%)	0	100	100
41	l	124/147 (84%)	124 (100%)	0	100	100
42	m	104/105 (99%)	104 (100%)	0	100	100
43	n	105/107 (98%)	105 (100%)	0	100	100
44	o	86/90 (96%)	86 (100%)	0	100	100
45	p	90/99 (91%)	90 (100%)	0	100	100
46	q	102/103 (99%)	102 (100%)	0	100	100
47	r	94/96 (98%)	94 (100%)	0	100	100
48	s	83/84 (99%)	83 (100%)	0	100	100
49	t	76/77 (99%)	76 (100%)	0	100	100
50	u	65/65 (100%)	65 (100%)	0	100	100
51	v	74/78 (95%)	74 (100%)	0	100	100
52	w	57/65 (88%)	57 (100%)	0	100	100
53	x	72/79 (91%)	72 (100%)	0	100	100
54	y	65/66 (98%)	65 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
55	z	60/61 (98%)	60 (100%)	0	100	100
All	All	4723/5007 (94%)	4723 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 36 such sidechains are listed below:

Mol	Chain	Res	Type
43	n	50	GLN
55	z	9	ASN
43	n	75	GLN
50	u	40	ASN
28	Y	36	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1	2902/2904 (99%)	478 (16%)	19 (0%)
2	2	1532/1540 (99%)	236 (15%)	6 (0%)
3	3	119/120 (99%)	23 (19%)	1 (0%)
4	4	7/18 (38%)	4 (57%)	1 (14%)
5	5	76/77 (98%)	27 (35%)	1 (1%)
All	All	4636/4659 (99%)	768 (16%)	28 (0%)

5 of 768 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1	10	A
1	1	27	G
1	1	34	U
1	1	46	G
1	1	63	A

5 of 28 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1	2188	U
5	5	72	G
1	1	2425	A
2	2	1493	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	1	2308	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

32 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	G7M	1	2069	1	23,26,27	2.55	9 (39%)	34,39,42	1.90	10 (29%)
2	2MG	2	1207	2	23,26,27	2.91	9 (39%)	33,38,41	2.10	8 (24%)
1	OMU	1	2552	1	19,22,23	3.11	8 (42%)	25,31,34	1.79	5 (20%)
46	0TD	q	89	46	8,9,10	2.09	2 (25%)	6,11,13	1.32	0
1	OMG	1	2251	1,5	23,26,27	2.45	9 (39%)	32,38,41	2.49	10 (31%)
2	MA6	2	1519	2	23,26,27	1.46	5 (21%)	33,38,41	2.89	11 (33%)
1	OMC	1	2498	1	19,22,23	2.99	8 (42%)	25,31,34	0.75	0
1	PSU	1	746	1,56	18,21,22	1.10	1 (5%)	21,30,33	1.86	4 (19%)
1	5MU	1	1939	1	19,22,23	4.84	7 (36%)	27,32,35	3.59	9 (33%)
2	7MG	2	527	2	23,26,27	3.94	11 (47%)	27,39,42	2.22	9 (33%)
2	5MC	2	967	2	19,22,23	3.88	8 (42%)	26,32,35	0.97	2 (7%)
2	5MC	2	1407	2	19,22,23	3.86	8 (42%)	26,32,35	0.96	2 (7%)
2	PSU	2	516	56,2	18,21,22	1.08	1 (5%)	21,30,33	2.14	6 (28%)
1	2MG	1	1835	1	23,26,27	2.88	9 (39%)	33,38,41	2.14	11 (33%)
1	PSU	1	2504	1	18,21,22	1.10	1 (5%)	21,30,33	1.98	5 (23%)
1	2MG	1	2445	1	23,26,27	2.87	9 (39%)	33,38,41	2.11	10 (30%)
1	1MG	1	745	1	23,26,27	3.09	8 (34%)	33,39,42	2.05	9 (27%)
2	2MG	2	966	2	23,26,27	2.87	9 (39%)	33,38,41	2.19	11 (33%)
2	MA6	2	1518	2	23,26,27	1.46	4 (17%)	33,38,41	2.87	12 (36%)
1	PSU	1	2457	1	18,21,22	1.07	1 (5%)	21,30,33	2.07	6 (28%)
1	PSU	1	955	1	18,21,22	1.09	1 (5%)	21,30,33	2.02	5 (23%)
2	UR3	2	1498	2	19,22,23	2.97	8 (42%)	26,32,35	1.52	2 (7%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PSU	1	2605	1	18,21,22	1.07	1 (5%)	21,30,33	2.03	5 (23%)
1	PSU	1	2580	1	18,21,22	1.11	1 (5%)	21,30,33	2.13	6 (28%)
2	2MG	2	1516	2	23,26,27	2.90	9 (39%)	33,38,41	2.04	9 (27%)
1	5MU	1	747	1	19,22,23	4.82	7 (36%)	27,32,35	3.60	9 (33%)
1	5MC	1	1962	1	19,22,23	3.85	8 (42%)	26,32,35	0.98	2 (7%)
1	PSU	1	1911	1	18,21,22	1.10	1 (5%)	21,30,33	2.07	5 (23%)
2	4OC	2	1402	2	20,23,24	3.17	8 (40%)	25,32,35	0.90	1 (4%)
1	2MA	1	2503	1,56	22,25,26	3.87	9 (40%)	32,37,40	3.78	11 (34%)
1	6MZ	1	1618	1	22,25,26	3.33	4 (18%)	29,36,39	2.26	12 (41%)
1	PSU	1	1917	1	18,21,22	1.10	1 (5%)	21,30,33	1.99	5 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	G7M	1	2069	1	-	1/7/25/26	0/3/3/3
2	2MG	2	1207	2	-	0/9/27/28	0/3/3/3
1	OMU	1	2552	1	-	0/9/27/28	0/2/2/2
46	0TD	q	89	46	-	1/7/12/14	-
1	OMG	1	2251	1,5	-	0/9/27/28	0/3/3/3
2	MA6	2	1519	2	-	6/11/29/30	0/3/3/3
1	OMC	1	2498	1	-	0/9/27/28	0/2/2/2
1	PSU	1	746	1,56	-	1/7/25/26	0/2/2/2
1	5MU	1	1939	1	-	0/7/25/26	0/2/2/2
2	7MG	2	527	2	-	3/7/37/38	0/3/3/3
2	5MC	2	967	2	-	0/7/25/26	0/2/2/2
2	5MC	2	1407	2	-	0/7/25/26	0/2/2/2
2	PSU	2	516	56,2	-	2/7/25/26	0/2/2/2
1	2MG	1	1835	1	-	2/9/27/28	0/3/3/3
1	PSU	1	2504	1	-	2/7/25/26	0/2/2/2
1	2MG	1	2445	1	-	2/9/27/28	0/3/3/3
1	1MG	1	745	1	-	0/7/25/26	0/3/3/3
2	2MG	2	966	2	-	3/9/27/28	0/3/3/3
2	MA6	2	1518	2	-	3/11/29/30	0/3/3/3
1	PSU	1	2457	1	-	0/7/25/26	0/2/2/2
1	PSU	1	955	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UR3	2	1498	2	-	2/7/25/26	0/2/2/2
1	PSU	1	2605	1	-	0/7/25/26	0/2/2/2
1	PSU	1	2580	1	-	0/7/25/26	0/2/2/2
2	2MG	2	1516	2	-	0/9/27/28	0/3/3/3
1	5MU	1	747	1	-	1/7/25/26	0/2/2/2
1	5MC	1	1962	1	-	0/7/25/26	0/2/2/2
1	PSU	1	1911	1	-	0/7/25/26	0/2/2/2
2	4OC	2	1402	2	-	0/9/29/30	0/2/2/2
1	2MA	1	2503	1,56	-	1/7/25/26	0/3/3/3
1	6MZ	1	1618	1	-	4/9/27/28	0/3/3/3
1	PSU	1	1917	1	-	0/7/25/26	0/2/2/2

The worst 5 of 185 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	1	1618	6MZ	C6-N6	14.38	1.50	1.34
1	1	2503	2MA	C4-N3	11.64	1.49	1.34
1	1	747	5MU	C2-N1	11.23	1.56	1.38
1	1	1939	5MU	C2-N1	11.18	1.56	1.38
1	1	1939	5MU	C4-C5	10.33	1.61	1.44

The worst 5 of 212 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	1	2503	2MA	C1'-N9-C8	-13.66	96.78	127.09
1	1	747	5MU	C5-C4-N3	12.03	125.78	115.32
1	1	1939	5MU	C5-C4-N3	11.94	125.70	115.32
1	1	2503	2MA	C4-N9-C1'	11.75	154.12	126.63
2	2	1519	MA6	N1-C6-N6	-9.72	105.02	116.86

There are no chirality outliers.

5 of 34 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	1	1618	6MZ	C5-C6-N6-C9
1	1	1618	6MZ	N1-C6-N6-C9
1	1	1618	6MZ	O4'-C4'-C5'-O5'
1	1	2504	PSU	O4'-C4'-C5'-O5'
2	2	516	PSU	O4'-C1'-C5-C4

There are no ring outliers.

14 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	1	2552	OMU	2	0
46	q	89	0TD	1	0
2	2	1519	MA6	2	0
2	2	967	5MC	1	0
2	2	516	PSU	2	0
1	1	2504	PSU	1	0
1	1	745	1MG	1	0
2	2	1518	MA6	2	0
1	1	955	PSU	1	0
2	2	1498	UR3	1	0
2	2	1516	2MG	1	0
1	1	1962	5MC	1	0
2	2	1402	4OC	2	0
1	1	2503	2MA	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 531 ligands modelled in this entry, 530 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
57	LYS	5	101	5	7,8,9	0.51	0	3,8,10	0.30	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
57	LYS	5	101	5	-	2/6/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
57	5	101	LYS	C-CA-CB-CG
57	5	101	LYS	CE-CD-CG-CB

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
57	5	101	LYS	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-42541. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 265




Y Index: 251




Z Index: 276


6.3.2 Raw map



X Index: 265



Y Index: 251




Z Index: 276


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.014. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2637 nm³; this corresponds to an approximate mass of 2382 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.44	4.09	3.50
Unmasked-calculated*	4.52	7.07	4.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.52 differs from the reported value 3.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-42541 and PDB model 8UTJ. Per-residue inclusion information can be found in section [3](#) on page [18](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.014 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.014).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 97% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.014) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9700	 0.4300
1	 0.9920	 0.4340
2	 0.9890	 0.4290
3	 0.9920	 0.4260
4	 1.0000	 0.3760
5	 0.9790	 0.3480
A	 0.7920	 0.2380
B	 0.9940	 0.4910
C	 0.9690	 0.4720
D	 0.9220	 0.4460
E	 0.9180	 0.3880
F	 0.8790	 0.4130
G	 0.6690	 0.3360
J	 0.9740	 0.4550
K	 0.9880	 0.4790
L	 0.9400	 0.4650
M	 0.9840	 0.4700
N	 0.9930	 0.4690
O	 0.9240	 0.4190
P	 0.9650	 0.4700
Q	 0.9680	 0.4450
R	 0.9210	 0.4760
S	 0.9700	 0.4590
T	 0.9490	 0.4440
U	 0.9120	 0.4440
V	 0.8970	 0.4350
W	 0.9830	 0.4740
X	 0.9830	 0.4640
Y	 0.8920	 0.3950
Z	 0.9470	 0.4630
a	 0.7750	 0.3550
b	 0.9770	 0.4800
c	 0.9810	 0.4570
d	 1.0000	 0.4790
e	 1.0000	 0.4900



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
f	 0.9930	 0.4510
g	 0.7050	 0.3620
h	 0.9310	 0.4220
i	 0.9140	 0.4020
j	 0.9640	 0.4440
k	 0.9170	 0.4170
l	 0.9350	 0.3820
m	 0.9410	 0.4420
n	 0.8970	 0.3960
o	 0.8540	 0.3990
p	 0.9480	 0.4290
q	 0.9820	 0.4360
r	 0.9270	 0.3850
s	 0.9550	 0.4110
t	 0.9590	 0.4000
u	 0.9360	 0.4310
v	 0.9680	 0.4260
w	 0.9370	 0.3760
x	 0.9400	 0.4090
y	 0.9680	 0.3940
z	 0.9160	 0.3620