



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2026 – 08:52 AM UTC

PDB ID : 1UUR / pdb_00001uur
Title : Structure of an activated Dictyostelium STAT in its DNA-unbound form
Authors : Soler-Lopez, M.; Petosa, C.; Fukuzawa, M.; Ravelli, R.; Williams, J.G.; Muller, C.W.
Deposited on : 2004-01-09
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3538 (2.70-2.70)
Clashscore	190562	3843 (2.70-2.70)
Ramachandran outliers	187476	3778 (2.70-2.70)
Sidechain outliers	187428	3778 (2.70-2.70)
RSRZ outliers	180081	3538 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	473	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3677 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called STATA PROTEIN.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	461	Total	C	N	O	P	S	0	0	0
			3637	2322	626	676	1	12			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	40	Total	O	0	0
			40	40		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: STATA PROTEIN



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	121.60Å 144.00Å 67.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.70 30.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.8 (30.00-2.70) 95.9 (30.00-2.70)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.73 (at 2.68Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.210 , 0.270 0.222 , 0.275	Depositor DCC
R_{free} test set	792 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	57.0	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 69.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3677	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.00% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PTR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.53	3/3704 (0.1%)	1.07	20/5022 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	650	THR	N-CA	-7.53	1.36	1.45
1	A	671	THR	N-CA	-5.88	1.38	1.46
1	A	670	ASP	C-N	-5.37	1.26	1.34

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	672	ASN	N-CA-C	-12.73	98.67	112.93
1	A	705	LEU	N-CA-C	8.22	119.93	110.97
1	A	421	THR	N-CA-C	7.01	121.61	108.65
1	A	412	SER	N-CA-C	-6.71	102.36	111.55
1	A	671	THR	N-CA-C	6.47	119.33	111.82
1	A	648	LYS	N-CA-C	6.42	118.16	111.03
1	A	577	ARG	N-CA-C	6.13	119.49	110.30
1	A	650	THR	N-CA-C	-6.05	100.33	109.95
1	A	646	ALA	N-CA-C	5.81	123.18	110.80
1	A	586	GLY	N-CA-C	-5.79	106.54	114.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	393	GLY	N-CA-C	-5.73	103.52	112.58
1	A	548	PHE	N-CA-C	5.65	121.44	113.02
1	A	432	TYR	CA-C-N	5.64	124.83	118.97
1	A	432	TYR	C-N-CA	5.64	124.83	118.97
1	A	355	HIS	N-CA-C	-5.44	105.90	112.54
1	A	422	THR	CA-C-N	5.28	124.89	119.56
1	A	422	THR	C-N-CA	5.28	124.89	119.56
1	A	422	THR	N-CA-C	5.26	121.44	109.81
1	A	248	LEU	N-CA-C	5.20	116.75	111.14
1	A	670	ASP	CA-C-O	5.19	128.62	121.88

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	413	HIS	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3637	0	3623	214	0
2	A	40	0	0	6	0
All	All	3677	0	3623	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:270:SER:HB2	2:A:2001:HOH:O	1.45	1.15
1:A:656:SER:HA	1:A:682:LYS:HE2	1.37	1.05
1:A:392:THR:HG22	1:A:393:GLY:H	1.23	1.01
1:A:656:SER:HA	1:A:682:LYS:CE	1.94	0.98

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:670:ASP:OD1	1:A:671:THR:N	2.00	0.93
1:A:270:SER:HB3	1:A:394:ALA:HB1	1.53	0.89
1:A:313:LYS:HB2	1:A:326:LEU:HD21	1.53	0.88
1:A:526:GLN:HE22	1:A:533:ARG:H	1.23	0.86
1:A:425:GLU:HB3	1:A:443:LYS:HB3	1.58	0.86
1:A:666:GLN:OE1	1:A:680:LEU:HD11	1.74	0.86
1:A:526:GLN:NE2	1:A:533:ARG:H	1.74	0.85
1:A:459:VAL:HG23	1:A:461:ILE:HD11	1.58	0.85
1:A:276:LEU:HD11	1:A:288:LEU:HD11	1.58	0.85
1:A:392:THR:HG22	1:A:393:GLY:N	1.90	0.83
1:A:693:ARG:NH1	1:A:697:VAL:HG22	1.95	0.81
1:A:604:GLN:HB2	1:A:626:ILE:HD12	1.63	0.79
1:A:404:VAL:HA	1:A:459:VAL:HG12	1.69	0.75
1:A:643:ASP:O	1:A:649:LYS:HD2	1.87	0.75
1:A:661:PHE:O	1:A:682:LYS:HD2	1.87	0.75
1:A:644:THR:HG23	1:A:649:LYS:O	1.86	0.74
1:A:704:PRO:HG2	1:A:707:SER:OXT	1.88	0.74
1:A:459:VAL:HG23	1:A:461:ILE:CD1	2.17	0.74
1:A:404:VAL:HG22	1:A:459:VAL:HG11	1.69	0.73
1:A:291:LEU:HD13	1:A:347:ILE:HD11	1.70	0.73
1:A:670:ASP:CG	1:A:671:THR:H	1.97	0.71
1:A:404:VAL:HG22	1:A:459:VAL:CG1	2.21	0.71
1:A:411:ASP:HA	1:A:413:HIS:CE1	2.25	0.70
1:A:665:LEU:CD2	1:A:679:LYS:HG2	2.21	0.70
1:A:597:VAL:HG21	1:A:612:ARG:HD2	1.74	0.70
1:A:409:ILE:HD12	1:A:456:LYS:HG3	1.71	0.69
1:A:286:ALA:N	1:A:287:PRO:HD2	2.06	0.69
1:A:693:ARG:CZ	1:A:697:VAL:HG22	2.22	0.69
1:A:655:LEU:O	1:A:682:LYS:HE3	1.93	0.69
1:A:392:THR:CG2	1:A:393:GLY:H	2.04	0.68
1:A:280:LEU:HD23	1:A:284:SER:OG	1.93	0.68
1:A:244:PRO:HG3	1:A:318:LEU:HD22	1.75	0.67
1:A:621:PHE:HB2	1:A:639:VAL:HG11	1.77	0.67
1:A:244:PRO:HG3	1:A:318:LEU:CD2	2.26	0.65
1:A:604:GLN:OE1	1:A:679:LYS:HE2	1.96	0.65
1:A:317:ILE:HG12	1:A:513:ILE:HD11	1.77	0.65
1:A:270:SER:CB	1:A:394:ALA:HB1	2.27	0.64
1:A:560:ASP:O	1:A:564:VAL:HG23	1.99	0.63
1:A:663:ASN:OD1	1:A:681:HIS:ND1	2.32	0.63
1:A:693:ARG:NH2	1:A:697:VAL:HA	2.14	0.63
1:A:285:LEU:HD22	1:A:288:LEU:HD12	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:662:VAL:O	1:A:682:LYS:HB3	1.98	0.62
1:A:262:LEU:O	1:A:266:ILE:HG13	2.00	0.62
1:A:581:THR:O	1:A:585:GLU:HG2	2.00	0.62
1:A:612:ARG:HG3	1:A:612:ARG:HH11	1.65	0.61
1:A:630:MET:HA	1:A:631:PRO:C	2.25	0.61
1:A:442:LEU:CD1	1:A:455:LEU:HD11	2.30	0.60
1:A:548:PHE:CD2	1:A:554:ILE:HG13	2.36	0.60
1:A:621:PHE:O	1:A:639:VAL:HG12	2.01	0.60
1:A:243:SER:C	1:A:245:GLN:H	2.09	0.60
1:A:671:THR:O	1:A:671:THR:HG22	2.02	0.60
1:A:666:GLN:OE1	1:A:680:LEU:CD1	2.49	0.59
1:A:563:TRP:CH2	1:A:570:MET:HE3	2.36	0.59
1:A:350:ILE:O	1:A:353:PRO:HD3	2.02	0.59
1:A:456:LYS:CG	2:A:2026:HOH:O	2.51	0.59
1:A:649:LYS:HD3	1:A:654:PHE:HB2	1.83	0.59
1:A:693:ARG:HH22	1:A:697:VAL:HG13	1.67	0.59
1:A:460:ASN:C	1:A:461:ILE:HD12	2.28	0.58
1:A:401:ASN:HD21	1:A:462:ARG:HB2	1.68	0.58
1:A:664:LEU:HD12	1:A:665:LEU:H	1.69	0.58
1:A:671:THR:C	1:A:673:GLY:H	2.12	0.58
1:A:668:THR:HG22	1:A:669:LYS:N	2.19	0.58
1:A:432:TYR:O	1:A:436:LEU:N	2.37	0.58
1:A:573:LEU:O	1:A:580:SER:HB2	2.02	0.58
1:A:604:GLN:HB2	1:A:626:ILE:CD1	2.34	0.57
1:A:461:ILE:HD12	1:A:461:ILE:N	2.19	0.56
1:A:621:PHE:HB2	1:A:639:VAL:CG1	2.34	0.56
1:A:681:HIS:CD2	1:A:683:ASP:H	2.23	0.56
1:A:353:PRO:C	1:A:355:HIS:H	2.12	0.56
1:A:456:LYS:HD2	2:A:2026:HOH:O	2.04	0.56
1:A:509:TRP:CZ2	1:A:544:GLN:HB2	2.40	0.56
1:A:291:LEU:HD13	1:A:347:ILE:CD1	2.36	0.56
1:A:640:GLN:HB3	1:A:641:PRO:HD2	1.87	0.55
1:A:658:HIS:C	1:A:660:GLN:H	2.14	0.55
1:A:656:SER:HA	1:A:682:LYS:HE3	1.85	0.55
1:A:663:ASN:OD1	1:A:681:HIS:HA	2.07	0.54
1:A:526:GLN:HE22	1:A:533:ARG:N	1.99	0.54
1:A:686:LEU:O	1:A:687:GLY:C	2.50	0.54
1:A:603:ASN:OD1	1:A:603:ASN:O	2.25	0.54
1:A:665:LEU:HD21	1:A:679:LYS:HG2	1.88	0.54
1:A:255:LEU:O	1:A:259:GLU:HB2	2.08	0.54
1:A:501:PHE:HA	1:A:507:ILE:HG21	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:681:HIS:O	1:A:684:THR:N	2.40	0.54
1:A:693:ARG:HH21	1:A:698:PRO:CD	2.22	0.53
1:A:617:ASN:HB3	1:A:620:GLN:NE2	2.24	0.53
1:A:527:ASP:O	1:A:531:PRO:HG3	2.09	0.53
1:A:286:ALA:N	1:A:287:PRO:CD	2.72	0.53
1:A:693:ARG:NH2	1:A:697:VAL:HG13	2.24	0.53
1:A:649:LYS:HE2	1:A:657:GLU:OE2	2.08	0.53
1:A:243:SER:N	1:A:244:PRO:CD	2.73	0.52
1:A:247:ILE:O	1:A:251:ILE:HG13	2.09	0.52
1:A:459:VAL:CG2	1:A:461:ILE:HD11	2.35	0.52
1:A:362:VAL:HG22	1:A:398:PHE:CE2	2.46	0.51
1:A:693:ARG:HH21	1:A:698:PRO:HD3	1.75	0.51
1:A:681:HIS:HD2	1:A:683:ASP:HB2	1.76	0.51
1:A:641:PRO:O	1:A:644:THR:O	2.28	0.51
1:A:703:GLU:HB3	1:A:704:PRO:HD2	1.92	0.51
1:A:681:HIS:O	1:A:683:ASP:N	2.45	0.50
1:A:582:LEU:HD22	1:A:587:ILE:HG21	1.94	0.50
1:A:244:PRO:C	1:A:246:PRO:CD	2.85	0.50
1:A:604:GLN:OE1	1:A:679:LYS:CE	2.59	0.50
1:A:271:LEU:C	1:A:273:LEU:H	2.20	0.50
1:A:405:LYS:O	1:A:457:PHE:HA	2.12	0.50
1:A:668:THR:O	1:A:676:ARG:N	2.39	0.49
1:A:488:TRP:CD1	1:A:575:TYR:HH	2.31	0.49
1:A:630:MET:HE3	1:A:631:PRO:HA	1.94	0.49
1:A:482:ILE:HG22	1:A:491:SER:OG	2.12	0.49
1:A:572:THR:HG22	1:A:579:ILE:HG21	1.95	0.49
1:A:650:THR:C	1:A:652:PRO:HD2	2.38	0.49
1:A:371:PHE:HB2	1:A:477:ASN:HB2	1.95	0.49
1:A:373:VAL:HG22	1:A:374:VAL:N	2.28	0.49
1:A:501:PHE:CE2	1:A:507:ILE:HG12	2.47	0.49
1:A:563:TRP:CZ3	1:A:570:MET:CE	2.95	0.49
1:A:681:HIS:O	1:A:682:LYS:C	2.55	0.49
1:A:484:ASN:C	1:A:486:CYS:H	2.20	0.48
1:A:693:ARG:NH2	1:A:698:PRO:HD2	2.28	0.48
1:A:272:LEU:HD23	1:A:288:LEU:HD23	1.94	0.48
1:A:594:ARG:O	1:A:595:GLN:C	2.54	0.48
1:A:306:MET:HE2	1:A:330:LYS:HE3	1.94	0.48
1:A:425:GLU:O	1:A:426:MET:HB2	2.13	0.48
1:A:295:GLN:OE1	1:A:344:HIS:HA	2.14	0.48
1:A:612:ARG:HG3	1:A:612:ARG:NH1	2.29	0.48
1:A:582:LEU:O	1:A:587:ILE:HB	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:364:LEU:HD21	1:A:459:VAL:HG13	1.96	0.47
1:A:244:PRO:HB3	1:A:316:MET:CE	2.45	0.47
1:A:348:GLN:C	1:A:350:ILE:H	2.20	0.47
1:A:639:VAL:HG13	1:A:639:VAL:O	2.14	0.47
1:A:681:HIS:HD2	1:A:683:ASP:H	1.63	0.47
1:A:456:LYS:CD	2:A:2026:HOH:O	2.62	0.47
1:A:592:MET:O	1:A:612:ARG:NH1	2.47	0.47
1:A:662:VAL:O	1:A:682:LYS:CB	2.63	0.47
1:A:255:LEU:HD21	1:A:333:LEU:HD13	1.97	0.47
1:A:357:ALA:C	1:A:359:LYS:H	2.23	0.46
1:A:298:LEU:HG	1:A:302:MET:HE3	1.96	0.46
1:A:448:THR:HG21	1:A:451:CYS:O	2.15	0.46
1:A:442:LEU:HD11	1:A:455:LEU:HD11	1.98	0.46
1:A:544:GLN:HG2	1:A:550:ASN:HA	1.98	0.46
1:A:547:PHE:CD2	1:A:562:PHE:HA	2.51	0.46
1:A:286:ALA:H	1:A:287:PRO:HD2	1.79	0.45
1:A:597:VAL:CG2	1:A:612:ARG:HD2	2.44	0.45
1:A:302:MET:HE3	1:A:340:LEU:HD22	1.98	0.45
1:A:401:ASN:ND2	1:A:462:ARG:HB2	2.30	0.45
1:A:456:LYS:CB	2:A:2026:HOH:O	2.64	0.45
1:A:326:LEU:HD12	1:A:326:LEU:O	2.16	0.45
1:A:421:THR:O	1:A:423:PRO:HD3	2.17	0.45
1:A:629:GLU:OE2	1:A:635:LYS:HD2	2.17	0.45
1:A:650:THR:O	1:A:651:PHE:C	2.60	0.45
1:A:529:VAL:C	1:A:531:PRO:HD3	2.42	0.45
1:A:555:HIS:CD2	1:A:557:GLN:H	2.35	0.45
1:A:671:THR:O	1:A:671:THR:CG2	2.64	0.45
1:A:270:SER:CA	1:A:394:ALA:HB1	2.46	0.45
1:A:306:MET:HE1	1:A:330:LYS:HG3	1.98	0.45
1:A:640:GLN:CB	1:A:641:PRO:HD2	2.47	0.45
1:A:574:ARG:HG2	1:A:575:TYR:CD1	2.52	0.45
1:A:555:HIS:HD2	1:A:557:GLN:H	1.65	0.44
1:A:577:ARG:HG2	1:A:578:HIS:CD2	2.51	0.44
1:A:456:LYS:HG3	2:A:2026:HOH:O	2.17	0.44
1:A:487:GLN:O	1:A:488:TRP:C	2.57	0.44
1:A:313:LYS:NZ	1:A:511:GLN:HE22	2.15	0.44
1:A:442:LEU:HD11	1:A:455:LEU:CD1	2.47	0.44
1:A:665:LEU:HD23	1:A:679:LYS:HG2	1.99	0.44
1:A:282:GLU:O	1:A:283:ASN:C	2.58	0.44
1:A:353:PRO:C	1:A:355:HIS:N	2.76	0.44
1:A:693:ARG:NH2	1:A:698:PRO:CD	2.80	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:PRO:O	1:A:247:ILE:C	2.62	0.43
1:A:272:LEU:CD2	1:A:288:LEU:HD23	2.48	0.43
1:A:448:THR:O	1:A:449:ARG:HB2	2.18	0.43
1:A:463:ASP:HB3	1:A:467:VAL:H	1.83	0.43
1:A:507:ILE:HB	1:A:511:GLN:HG2	2.00	0.43
1:A:245:GLN:N	1:A:246:PRO:CD	2.82	0.43
1:A:285:LEU:O	1:A:289:LYS:HG3	2.18	0.43
1:A:643:ASP:O	1:A:649:LYS:CD	2.63	0.43
1:A:694:THR:HG22	1:A:695:ALA:N	2.32	0.43
1:A:243:SER:C	1:A:245:GLN:N	2.75	0.43
1:A:244:PRO:C	1:A:246:PRO:HD2	2.44	0.43
1:A:553:ILE:C	1:A:554:ILE:HD12	2.44	0.42
1:A:658:HIS:C	1:A:660:GLN:N	2.73	0.42
1:A:670:ASP:OD1	1:A:671:THR:CB	2.67	0.42
1:A:327:PHE:CE1	1:A:518:ARG:HD2	2.54	0.42
1:A:361:ASN:HD22	1:A:361:ASN:HA	1.56	0.42
1:A:484:ASN:C	1:A:486:CYS:N	2.77	0.42
1:A:644:THR:CG2	1:A:645:ALA:N	2.83	0.42
1:A:665:LEU:HD23	1:A:665:LEU:HA	1.83	0.42
1:A:555:HIS:HB3	1:A:558:ASP:OD2	2.20	0.42
1:A:264:GLN:O	1:A:268:GLU:HB2	2.20	0.42
1:A:668:THR:CG2	1:A:669:LYS:N	2.82	0.42
1:A:697:VAL:HA	1:A:698:PRO:HD3	1.95	0.42
1:A:593:GLY:O	1:A:594:ARG:C	2.63	0.41
1:A:593:GLY:O	1:A:597:VAL:HG23	2.19	0.41
1:A:662:VAL:HG12	1:A:663:ASN:N	2.35	0.41
1:A:422:THR:HA	1:A:423:PRO:HD2	1.87	0.41
1:A:309:LEU:HD22	1:A:326:LEU:HD13	2.02	0.41
1:A:578:HIS:O	1:A:582:LEU:HG	2.20	0.41
1:A:651:PHE:N	1:A:652:PRO:HD2	2.35	0.41
1:A:670:ASP:O	1:A:673:GLY:N	2.54	0.41
1:A:348:GLN:C	1:A:350:ILE:N	2.76	0.41
1:A:453:VAL:O	1:A:478:PRO:HA	2.20	0.41
1:A:388:VAL:HG21	1:A:457:PHE:CD2	2.55	0.41
1:A:448:THR:O	1:A:448:THR:HG22	2.20	0.40
1:A:630:MET:CE	1:A:631:PRO:HA	2.50	0.40
1:A:644:THR:HG22	1:A:645:ALA:N	2.35	0.40
1:A:244:PRO:O	1:A:246:PRO:N	2.54	0.40
1:A:554:ILE:N	1:A:554:ILE:CD1	2.84	0.40
1:A:497:LYS:HD3	1:A:556:GLN:HE21	1.87	0.40
1:A:563:TRP:CH2	1:A:570:MET:CE	3.04	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:630:MET:SD	1:A:631:PRO:HA	2.61	0.40
1:A:670:ASP:CG	1:A:671:THR:N	2.66	0.40
1:A:354:GLN:C	1:A:356:SER:N	2.79	0.40
1:A:379:LYS:HG2	1:A:380:GLN:N	2.36	0.40
1:A:557:GLN:HA	1:A:560:ASP:OD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	456/473 (96%)	396 (87%)	43 (9%)	17 (4%)	2 6

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	282	GLU
1	A	357	ALA
1	A	358	PRO
1	A	594	ARG
1	A	646	ALA
1	A	246	PRO
1	A	359	LYS
1	A	682	LYS
1	A	694	THR
1	A	687	GLY
1	A	272	LEU
1	A	679	LYS
1	A	247	ILE
1	A	373	VAL
1	A	245	GLN
1	A	243	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	320	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	401/420 (96%)	389 (97%)	12 (3%)	36 66

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	247	ILE
1	A	320	PRO
1	A	347	ILE
1	A	361	ASN
1	A	362	VAL
1	A	397	ASN
1	A	422	THR
1	A	453	VAL
1	A	497	LYS
1	A	612	ARG
1	A	629	GLU
1	A	677	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	301	GLN
1	A	348	GLN
1	A	384	ASN
1	A	401	ASN
1	A	413	HIS
1	A	429	GLN
1	A	466	ASN
1	A	487	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	511	GLN
1	A	526	GLN
1	A	550	ASN
1	A	555	HIS
1	A	556	GLN
1	A	576	GLN
1	A	578	HIS
1	A	584	GLN
1	A	602	GLN
1	A	603	ASN
1	A	620	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	PTR	A	702	1	15,16,17	0.98	1 (6%)	17,22,24	0.91	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PTR	A	702	1	-	0/10/11/13	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	702	PTR	P-OH	2.02	1.63	1.59

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	702	PTR	O3P-P-OH	2.61	113.05	105.32

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	460/473 (97%)	0.11	19 (4%)	41 37	21, 60, 126, 161	0

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	285	LEU	3.8
1	A	674	ALA	3.1
1	A	244	PRO	3.1
1	A	413	HIS	2.9
1	A	680	LEU	2.8
1	A	707	SER	2.8
1	A	570	MET	2.5
1	A	485	GLU	2.5
1	A	692	LYS	2.4
1	A	673	GLY	2.4
1	A	694	THR	2.4
1	A	698	PRO	2.3
1	A	646	ALA	2.3
1	A	691	PRO	2.3
1	A	690	ALA	2.2
1	A	412	SER	2.2
1	A	272	LEU	2.1
1	A	420	PRO	2.1
1	A	693	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	PTR	A	702	16/17	0.96	0.09	45,63,72,77	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.