



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 7, 2026 – 02:09 AM UTC

PDB ID : 8UVS / pdb_00008uvs
Title : Crystal structure of the wild-type *Thermus thermophilus* 70S ribosome in complex with spectinomycin derivative 2694, mRNA, deacylated A- and E-site tRNA^{phe}, and deacylated P-site tRNA^{met} at 2.75Å resolution
Authors : Killam, B.Y.; Phelps, G.A.; Lee, R.E.; Polikanov, Y.S.
Deposited on : 2023-11-03
Resolution : 2.75 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1009 (2.76-2.76)
Clashscore	190562	1044 (2.76-2.76)
Ramachandran outliers	187476	1024 (2.76-2.76)
Sidechain outliers	187428	1024 (2.76-2.76)
RSRZ outliers	180081	1009 (2.76-2.76)
RNA backbone	3983	1179 (3.00-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	2% 64% 28% 6%
1	2A	2915	3% 57% 33% 7%
2	1B	121	72% 26%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	2B	121	
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	1T	146	
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
27	25	60	
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	1i	128	
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
52	2u	27	
53	1v	24	
53	2v	24	
54	1w	76	
54	1y	76	
54	2w	76	
54	2y	76	
55	1x	77	
55	2x	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
54	PSU	2y	55	-	-	X	-
56	MG	1a	1789	-	-	-	X
56	MG	2a	1822	-	-	-	X

2 Entry composition

There are 61 unique types of molecules in this entry. The entry contains 300806 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2871	Total	C	N	O	P	0	0	0
			61852	27531	11572	19878	2871			
1	2A	2800	Total	C	N	O	P	0	0	0
			60322	26848	11284	19390	2800			

- Molecule 2 is a RNA chain called 5S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2577	1146	476	835	120			
2	2B	120	Total	C	N	O	P	0	0	0
			2575	1146	476	833	120			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	202	Total	C	N	O	S	0	0	0
			1583	1009	297	275	2			
5	2F	202	Total	C	N	O	S	0	0	0
			1579	1007	296	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1423	913	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1428	913	258	253	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			
7	2H	174	Total	C	N	O	S	0	0	0
			1330	845	248	236	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	146	Total	C	N	O	S	0	0	0
			1097	701	191	204	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1064	681	186	196	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			873	550	174	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	154	Total	C	N	O	S	0	0	0
			1240	795	222	220	3			
21	2Z	160	Total	C	N	O	S	0	0	0
			1271	814	228	227	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
23	21	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			552	349	99	99	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 32 is a RNA chain called 16S Ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1503	Total	C	N	O	P	0	0	0
			32327	14396	5990	10438	1503			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1548	973	301	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1655	1038	326	284	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			810	514	144	149	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			983	623	193	167			
40	2i	127	Total	C	N	O	0	0	0
			978	619	190	169			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			709	440	138	131			
41	2j	96	Total	C	N	O	0	0	0
			714	445	138	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			829	516	155	155	3			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	123	Total	C	N	O	S	0	0	0
			958	592	198	166	2			
44	2m	122	Total	C	N	O	S	0	0	0
			950	586	197	165	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			

- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
50	2s	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
51	2t	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a RNA chain called MF-mRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			
53	2v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			

- Molecule 54 is a RNA chain called A-site and E-site Deacylated tRNAphe.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
54	1w	74	Total	C	N	O	P	S	0	0	0
			1592	713	285	518	74	2			
54	1y	74	Total	C	N	O	P	S	0	0	0
			1585	707	285	518	74	1			
54	2w	72	Total	C	N	O	P	S	0	0	0
			1544	690	278	502	72	2			
54	2y	73	Total	C	N	O	P	S	0	0	0
			1565	698	283	510	73	1			

- Molecule 55 is a RNA chain called P-site Deacylated tRNAmet.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
55	1x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			
55	2x	76	Total	C	N	O	P	S	0	0	0
			1625	725	294	529	76	1			

- Molecule 56 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1A	1139	Total	Mg	0	0
			1139	1139		
56	1B	37	Total	Mg	0	0
			37	37		
56	1D	13	Total	Mg	0	0
			13	13		
56	1E	14	Total	Mg	0	0
			14	14		
56	1F	13	Total	Mg	0	0
			13	13		
56	1G	5	Total	Mg	0	0
			5	5		
56	1I	1	Total	Mg	0	0
			1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1N	6	Total 6	Mg 6	0	0
56	1O	6	Total 6	Mg 6	0	0
56	1P	5	Total 5	Mg 5	0	0
56	1Q	7	Total 7	Mg 7	0	0
56	1R	3	Total 3	Mg 3	0	0
56	1S	3	Total 3	Mg 3	0	0
56	1T	4	Total 4	Mg 4	0	0
56	1U	10	Total 10	Mg 10	0	0
56	1V	7	Total 7	Mg 7	0	0
56	1W	7	Total 7	Mg 7	0	0
56	1X	5	Total 5	Mg 5	0	0
56	1Y	4	Total 4	Mg 4	0	0
56	1Z	3	Total 3	Mg 3	0	0
56	10	8	Total 8	Mg 8	0	0
56	11	4	Total 4	Mg 4	0	0
56	12	2	Total 2	Mg 2	0	0
56	13	6	Total 6	Mg 6	0	0
56	15	4	Total 4	Mg 4	0	0
56	16	2	Total 2	Mg 2	0	0
56	17	4	Total 4	Mg 4	0	0
56	18	7	Total 7	Mg 7	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	19	1	Total 1	Mg 1	0	0
56	1a	241	Total 241	Mg 241	0	0
56	1b	2	Total 2	Mg 2	0	0
56	1e	2	Total 2	Mg 2	0	0
56	1f	2	Total 2	Mg 2	0	0
56	1h	1	Total 1	Mg 1	0	0
56	1l	2	Total 2	Mg 2	0	0
56	1m	1	Total 1	Mg 1	0	0
56	1n	1	Total 1	Mg 1	0	0
56	1s	1	Total 1	Mg 1	0	0
56	1t	1	Total 1	Mg 1	0	0
56	1v	2	Total 2	Mg 2	0	0
56	1w	9	Total 9	Mg 9	0	0
56	1x	14	Total 14	Mg 14	0	0
56	1y	2	Total 2	Mg 2	0	0
56	2A	884	Total 884	Mg 884	0	0
56	2B	20	Total 20	Mg 20	0	0
56	2D	7	Total 7	Mg 7	0	0
56	2E	6	Total 6	Mg 6	0	0
56	2F	6	Total 6	Mg 6	0	0
56	2G	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2N	1	Total 1	Mg 1	0	0
56	2O	2	Total 2	Mg 2	0	0
56	2P	2	Total 2	Mg 2	0	0
56	2Q	3	Total 3	Mg 3	0	0
56	2R	3	Total 3	Mg 3	0	0
56	2T	3	Total 3	Mg 3	0	0
56	2U	2	Total 2	Mg 2	0	0
56	2V	2	Total 2	Mg 2	0	0
56	2W	2	Total 2	Mg 2	0	0
56	2X	3	Total 3	Mg 3	0	0
56	2Y	1	Total 1	Mg 1	0	0
56	2Z	1	Total 1	Mg 1	0	0
56	20	3	Total 3	Mg 3	0	0
56	21	2	Total 2	Mg 2	0	0
56	23	2	Total 2	Mg 2	0	0
56	25	5	Total 5	Mg 5	0	0
56	26	1	Total 1	Mg 1	0	0
56	27	4	Total 4	Mg 4	0	0
56	28	3	Total 3	Mg 3	0	0
56	2a	240	Total 240	Mg 240	0	0
56	2d	2	Total 2	Mg 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2e	1	Total	Mg	0	0
			1	1		
56	2f	1	Total	Mg	0	0
			1	1		
56	2g	1	Total	Mg	0	0
			1	1		
56	2j	1	Total	Mg	0	0
			1	1		
56	2k	1	Total	Mg	0	0
			1	1		
56	2l	4	Total	Mg	0	0
			4	4		
56	2m	1	Total	Mg	0	0
			1	1		
56	2p	1	Total	Mg	0	0
			1	1		
56	2q	2	Total	Mg	0	0
			2	2		
56	2r	1	Total	Mg	0	0
			1	1		
56	2t	1	Total	Mg	0	0
			1	1		
56	2v	1	Total	Mg	0	0
			1	1		
56	2w	9	Total	Mg	0	0
			9	9		
56	2x	7	Total	Mg	0	0
			7	7		
56	2y	7	Total	Mg	0	0
			7	7		

- Molecule 57 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1Y	1	Total	Zn	0	0
			1	1		
57	14	1	Total	Zn	0	0
			1	1		
57	15	1	Total	Zn	0	0
			1	1		
57	16	1	Total	Zn	0	0
			1	1		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	19	1	Total	Zn	0	0
			1	1		
57	1n	1	Total	Zn	0	0
			1	1		
57	2Y	1	Total	Zn	0	0
			1	1		
57	24	1	Total	Zn	0	0
			1	1		
57	25	1	Total	Zn	0	0
			1	1		
57	26	1	Total	Zn	0	0
			1	1		
57	29	1	Total	Zn	0	0
			1	1		
57	2n	1	Total	Zn	0	0
			1	1		

- Molecule 58 is (2R,4R,4aS,5aR,6S,7S,8R,9S,9aR,10aS)-2-methyl-6,8-bis(methylamino)-4-({[2-(oxan-4-yl)ethyl]amino}methyl)octahydro-2H-pyrano[2,3-b][1,4]benzodioxine-4,4a,7,9(10aH)-tetrol (CCD ID: Y7K) (formula: C₂₂H₄₁N₃O₈) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	1a	1	Total	C	N	O	0	0
			33	22	3	8		
58	2a	1	Total	C	N	O	0	0
			33	22	3	8		

- Molecule 59 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe_4S_4).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
59	1d	1	Total	Fe	S	0	0
			8	4	4		
59	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 60 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
60	1x	1	Total	K	0	0
			1	1		
60	2A	1	Total	K	0	0
			1	1		

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1A	2188	Total	O	0	0
			2188	2188		
61	1B	68	Total	O	0	0
			68	68		
61	1D	33	Total	O	0	0
			33	33		
61	1E	30	Total	O	0	0
			30	30		
61	1F	18	Total	O	0	0
			18	18		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1G	3	Total 3	O 3	0	0
61	1H	2	Total 2	O 2	0	0
61	1I	1	Total 1	O 1	0	0
61	1N	8	Total 8	O 8	0	0
61	1O	4	Total 4	O 4	0	0
61	1P	20	Total 20	O 20	0	0
61	1Q	10	Total 10	O 10	0	0
61	1R	12	Total 12	O 12	0	0
61	1S	6	Total 6	O 6	0	0
61	1T	8	Total 8	O 8	0	0
61	1U	17	Total 17	O 17	0	0
61	1V	11	Total 11	O 11	0	0
61	1W	8	Total 8	O 8	0	0
61	1X	7	Total 7	O 7	0	0
61	1Y	2	Total 2	O 2	0	0
61	1Z	1	Total 1	O 1	0	0
61	10	13	Total 13	O 13	0	0
61	11	11	Total 11	O 11	0	0
61	12	4	Total 4	O 4	0	0
61	13	3	Total 3	O 3	0	0
61	14	2	Total 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	15	8	Total 8	O 8	0	0
61	16	1	Total 1	O 1	0	0
61	17	9	Total 9	O 9	0	0
61	18	11	Total 11	O 11	0	0
61	1a	498	Total 498	O 498	0	0
61	1c	2	Total 2	O 2	0	0
61	1d	1	Total 1	O 1	0	0
61	1e	4	Total 4	O 4	0	0
61	1f	1	Total 1	O 1	0	0
61	1g	3	Total 3	O 3	0	0
61	1i	1	Total 1	O 1	0	0
61	1j	1	Total 1	O 1	0	0
61	1l	8	Total 8	O 8	0	0
61	1m	1	Total 1	O 1	0	0
61	1n	1	Total 1	O 1	0	0
61	1o	1	Total 1	O 1	0	0
61	1p	1	Total 1	O 1	0	0
61	1q	3	Total 3	O 3	0	0
61	1u	1	Total 1	O 1	0	0
61	1v	7	Total 7	O 7	0	0
61	1w	14	Total 14	O 14	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1x	19	Total 19	O 19	0	0
61	1y	1	Total 1	O 1	0	0
61	2A	1294	Total 1294	O 1294	0	0
61	2B	27	Total 27	O 27	0	0
61	2D	24	Total 24	O 24	0	0
61	2E	15	Total 15	O 15	0	0
61	2F	13	Total 13	O 13	0	0
61	2I	3	Total 3	O 3	0	0
61	2N	1	Total 1	O 1	0	0
61	2O	2	Total 2	O 2	0	0
61	2P	16	Total 16	O 16	0	0
61	2Q	2	Total 2	O 2	0	0
61	2R	3	Total 3	O 3	0	0
61	2T	6	Total 6	O 6	0	0
61	2U	4	Total 4	O 4	0	0
61	2W	3	Total 3	O 3	0	0
61	2X	2	Total 2	O 2	0	0
61	2Y	1	Total 1	O 1	0	0
61	2Z	1	Total 1	O 1	0	0
61	20	3	Total 3	O 3	0	0
61	21	8	Total 8	O 8	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	23	3	Total 3	O 3	0	0
61	25	1	Total 1	O 1	0	0
61	26	1	Total 1	O 1	0	0
61	27	3	Total 3	O 3	0	0
61	28	3	Total 3	O 3	0	0
61	29	1	Total 1	O 1	0	0
61	2a	296	Total 296	O 296	0	0
61	2c	1	Total 1	O 1	0	0
61	2d	2	Total 2	O 2	0	0
61	2e	1	Total 1	O 1	0	0
61	2f	1	Total 1	O 1	0	0
61	2j	3	Total 3	O 3	0	0
61	2l	4	Total 4	O 4	0	0
61	2n	1	Total 1	O 1	0	0
61	2p	2	Total 2	O 2	0	0
61	2r	1	Total 1	O 1	0	0
61	2t	2	Total 2	O 2	0	0
61	2v	1	Total 1	O 1	0	0
61	2w	4	Total 4	O 4	0	0
61	2x	5	Total 5	O 5	0	0
61	2y	15	Total 15	O 15	0	0







• Molecule 1: 23S Ribosomal RNA




G2330	G2338	G2145	G1962	G1857	G1769	C1640	U1518	G1428	U1316	G1209	G1115	G
G2331	G2339	C2146	U1963	G1858	G1769	G1645	G1519	G1429	U1317	A1210	C1116	G
U2332	G2242	G2147	C1967	U1864	G1772	C1646	G1529	U1430	A1331	U1211	C1117	A
G2333	G2243	G2148	G1968	U1865	A1773	C1647	C1530	U1431	G1332	G1212	C1118	A
G2334	G2251	U2149	A1969	A1877	U1778	C1648	C1531	A1434	G1333	C1218	G1122	U
A2335	G2261	G2150	A1970	G1878	U1779	G1651	C1532	G1435	G1334	G1219	U	U
A2336	C2261	G2151	A1971	C1882	U1780	G1652	G1533	G1436	U1335	A1220	G1125	G
G2337	C2264	U2086	G1972	G1883	C1781	A1652	U	U1437	U1336	G1221	A1126	G
G2340	A2268	G2087	G1973	G1889	C1782	G1653	A	C1437	G1337	C1221A	U	C
G2341	A2273	G2093	G1984	A1889	C1783	A1654	C1536	A1445	G1344	A1226	U1130	U
G2345	A2274	U2096	G1991	A1890	A1784	C1660	C1546	A1449	U	U	G1131	A
A2346	A2275	G2097	U1992	G1891	A1785	G1661	C1547	G1450	U1352	G1229	C1135	G
U2347	G2276	U1993	G1992	G1896	A1786	A1664	U	A1452	G1356	C1230	G1136	A
G2348	A2278	U1996	C1996	G1899	A1789	G1665	A1558	A1459	U1357	G1231	G1137	A
G2349	C2283	U1997	G1997	A1900	C1790	G1666	G1559	G1460	G1358	G1232	G1138	C
G2350	C2284	A2001	A1901	A1901	A1791	G1667	G1560	G1461	A1359	A1237	G1139	G
C2355	C2285	G2002	G1902	G1902	C1792	C1670	A1566	C1462	A1360	G1238	C1140	A
C2359	A2286	C2006	G1906	G1907	U1793	U1671	A1567	G1463	U1361	U1240	U1141	G
A2360	G2287	C2006	G1907	G1908	C1797	G1674	A1568	G1464	G1362	A1241	U1142	C
C2363	A2288	G2010	U1911	U1912	U1798	U1688	U1578	G1465	A1365	A1242	A1142A	C
C2364	G2289	A2014	A1912	A1913	A1689	U1689	A1579	G1466	G1368	G1243	G1149	U
G2365	U2291	A2019	G1913	G1914	A1690	U1690	A1580	G1468	G1369	G1244	C1150	C
G2370	C2292	A2020	A1915	A1916	G1696	C1696	A1583	A1469	C1370	G1250	C1153	U
G2371	U2296	G2023	U1917	U1918	C1697	U1697	C1584	A1470	A1373	G1253	G1154	U
G2375	G2297	G2023	A1919	A1920	G1699	U1701	G1590	G1482	A1378	A1254	A1155	U
A2376	C2298	G2023	A1921	A1922	A1702	A1702	C1592	G1487	A1379	U1255	G1169	A
A2377	G2299	G2031	A1923	A1924	G1703	G1703	G1595	G1488	G1380	G1256	G1170	A
G2378	G2303	A2031	A1925	A1926	C1711	C1711	A1596	A1490	U1394	A1265	G1171	G
G2379	A2304	G2032	A1927	A1928	C1712	C1712	A1597	A1491	C1395	G1266	A	A
G2380	A2305	A2033	A1929	A1930	U1713	U1713	A1603	A1492	C1179	G1267	C1180	U
C2381	G2306	G2034	G1929	G1930	G1714	G1714	C1604	A1493	U1405	C1270	C1181	A
G2382	G2307	G2035	U1931	U1932	G1721	G1721	A1598	A1494	U1406	A1271	A1182	U
G2383	G2308	G2036	A1931	A1932	A1722	A1722	A1599	A1495	C1407	A1272	G1183	A
G2384	A2309	C2040	G1933	G1934	G1746	G1746	C1607	U1497	C1408	U1273	U	G
C2385	A2310	G2043	A1936	A1937	U1759	U1759	A1608	C1502	G1409	G1187	U	C
A2388	C2314	C2043	U1938	U1939	G1740	G1740	A1609	U1503	U1410	A1278	C1188	U
G2389	G2315	C2055	A1938	A1939	A1741	A1741	A1610	C1504	C1411	A1189	A	A
U2390	G2316	G2056	U1939	U1940	G1742	G1742	A1616	C1505	A1412	U1292	C1195	C
A2392	C2317	C2064	C1942	C1943	G1746	G1746	G1622	A1507	G1413	C1293	U	U
A2393	G2318	A2059	U1946	U1947	G1756	G1756	G1626	A1508	G1416	C1297	U1199	G
C2394	G2319	A2060	C1947	C1948	U1757	U1757	G1627	A1509	C1417	C1200	C1200	U
G2395	A2208	G2061	U1948	U1949	G1758	G1758	G1628	A1509B	U1420	U1300	G1203	U
G2396	U2218	C2062	C1949	C1950	A1759	A1759	U1629	G1510	G1421	A1302	A1204	C
G2400	G2223	C2063	A1952	A1953	A1761	A1761	C1636	U1515	G1422	G1303	U1205	G
U2401	G2224	C2064	U1955	U1956	A1762	A1762	A1637	U1516	G1423	C1314	C1207	A
G2402	A2225	C2065	U1958	U1959	G1763	G1763	A1638	G1515	G1424	C1315	G1112	G
C2403	U2232	C2066	C1958	C1959	A1847	A1847	A1639	U1516	G1425	C1316	G1113	U
C2404	U2233	C2067	U1958	U1959	A1848	A1848	A1640	U1517	G1426	C1317	G1114	U
G2405	U2234	C2068	C1959	C1960	A1849	A1849	A1641	U1518	G1427	C1318	G1115	U
U2406	G2329	G2069	U1958	U1959	A1848	A1848	A1642	U1519	G1428	C1319	G1116	U




• Molecule 2: 5S Ribosomal RNA




• Molecule 2: 5S Ribosomal RNA




• Molecule 3: 50S ribosomal protein L2




• Molecule 3: 50S ribosomal protein L2






• Molecule 4: 50S ribosomal protein L3

Chain 1E:




• Molecule 4: 50S ribosomal protein L3

Chain 2E:




• Molecule 5: 50S ribosomal protein L4


Chain 1F:




• Molecule 5: 50S ribosomal protein L4

Chain 2F:








• Molecule 6: 50S ribosomal protein L5




• Molecule 6: 50S ribosomal protein L5




• Molecule 7: 50S ribosomal protein L6




• Molecule 7: 50S ribosomal protein L6




- Molecule 8: 50S ribosomal protein L9




- Molecule 8: 50S ribosomal protein L9




- Molecule 9: 50S ribosomal protein L13



- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14



- Molecule 10: 50S ribosomal protein L14






- Molecule 11: 50S ribosomal protein L15

Chain 1P: 68% 27%



- Molecule 11: 50S ribosomal protein L15

Chain 2P: 5% 69% 29%




- Molecule 12: 50S ribosomal protein L16

Chain 1Q: 81% 19%



- Molecule 12: 50S ribosomal protein L16

Chain 2Q: 11% 69% 28%




- Molecule 13: 50S ribosomal protein L17


Chain 1R: 81% 17%




- Molecule 13: 50S ribosomal protein L17





- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18



- Molecule 15: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20

Chain 1U:  78% 19% ..



- Molecule 16: 50S ribosomal protein L20

Chain 2U:  75% 24% .




- Molecule 17: 50S ribosomal protein L21

Chain 1V:  84% 15% .



- Molecule 17: 50S ribosomal protein L21

Chain 2V:  71% 27% ..




- Molecule 18: 50S ribosomal protein L22

Chain 1W:  81% 16% ..



- Molecule 18: 50S ribosomal protein L22

Chain 2W:  78% 20% ..





- Molecule 19: 50S ribosomal protein L23

Chain 1X:  77% 19% ..




- Molecule 19: 50S ribosomal protein L23




• Molecule 20: 50S ribosomal protein L24





• Molecule 20: 50S ribosomal protein L24




• Molecule 21: 50S ribosomal protein L25




• Molecule 21: 50S ribosomal protein L25







- Molecule 22: 50S ribosomal protein L27




- Molecule 22: 50S ribosomal protein L27



- Molecule 23: 50S ribosomal protein L28





- Molecule 23: 50S ribosomal protein L28



- Molecule 24: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30

Chain 13:  68% 28% ..




- Molecule 25: 50S ribosomal protein L30

Chain 23:  5% 67% 28% ..




- Molecule 26: 50S ribosomal protein L31

Chain 14:  8% 51% 35% 11% .




- Molecule 26: 50S ribosomal protein L31

Chain 24:  34% 46% 39% 10% ..




- Molecule 27: 50S ribosomal protein L32

Chain 15:  2% 82% 13% ..



- Molecule 27: 50S ribosomal protein L32

Chain 25:  3% 72% 23% ..




- Molecule 28: 50S ribosomal protein L33


Chain 16:  74% 24% .




- Molecule 28: 50S ribosomal protein L33



- Molecule 29: 50S ribosomal protein L34



- Molecule 29: 50S ribosomal protein L34




- Molecule 30: 50S ribosomal protein L35




- Molecule 30: 50S ribosomal protein L35




- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36





• Molecule 32: 16S Ribosomal RNA






● Molecule 32: 16S Ribosomal RNA






LEU
VAL
PRO
GLN
GLU
GLY
ALA
ILE
THR
ALA
THR
GLU
THR
PRO
GLY
GLY
GLU
SER
GLU
VAL
GLU
ALA


• Molecule 33: 30S ribosomal protein S2




• Molecule 34: 30S ribosomal protein S3




• Molecule 34: 30S ribosomal protein S3








- Molecule 35: 30S ribosomal protein S4




- Molecule 35: 30S ribosomal protein S4




- Molecule 36: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S5







- Molecule 37: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S7



- Molecule 39: 30S ribosomal protein S8





- Molecule 39: 30S ribosomal protein S8








• Molecule 40: 30S ribosomal protein S9





• Molecule 40: 30S ribosomal protein S9



• Molecule 41: 30S ribosomal protein S10



• Molecule 41: 30S ribosomal protein S10




• Molecule 42: 30S ribosomal protein S11








- Molecule 42: 30S ribosomal protein S11



- Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12




- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15



- Molecule 46: 30S ribosomal protein S15




- Molecule 47: 30S ribosomal protein S16



ARG
GLU
GLY
ALA

• Molecule 47: 30S ribosomal protein S16

Chain 2p:  10% 64% 26% 7%



• Molecule 48: 30S ribosomal protein S17

Chain 1q:  2% 71% 22% 6%



• Molecule 48: 30S ribosomal protein S17

Chain 2q:  6% 67% 25% 6%




GLY
LYS
ALA

• Molecule 49: 30S ribosomal protein S18

Chain 1r:  2% 55% 22% 23%



• Molecule 49: 30S ribosomal protein S18


Chain 2r:  1% 44% 28% 5% 23%




L78
R84
L85
W86
R87
LYS

• Molecule 50: 30S ribosomal protein S19


Chain 1s:  2% 54% 33% 11%




- Molecule 50: 30S ribosomal protein S19




- Molecule 51: 30S ribosomal protein S20



- Molecule 52: 30S ribosomal protein Thx




- Molecule 52: 30S ribosomal protein Thx



- Molecule 52: 30S ribosomal protein Thx








• Molecule 53: MF-mRNA




• Molecule 53: MF-mRNA




• Molecule 54: A-site and E-site Deacylated tRNAphe




• Molecule 54: A-site and E-site Deacylated tRNAphe




• Molecule 54: A-site and E-site Deacylated tRNAphe




• Molecule 54: A-site and E-site Deacylated tRNAphe



- Molecule 55: P-site Deacylated tRNAmet



- Molecule 55: P-site Deacylated tRNAmet



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	209.73Å 449.08Å 621.60Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	121.84 – 2.75 121.84 – 2.75	Depositor EDS
% Data completeness (in resolution range)	98.9 (121.84-2.75) 98.9 (121.84-2.75)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.18 (at 2.73Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, R_{free}	0.213 , 0.261 0.213 , 0.260	Depositor DCC
R_{free} test set	74514 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å ²)	59.1	Xtriage
Anisotropy	0.210	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 52.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	300806	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.53% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4SU, UR3, ZN, Y7K, OMU, MA6, SF4, 4OC, OMG, 0TD, OMC, MG, 5MC, 2MA, K, 5MU, MIA, PSU, G7M, M2G, 2MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1A	0.29	0/69011	0.46	1/107720 (0.0%)
1	2A	0.21	0/67295	0.39	1/105042 (0.0%)
2	1B	0.23	0/2882	0.40	0/4494
2	2B	0.20	0/2879	0.37	0/4487
3	1D	0.27	0/2186	0.50	0/2944
3	2D	0.22	0/2186	0.46	0/2944
4	1E	0.28	0/1592	0.50	0/2149
4	2E	0.21	0/1592	0.44	0/2149
5	1F	0.28	0/1618	0.49	0/2191
5	2F	0.22	0/1614	0.46	0/2186
6	1G	0.21	0/1448	0.42	0/1957
6	2G	0.20	0/1453	0.50	1/1963 (0.1%)
7	1H	0.23	0/1356	0.44	0/1834
7	2H	0.18	0/1356	0.38	0/1834
8	1I	0.20	0/1112	0.43	0/1514
8	2I	0.19	0/1079	0.42	0/1475
9	1N	0.26	0/1144	0.45	0/1543
9	2N	0.19	0/1144	0.39	0/1543
10	1O	0.28	0/943	0.49	0/1269
10	2O	0.19	0/943	0.46	0/1269
11	1P	0.27	0/1152	0.54	1/1533 (0.1%)
11	2P	0.22	0/1152	0.52	0/1533
12	1Q	0.29	0/1143	0.47	0/1527
12	2Q	0.20	0/1143	0.46	0/1527
13	1R	0.29	0/982	0.49	0/1312
13	2R	0.21	0/982	0.46	0/1312
14	1S	0.23	0/883	0.49	0/1176
14	2S	0.21	0/880	0.46	0/1172
15	1T	0.25	0/1105	0.52	0/1477
15	2T	0.19	0/1097	0.41	0/1468
16	1U	0.29	0/977	0.47	0/1301

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
16	2U	0.20	0/977	0.38	0/1301
17	1V	0.27	0/782	0.48	0/1049
17	2V	0.18	0/782	0.43	0/1049
18	1W	0.30	0/897	0.46	0/1205
18	2W	0.21	0/897	0.40	0/1205
19	1X	0.26	0/764	0.52	2/1025 (0.2%)
19	2X	0.20	0/764	0.46	0/1025
20	1Y	0.24	0/819	0.52	0/1095
20	2Y	0.20	0/819	0.43	0/1095
21	1Z	0.22	0/1267	0.46	0/1717
21	2Z	0.23	0/1299	0.49	1/1763 (0.1%)
22	10	0.27	0/662	0.53	0/881
22	20	0.20	0/662	0.44	0/881
23	11	0.26	0/762	0.42	0/1014
23	21	0.22	0/762	0.41	0/1014
24	12	0.24	0/590	0.43	0/781
24	22	0.18	0/590	0.34	0/781
25	13	0.28	0/474	0.46	0/635
25	23	0.23	0/469	0.41	0/630
26	14	0.24	0/565	0.57	0/761
26	24	0.24	0/545	0.48	0/737
27	15	0.29	0/469	0.49	0/635
27	25	0.26	0/469	0.43	0/635
28	16	0.28	0/460	0.50	0/613
28	26	0.22	0/456	0.46	0/608
29	17	0.30	0/426	0.54	0/561
29	27	0.24	0/426	0.51	0/561
30	18	0.27	0/525	0.47	0/691
30	28	0.20	0/525	0.39	0/691
31	19	0.26	0/310	0.47	0/407
31	29	0.19	0/310	0.40	0/407
32	1a	0.20	0/35795	0.38	0/55864
32	2a	0.20	0/35886	0.37	2/56005 (0.0%)
33	1b	0.22	0/1881	0.49	0/2542
33	2b	0.24	0/1860	0.54	1/2518 (0.0%)
34	1c	0.19	0/1572	0.41	0/2126
34	2c	0.24	0/1566	0.47	0/2119
35	1d	0.19	0/1685	0.44	0/2262
35	2d	0.20	0/1704	0.43	0/2284
36	1e	0.21	0/1145	0.47	0/1543
36	2e	0.21	0/1149	0.48	0/1548
37	1f	0.20	0/823	0.43	0/1115
37	2f	0.20	0/829	0.41	0/1123

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
38	1g	0.19	0/1250	0.39	0/1679
38	2g	0.20	0/1254	0.42	0/1683
39	1h	0.20	0/1108	0.42	0/1494
39	2h	0.17	0/1108	0.40	0/1494
40	1i	0.19	0/1002	0.48	0/1346
40	2i	0.24	0/997	0.50	0/1343
41	1j	0.20	0/722	0.44	0/982
41	2j	0.27	0/727	0.47	0/988
42	1k	0.19	0/844	0.44	0/1145
42	2k	0.19	0/848	0.37	0/1149
43	1l	0.22	0/937	0.41	0/1260
43	2l	0.19	0/937	0.47	1/1260 (0.1%)
44	1m	0.20	0/969	0.49	0/1302
44	2m	0.21	0/961	0.48	0/1291
45	1n	0.19	0/501	0.45	0/664
45	2n	0.21	0/501	0.47	0/664
46	1o	0.20	0/739	0.39	0/985
46	2o	0.17	0/739	0.38	0/985
47	1p	0.22	0/697	0.49	0/939
47	2p	0.21	0/693	0.47	0/935
48	1q	0.19	0/836	0.42	0/1117
48	2q	0.20	0/836	0.48	0/1117
49	1r	0.19	0/560	0.43	0/746
49	2r	0.20	0/560	0.45	0/746
50	1s	0.22	0/667	0.48	0/900
50	2s	0.29	0/661	0.62	0/893
51	1t	0.19	0/730	0.46	0/965
51	2t	0.19	0/729	0.43	0/965
52	1u	0.19	0/203	0.46	0/266
52	2u	0.18	0/203	0.45	0/266
53	1v	0.22	0/310	0.32	0/480
53	2v	0.22	0/310	0.35	0/480
54	1w	0.29	2/1606 (0.1%)	0.38	0/2497
54	1y	0.30	2/1606 (0.1%)	0.43	0/2497
54	2w	0.31	2/1556 (0.1%)	0.39	0/2418
54	2y	0.30	2/1583 (0.1%)	0.39	0/2459
55	1x	0.26	0/1725	0.41	0/2689
55	2x	0.25	0/1725	0.37	0/2689
All	All	0.24	8/316688 (0.0%)	0.42	11/474125 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a

sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
33	1b	0	1
40	2i	0	1
All	All	0	2

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	1w	46	G7M	O3'-P	5.78	1.62	1.56
54	2y	46	G7M	O3'-P	5.46	1.61	1.56
54	2w	46	G7M	O3'-P	5.42	1.61	1.56
54	1y	46	G7M	O3'-P	5.15	1.61	1.56
54	1w	8	4SU	O3'-P	5.15	1.61	1.56

The worst 5 of 11 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	2G	44	GLY	N-CA-C	-8.42	104.73	115.42
11	1P	116	GLY	N-CA-C	6.46	122.02	113.37
33	2b	114	ARG	N-CA-C	-6.17	107.59	114.62
1	1A	1992	G	C2'-C3'-O3'	5.91	118.36	109.50
1	2A	1992	G	C2'-C3'-O3'	5.67	118.00	109.50

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
33	1b	123	ALA	Peptide
40	2i	38	GLN	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61852	0	31195	574	0
1	2A	60322	0	30424	688	0
2	1B	2577	0	1305	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	2B	2575	0	1303	57	0
3	1D	2136	0	2218	41	0
3	2D	2136	0	2218	46	0
4	1E	1559	0	1618	29	0
4	2E	1559	0	1618	36	0
5	1F	1583	0	1625	36	0
5	2F	1579	0	1619	43	0
6	1G	1423	0	1436	39	0
6	2G	1428	0	1438	81	0
7	1H	1330	0	1407	24	0
7	2H	1330	0	1407	30	0
8	1I	1097	0	1140	31	0
8	2I	1064	0	1082	41	0
9	1N	1117	0	1184	9	0
9	2N	1117	0	1184	28	0
10	1O	933	0	996	13	0
10	2O	933	0	996	21	0
11	1P	1135	0	1212	34	0
11	2P	1135	0	1212	32	0
12	1Q	1122	0	1179	19	0
12	2Q	1122	0	1179	26	0
13	1R	968	0	1033	15	0
13	2R	968	0	1033	20	0
14	1S	873	0	927	15	0
14	2S	870	0	923	43	0
15	1T	1091	0	1151	14	0
15	2T	1083	0	1136	26	0
16	1U	959	0	1019	14	0
16	2U	959	0	1018	18	0
17	1V	771	0	830	10	0
17	2V	771	0	830	17	0
18	1W	886	0	940	10	0
18	2W	886	0	940	16	0
19	1X	750	0	814	16	0
19	2X	750	0	814	19	0
20	1Y	806	0	881	13	0
20	2Y	806	0	881	16	0
21	1Z	1240	0	1240	30	0
21	2Z	1271	0	1273	50	0
22	10	653	0	674	6	0
22	20	653	0	674	16	0
23	11	755	0	826	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
23	21	755	0	826	18	0
24	12	588	0	643	10	0
24	22	588	0	643	10	0
25	13	469	0	518	9	0
25	23	464	0	514	11	0
26	14	552	0	533	22	0
26	24	532	0	503	39	0
27	15	455	0	465	6	0
27	25	455	0	465	10	0
28	16	453	0	473	6	0
28	26	449	0	469	13	0
29	17	418	0	467	5	0
29	27	418	0	467	6	0
30	18	517	0	582	14	0
30	28	517	0	582	22	0
31	19	307	0	335	5	0
31	29	307	0	335	9	0
32	1a	32246	0	16294	379	0
32	2a	32327	0	16338	551	0
33	1b	1846	0	1867	65	0
33	2b	1825	0	1828	95	0
34	1c	1548	0	1535	36	0
34	2c	1542	0	1517	84	0
35	1d	1655	0	1672	45	0
35	2d	1674	0	1714	61	0
36	1e	1129	0	1185	31	0
36	2e	1133	0	1191	46	0
37	1f	810	0	804	14	0
37	2f	816	0	808	24	0
38	1g	1231	0	1238	12	0
38	2g	1235	0	1249	34	0
39	1h	1088	0	1126	22	0
39	2h	1088	0	1126	34	0
40	1i	983	0	986	28	0
40	2i	978	0	966	48	0
41	1j	709	0	650	18	0
41	2j	714	0	672	49	0
42	1k	829	0	825	13	0
42	2k	833	0	836	16	0
43	1l	932	0	981	16	0
43	2l	932	0	980	24	0
44	1m	958	0	1002	28	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	2m	950	0	988	45	0
45	1n	492	0	529	12	0
45	2n	492	0	529	26	0
46	1o	728	0	760	19	0
46	2o	728	0	760	20	0
47	1p	681	0	697	29	0
47	2p	677	0	686	16	0
48	1q	823	0	891	16	0
48	2q	823	0	891	16	0
49	1r	555	0	618	13	0
49	2r	555	0	618	22	0
50	1s	652	0	662	22	0
50	2s	646	0	644	53	0
51	1t	728	0	798	21	0
51	2t	727	0	796	16	0
52	1u	199	0	208	5	0
52	2u	199	0	208	8	0
53	1v	277	0	140	1	0
53	2v	277	0	140	4	0
54	1w	1592	0	818	15	0
54	1y	1585	0	803	35	0
54	2w	1544	0	787	26	0
54	2y	1565	0	794	24	0
55	1x	1625	0	829	16	0
55	2x	1625	0	829	22	0
56	10	8	0	0	0	0
56	11	4	0	0	0	0
56	12	2	0	0	0	0
56	13	6	0	0	0	0
56	15	4	0	0	0	0
56	16	2	0	0	0	0
56	17	4	0	0	0	0
56	18	7	0	0	0	0
56	19	1	0	0	0	0
56	1A	1139	0	0	0	0
56	1B	37	0	0	0	0
56	1D	13	0	0	0	0
56	1E	14	0	0	0	0
56	1F	13	0	0	0	0
56	1G	5	0	0	0	0
56	1I	1	0	0	0	0
56	1N	6	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	1O	6	0	0	0	0
56	1P	5	0	0	0	0
56	1Q	7	0	0	0	0
56	1R	3	0	0	0	0
56	1S	3	0	0	0	0
56	1T	4	0	0	0	0
56	1U	10	0	0	0	0
56	1V	7	0	0	0	0
56	1W	7	0	0	0	0
56	1X	5	0	0	0	0
56	1Y	4	0	0	0	0
56	1Z	3	0	0	0	0
56	1a	241	0	0	0	0
56	1b	2	0	0	0	0
56	1e	2	0	0	0	0
56	1f	2	0	0	0	0
56	1h	1	0	0	0	0
56	1l	2	0	0	0	0
56	1m	1	0	0	0	0
56	1n	1	0	0	0	0
56	1s	1	0	0	0	0
56	1t	1	0	0	0	0
56	1v	2	0	0	0	0
56	1w	9	0	0	0	0
56	1x	14	0	0	0	0
56	1y	2	0	0	0	0
56	20	3	0	0	0	0
56	21	2	0	0	0	0
56	23	2	0	0	0	0
56	25	5	0	0	0	0
56	26	1	0	0	0	0
56	27	4	0	0	0	0
56	28	3	0	0	0	0
56	2A	884	0	0	0	0
56	2B	20	0	0	0	0
56	2D	7	0	0	0	0
56	2E	6	0	0	0	0
56	2F	6	0	0	0	0
56	2G	1	0	0	0	0
56	2N	1	0	0	0	0
56	2O	2	0	0	0	0
56	2P	2	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	2Q	3	0	0	0	0
56	2R	3	0	0	0	0
56	2T	3	0	0	0	0
56	2U	2	0	0	0	0
56	2V	2	0	0	0	0
56	2W	2	0	0	0	0
56	2X	3	0	0	0	0
56	2Y	1	0	0	0	0
56	2Z	1	0	0	0	0
56	2a	240	0	0	0	0
56	2d	2	0	0	0	0
56	2e	1	0	0	0	0
56	2f	1	0	0	0	0
56	2g	1	0	0	0	0
56	2j	1	0	0	0	0
56	2k	1	0	0	0	0
56	2l	4	0	0	0	0
56	2m	1	0	0	0	0
56	2p	1	0	0	0	0
56	2q	2	0	0	0	0
56	2r	1	0	0	0	0
56	2t	1	0	0	0	0
56	2v	1	0	0	0	0
56	2w	9	0	0	0	0
56	2x	7	0	0	0	0
56	2y	7	0	0	0	0
57	14	1	0	0	0	0
57	15	1	0	0	0	0
57	16	1	0	0	0	0
57	19	1	0	0	0	0
57	1Y	1	0	0	0	0
57	1n	1	0	0	0	0
57	24	1	0	0	0	0
57	25	1	0	0	0	0
57	26	1	0	0	0	0
57	29	1	0	0	0	0
57	2Y	1	0	0	0	0
57	2n	1	0	0	0	0
58	1a	33	0	0	0	0
58	2a	33	0	0	0	0
59	1d	8	0	0	0	0
59	2d	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
60	1x	1	0	0	0	0
60	2A	1	0	0	0	0
61	10	13	0	0	1	0
61	11	11	0	0	0	0
61	12	4	0	0	0	0
61	13	3	0	0	0	0
61	14	2	0	0	0	0
61	15	8	0	0	0	0
61	16	1	0	0	0	0
61	17	9	0	0	1	0
61	18	11	0	0	0	0
61	1A	2188	0	0	82	0
61	1B	68	0	0	1	0
61	1D	33	0	0	2	0
61	1E	30	0	0	4	0
61	1F	18	0	0	1	0
61	1G	3	0	0	2	0
61	1H	2	0	0	0	0
61	1I	1	0	0	0	0
61	1N	8	0	0	1	0
61	1O	4	0	0	0	0
61	1P	20	0	0	1	0
61	1Q	10	0	0	0	0
61	1R	12	0	0	0	0
61	1S	6	0	0	0	0
61	1T	8	0	0	0	0
61	1U	17	0	0	1	0
61	1V	11	0	0	0	0
61	1W	8	0	0	0	0
61	1X	7	0	0	0	0
61	1Y	2	0	0	0	0
61	1Z	1	0	0	0	0
61	1a	498	0	0	27	0
61	1c	2	0	0	0	0
61	1d	1	0	0	0	0
61	1e	4	0	0	0	0
61	1f	1	0	0	0	0
61	1g	3	0	0	0	0
61	1i	1	0	0	0	0
61	1j	1	0	0	0	0
61	1l	8	0	0	0	0
61	1m	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6l	1n	1	0	0	0	0
6l	1o	1	0	0	0	0
6l	1p	1	0	0	0	0
6l	1q	3	0	0	0	0
6l	1u	1	0	0	0	0
6l	1v	7	0	0	0	0
6l	1w	14	0	0	0	0
6l	1x	19	0	0	3	0
6l	1y	1	0	0	0	0
6l	20	3	0	0	0	0
6l	21	8	0	0	0	0
6l	23	3	0	0	0	0
6l	25	1	0	0	0	0
6l	26	1	0	0	0	0
6l	27	3	0	0	0	0
6l	28	3	0	0	1	0
6l	29	1	0	0	0	0
6l	2A	1294	0	0	98	0
6l	2B	27	0	0	0	0
6l	2D	24	0	0	0	0
6l	2E	15	0	0	1	0
6l	2F	13	0	0	0	0
6l	2I	3	0	0	0	0
6l	2N	1	0	0	0	0
6l	2O	2	0	0	0	0
6l	2P	16	0	0	0	0
6l	2Q	2	0	0	0	0
6l	2R	3	0	0	0	0
6l	2T	6	0	0	0	0
6l	2U	4	0	0	0	0
6l	2W	3	0	0	1	0
6l	2X	2	0	0	0	0
6l	2Y	1	0	0	0	0
6l	2Z	1	0	0	0	0
6l	2a	296	0	0	17	0
6l	2c	1	0	0	0	0
6l	2d	2	0	0	0	0
6l	2e	1	0	0	0	0
6l	2f	1	0	0	0	0
6l	2j	3	0	0	1	0
6l	2l	4	0	0	0	0
6l	2n	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	2p	2	0	0	1	0
61	2r	1	0	0	0	0
61	2t	2	0	0	0	0
61	2v	1	0	0	0	0
61	2w	4	0	0	0	0
61	2x	5	0	0	1	0
61	2y	15	0	0	0	0
All	All	300806	0	196685	4225	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 4225 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:1A:1082:U:H3	1:1A:1086:A:N6	1.29	1.29
10:2O:48:PRO:HB3	32:2a:1422:G:H5''	1.41	1.02
32:1a:1002:G:H3'	32:1a:1003:G:H4'	1.49	0.94
1:1A:1082:U:O4	1:1A:1086:A:N1	2.03	0.92
38:2g:78:ARG:HD3	38:2g:79:ARG:H	1.34	0.92

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	256 (94%)	17 (6%)	0	100	100
3	2D	273/276 (99%)	252 (92%)	21 (8%)	0	100	100
4	1E	202/206 (98%)	191 (95%)	10 (5%)	1 (0%)	24	43
4	2E	202/206 (98%)	189 (94%)	11 (5%)	2 (1%)	12	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	1F	200/210 (95%)	195 (98%)	4 (2%)	1 (0%)	24	43
5	2F	200/210 (95%)	190 (95%)	7 (4%)	3 (2%)	8	15
6	1G	179/182 (98%)	166 (93%)	11 (6%)	2 (1%)	11	22
6	2G	179/182 (98%)	156 (87%)	18 (10%)	5 (3%)	4	6
7	1H	172/180 (96%)	163 (95%)	8 (5%)	1 (1%)	21	38
7	2H	172/180 (96%)	155 (90%)	16 (9%)	1 (1%)	21	38
8	1I	144/148 (97%)	130 (90%)	13 (9%)	1 (1%)	18	34
8	2I	144/148 (97%)	124 (86%)	18 (12%)	2 (1%)	9	17
9	1N	138/140 (99%)	130 (94%)	8 (6%)	0	100	100
9	2N	138/140 (99%)	130 (94%)	7 (5%)	1 (1%)	18	34
10	1O	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
10	2O	120/122 (98%)	114 (95%)	5 (4%)	1 (1%)	16	30
11	1P	147/150 (98%)	135 (92%)	10 (7%)	2 (1%)	9	17
11	2P	147/150 (98%)	127 (86%)	17 (12%)	3 (2%)	6	11
12	1Q	139/141 (99%)	133 (96%)	6 (4%)	0	100	100
12	2Q	139/141 (99%)	125 (90%)	13 (9%)	1 (1%)	18	34
13	1R	116/118 (98%)	111 (96%)	5 (4%)	0	100	100
13	2R	116/118 (98%)	110 (95%)	5 (4%)	1 (1%)	14	28
14	1S	108/112 (96%)	101 (94%)	7 (6%)	0	100	100
14	2S	108/112 (96%)	93 (86%)	11 (10%)	4 (4%)	2	4
15	1T	129/146 (88%)	118 (92%)	10 (8%)	1 (1%)	16	30
15	2T	129/146 (88%)	120 (93%)	8 (6%)	1 (1%)	16	30
16	1U	114/118 (97%)	113 (99%)	1 (1%)	0	100	100
16	2U	114/118 (97%)	108 (95%)	6 (5%)	0	100	100
17	1V	99/101 (98%)	91 (92%)	7 (7%)	1 (1%)	12	24
17	2V	99/101 (98%)	91 (92%)	6 (6%)	2 (2%)	6	11
18	1W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
18	2W	110/113 (97%)	109 (99%)	1 (1%)	0	100	100
19	1X	93/96 (97%)	89 (96%)	2 (2%)	2 (2%)	5	10
19	2X	93/96 (97%)	86 (92%)	7 (8%)	0	100	100
20	1Y	105/110 (96%)	96 (91%)	7 (7%)	2 (2%)	6	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	2Y	105/110 (96%)	96 (91%)	9 (9%)	0	100	100
21	1Z	148/206 (72%)	132 (89%)	15 (10%)	1 (1%)	18	34
21	2Z	156/206 (76%)	123 (79%)	28 (18%)	5 (3%)	3	5
22	10	81/85 (95%)	78 (96%)	3 (4%)	0	100	100
22	20	81/85 (95%)	74 (91%)	7 (9%)	0	100	100
23	11	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	22
23	21	95/98 (97%)	93 (98%)	1 (1%)	1 (1%)	11	22
24	12	68/72 (94%)	66 (97%)	1 (2%)	1 (2%)	8	15
24	22	68/72 (94%)	66 (97%)	2 (3%)	0	100	100
25	13	57/60 (95%)	56 (98%)	1 (2%)	0	100	100
25	23	57/60 (95%)	53 (93%)	4 (7%)	0	100	100
26	14	67/71 (94%)	53 (79%)	9 (13%)	5 (8%)	1	1
26	24	67/71 (94%)	52 (78%)	10 (15%)	5 (8%)	1	1
27	15	57/60 (95%)	53 (93%)	4 (7%)	0	100	100
27	25	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
28	16	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
28	26	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
29	17	46/49 (94%)	46 (100%)	0	0	100	100
29	27	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	60 (97%)	2 (3%)	0	100	100
31	19	35/37 (95%)	34 (97%)	1 (3%)	0	100	100
31	29	35/37 (95%)	33 (94%)	2 (6%)	0	100	100
33	1b	229/256 (90%)	190 (83%)	33 (14%)	6 (3%)	4	7
33	2b	229/256 (90%)	183 (80%)	44 (19%)	2 (1%)	14	28
34	1c	204/239 (85%)	185 (91%)	17 (8%)	2 (1%)	12	24
34	2c	204/239 (85%)	170 (83%)	30 (15%)	4 (2%)	6	11
35	1d	206/209 (99%)	187 (91%)	18 (9%)	1 (0%)	24	43
35	2d	206/209 (99%)	180 (87%)	26 (13%)	0	100	100
36	1e	146/162 (90%)	129 (88%)	15 (10%)	2 (1%)	9	17
36	2e	146/162 (90%)	127 (87%)	13 (9%)	6 (4%)	2	3

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	1f	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
37	2f	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
38	1g	153/156 (98%)	144 (94%)	9 (6%)	0	100	100
38	2g	153/156 (98%)	135 (88%)	16 (10%)	2 (1%)	9	18
39	1h	135/138 (98%)	128 (95%)	7 (5%)	0	100	100
39	2h	135/138 (98%)	121 (90%)	13 (10%)	1 (1%)	18	34
40	1i	125/128 (98%)	109 (87%)	15 (12%)	1 (1%)	16	30
40	2i	125/128 (98%)	108 (86%)	17 (14%)	0	100	100
41	1j	95/105 (90%)	76 (80%)	14 (15%)	5 (5%)	1	2
41	2j	94/105 (90%)	72 (77%)	18 (19%)	4 (4%)	2	3
42	1k	112/129 (87%)	105 (94%)	5 (4%)	2 (2%)	6	13
42	2k	112/129 (87%)	96 (86%)	14 (12%)	2 (2%)	6	13
43	1l	119/132 (90%)	114 (96%)	5 (4%)	0	100	100
43	2l	119/132 (90%)	109 (92%)	10 (8%)	0	100	100
44	1m	121/126 (96%)	111 (92%)	8 (7%)	2 (2%)	7	14
44	2m	120/126 (95%)	97 (81%)	19 (16%)	4 (3%)	3	5
45	1n	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
45	2n	58/61 (95%)	51 (88%)	6 (10%)	1 (2%)	7	14
46	1o	86/89 (97%)	80 (93%)	5 (6%)	1 (1%)	10	20
46	2o	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
47	1p	80/88 (91%)	72 (90%)	6 (8%)	2 (2%)	4	8
47	2p	80/88 (91%)	72 (90%)	8 (10%)	0	100	100
48	1q	97/105 (92%)	86 (89%)	11 (11%)	0	100	100
48	2q	97/105 (92%)	92 (95%)	4 (4%)	1 (1%)	12	24
49	1r	66/88 (75%)	61 (92%)	5 (8%)	0	100	100
49	2r	66/88 (75%)	56 (85%)	9 (14%)	1 (2%)	8	15
50	1s	81/93 (87%)	70 (86%)	10 (12%)	1 (1%)	10	20
50	2s	81/93 (87%)	58 (72%)	23 (28%)	0	100	100
51	1t	94/106 (89%)	85 (90%)	5 (5%)	4 (4%)	2	3
51	2t	94/106 (89%)	85 (90%)	5 (5%)	4 (4%)	2	3
52	1u	21/27 (78%)	19 (90%)	2 (10%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
52	2u	21/27 (78%)	18 (86%)	3 (14%)	0	100	100
All	All	11368/12128 (94%)	10346 (91%)	901 (8%)	121 (1%)	11	22

5 of 121 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
21	1Z	53	ILE
26	14	49	PHE
26	14	62	ARG
33	1b	125	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	215/218 (99%)	204 (95%)	11 (5%)	21	40
3	2D	215/218 (99%)	204 (95%)	11 (5%)	21	40
4	1E	164/166 (99%)	155 (94%)	9 (6%)	19	37
4	2E	164/166 (99%)	156 (95%)	8 (5%)	22	43
5	1F	160/166 (96%)	141 (88%)	19 (12%)	5	8
5	2F	159/166 (96%)	142 (89%)	17 (11%)	6	12
6	1G	143/156 (92%)	134 (94%)	9 (6%)	16	30
6	2G	143/156 (92%)	117 (82%)	26 (18%)	2	3
7	1H	144/148 (97%)	131 (91%)	13 (9%)	9	17
7	2H	144/148 (97%)	128 (89%)	16 (11%)	6	11
8	1I	113/124 (91%)	95 (84%)	18 (16%)	2	4
8	2I	105/124 (85%)	88 (84%)	17 (16%)	2	3
9	1N	118/119 (99%)	109 (92%)	9 (8%)	12	23
9	2N	118/119 (99%)	106 (90%)	12 (10%)	7	14
10	1O	100/100 (100%)	96 (96%)	4 (4%)	28	50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
10	2O	100/100 (100%)	95 (95%)	5 (5%)	22	42
11	1P	115/116 (99%)	104 (90%)	11 (10%)	8	15
11	2P	115/116 (99%)	106 (92%)	9 (8%)	11	21
12	1Q	111/111 (100%)	106 (96%)	5 (4%)	24	46
12	2Q	111/111 (100%)	100 (90%)	11 (10%)	7	15
13	1R	101/101 (100%)	95 (94%)	6 (6%)	18	33
13	2R	101/101 (100%)	97 (96%)	4 (4%)	28	50
14	1S	86/88 (98%)	82 (95%)	4 (5%)	23	45
14	2S	85/88 (97%)	72 (85%)	13 (15%)	3	4
15	1T	115/127 (91%)	109 (95%)	6 (5%)	21	39
15	2T	113/127 (89%)	105 (93%)	8 (7%)	13	25
16	1U	93/94 (99%)	86 (92%)	7 (8%)	12	24
16	2U	93/94 (99%)	91 (98%)	2 (2%)	45	67
17	1V	80/82 (98%)	76 (95%)	4 (5%)	22	42
17	2V	80/82 (98%)	72 (90%)	8 (10%)	7	14
18	1W	90/92 (98%)	83 (92%)	7 (8%)	11	21
18	2W	90/92 (98%)	86 (96%)	4 (4%)	25	47
19	1X	77/78 (99%)	74 (96%)	3 (4%)	28	51
19	2X	77/78 (99%)	74 (96%)	3 (4%)	28	51
20	1Y	85/91 (93%)	73 (86%)	12 (14%)	3	6
20	2Y	85/91 (93%)	73 (86%)	12 (14%)	3	6
21	1Z	135/179 (75%)	116 (86%)	19 (14%)	3	6
21	2Z	137/179 (76%)	121 (88%)	16 (12%)	5	9
22	10	65/67 (97%)	64 (98%)	1 (2%)	57	74
22	20	65/67 (97%)	64 (98%)	1 (2%)	57	74
23	11	80/83 (96%)	74 (92%)	6 (8%)	12	24
23	21	80/83 (96%)	77 (96%)	3 (4%)	29	52
24	12	65/67 (97%)	59 (91%)	6 (9%)	8	17
24	22	65/67 (97%)	61 (94%)	4 (6%)	16	31
25	13	51/52 (98%)	44 (86%)	7 (14%)	3	6
25	23	50/52 (96%)	47 (94%)	3 (6%)	17	32

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
26	14	59/63 (94%)	48 (81%)	11 (19%)	1	3
26	24	53/63 (84%)	45 (85%)	8 (15%)	3	4
27	15	50/52 (96%)	46 (92%)	4 (8%)	11	20
27	25	50/52 (96%)	46 (92%)	4 (8%)	11	20
28	16	51/52 (98%)	46 (90%)	5 (10%)	7	15
28	26	50/52 (96%)	43 (86%)	7 (14%)	3	6
29	17	41/42 (98%)	39 (95%)	2 (5%)	22	43
29	27	41/42 (98%)	37 (90%)	4 (10%)	7	15
30	18	54/55 (98%)	53 (98%)	1 (2%)	50	70
30	28	54/55 (98%)	52 (96%)	2 (4%)	30	54
31	19	34/34 (100%)	34 (100%)	0	100	100
31	29	34/34 (100%)	33 (97%)	1 (3%)	37	61
33	1b	192/220 (87%)	167 (87%)	25 (13%)	4	7
33	2b	187/220 (85%)	151 (81%)	36 (19%)	1	2
34	1c	142/188 (76%)	124 (87%)	18 (13%)	4	8
34	2c	140/188 (74%)	119 (85%)	21 (15%)	3	5
35	1d	169/181 (93%)	159 (94%)	10 (6%)	18	33
35	2d	173/181 (96%)	153 (88%)	20 (12%)	5	10
36	1e	113/123 (92%)	101 (89%)	12 (11%)	6	13
36	2e	114/123 (93%)	95 (83%)	19 (17%)	2	3
37	1f	84/90 (93%)	78 (93%)	6 (7%)	13	25
37	2f	85/90 (94%)	79 (93%)	6 (7%)	13	25
38	1g	119/127 (94%)	110 (92%)	9 (8%)	12	23
38	2g	120/127 (94%)	109 (91%)	11 (9%)	8	17
39	1h	114/119 (96%)	111 (97%)	3 (3%)	40	63
39	2h	114/119 (96%)	107 (94%)	7 (6%)	17	31
40	1i	90/99 (91%)	81 (90%)	9 (10%)	7	14
40	2i	89/99 (90%)	80 (90%)	9 (10%)	7	14
41	1j	66/92 (72%)	58 (88%)	8 (12%)	5	8
41	2j	69/92 (75%)	54 (78%)	15 (22%)	1	1
42	1k	82/99 (83%)	74 (90%)	8 (10%)	7	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	2k	83/99 (84%)	73 (88%)	10 (12%)	5	8
43	1l	96/108 (89%)	89 (93%)	7 (7%)	13	24
43	2l	96/108 (89%)	87 (91%)	9 (9%)	8	16
44	1m	93/101 (92%)	82 (88%)	11 (12%)	5	9
44	2m	92/101 (91%)	77 (84%)	15 (16%)	2	3
45	1n	49/50 (98%)	47 (96%)	2 (4%)	27	49
45	2n	49/50 (98%)	45 (92%)	4 (8%)	10	20
46	1o	78/80 (98%)	72 (92%)	6 (8%)	12	22
46	2o	78/80 (98%)	71 (91%)	7 (9%)	9	17
47	1p	69/74 (93%)	59 (86%)	10 (14%)	3	5
47	2p	68/74 (92%)	60 (88%)	8 (12%)	5	9
48	1q	94/97 (97%)	87 (93%)	7 (7%)	13	24
48	2q	94/97 (97%)	86 (92%)	8 (8%)	10	18
49	1r	59/77 (77%)	56 (95%)	3 (5%)	21	40
49	2r	59/77 (77%)	51 (86%)	8 (14%)	3	6
50	1s	69/80 (86%)	65 (94%)	4 (6%)	18	34
50	2s	67/80 (84%)	57 (85%)	10 (15%)	3	5
51	1t	70/82 (85%)	64 (91%)	6 (9%)	10	18
51	2t	70/82 (85%)	66 (94%)	4 (6%)	18	35
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	16 (89%)	2 (11%)	6	11
All	All	9303/10064 (92%)	8452 (91%)	851 (9%)	9	17

5 of 851 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	2I	44	LEU
21	2Z	57	ILE
44	2m	110	ARG
8	2I	139	GLN
8	2I	38	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 164 such sidechains are listed below:

Mol	Chain	Res	Type
26	24	40	HIS
39	2h	82	HIS
33	2b	40	HIS
35	2d	201	GLN
42	2k	104	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2864/2915 (98%)	447 (15%)	29 (1%)
1	2A	2791/2915 (95%)	469 (16%)	19 (0%)
2	1B	119/121 (98%)	7 (5%)	0
2	2B	118/121 (97%)	34 (28%)	0
32	1a	1497/1521 (98%)	251 (16%)	0
32	2a	1501/1521 (98%)	309 (20%)	0
53	1v	12/24 (50%)	1 (8%)	0
53	2v	12/24 (50%)	3 (25%)	0
54	1w	72/76 (94%)	24 (33%)	0
54	1y	72/76 (94%)	30 (41%)	0
54	2w	69/76 (90%)	25 (36%)	0
54	2y	71/76 (93%)	26 (36%)	0
55	1x	75/77 (97%)	13 (17%)	0
55	2x	75/77 (97%)	12 (16%)	0
All	All	9348/9620 (97%)	1651 (17%)	48 (0%)

5 of 1651 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	10	G
1	1A	12	U
1	1A	34	C
1	1A	36	G
1	1A	45	C

5 of 48 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2756	U
1	2A	752	A
1	2A	196	A
1	2A	271(M)	G
1	2A	856	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

84 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	5MC	1a	1400	32	19,22,23	1.63	3 (15%)	26,32,35	1.15	3 (11%)
32	MA6	2a	1519	32	23,26,27	0.44	0	33,38,41	2.07	10 (30%)
54	PSU	1w	32	56,54	18,21,22	1.34	2 (11%)	21,30,33	1.80	3 (14%)
32	5MC	2a	1400	32	19,22,23	1.77	3 (15%)	26,32,35	1.19	3 (11%)
32	UR3	1a	1498	32	19,22,23	1.09	1 (5%)	26,32,35	1.71	3 (11%)
43	0TD	1l	92	43	8,9,10	4.55	1 (12%)	6,11,13	4.88	2 (33%)
55	5MU	2x	54	55	19,22,23	1.39	5 (26%)	27,32,35	2.08	6 (22%)
1	PSU	1A	1917	1	18,21,22	1.42	3 (16%)	21,30,33	2.06	3 (14%)
32	M2G	1a	966	32	24,27,28	1.33	4 (16%)	33,40,43	1.89	5 (15%)
32	UR3	2a	1498	32	19,22,23	1.05	2 (10%)	26,32,35	1.71	2 (7%)
54	PSU	1w	39	54	18,21,22	1.33	2 (11%)	21,30,33	2.17	4 (19%)
54	MIA	2y	37	54	21,24,32	1.69	3 (14%)	30,35,47	1.97	8 (26%)
55	5MC	2x	32	55	19,22,23	1.60	3 (15%)	26,32,35	1.19	3 (11%)
32	5MC	2a	1407	32	19,22,23	1.65	3 (15%)	26,32,35	1.21	3 (11%)
54	5MU	1w	54	54	19,22,23	1.41	6 (31%)	27,32,35	1.95	7 (25%)
1	OMU	2A	2552	56,1	19,22,23	1.20	3 (15%)	25,31,34	1.78	5 (20%)
32	5MC	2a	967	32	19,22,23	1.73	3 (15%)	26,32,35	1.13	3 (11%)
54	4SU	1y	8	54	18,21,22	1.83	6 (33%)	25,30,33	1.75	4 (16%)
54	PSU	2w	55	54	18,21,22	1.38	2 (11%)	21,30,33	2.06	3 (14%)
1	OMG	2A	2251	56,1,55	23,26,27	1.20	3 (13%)	32,38,41	1.97	6 (18%)
54	MIA	2w	37	54	24,27,32	2.10	5 (20%)	32,39,47	2.40	10 (31%)
54	4SU	1w	8	54	18,21,22	1.77	5 (27%)	25,30,33	1.95	5 (20%)
54	PSU	2w	32	54	18,21,22	1.35	2 (11%)	21,30,33	1.98	4 (19%)
54	5MU	2y	54	54	19,22,23	1.52	4 (21%)	27,32,35	1.95	9 (33%)
1	OMC	2A	1920	1	19,22,23	0.76	0	25,31,34	0.84	0
54	G7M	2y	46	54	23,26,27	1.62	3 (13%)	34,39,42	1.90	3 (8%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	PSU	2a	516	32	18,21,22	1.35	2 (11%)	21,30,33	1.87	4 (19%)
54	G7M	1y	46	54	23,26,27	1.58	3 (13%)	34,39,42	1.77	4 (11%)
1	2MA	1A	2503	56,1	22,25,26	1.43	3 (13%)	32,37,40	2.44	10 (31%)
55	4SU	1x	8	55	18,21,22	2.11	5 (27%)	25,30,33	1.45	5 (20%)
55	PSU	2x	55	55	18,21,22	1.33	2 (11%)	21,30,33	2.11	4 (19%)
1	OMC	1A	1920	1	19,22,23	0.85	0	25,31,34	1.08	1 (4%)
1	PSU	2A	1911	1	18,21,22	1.40	2 (11%)	21,30,33	1.89	4 (19%)
54	MIA	1y	37	54	21,24,32	1.67	3 (14%)	30,35,47	2.01	8 (26%)
1	PSU	1A	2605	56,1	18,21,22	1.39	4 (22%)	21,30,33	2.01	4 (19%)
43	0TD	2l	92	43	8,9,10	4.67	2 (25%)	6,11,13	9.21	1 (16%)
1	5MU	1A	1939	56,1	19,22,23	1.42	4 (21%)	27,32,35	2.30	6 (22%)
54	5MU	1y	54	54	19,22,23	1.47	5 (26%)	27,32,35	1.60	5 (18%)
54	PSU	1y	39	54	18,21,22	1.41	2 (11%)	21,30,33	1.96	5 (23%)
32	5MC	1a	1404	32	19,22,23	1.83	3 (15%)	26,32,35	1.23	4 (15%)
1	5MC	2A	1942	1	19,22,23	1.54	3 (15%)	26,32,35	1.11	2 (7%)
54	4SU	2w	8	54	18,21,22	1.69	6 (33%)	25,30,33	2.07	5 (20%)
32	5MC	1a	1407	32	19,22,23	1.56	3 (15%)	26,32,35	1.13	3 (11%)
32	G7M	2a	527	56,32	23,26,27	1.47	4 (17%)	34,39,42	1.68	5 (14%)
1	OMU	1A	2552	1	19,22,23	1.11	3 (15%)	25,31,34	2.07	5 (20%)
32	2MG	1a	1207	32	23,26,27	1.22	3 (13%)	33,38,41	2.35	9 (27%)
32	PSU	1a	516	56,32	18,21,22	1.39	3 (16%)	21,30,33	2.01	4 (19%)
55	PSU	1x	55	55	18,21,22	1.37	2 (11%)	21,30,33	2.05	3 (14%)
32	MA6	1a	1519	32	23,26,27	0.45	0	33,38,41	2.13	9 (27%)
1	PSU	2A	2605	1	18,21,22	1.34	3 (16%)	21,30,33	2.00	5 (23%)
54	PSU	2y	32	54	18,21,22	1.38	2 (11%)	21,30,33	1.91	3 (14%)
1	5MC	2A	1962	56,1	19,22,23	1.65	3 (15%)	26,32,35	1.19	2 (7%)
32	2MG	2a	1207	56,32	23,26,27	1.27	3 (13%)	33,38,41	2.07	7 (21%)
1	OMG	1A	2251	56,1,55	23,26,27	1.21	3 (13%)	32,38,41	2.09	7 (21%)
1	5MC	1A	1962	56,1	19,22,23	1.73	3 (15%)	26,32,35	1.13	2 (7%)
54	PSU	2w	39	54	18,21,22	1.48	2 (11%)	21,30,33	1.59	5 (23%)
1	5MU	1A	1915	1	19,22,23	1.40	5 (26%)	27,32,35	2.14	7 (25%)
55	5MU	1x	54	55	19,22,23	1.40	6 (31%)	27,32,35	2.13	6 (22%)
1	5MU	2A	1915	56,1	19,22,23	1.43	6 (31%)	27,32,35	2.21	6 (22%)
1	5MC	1A	1942	56,1	19,22,23	1.40	3 (15%)	26,32,35	1.12	2 (7%)
54	PSU	2y	55	54	18,21,22	1.31	2 (11%)	21,30,33	1.95	4 (19%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
32	MA6	1a	1518	32	23,26,27	0.42	0	33,38,41	2.00	9 (27%)
54	PSU	2y	39	54	18,21,22	1.42	2 (11%)	21,30,33	1.67	3 (14%)
32	4OC	1a	1402	56,32	20,23,24	0.73	0	25,32,35	0.93	1 (4%)
54	MIA	1w	37	54	28,31,32	2.32	6 (21%)	38,44,47	2.77	12 (31%)
54	PSU	1w	55	54	18,21,22	1.41	2 (11%)	21,30,33	1.97	4 (19%)
1	PSU	1A	1911	1	18,21,22	1.42	2 (11%)	21,30,33	2.01	4 (19%)
55	4SU	2x	8	56,55	18,21,22	2.02	5 (27%)	25,30,33	1.31	4 (16%)
32	MA6	2a	1518	32	23,26,27	0.42	0	33,38,41	2.01	9 (27%)
1	PSU	2A	1917	1	18,21,22	1.37	2 (11%)	21,30,33	2.03	4 (19%)
32	4OC	2a	1402	56,32	20,23,24	0.79	0	25,32,35	1.10	3 (12%)
54	G7M	2w	46	54	23,26,27	1.43	4 (17%)	34,39,42	1.70	5 (14%)
54	G7M	1w	46	54	23,26,27	1.55	3 (13%)	34,39,42	1.60	4 (11%)
32	5MC	1a	967	32	19,22,23	1.64	3 (15%)	26,32,35	1.10	2 (7%)
54	PSU	1y	55	54	18,21,22	1.37	2 (11%)	21,30,33	2.05	5 (23%)
54	4SU	2y	8	54	18,21,22	1.73	4 (22%)	25,30,33	2.09	4 (16%)
32	G7M	1a	527	56,32	23,26,27	1.54	4 (17%)	34,39,42	1.64	4 (11%)
32	5MC	2a	1404	32	19,22,23	1.64	3 (15%)	26,32,35	1.10	2 (7%)
1	2MA	2A	2503	56,1	22,25,26	1.41	5 (22%)	32,37,40	2.30	9 (28%)
32	M2G	2a	966	32	24,27,28	1.31	4 (16%)	33,40,43	1.84	6 (18%)
55	5MC	1x	32	55	19,22,23	1.69	3 (15%)	26,32,35	1.21	3 (11%)
54	5MU	2w	54	54	19,22,23	1.42	4 (21%)	27,32,35	1.62	5 (18%)
1	5MU	2A	1939	56,1	19,22,23	1.42	5 (26%)	27,32,35	2.32	6 (22%)
54	PSU	1y	32	54	18,21,22	1.38	2 (11%)	21,30,33	1.90	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	1a	1400	32	-	2/7/25/26	0/2/2/2
32	MA6	2a	1519	32	-	3/11/29/30	0/3/3/3
54	PSU	1w	32	56,54	-	0/7/25/26	0/2/2/2
32	5MC	2a	1400	32	-	0/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	3/7/12/14	-
55	5MU	2x	54	55	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	PSU	1A	1917	1	-	0/7/25/26	0/2/2/2
32	M2G	1a	966	32	-	0/11/29/30	0/3/3/3
32	UR3	2a	1498	32	-	0/7/25/26	0/2/2/2
54	PSU	1w	39	54	-	0/7/25/26	0/2/2/2
54	MIA	2y	37	54	-	3/7/25/34	0/3/3/3
55	5MC	2x	32	55	-	0/7/25/26	0/2/2/2
32	5MC	2a	1407	32	-	0/7/25/26	0/2/2/2
54	5MU	1w	54	54	-	0/7/25/26	0/2/2/2
1	OMU	2A	2552	56,1	-	0/9/27/28	0/2/2/2
32	5MC	2a	967	32	-	0/7/25/26	0/2/2/2
54	4SU	1y	8	54	-	3/7/25/26	0/2/2/2
54	PSU	2w	55	54	-	0/7/25/26	0/2/2/2
1	OMG	2A	2251	56,1,55	-	2/9/27/28	0/3/3/3
54	MIA	2w	37	54	-	2/11/29/34	0/3/3/3
54	4SU	1w	8	54	-	0/7/25/26	0/2/2/2
54	PSU	2w	32	54	-	0/7/25/26	0/2/2/2
54	5MU	2y	54	54	-	3/7/25/26	0/2/2/2
1	OMC	2A	1920	1	-	0/9/27/28	0/2/2/2
54	G7M	2y	46	54	-	2/7/25/26	0/3/3/3
32	PSU	2a	516	32	-	0/7/25/26	0/2/2/2
54	G7M	1y	46	54	-	3/7/25/26	0/3/3/3
1	2MA	1A	2503	56,1	-	2/7/25/26	0/3/3/3
55	4SU	1x	8	55	-	0/7/25/26	0/2/2/2
55	PSU	2x	55	55	-	0/7/25/26	0/2/2/2
1	OMC	1A	1920	1	-	0/9/27/28	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
54	MIA	1y	37	54	-	0/7/25/34	0/3/3/3
1	PSU	1A	2605	56,1	-	0/7/25/26	0/2/2/2
43	0TD	2l	92	43	-	3/7/12/14	-
1	5MU	1A	1939	56,1	-	0/7/25/26	0/2/2/2
54	5MU	1y	54	54	-	2/7/25/26	0/2/2/2
54	PSU	1y	39	54	-	0/7/25/26	0/2/2/2
32	5MC	1a	1404	32	-	0/7/25/26	0/2/2/2
1	5MC	2A	1942	1	-	0/7/25/26	0/2/2/2
54	4SU	2w	8	54	-	0/7/25/26	0/2/2/2
32	5MC	1a	1407	32	-	0/7/25/26	0/2/2/2
32	G7M	2a	527	56,32	-	2/7/25/26	0/3/3/3
1	OMU	1A	2552	1	-	0/9/27/28	0/2/2/2
32	2MG	1a	1207	32	-	0/9/27/28	0/3/3/3
32	PSU	1a	516	56,32	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
55	PSU	1x	55	55	-	2/7/25/26	0/2/2/2
32	MA6	1a	1519	32	-	2/11/29/30	0/3/3/3
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
54	PSU	2y	32	54	-	0/7/25/26	0/2/2/2
1	5MC	2A	1962	56,1	-	0/7/25/26	0/2/2/2
32	2MG	2a	1207	56,32	-	2/9/27/28	0/3/3/3
1	OMG	1A	2251	56,1,55	-	0/9/27/28	0/3/3/3
1	5MC	1A	1962	56,1	-	0/7/25/26	0/2/2/2
54	PSU	2w	39	54	-	0/7/25/26	0/2/2/2
1	5MU	1A	1915	1	-	0/7/25/26	0/2/2/2
55	5MU	1x	54	55	-	0/7/25/26	0/2/2/2
1	5MU	2A	1915	56,1	-	0/7/25/26	0/2/2/2
1	5MC	1A	1942	56,1	-	0/7/25/26	0/2/2/2
54	PSU	2y	55	54	-	4/7/25/26	0/2/2/2
32	MA6	1a	1518	32	-	0/11/29/30	0/3/3/3
54	PSU	2y	39	54	-	0/7/25/26	0/2/2/2
32	4OC	1a	1402	56,32	-	1/9/29/30	0/2/2/2
54	MIA	1w	37	54	-	1/15/33/34	0/3/3/3
54	PSU	1w	55	54	-	0/7/25/26	0/2/2/2
1	PSU	1A	1911	1	-	0/7/25/26	0/2/2/2
55	4SU	2x	8	56,55	-	0/7/25/26	0/2/2/2
32	MA6	2a	1518	32	-	0/11/29/30	0/3/3/3
1	PSU	2A	1917	1	-	0/7/25/26	0/2/2/2
32	4OC	2a	1402	56,32	-	2/9/29/30	0/2/2/2
54	G7M	2w	46	54	-	1/7/25/26	0/3/3/3
54	G7M	1w	46	54	-	1/7/25/26	0/3/3/3
32	5MC	1a	967	32	-	1/7/25/26	0/2/2/2
54	PSU	1y	55	54	-	2/7/25/26	0/2/2/2
54	4SU	2y	8	54	-	2/7/25/26	0/2/2/2
32	G7M	1a	527	56,32	-	3/7/25/26	0/3/3/3
32	5MC	2a	1404	32	-	0/7/25/26	0/2/2/2
1	2MA	2A	2503	56,1	-	0/7/25/26	0/3/3/3
32	M2G	2a	966	32	-	0/11/29/30	0/3/3/3
55	5MC	1x	32	55	-	0/7/25/26	0/2/2/2
54	5MU	2w	54	54	-	0/7/25/26	0/2/2/2
1	5MU	2A	1939	56,1	-	0/7/25/26	0/2/2/2
54	PSU	1y	32	54	-	0/7/25/26	0/2/2/2

The worst 5 of 250 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
43	1l	92	0TD	CB-SB	-12.51	1.69	1.82
43	2l	92	0TD	CB-SB	-12.43	1.69	1.82
54	2w	37	MIA	C2-S10	-6.82	1.70	1.75
32	1a	1404	5MC	C5-C4	6.79	1.49	1.44
54	1w	37	MIA	C13-C14	6.76	1.52	1.32

The worst 5 of 394 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	2l	92	0TD	CSB-SB-CB	-22.41	62.09	102.36
43	1l	92	0TD	CSB-SB-CB	-11.49	81.70	102.36
54	1w	37	MIA	C12-C13-C14	-9.19	110.52	127.01
54	2w	37	MIA	C5-C4-N3	-8.33	118.41	127.18
54	1w	37	MIA	C5-C4-N3	-8.30	118.44	127.18

There are no chirality outliers.

5 of 59 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
43	1l	92	0TD	O-C-CA-CB
54	1w	37	MIA	C12-C13-C14-C16
54	1y	8	4SU	O4'-C4'-C5'-O5'
54	1y	46	G7M	C4'-C5'-O5'-P
54	1y	54	5MU	O4'-C4'-C5'-O5'

There are no ring outliers.

34 monomers are involved in 49 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
32	2a	1519	MA6	2	0
43	1l	92	0TD	2	0
54	2y	37	MIA	1	0
32	2a	967	5MC	1	0
54	1y	8	4SU	4	0
1	2A	2251	OMG	1	0
54	2y	46	G7M	1	0
1	1A	2503	2MA	1	0
55	1x	8	4SU	2	0
55	2x	55	PSU	1	0
54	1y	37	MIA	2	0
43	2l	92	0TD	2	0
1	1A	1939	5MU	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
54	1y	54	5MU	1	0
54	1y	39	PSU	1	0
54	2w	8	4SU	1	0
1	1A	2552	OMU	2	0
32	1a	1519	MA6	1	0
32	2a	1207	2MG	1	0
54	2w	39	PSU	1	0
1	1A	1915	5MU	1	0
1	2A	1915	5MU	1	0
54	2y	55	PSU	7	0
32	1a	1518	MA6	1	0
32	1a	1402	4OC	1	0
54	1w	37	MIA	1	0
55	2x	8	4SU	2	0
32	2a	1518	MA6	2	0
1	2A	1917	PSU	1	0
54	2w	46	G7M	1	0
32	1a	967	5MC	1	0
54	1y	55	PSU	1	0
1	2A	2503	2MA	1	0
1	2A	1939	5MU	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2879 ligands modelled in this entry, 2875 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
58	Y7K	2a	1841	-	33,36,36	0.70	1 (3%)	37,54,54	1.25	3 (8%)
59	SF4	2d	303	35	0,12,12	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	Y7K	1a	1842	-	33,36,36	0.83	1 (3%)	37,54,54	1.55	5 (13%)
59	SF4	1d	501	35	0,12,12	-	-	-	-	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	Y7K	2a	1841	-	-	4/11/77/77	0/4/4/4
59	SF4	2d	303	35	-	-	0/6/5/5
58	Y7K	1a	1842	-	-	1/11/77/77	0/4/4/4
59	SF4	1d	501	35	-	-	0/6/5/5

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	1a	1842	Y7K	OAP-CAL	2.69	1.44	1.39
58	2a	1841	Y7K	OAP-CAL	2.43	1.43	1.39

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	1a	1842	Y7K	OAS-CAN-OAJ	-6.10	102.52	107.40
58	2a	1841	Y7K	CAR-NAM-CAI	-4.10	108.93	114.23
58	1a	1842	Y7K	CAR-NAM-CAI	-3.94	109.15	114.23
58	2a	1841	Y7K	CAU-CAQ-CAL	-3.17	108.16	110.33
58	2a	1841	Y7K	CAB-NAA-CAC	2.85	117.91	114.23

There are no chirality outliers.


All (5) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
58	1a	1842	Y7K	NAY-CAZ-CBA-CBB
58	2a	1841	Y7K	NAY-CAZ-CBA-CBB
58	2a	1841	Y7K	CAZ-CBA-CBB-CBC
58	2a	1841	Y7K	CAZ-CBA-CBB-CBG
58	2a	1841	Y7K	CBA-CAZ-NAY-CAX

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1A	2860/2915 (98%)	-0.60	70 (2%) 59 57	17, 35, 94, 110	0
1	2A	2789/2915 (95%)	-0.02	81 (2%) 53 52	33, 60, 95, 109	0
2	1B	120/121 (99%)	-0.54	0 100 100	26, 48, 60, 87	0
2	2B	120/121 (99%)	1.20	18 (15%) 5 5	65, 87, 96, 98	0
3	1D	275/276 (99%)	-0.23	3 (1%) 78 77	21, 36, 51, 80	0
3	2D	275/276 (99%)	0.23	4 (1%) 72 71	32, 52, 66, 85	0
4	1E	204/206 (99%)	-0.25	1 (0%) 87 87	19, 38, 59, 74	0
4	2E	204/206 (99%)	0.33	3 (1%) 72 71	36, 61, 73, 85	0
5	1F	202/210 (96%)	-0.18	1 (0%) 87 87	20, 40, 67, 86	0
5	2F	202/210 (96%)	0.46	1 (0%) 87 87	38, 70, 83, 88	0
6	1G	181/182 (99%)	0.36	5 (2%) 55 53	40, 59, 72, 90	0
6	2G	181/182 (99%)	1.49	46 (25%) 1 1	74, 85, 90, 96	0
7	1H	174/180 (96%)	0.05	2 (1%) 78 77	39, 53, 66, 70	0
7	2H	174/180 (96%)	1.13	20 (11%) 9 8	70, 86, 93, 98	0
8	1I	146/148 (98%)	0.60	3 (2%) 63 61	45, 73, 83, 86	0
8	2I	146/148 (98%)	0.91	8 (5%) 30 30	56, 75, 85, 88	0
9	1N	140/140 (100%)	-0.21	0 100 100	25, 37, 60, 73	0
9	2N	140/140 (100%)	0.48	1 (0%) 84 84	49, 66, 79, 88	0
10	1O	122/122 (100%)	-0.16	0 100 100	24, 39, 57, 65	0
10	2O	122/122 (100%)	0.45	4 (3%) 49 47	48, 61, 72, 78	0
11	1P	149/150 (99%)	-0.00	0 100 100	17, 42, 68, 75	0
11	2P	149/150 (99%)	0.59	8 (5%) 31 31	37, 70, 85, 88	0
12	1Q	141/141 (100%)	-0.17	0 100 100	27, 39, 57, 73	0
12	2Q	141/141 (100%)	1.06	15 (10%) 11 10	47, 70, 80, 85	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	1R	118/118 (100%)	-0.37	0 100 100	25, 33, 50, 60	0
13	2R	118/118 (100%)	0.12	1 (0%) 82 82	43, 54, 64, 73	0
14	1S	110/112 (98%)	0.00	0 100 100	37, 48, 60, 65	0
14	2S	110/112 (98%)	1.47	27 (24%) 2 1	69, 80, 86, 90	0
15	1T	131/146 (89%)	0.04	5 (3%) 44 41	33, 43, 66, 75	0
15	2T	131/146 (89%)	0.54	2 (1%) 72 71	52, 64, 78, 85	0
16	1U	116/118 (98%)	-0.38	0 100 100	20, 30, 46, 61	0
16	2U	116/118 (98%)	0.50	1 (0%) 81 81	45, 63, 78, 85	0
17	1V	101/101 (100%)	-0.41	0 100 100	22, 38, 58, 70	0
17	2V	101/101 (100%)	0.79	5 (4%) 34 34	46, 74, 84, 87	0
18	1W	112/113 (99%)	-0.30	0 100 100	23, 32, 47, 76	0
18	2W	112/113 (99%)	0.14	0 100 100	39, 51, 67, 90	0
19	1X	95/96 (98%)	-0.25	1 (1%) 78 77	23, 38, 59, 75	0
19	2X	95/96 (98%)	0.54	1 (1%) 78 77	45, 62, 76, 79	0
20	1Y	107/110 (97%)	0.18	1 (0%) 81 81	36, 49, 69, 77	0
20	2Y	107/110 (97%)	0.95	9 (8%) 17 17	62, 74, 82, 88	0
21	1Z	154/206 (74%)	0.56	8 (5%) 33 32	38, 63, 82, 93	0
21	2Z	160/206 (77%)	1.58	36 (22%) 2 2	71, 84, 92, 97	0
22	10	83/85 (97%)	0.10	4 (4%) 35 35	28, 37, 60, 77	0
22	20	83/85 (97%)	1.08	4 (4%) 35 35	45, 68, 78, 83	0
23	11	97/98 (98%)	0.12	2 (2%) 63 61	24, 42, 69, 74	0
23	21	97/98 (98%)	0.52	1 (1%) 79 79	40, 58, 78, 84	0
24	12	70/72 (97%)	0.09	1 (1%) 73 73	34, 47, 60, 74	0
24	22	70/72 (97%)	0.77	6 (8%) 16 16	59, 73, 80, 82	0
25	13	59/60 (98%)	-0.25	0 100 100	23, 34, 58, 80	0
25	23	59/60 (98%)	0.57	3 (5%) 33 33	55, 67, 79, 88	0
26	14	69/71 (97%)	0.73	6 (8%) 16 16	48, 73, 88, 92	0
26	24	69/71 (97%)	1.71	24 (34%) 1 0	79, 90, 95, 101	0
27	15	59/60 (98%)	-0.33	1 (1%) 69 67	19, 32, 47, 62	0
27	25	59/60 (98%)	0.16	2 (3%) 48 46	40, 52, 66, 81	0
28	16	53/54 (98%)	-0.27	0 100 100	30, 42, 56, 61	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
28	26	53/54 (98%)	0.67	2 (3%) 44 41	54, 64, 71, 75	0
29	17	48/49 (97%)	-0.24	1 (2%) 63 61	21, 27, 55, 63	0
29	27	48/49 (97%)	0.26	5 (10%) 11 11	32, 43, 63, 78	0
30	18	64/65 (98%)	-0.19	0 100 100	26, 33, 43, 55	0
30	28	64/65 (98%)	0.60	1 (1%) 70 69	48, 58, 67, 75	0
31	19	37/37 (100%)	-0.16	1 (2%) 56 54	29, 40, 59, 63	0
31	29	37/37 (100%)	0.84	3 (8%) 18 18	62, 71, 80, 85	0
32	1a	1488/1521 (97%)	0.14	27 (1%) 67 65	37, 67, 93, 110	0
32	2a	1491/1521 (98%)	0.73	154 (10%) 12 11	53, 81, 99, 109	0
33	1b	231/256 (90%)	1.24	39 (16%) 4 4	66, 81, 89, 94	0
33	2b	231/256 (90%)	1.75	79 (34%) 1 0	75, 88, 94, 96	0
34	1c	206/239 (86%)	0.76	11 (5%) 32 31	62, 72, 84, 89	0
34	2c	206/239 (86%)	1.71	76 (36%) 1 0	76, 87, 92, 95	0
35	1d	208/209 (99%)	0.77	14 (6%) 24 23	58, 71, 80, 83	0
35	2d	208/209 (99%)	0.97	15 (7%) 21 21	63, 74, 82, 89	0
36	1e	148/162 (91%)	0.47	1 (0%) 84 84	54, 65, 74, 90	0
36	2e	148/162 (91%)	1.17	21 (14%) 6 5	68, 79, 85, 90	0
37	1f	100/101 (99%)	0.48	2 (2%) 65 63	53, 66, 76, 78	0
37	2f	100/101 (99%)	0.42	1 (1%) 79 79	61, 72, 79, 83	0
38	1g	155/156 (99%)	0.69	12 (7%) 19 19	53, 70, 87, 96	0
38	2g	155/156 (99%)	0.92	16 (10%) 12 11	68, 80, 89, 98	0
39	1h	137/138 (99%)	0.54	3 (2%) 62 60	54, 67, 74, 79	0
39	2h	137/138 (99%)	1.05	9 (6%) 24 24	71, 80, 85, 90	0
40	1i	127/128 (99%)	0.90	11 (8%) 16 16	54, 75, 84, 88	0
40	2i	127/128 (99%)	1.96	58 (45%) 0 0	75, 86, 93, 97	0
41	1j	97/105 (92%)	1.06	10 (10%) 12 11	60, 78, 87, 90	0
41	2j	96/105 (91%)	2.35	60 (62%) 0 0	78, 88, 93, 96	0
42	1k	114/129 (88%)	0.56	2 (1%) 67 65	45, 66, 77, 83	0
42	2k	114/129 (88%)	0.84	8 (7%) 22 22	59, 74, 82, 85	0
43	1l	121/132 (91%)	0.18	2 (1%) 69 67	45, 55, 67, 76	0
43	2l	121/132 (91%)	1.07	14 (11%) 9 8	60, 72, 80, 86	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
44	1m	123/126 (97%)	0.69	9 (7%) 21 21	57, 69, 78, 82	0
44	2m	122/126 (96%)	1.75	38 (31%) 1 1	75, 87, 92, 94	0
45	1n	60/61 (98%)	0.88	4 (6%) 24 23	59, 67, 73, 75	0
45	2n	60/61 (98%)	2.52	40 (66%) 0 0	81, 88, 93, 98	0
46	1o	88/89 (98%)	0.54	2 (2%) 61 59	51, 66, 75, 79	0
46	2o	88/89 (98%)	0.86	5 (5%) 29 29	66, 75, 83, 86	0
47	1p	82/88 (93%)	1.38	16 (19%) 3 2	55, 69, 78, 87	0
47	2p	82/88 (93%)	1.10	9 (10%) 10 9	61, 71, 81, 89	0
48	1q	99/105 (94%)	0.70	2 (2%) 65 63	56, 68, 78, 80	0
48	2q	99/105 (94%)	0.92	6 (6%) 27 27	65, 75, 85, 88	0
49	1r	68/88 (77%)	0.23	2 (2%) 53 52	56, 66, 77, 80	0
49	2r	68/88 (77%)	0.56	1 (1%) 72 71	63, 73, 82, 85	0
50	1s	83/93 (89%)	0.47	2 (2%) 59 57	62, 72, 80, 87	0
50	2s	83/93 (89%)	1.88	37 (44%) 0 0	82, 91, 97, 101	0
51	1t	96/106 (90%)	0.97	8 (8%) 17 18	60, 69, 81, 88	0
51	2t	96/106 (90%)	0.79	8 (8%) 17 18	62, 73, 83, 85	0
52	1u	23/27 (85%)	1.03	2 (8%) 16 16	60, 67, 73, 76	0
52	2u	23/27 (85%)	2.43	14 (60%) 0 0	79, 83, 88, 89	0
53	1v	13/24 (54%)	0.66	3 (23%) 2 1	48, 62, 93, 100	0
53	2v	13/24 (54%)	1.94	6 (46%) 0 0	74, 89, 100, 104	0
54	1w	67/76 (88%)	0.98	11 (16%) 4 4	55, 91, 102, 107	0
54	1y	67/76 (88%)	0.93	8 (11%) 9 7	37, 95, 102, 106	0
54	2w	65/76 (85%)	1.51	15 (23%) 2 1	77, 101, 107, 109	0
54	2y	66/76 (86%)	1.43	13 (19%) 3 2	57, 101, 105, 106	0
55	1x	72/77 (93%)	0.25	1 (1%) 73 73	39, 68, 85, 93	0
55	2x	72/77 (93%)	0.83	3 (4%) 40 39	58, 85, 94, 104	0
All	All	20873/21748 (95%)	0.35	1368 (6%) 24 24	17, 65, 92, 110	0

The worst 5 of 1368 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
45	1n	2	ALA	7.2
38	2g	82	GLY	7.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
38	2g	83	ALA	6.9
38	2g	84	ASN	6.8
44	1m	124	PRO	6.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
54	G7M	2w	46	24/25	0.47	0.15	92,100,108,128	0
54	4SU	2y	8	20/21	0.58	0.15	95,102,115,124	0
54	PSU	2y	55	20/21	0.58	0.16	95,103,112,114	0
54	G7M	2y	46	24/25	0.59	0.16	93,103,108,124	0
54	G7M	1w	46	24/25	0.61	0.14	83,91,108,125	0
54	4SU	2w	8	20/21	0.62	0.14	95,104,113,122	0
54	5MU	2y	54	21/22	0.63	0.17	89,99,108,126	0
54	MIA	2y	37	22/30	0.68	0.15	84,95,103,113	0
54	PSU	1y	55	20/21	0.68	0.14	88,97,106,113	0
54	MIA	1y	37	22/30	0.69	0.14	78,88,99,105	0
54	4SU	1y	8	20/21	0.72	0.12	93,96,106,109	0
54	G7M	1y	46	24/25	0.72	0.14	91,98,104,115	0
54	PSU	2w	55	20/21	0.74	0.13	83,96,105,108	0
54	5MU	2w	54	21/22	0.76	0.13	76,89,94,97	0
54	PSU	2y	32	20/21	0.76	0.15	86,95,106,107	0
54	5MU	1y	54	21/22	0.76	0.14	83,89,100,115	0
54	PSU	2y	39	20/21	0.77	0.12	87,90,101,107	0
55	4SU	2x	8	20/21	0.78	0.16	84,89,98,98	0
54	4SU	1w	8	20/21	0.79	0.12	83,88,96,99	0
54	PSU	1y	39	20/21	0.82	0.11	78,85,93,95	0
54	PSU	1y	32	20/21	0.82	0.11	82,90,99,99	0
32	2MG	2a	1207	24/25	0.82	0.15	84,90,101,109	0
55	PSU	2x	55	20/21	0.83	0.10	81,84,92,96	0
54	PSU	1w	55	20/21	0.83	0.10	69,81,87,90	0
32	PSU	2a	516	20/21	0.84	0.12	76,82,88,90	0
54	PSU	2w	39	20/21	0.84	0.12	80,90,96,98	0
32	M2G	2a	966	25/26	0.85	0.22	64,73,88,95	0
55	5MU	2x	54	21/22	0.85	0.11	81,85,90,105	0
1	5MU	2A	1915	21/22	0.86	0.14	77,82,91,99	0
54	PSU	2w	32	20/21	0.86	0.13	85,92,99,107	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
54	MIA	2w	37	25/30	0.87	0.14	84,88,95,97	0
32	5MC	2a	967	21/22	0.88	0.18	65,74,83,86	0
43	0TD	1l	92	10/11	0.88	0.14	50,55,58,79	0
55	5MC	2x	32	21/22	0.88	0.15	72,81,83,87	0
32	G7M	2a	527	24/25	0.89	0.15	64,71,78,84	0
55	5MU	1x	54	21/22	0.91	0.10	60,70,76,79	0
1	PSU	2A	1911	20/21	0.91	0.10	63,72,76,81	0
32	5MC	2a	1400	21/22	0.91	0.14	71,77,83,87	0
32	4OC	2a	1402	22/23	0.91	0.14	64,71,77,80	0
32	5MC	2a	1404	21/22	0.91	0.12	61,67,73,73	0
43	0TD	2l	92	10/11	0.91	0.13	71,74,75,87	0
32	2MG	1a	1207	24/25	0.92	0.10	65,71,76,78	0
54	PSU	1w	32	20/21	0.92	0.14	63,69,88,88	0
1	PSU	2A	1917	20/21	0.92	0.10	66,75,81,83	0
32	5MC	2a	1407	21/22	0.93	0.11	58,63,67,75	0
1	5MU	1A	1915	21/22	0.93	0.10	51,58,62,70	0
55	PSU	1x	55	20/21	0.93	0.08	58,65,73,77	0
55	4SU	1x	8	20/21	0.93	0.11	64,70,78,88	0
1	5MC	2A	1962	21/22	0.93	0.10	42,54,61,72	0
32	UR3	2a	1498	21/22	0.94	0.13	60,66,71,76	0
32	MA6	2a	1518	24/25	0.94	0.12	53,68,73,74	0
1	OMC	2A	1920	21/22	0.94	0.10	63,71,74,77	0
32	MA6	2a	1519	24/25	0.95	0.12	50,68,74,78	0
54	MIA	1w	37	29/30	0.95	0.12	49,59,67,72	0
32	5MC	1a	967	21/22	0.95	0.10	53,59,63,69	0
55	5MC	1x	32	21/22	0.95	0.10	52,55,60,63	0
54	5MU	1w	54	21/22	0.95	0.07	60,71,78,82	0
1	5MU	2A	1939	21/22	0.96	0.08	38,44,50,51	0
1	5MC	2A	1942	21/22	0.96	0.10	55,61,67,68	0
32	MA6	1a	1519	24/25	0.96	0.10	37,43,49,51	0
1	OMG	2A	2251	24/25	0.96	0.09	37,47,52,53	0
1	2MA	2A	2503	23/24	0.96	0.10	32,39,44,48	0
32	PSU	1a	516	20/21	0.96	0.08	55,61,66,68	0
32	G7M	1a	527	24/25	0.96	0.08	36,46,53,59	0
32	M2G	1a	966	25/26	0.96	0.11	51,55,62,65	0
1	PSU	1A	1917	20/21	0.96	0.08	45,53,65,68	0
54	PSU	1w	39	20/21	0.96	0.10	57,66,72,77	0
1	5MC	1A	1942	21/22	0.96	0.09	35,41,46,52	0
32	5MC	1a	1404	21/22	0.96	0.09	39,43,49,54	0
32	5MC	1a	1407	21/22	0.97	0.07	37,40,44,45	0
32	UR3	1a	1498	21/22	0.97	0.07	37,42,47,48	0
1	5MC	1A	1962	21/22	0.97	0.07	28,34,42,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	PSU	1A	2605	20/21	0.97	0.07	24,28,30,35	0
1	OMC	1A	1920	21/22	0.97	0.08	35,43,46,50	0
32	5MC	1a	1400	21/22	0.97	0.10	43,51,56,67	0
32	4OC	1a	1402	22/23	0.97	0.08	41,46,53,57	0
1	OMU	2A	2552	21/22	0.97	0.08	38,45,48,54	0
1	PSU	2A	2605	20/21	0.97	0.07	35,42,46,46	0
1	PSU	1A	1911	20/21	0.97	0.07	41,46,50,53	0
32	MA6	1a	1518	24/25	0.98	0.08	32,41,45,46	0
1	OMU	1A	2552	21/22	0.98	0.06	23,28,35,36	0
1	5MU	1A	1939	21/22	0.98	0.07	23,26,32,40	0
1	2MA	1A	2503	23/24	0.99	0.05	16,21,24,25	0
1	OMG	1A	2251	24/25	0.99	0.05	18,26,32,37	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1822	1/1	0.31	0.77	94,94,94,94	0
56	MG	1B	229	1/1	0.32	0.20	77,77,77,77	0
56	MG	2A	3581	1/1	0.40	0.29	82,82,82,82	0
56	MG	2A	3763	1/1	0.47	0.30	80,80,80,80	0
56	MG	2A	3878	1/1	0.49	0.23	82,82,82,82	0
56	MG	2A	3521	1/1	0.51	0.29	65,65,65,65	0
56	MG	1v	101	1/1	0.52	0.25	78,78,78,78	0
56	MG	2A	3608	1/1	0.53	0.21	76,76,76,76	0
56	MG	1A	3947	1/1	0.56	0.19	70,70,70,70	0
56	MG	2y	106	1/1	0.56	0.23	89,89,89,89	0
56	MG	2A	3820	1/1	0.58	0.17	79,79,79,79	0
56	MG	2A	3620	1/1	0.58	0.20	72,72,72,72	0
56	MG	1A	3696	1/1	0.59	0.14	60,60,60,60	0
56	MG	1a	1817	1/1	0.59	0.16	84,84,84,84	0
56	MG	1A	3992	1/1	0.59	0.18	88,88,88,88	0
56	MG	1x	113	1/1	0.60	0.20	79,79,79,79	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3787	1/1	0.60	0.33	83,83,83,83	0
56	MG	2a	1780	1/1	0.61	0.25	72,72,72,72	0
56	MG	1a	1801	1/1	0.61	0.17	89,89,89,89	0
56	MG	2y	101	1/1	0.61	0.16	83,83,83,83	0
56	MG	2A	3343	1/1	0.61	0.11	72,72,72,72	0
56	MG	1B	223	1/1	0.62	0.14	72,72,72,72	0
56	MG	2a	1771	1/1	0.62	0.30	84,84,84,84	0
56	MG	2a	1839	1/1	0.63	0.21	93,93,93,93	0
56	MG	2y	105	1/1	0.63	0.27	94,94,94,94	0
56	MG	2j	201	1/1	0.63	0.16	83,83,83,83	0
56	MG	2B	215	1/1	0.64	0.13	84,84,84,84	0
56	MG	2A	3218	1/1	0.64	0.10	82,82,82,82	0
56	MG	2A	3716	1/1	0.64	0.22	81,81,81,81	0
56	MG	2w	103	1/1	0.65	0.18	73,73,73,73	0
56	MG	1y	102	1/1	0.65	0.17	90,90,90,90	0
56	MG	1x	109	1/1	0.65	0.23	85,85,85,85	0
56	MG	1w	107	1/1	0.65	0.18	95,95,95,95	0
56	MG	2A	3498	1/1	0.66	0.18	61,61,61,61	0
56	MG	1A	4090	1/1	0.67	0.19	70,70,70,70	0
56	MG	2A	3719	1/1	0.67	0.16	82,82,82,82	0
56	MG	2a	1837	1/1	0.67	0.19	70,70,70,70	0
56	MG	2G	201	1/1	0.68	0.22	79,79,79,79	0
56	MG	2A	3648	1/1	0.68	0.23	75,75,75,75	0
56	MG	1a	1819	1/1	0.68	0.22	61,61,61,61	0
56	MG	2a	1791	1/1	0.68	0.22	81,81,81,81	0
56	MG	1w	108	1/1	0.68	0.21	82,82,82,82	0
56	MG	2A	3325	1/1	0.68	0.20	70,70,70,70	0
56	MG	2A	3748	1/1	0.69	0.17	44,44,44,44	0
56	MG	1a	1807	1/1	0.69	0.19	81,81,81,81	0
56	MG	2a	1738	1/1	0.69	0.15	62,62,62,62	0
56	MG	2A	3236	1/1	0.69	0.21	68,68,68,68	0
56	MG	1F	313	1/1	0.69	0.20	63,63,63,63	0
56	MG	2x	103	1/1	0.69	0.27	86,86,86,86	0
56	MG	2a	1787	1/1	0.69	0.24	80,80,80,80	0
56	MG	1A	3925	1/1	0.69	0.17	52,52,52,52	0
56	MG	2a	1819	1/1	0.69	0.25	91,91,91,91	0
56	MG	1A	4065	1/1	0.70	0.24	73,73,73,73	0
56	MG	2A	3856	1/1	0.70	0.18	73,73,73,73	0
56	MG	1A	3539	1/1	0.70	0.12	68,68,68,68	0
56	MG	2A	3230	1/1	0.70	0.13	90,90,90,90	0
56	MG	2A	3234	1/1	0.70	0.24	68,68,68,68	0
56	MG	2a	1630	1/1	0.70	0.23	77,77,77,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3520	1/1	0.70	0.38	82,82,82,82	0
56	MG	2A	3798	1/1	0.71	0.15	75,75,75,75	0
56	MG	2A	3799	1/1	0.71	0.19	61,61,61,61	0
56	MG	2a	1638	1/1	0.71	0.10	71,71,71,71	0
56	MG	2A	3091	1/1	0.71	0.26	70,70,70,70	0
56	MG	2a	1751	1/1	0.71	0.13	85,85,85,85	0
56	MG	1A	3989	1/1	0.71	0.23	94,94,94,94	0
56	MG	2A	3867	1/1	0.71	0.22	75,75,75,75	0
56	MG	2A	3678	1/1	0.71	0.21	66,66,66,66	0
56	MG	1a	1788	1/1	0.71	0.28	71,71,71,71	0
56	MG	2a	1808	1/1	0.71	0.24	76,76,76,76	0
56	MG	2A	3729	1/1	0.72	0.14	87,87,87,87	0
56	MG	2A	3604	1/1	0.72	0.22	79,79,79,79	0
56	MG	2q	202	1/1	0.72	0.18	79,79,79,79	0
56	MG	1a	1825	1/1	0.72	0.21	77,77,77,77	0
56	MG	2A	3714	1/1	0.72	0.19	66,66,66,66	0
56	MG	2a	1821	1/1	0.72	0.19	95,95,95,95	0
56	MG	2A	3587	1/1	0.72	0.23	68,68,68,68	0
56	MG	2A	3624	1/1	0.72	0.25	86,86,86,86	0
56	MG	1a	1767	1/1	0.73	0.22	75,75,75,75	0
56	MG	2a	1689	1/1	0.73	0.12	80,80,80,80	0
56	MG	1A	4130	1/1	0.73	0.18	69,69,69,69	0
56	MG	2A	3273	1/1	0.73	0.14	70,70,70,70	0
56	MG	2A	3591	1/1	0.73	0.22	74,74,74,74	0
56	MG	2A	3274	1/1	0.73	0.22	64,64,64,64	0
56	MG	2A	3845	1/1	0.73	0.19	71,71,71,71	0
56	MG	2A	3450	1/1	0.74	0.17	69,69,69,69	0
56	MG	2B	211	1/1	0.74	0.24	77,77,77,77	0
56	MG	1A	3797	1/1	0.74	0.16	56,56,56,56	0
56	MG	2A	3619	1/1	0.74	0.14	75,75,75,75	0
56	MG	2a	1828	1/1	0.74	0.27	80,80,80,80	0
56	MG	2a	1830	1/1	0.74	0.15	87,87,87,87	0
56	MG	2A	3499	1/1	0.74	0.21	78,78,78,78	0
56	MG	2A	3231	1/1	0.74	0.16	70,70,70,70	0
56	MG	1a	1789	1/1	0.74	0.41	82,82,82,82	0
56	MG	2A	3667	1/1	0.74	0.18	54,54,54,54	0
56	MG	1A	3292	1/1	0.74	0.22	78,78,78,78	0
56	MG	2A	3837	1/1	0.74	0.20	73,73,73,73	0
56	MG	2A	3685	1/1	0.74	0.16	49,49,49,49	0
56	MG	2A	3353	1/1	0.74	0.25	78,78,78,78	0
56	MG	2A	3426	1/1	0.74	0.14	52,52,52,52	0
56	MG	2A	3688	1/1	0.75	0.12	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3704	1/1	0.75	0.14	70,70,70,70	0
56	MG	2A	3094	1/1	0.75	0.20	79,79,79,79	0
56	MG	2A	3181	1/1	0.75	0.14	69,69,69,69	0
56	MG	1A	3643	1/1	0.75	0.17	57,57,57,57	0
56	MG	1A	3435	1/1	0.75	0.19	85,85,85,85	0
56	MG	2A	3868	1/1	0.75	0.17	68,68,68,68	0
56	MG	1B	224	1/1	0.75	0.18	76,76,76,76	0
56	MG	2A	3081	1/1	0.75	0.23	86,86,86,86	0
56	MG	1A	3991	1/1	0.75	0.15	69,69,69,69	0
56	MG	2B	218	1/1	0.75	0.31	82,82,82,82	0
56	MG	2A	3455	1/1	0.75	0.17	53,53,53,53	0
56	MG	1A	3741	1/1	0.76	0.27	62,62,62,62	0
56	MG	1a	1821	1/1	0.76	0.24	76,76,76,76	0
56	MG	1A	3538	1/1	0.76	0.23	65,65,65,65	0
56	MG	2A	3616	1/1	0.76	0.20	69,69,69,69	0
56	MG	1T	204	1/1	0.76	0.17	41,41,41,41	0
56	MG	2A	3087	1/1	0.76	0.18	71,71,71,71	0
56	MG	15	104	1/1	0.76	0.17	57,57,57,57	0
56	MG	2A	3248	1/1	0.76	0.12	70,70,70,70	0
56	MG	2A	3788	1/1	0.76	0.16	60,60,60,60	0
56	MG	2A	3251	1/1	0.76	0.12	68,68,68,68	0
56	MG	2a	1656	1/1	0.76	0.13	62,62,62,62	0
56	MG	2a	1678	1/1	0.76	0.30	74,74,74,74	0
56	MG	2A	3673	1/1	0.76	0.21	64,64,64,64	0
56	MG	1A	3140	1/1	0.76	0.14	41,41,41,41	0
56	MG	2A	3145	1/1	0.76	0.12	64,64,64,64	0
56	MG	2A	3147	1/1	0.76	0.21	79,79,79,79	0
56	MG	2A	3847	1/1	0.76	0.13	86,86,86,86	0
56	MG	2a	1687	1/1	0.77	0.26	75,75,75,75	0
56	MG	2A	3057	1/1	0.77	0.19	79,79,79,79	0
56	MG	2A	3280	1/1	0.77	0.25	67,67,67,67	0
56	MG	1A	3666	1/1	0.77	0.12	24,24,24,24	0
56	MG	2a	1604	1/1	0.77	0.36	85,85,85,85	0
56	MG	2A	3809	1/1	0.77	0.29	71,71,71,71	0
56	MG	2g	201	1/1	0.77	0.10	84,84,84,84	0
56	MG	2a	1632	1/1	0.77	0.30	77,77,77,77	0
56	MG	2m	201	1/1	0.77	0.19	81,81,81,81	0
56	MG	1A	3704	1/1	0.77	0.19	53,53,53,53	0
56	MG	2a	1795	1/1	0.77	0.15	78,78,78,78	0
56	MG	2w	109	1/1	0.77	0.20	75,75,75,75	0
56	MG	2a	1804	1/1	0.77	0.12	78,78,78,78	0
56	MG	2A	3829	1/1	0.77	0.19	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1815	1/1	0.77	0.28	75,75,75,75	0
56	MG	1a	1667	1/1	0.77	0.33	64,64,64,64	0
56	MG	1A	3735	1/1	0.78	0.15	56,56,56,56	0
56	MG	1A	4094	1/1	0.78	0.10	51,51,51,51	0
56	MG	2a	1793	1/1	0.78	0.14	75,75,75,75	0
56	MG	1A	3421	1/1	0.78	0.15	56,56,56,56	0
56	MG	1A	3581	1/1	0.78	0.16	57,57,57,57	0
56	MG	2a	1807	1/1	0.78	0.25	81,81,81,81	0
56	MG	1a	1699	1/1	0.78	0.13	84,84,84,84	0
56	MG	2A	3306	1/1	0.78	0.12	53,53,53,53	0
56	MG	2A	3312	1/1	0.78	0.18	67,67,67,67	0
56	MG	2a	1602	1/1	0.78	0.16	82,82,82,82	0
56	MG	2A	3208	1/1	0.78	0.16	69,69,69,69	0
56	MG	2a	1605	1/1	0.78	0.19	68,68,68,68	0
56	MG	2a	1622	1/1	0.78	0.24	71,71,71,71	0
56	MG	1A	4074	1/1	0.78	0.17	59,59,59,59	0
56	MG	2A	3351	1/1	0.78	0.09	75,75,75,75	0
56	MG	2A	3221	1/1	0.78	0.19	69,69,69,69	0
56	MG	2A	3805	1/1	0.78	0.17	73,73,73,73	0
56	MG	2A	3395	1/1	0.78	0.16	70,70,70,70	0
56	MG	2A	3664	1/1	0.78	0.26	72,72,72,72	0
56	MG	2w	102	1/1	0.78	0.29	80,80,80,80	0
56	MG	2A	3053	1/1	0.78	0.14	58,58,58,58	0
56	MG	2a	1724	1/1	0.78	0.14	86,86,86,86	0
56	MG	1A	4089	1/1	0.78	0.22	58,58,58,58	0
56	MG	1a	1840	1/1	0.78	0.33	75,75,75,75	0
56	MG	1a	1841	1/1	0.78	0.09	68,68,68,68	0
56	MG	2A	3237	1/1	0.78	0.15	76,76,76,76	0
56	MG	2A	3724	1/1	0.79	0.19	57,57,57,57	0
56	MG	2B	214	1/1	0.79	0.18	70,70,70,70	0
56	MG	1a	1823	1/1	0.79	0.23	69,69,69,69	0
56	MG	1B	225	1/1	0.79	0.14	67,67,67,67	0
56	MG	1a	1834	1/1	0.79	0.27	67,67,67,67	0
56	MG	1a	1787	1/1	0.79	0.33	75,75,75,75	0
56	MG	2a	1809	1/1	0.79	0.30	74,74,74,74	0
56	MG	1A	3921	1/1	0.79	0.12	74,74,74,74	0
56	MG	1A	3347	1/1	0.79	0.23	64,64,64,64	0
56	MG	2a	1617	1/1	0.79	0.29	82,82,82,82	0
56	MG	2A	3634	1/1	0.79	0.12	64,64,64,64	0
56	MG	1A	3995	1/1	0.79	0.14	56,56,56,56	0
56	MG	2A	3249	1/1	0.79	0.11	79,79,79,79	0
56	MG	1A	4057	1/1	0.79	0.14	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1641	1/1	0.79	0.37	94,94,94,94	0
56	MG	2A	3149	1/1	0.79	0.22	87,87,87,87	0
56	MG	1a	1620	1/1	0.79	0.22	63,63,63,63	0
56	MG	1A	3474	1/1	0.79	0.14	69,69,69,69	0
56	MG	2A	3522	1/1	0.79	0.23	63,63,63,63	0
56	MG	2A	3217	1/1	0.79	0.17	89,89,89,89	0
56	MG	2A	3857	1/1	0.79	0.14	64,64,64,64	0
56	MG	2A	3311	1/1	0.79	0.12	65,65,65,65	0
56	MG	2a	1760	1/1	0.79	0.24	86,86,86,86	0
56	MG	1A	3423	1/1	0.79	0.23	57,57,57,57	0
56	MG	2y	102	1/1	0.79	0.11	87,87,87,87	0
56	MG	2y	104	1/1	0.79	0.15	79,79,79,79	0
56	MG	2A	3869	1/1	0.79	0.18	76,76,76,76	0
56	MG	2A	3599	1/1	0.79	0.25	85,85,85,85	0
56	MG	2A	3092	1/1	0.80	0.23	72,72,72,72	0
56	MG	1a	1784	1/1	0.80	0.19	72,72,72,72	0
56	MG	2A	3120	1/1	0.80	0.13	55,55,55,55	0
56	MG	1A	4082	1/1	0.80	0.17	50,50,50,50	0
56	MG	2A	3253	1/1	0.80	0.11	64,64,64,64	0
56	MG	1A	3209	1/1	0.80	0.12	73,73,73,73	0
56	MG	1A	3926	1/1	0.80	0.12	45,45,45,45	0
56	MG	2A	3580	1/1	0.80	0.14	85,85,85,85	0
56	MG	2A	3276	1/1	0.80	0.24	69,69,69,69	0
56	MG	1A	4015	1/1	0.80	0.16	65,65,65,65	0
56	MG	2Z	301	1/1	0.80	0.17	85,85,85,85	0
56	MG	1a	1805	1/1	0.80	0.15	71,71,71,71	0
56	MG	2A	3307	1/1	0.80	0.14	70,70,70,70	0
56	MG	1a	1603	1/1	0.80	0.15	67,67,67,67	0
56	MG	1A	4021	1/1	0.80	0.17	44,44,44,44	0
56	MG	1a	1629	1/1	0.80	0.19	74,74,74,74	0
56	MG	2A	3341	1/1	0.80	0.36	74,74,74,74	0
56	MG	2A	3224	1/1	0.80	0.21	70,70,70,70	0
56	MG	1A	3705	1/1	0.80	0.23	54,54,54,54	0
56	MG	2A	3814	1/1	0.80	0.20	68,68,68,68	0
56	MG	2A	3633	1/1	0.80	0.23	68,68,68,68	0
56	MG	2A	3821	1/1	0.80	0.13	79,79,79,79	0
56	MG	2A	3828	1/1	0.80	0.20	73,73,73,73	0
56	MG	2a	1688	1/1	0.80	0.25	70,70,70,70	0
56	MG	1A	3856	1/1	0.80	0.11	66,66,66,66	0
56	MG	2x	104	1/1	0.80	0.26	79,79,79,79	0
56	MG	1a	1758	1/1	0.80	0.13	81,81,81,81	0
56	MG	2A	3839	1/1	0.80	0.10	77,77,77,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3651	1/1	0.80	0.23	67,67,67,67	0
56	MG	2A	3408	1/1	0.80	0.29	66,66,66,66	0
56	MG	1A	3391	1/1	0.80	0.19	55,55,55,55	0
56	MG	2a	1766	1/1	0.81	0.25	73,73,73,73	0
56	MG	1A	3261	1/1	0.81	0.23	60,60,60,60	0
56	MG	2A	3025	1/1	0.81	0.20	70,70,70,70	0
56	MG	1A	3384	1/1	0.81	0.22	77,77,77,77	0
56	MG	2A	3337	1/1	0.81	0.16	56,56,56,56	0
56	MG	1A	3250	1/1	0.81	0.20	60,60,60,60	0
56	MG	1A	4077	1/1	0.81	0.13	64,64,64,64	0
56	MG	28	101	1/1	0.81	0.25	77,77,77,77	0
56	MG	1A	3392	1/1	0.81	0.14	68,68,68,68	0
56	MG	1A	4087	1/1	0.81	0.11	55,55,55,55	0
56	MG	1A	3333	1/1	0.81	0.17	51,51,51,51	0
56	MG	2a	1810	1/1	0.81	0.14	76,76,76,76	0
56	MG	2a	1611	1/1	0.81	0.23	67,67,67,67	0
56	MG	2a	1612	1/1	0.81	0.25	69,69,69,69	0
56	MG	1A	3595	1/1	0.81	0.11	55,55,55,55	0
56	MG	2A	3117	1/1	0.81	0.30	79,79,79,79	0
56	MG	1A	3609	1/1	0.81	0.21	66,66,66,66	0
56	MG	1A	3822	1/1	0.81	0.13	27,27,27,27	0
56	MG	2A	3492	1/1	0.81	0.20	73,73,73,73	0
56	MG	2a	1639	1/1	0.81	0.29	72,72,72,72	0
56	MG	2A	3254	1/1	0.81	0.17	74,74,74,74	0
56	MG	2a	1642	1/1	0.81	0.12	75,75,75,75	0
56	MG	2A	3269	1/1	0.81	0.20	76,76,76,76	0
56	MG	1A	4135	1/1	0.81	0.21	68,68,68,68	0
56	MG	2a	1681	1/1	0.81	0.27	71,71,71,71	0
56	MG	2a	1682	1/1	0.81	0.42	79,79,79,79	0
56	MG	2A	3855	1/1	0.81	0.17	62,62,62,62	0
56	MG	1A	3838	1/1	0.81	0.12	25,25,25,25	0
56	MG	2A	3162	1/1	0.81	0.12	78,78,78,78	0
56	MG	2a	1715	1/1	0.81	0.17	70,70,70,70	0
56	MG	1A	3335	1/1	0.81	0.23	72,72,72,72	0
56	MG	2A	3300	1/1	0.81	0.09	73,73,73,73	0
56	MG	1A	4036	1/1	0.81	0.16	62,62,62,62	0
56	MG	1A	4038	1/1	0.81	0.18	52,52,52,52	0
56	MG	1A	3780	1/1	0.82	0.13	19,19,19,19	0
56	MG	2a	1699	1/1	0.82	0.25	64,64,64,64	0
56	MG	2A	3381	1/1	0.82	0.14	50,50,50,50	0
56	MG	2A	3250	1/1	0.82	0.26	73,73,73,73	0
56	MG	2A	3662	1/1	0.82	0.13	69,69,69,69	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3864	1/1	0.82	0.12	60,60,60,60	0
56	MG	2a	1752	1/1	0.82	0.14	72,72,72,72	0
56	MG	1A	3878	1/1	0.82	0.14	67,67,67,67	0
56	MG	1B	232	1/1	0.82	0.16	52,52,52,52	0
56	MG	2A	3268	1/1	0.82	0.15	62,62,62,62	0
56	MG	2a	1778	1/1	0.82	0.21	79,79,79,79	0
56	MG	2A	3490	1/1	0.82	0.22	71,71,71,71	0
56	MG	1A	3894	1/1	0.82	0.16	26,26,26,26	0
56	MG	1A	3227	1/1	0.82	0.26	60,60,60,60	0
56	MG	1a	1800	1/1	0.82	0.14	64,64,64,64	0
56	MG	2A	3507	1/1	0.82	0.17	65,65,65,65	0
56	MG	2D	307	1/1	0.82	0.18	74,74,74,74	0
56	MG	1Y	203	1/1	0.82	0.09	69,69,69,69	0
56	MG	1a	1803	1/1	0.82	0.13	66,66,66,66	0
56	MG	25	105	1/1	0.82	0.11	57,57,57,57	0
56	MG	1A	3804	1/1	0.82	0.10	40,40,40,40	0
56	MG	2A	3546	1/1	0.82	0.12	54,54,54,54	0
56	MG	2A	3560	1/1	0.82	0.16	46,46,46,46	0
56	MG	2A	3785	1/1	0.82	0.10	76,76,76,76	0
56	MG	1A	3618	1/1	0.82	0.14	70,70,70,70	0
56	MG	1A	3929	1/1	0.82	0.17	63,63,63,63	0
56	MG	2a	1614	1/1	0.82	0.25	73,73,73,73	0
56	MG	2a	1831	1/1	0.82	0.22	70,70,70,70	0
56	MG	2A	3227	1/1	0.82	0.18	58,58,58,58	0
56	MG	1A	3521	1/1	0.82	0.23	58,58,58,58	0
56	MG	2a	1623	1/1	0.82	0.13	71,71,71,71	0
56	MG	2A	3802	1/1	0.82	0.23	67,67,67,67	0
56	MG	2A	3324	1/1	0.82	0.23	75,75,75,75	0
56	MG	1a	1666	1/1	0.82	0.24	63,63,63,63	0
56	MG	2A	3811	1/1	0.82	0.19	70,70,70,70	0
56	MG	2A	3332	1/1	0.82	0.21	70,70,70,70	0
56	MG	2A	3612	1/1	0.82	0.10	68,68,68,68	0
56	MG	1B	209	1/1	0.82	0.16	61,61,61,61	0
56	MG	2A	3827	1/1	0.82	0.18	66,66,66,66	0
56	MG	2x	106	1/1	0.82	0.13	72,72,72,72	0
56	MG	2A	3338	1/1	0.82	0.16	55,55,55,55	0
56	MG	1A	3953	1/1	0.82	0.15	55,55,55,55	0
56	MG	2a	1683	1/1	0.82	0.17	60,60,60,60	0
56	MG	1a	1829	1/1	0.82	0.12	63,63,63,63	0
56	MG	2A	3103	1/1	0.82	0.16	62,62,62,62	0
56	MG	2A	3844	1/1	0.83	0.19	82,82,82,82	0
56	MG	2A	3429	1/1	0.83	0.20	74,74,74,74	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3656	1/1	0.83	0.16	72,72,72,72	0
56	MG	1A	3257	1/1	0.83	0.16	57,57,57,57	0
56	MG	1A	3671	1/1	0.83	0.18	64,64,64,64	0
56	MG	2A	3479	1/1	0.83	0.18	51,51,51,51	0
56	MG	2A	3859	1/1	0.83	0.10	67,67,67,67	0
56	MG	2A	3861	1/1	0.83	0.18	65,65,65,65	0
56	MG	2A	3864	1/1	0.83	0.15	67,67,67,67	0
56	MG	1A	3604	1/1	0.83	0.15	43,43,43,43	0
56	MG	2A	3291	1/1	0.83	0.17	73,73,73,73	0
56	MG	2a	1764	1/1	0.83	0.18	81,81,81,81	0
56	MG	2A	3299	1/1	0.83	0.17	69,69,69,69	0
56	MG	1a	1826	1/1	0.83	0.20	66,66,66,66	0
56	MG	2a	1773	1/1	0.83	0.12	78,78,78,78	0
56	MG	2B	209	1/1	0.83	0.26	80,80,80,80	0
56	MG	10	105	1/1	0.83	0.17	74,74,74,74	0
56	MG	2A	3509	1/1	0.83	0.14	63,63,63,63	0
56	MG	1a	1830	1/1	0.83	0.19	63,63,63,63	0
56	MG	2A	3308	1/1	0.83	0.23	64,64,64,64	0
56	MG	2A	3309	1/1	0.83	0.11	70,70,70,70	0
56	MG	2F	306	1/1	0.83	0.14	59,59,59,59	0
56	MG	1A	3176	1/1	0.83	0.16	69,69,69,69	0
56	MG	2N	201	1/1	0.83	0.23	72,72,72,72	0
56	MG	1B	216	1/1	0.83	0.15	51,51,51,51	0
56	MG	2A	3569	1/1	0.83	0.13	54,54,54,54	0
56	MG	2A	3318	1/1	0.83	0.09	74,74,74,74	0
56	MG	1A	3616	1/1	0.83	0.15	45,45,45,45	0
56	MG	1h	201	1/1	0.83	0.11	58,58,58,58	0
56	MG	2A	3791	1/1	0.83	0.20	69,69,69,69	0
56	MG	2A	3792	1/1	0.83	0.21	62,62,62,62	0
56	MG	1A	3221	1/1	0.83	0.30	73,73,73,73	0
56	MG	2A	3134	1/1	0.83	0.24	67,67,67,67	0
56	MG	1A	3415	1/1	0.83	0.12	66,66,66,66	0
56	MG	2A	3607	1/1	0.83	0.13	55,55,55,55	0
56	MG	1A	4035	1/1	0.83	0.15	71,71,71,71	0
56	MG	1a	1810	1/1	0.83	0.18	65,65,65,65	0
56	MG	2a	1631	1/1	0.83	0.28	64,64,64,64	0
56	MG	1A	3950	1/1	0.83	0.15	53,53,53,53	0
56	MG	2A	3179	1/1	0.83	0.16	64,64,64,64	0
56	MG	2A	3363	1/1	0.83	0.24	58,58,58,58	0
56	MG	2w	108	1/1	0.83	0.10	85,85,85,85	0
56	MG	2A	3825	1/1	0.83	0.12	78,78,78,78	0
56	MG	2A	3263	1/1	0.83	0.15	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1645	1/1	0.83	0.13	79,79,79,79	0
56	MG	2a	1655	1/1	0.83	0.18	67,67,67,67	0
56	MG	2A	3632	1/1	0.83	0.12	51,51,51,51	0
56	MG	2a	1669	1/1	0.83	0.31	70,70,70,70	0
56	MG	1D	313	1/1	0.83	0.24	40,40,40,40	0
56	MG	2A	3195	1/1	0.83	0.17	48,48,48,48	0
56	MG	2A	3207	1/1	0.83	0.38	57,57,57,57	0
56	MG	2A	3366	1/1	0.84	0.27	60,60,60,60	0
56	MG	2A	3639	1/1	0.84	0.11	62,62,62,62	0
56	MG	2A	3642	1/1	0.84	0.20	76,76,76,76	0
56	MG	1A	3755	1/1	0.84	0.44	34,34,34,34	0
56	MG	2A	3140	1/1	0.84	0.15	63,63,63,63	0
56	MG	2A	3264	1/1	0.84	0.17	77,77,77,77	0
56	MG	1A	3914	1/1	0.84	0.08	82,82,82,82	0
56	MG	2a	1694	1/1	0.84	0.16	66,66,66,66	0
56	MG	1a	1684	1/1	0.84	0.24	60,60,60,60	0
56	MG	2a	1712	1/1	0.84	0.30	75,75,75,75	0
56	MG	2A	3271	1/1	0.84	0.12	70,70,70,70	0
56	MG	2a	1718	1/1	0.84	0.38	69,69,69,69	0
56	MG	2A	3862	1/1	0.84	0.11	60,60,60,60	0
56	MG	2a	1733	1/1	0.84	0.09	105,105,105,105	0
56	MG	2a	1736	1/1	0.84	0.24	78,78,78,78	0
56	MG	1A	3417	1/1	0.84	0.15	64,64,64,64	0
56	MG	2a	1742	1/1	0.84	0.12	75,75,75,75	0
56	MG	2A	3866	1/1	0.84	0.21	78,78,78,78	0
56	MG	1a	1729	1/1	0.84	0.14	77,77,77,77	0
56	MG	2a	1759	1/1	0.84	0.26	66,66,66,66	0
56	MG	1A	3374	1/1	0.84	0.13	55,55,55,55	0
56	MG	2A	3687	1/1	0.84	0.20	70,70,70,70	0
56	MG	1B	218	1/1	0.84	0.15	60,60,60,60	0
56	MG	2A	3880	1/1	0.84	0.13	74,74,74,74	0
56	MG	2B	201	1/1	0.84	0.18	76,76,76,76	0
56	MG	2A	3283	1/1	0.84	0.14	70,70,70,70	0
56	MG	2A	3711	1/1	0.84	0.17	71,71,71,71	0
56	MG	2a	1783	1/1	0.84	0.25	72,72,72,72	0
56	MG	2a	1784	1/1	0.84	0.21	81,81,81,81	0
56	MG	2a	1785	1/1	0.84	0.25	67,67,67,67	0
56	MG	2B	212	1/1	0.84	0.15	77,77,77,77	0
56	MG	2A	3193	1/1	0.84	0.27	74,74,74,74	0
56	MG	2A	3293	1/1	0.84	0.25	69,69,69,69	0
56	MG	2A	3295	1/1	0.84	0.23	72,72,72,72	0
56	MG	2A	3296	1/1	0.84	0.12	83,83,83,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3158	1/1	0.84	0.18	60,60,60,60	0
56	MG	1A	4056	1/1	0.84	0.11	47,47,47,47	0
56	MG	1A	3813	1/1	0.84	0.13	43,43,43,43	0
56	MG	2A	3776	1/1	0.84	0.14	59,59,59,59	0
56	MG	1A	3425	1/1	0.84	0.17	65,65,65,65	0
56	MG	2A	3567	1/1	0.84	0.29	68,68,68,68	0
56	MG	1A	3341	1/1	0.84	0.11	51,51,51,51	0
56	MG	2A	3790	1/1	0.84	0.24	64,64,64,64	0
56	MG	2A	3019	1/1	0.84	0.20	70,70,70,70	0
56	MG	1D	309	1/1	0.84	0.17	41,41,41,41	0
56	MG	2A	3584	1/1	0.84	0.12	53,53,53,53	0
56	MG	1A	3850	1/1	0.84	0.17	68,68,68,68	0
56	MG	1A	4081	1/1	0.84	0.16	60,60,60,60	0
56	MG	1A	3453	1/1	0.84	0.11	66,66,66,66	0
56	MG	1A	3990	1/1	0.84	0.14	62,62,62,62	0
56	MG	2a	1624	1/1	0.84	0.23	71,71,71,71	0
56	MG	1A	3180	1/1	0.84	0.14	50,50,50,50	0
56	MG	1A	3877	1/1	0.84	0.10	58,58,58,58	0
56	MG	2A	3239	1/1	0.84	0.19	72,72,72,72	0
56	MG	1A	3372	1/1	0.84	0.10	51,51,51,51	0
56	MG	2A	3823	1/1	0.84	0.16	54,54,54,54	0
56	MG	1A	4100	1/1	0.84	0.13	53,53,53,53	0
56	MG	2A	3826	1/1	0.84	0.12	58,58,58,58	0
56	MG	2a	1644	1/1	0.84	0.28	80,80,80,80	0
56	MG	2A	3110	1/1	0.84	0.10	67,67,67,67	0
56	MG	1a	1626	1/1	0.84	0.10	47,47,47,47	0
56	MG	2A	3354	1/1	0.84	0.12	71,71,71,71	0
56	MG	2a	1660	1/1	0.84	0.28	69,69,69,69	0
56	MG	1A	4115	1/1	0.84	0.15	66,66,66,66	0
56	MG	2a	1685	1/1	0.85	0.13	50,50,50,50	0
56	MG	2A	3657	1/1	0.85	0.14	61,61,61,61	0
56	MG	2A	3660	1/1	0.85	0.09	51,51,51,51	0
56	MG	2A	3003	1/1	0.85	0.27	57,57,57,57	0
56	MG	10	102	1/1	0.85	0.16	56,56,56,56	0
56	MG	2a	1695	1/1	0.85	0.21	58,58,58,58	0
56	MG	1A	4029	1/1	0.85	0.26	65,65,65,65	0
56	MG	1A	3839	1/1	0.85	0.12	30,30,30,30	0
56	MG	1a	1602	1/1	0.85	0.23	63,63,63,63	0
56	MG	2A	3059	1/1	0.85	0.20	44,44,44,44	0
56	MG	2a	1720	1/1	0.85	0.11	72,72,72,72	0
56	MG	2A	3502	1/1	0.85	0.21	59,59,59,59	0
56	MG	2A	3067	1/1	0.85	0.20	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3695	1/1	0.85	0.13	63,63,63,63	0
56	MG	2A	3701	1/1	0.85	0.14	50,50,50,50	0
56	MG	1A	4109	1/1	0.85	0.15	63,63,63,63	0
56	MG	2A	3710	1/1	0.85	0.14	66,66,66,66	0
56	MG	1A	4078	1/1	0.85	0.17	73,73,73,73	0
56	MG	1a	1838	1/1	0.85	0.20	62,62,62,62	0
56	MG	1A	3178	1/1	0.85	0.13	43,43,43,43	0
56	MG	2B	213	1/1	0.85	0.21	76,76,76,76	0
56	MG	1B	233	1/1	0.85	0.17	67,67,67,67	0
56	MG	2A	3554	1/1	0.85	0.18	53,53,53,53	0
56	MG	1e	201	1/1	0.85	0.12	72,72,72,72	0
56	MG	1A	3988	1/1	0.85	0.12	60,60,60,60	0
56	MG	1A	4013	1/1	0.85	0.13	41,41,41,41	0
56	MG	2A	3764	1/1	0.85	0.21	74,74,74,74	0
56	MG	2A	3579	1/1	0.85	0.20	65,65,65,65	0
56	MG	1v	102	1/1	0.85	0.17	77,77,77,77	0
56	MG	2A	3335	1/1	0.85	0.31	81,81,81,81	0
56	MG	1w	104	1/1	0.85	0.10	83,83,83,83	0
56	MG	1A	3737	1/1	0.85	0.21	49,49,49,49	0
56	MG	2A	3590	1/1	0.85	0.15	58,58,58,58	0
56	MG	2a	1801	1/1	0.85	0.25	77,77,77,77	0
56	MG	2A	3143	1/1	0.85	0.12	51,51,51,51	0
56	MG	2A	3797	1/1	0.85	0.11	89,89,89,89	0
56	MG	2A	3597	1/1	0.85	0.23	63,63,63,63	0
56	MG	2a	1613	1/1	0.85	0.27	67,67,67,67	0
56	MG	1a	1697	1/1	0.85	0.16	64,64,64,64	0
56	MG	2a	1814	1/1	0.85	0.24	62,62,62,62	0
56	MG	2a	1616	1/1	0.85	0.21	85,85,85,85	0
56	MG	2a	1817	1/1	0.85	0.16	66,66,66,66	0
56	MG	1x	105	1/1	0.85	0.19	73,73,73,73	0
56	MG	1x	107	1/1	0.85	0.28	82,82,82,82	0
56	MG	2A	3806	1/1	0.85	0.23	67,67,67,67	0
56	MG	2a	1823	1/1	0.85	0.13	81,81,81,81	0
56	MG	2A	3154	1/1	0.85	0.15	72,72,72,72	0
56	MG	2A	3609	1/1	0.85	0.18	44,44,44,44	0
56	MG	2A	3155	1/1	0.85	0.21	65,65,65,65	0
56	MG	2A	3159	1/1	0.85	0.24	66,66,66,66	0
56	MG	2A	3160	1/1	0.85	0.15	65,65,65,65	0
56	MG	2d	302	1/1	0.85	0.19	65,65,65,65	0
56	MG	2A	3389	1/1	0.85	0.10	63,63,63,63	0
56	MG	1A	3923	1/1	0.85	0.12	44,44,44,44	0
56	MG	2k	201	1/1	0.85	0.18	68,68,68,68	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1B	220	1/1	0.85	0.16	68,68,68,68	0
56	MG	2A	3425	1/1	0.85	0.12	58,58,58,58	0
56	MG	2w	101	1/1	0.85	0.13	79,79,79,79	0
56	MG	1a	1738	1/1	0.85	0.16	51,51,51,51	0
56	MG	2a	1649	1/1	0.85	0.14	76,76,76,76	0
56	MG	2A	3427	1/1	0.85	0.17	43,43,43,43	0
56	MG	2A	3830	1/1	0.85	0.10	57,57,57,57	0
56	MG	2A	3188	1/1	0.85	0.11	60,60,60,60	0
56	MG	2a	1665	1/1	0.85	0.23	69,69,69,69	0
56	MG	2A	3647	1/1	0.85	0.12	69,69,69,69	0
56	MG	2a	1677	1/1	0.85	0.21	73,73,73,73	0
56	MG	2A	3843	1/1	0.85	0.10	67,67,67,67	0
56	MG	2A	3439	1/1	0.85	0.23	74,74,74,74	0
56	MG	2A	3442	1/1	0.85	0.12	58,58,58,58	0
56	MG	2A	3192	1/1	0.85	0.12	59,59,59,59	0
56	MG	2A	3544	1/1	0.86	0.27	63,63,63,63	0
56	MG	1A	3826	1/1	0.86	0.10	49,49,49,49	0
56	MG	1A	3640	1/1	0.86	0.10	18,18,18,18	0
56	MG	2A	3135	1/1	0.86	0.18	66,66,66,66	0
56	MG	2A	3281	1/1	0.86	0.24	75,75,75,75	0
56	MG	2a	1668	1/1	0.86	0.37	72,72,72,72	0
56	MG	1A	3276	1/1	0.86	0.12	49,49,49,49	0
56	MG	1A	3443	1/1	0.86	0.12	53,53,53,53	0
56	MG	1A	4097	1/1	0.86	0.10	61,61,61,61	0
56	MG	2A	3817	1/1	0.86	0.15	62,62,62,62	0
56	MG	2A	3818	1/1	0.86	0.16	74,74,74,74	0
56	MG	1A	3154	1/1	0.86	0.12	65,65,65,65	0
56	MG	1A	3111	1/1	0.86	0.12	41,41,41,41	0
56	MG	2A	3822	1/1	0.86	0.15	73,73,73,73	0
56	MG	1A	3997	1/1	0.86	0.17	64,64,64,64	0
56	MG	2A	3824	1/1	0.86	0.12	64,64,64,64	0
56	MG	2a	1690	1/1	0.86	0.20	77,77,77,77	0
56	MG	1a	1643	1/1	0.86	0.28	65,65,65,65	0
56	MG	2A	3304	1/1	0.86	0.14	69,69,69,69	0
56	MG	1a	1664	1/1	0.86	0.22	61,61,61,61	0
56	MG	1A	4128	1/1	0.86	0.08	65,65,65,65	0
56	MG	2a	1714	1/1	0.86	0.26	77,77,77,77	0
56	MG	1A	3866	1/1	0.86	0.16	60,60,60,60	0
56	MG	2A	3172	1/1	0.86	0.28	57,57,57,57	0
56	MG	2A	3310	1/1	0.86	0.18	67,67,67,67	0
56	MG	2a	1722	1/1	0.86	0.10	89,89,89,89	0
56	MG	1A	3182	1/1	0.86	0.10	50,50,50,50	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3336	1/1	0.86	0.14	61,61,61,61	0
56	MG	1A	3886	1/1	0.86	0.11	28,28,28,28	0
56	MG	2A	3320	1/1	0.86	0.17	61,61,61,61	0
56	MG	1w	105	1/1	0.86	0.18	69,69,69,69	0
56	MG	1a	1700	1/1	0.86	0.15	49,49,49,49	0
56	MG	2A	3327	1/1	0.86	0.25	64,64,64,64	0
56	MG	1A	3889	1/1	0.86	0.10	54,54,54,54	0
56	MG	2A	3205	1/1	0.86	0.18	43,43,43,43	0
56	MG	2A	3638	1/1	0.86	0.14	59,59,59,59	0
56	MG	2a	1765	1/1	0.86	0.21	65,65,65,65	0
56	MG	1x	102	1/1	0.86	0.11	67,67,67,67	0
56	MG	2a	1769	1/1	0.86	0.23	72,72,72,72	0
56	MG	1A	3719	1/1	0.86	0.13	33,33,33,33	0
56	MG	2A	3213	1/1	0.86	0.15	66,66,66,66	0
56	MG	1A	3409	1/1	0.86	0.13	71,71,71,71	0
56	MG	1A	3207	1/1	0.86	0.20	53,53,53,53	0
56	MG	2A	3652	1/1	0.86	0.14	73,73,73,73	0
56	MG	2A	3870	1/1	0.86	0.20	70,70,70,70	0
56	MG	1a	1774	1/1	0.86	0.24	69,69,69,69	0
56	MG	1a	1778	1/1	0.86	0.11	60,60,60,60	0
56	MG	1A	3342	1/1	0.86	0.17	71,71,71,71	0
56	MG	2a	1792	1/1	0.86	0.13	66,66,66,66	0
56	MG	2A	3228	1/1	0.86	0.12	55,55,55,55	0
56	MG	1A	4061	1/1	0.86	0.10	61,61,61,61	0
56	MG	2a	1797	1/1	0.86	0.35	64,64,64,64	0
56	MG	1A	3599	1/1	0.86	0.18	50,50,50,50	0
56	MG	2A	3233	1/1	0.86	0.16	73,73,73,73	0
56	MG	1A	4071	1/1	0.86	0.10	58,58,58,58	0
56	MG	2A	3235	1/1	0.86	0.14	65,65,65,65	0
56	MG	2B	217	1/1	0.86	0.29	82,82,82,82	0
56	MG	1a	1792	1/1	0.86	0.22	61,61,61,61	0
56	MG	2D	304	1/1	0.86	0.27	51,51,51,51	0
56	MG	2D	306	1/1	0.86	0.19	69,69,69,69	0
56	MG	1a	1799	1/1	0.86	0.20	62,62,62,62	0
56	MG	2A	3692	1/1	0.86	0.13	71,71,71,71	0
56	MG	1A	3056	1/1	0.86	0.28	61,61,61,61	0
56	MG	2A	3700	1/1	0.86	0.10	64,64,64,64	0
56	MG	2A	3242	1/1	0.86	0.11	71,71,71,71	0
56	MG	2A	3072	1/1	0.86	0.22	57,57,57,57	0
56	MG	2A	3078	1/1	0.86	0.13	58,58,58,58	0
56	MG	1A	3362	1/1	0.86	0.10	59,59,59,59	0
56	MG	2a	1833	1/1	0.86	0.19	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1836	1/1	0.86	0.25	69,69,69,69	0
56	MG	1E	312	1/1	0.86	0.14	64,64,64,64	0
56	MG	2A	3486	1/1	0.86	0.12	30,30,30,30	0
56	MG	2a	1608	1/1	0.86	0.33	72,72,72,72	0
56	MG	2A	3488	1/1	0.86	0.10	41,41,41,41	0
56	MG	2A	3720	1/1	0.86	0.15	73,73,73,73	0
56	MG	1A	3370	1/1	0.86	0.20	60,60,60,60	0
56	MG	1G	203	1/1	0.86	0.09	67,67,67,67	0
56	MG	2A	3742	1/1	0.86	0.12	73,73,73,73	0
56	MG	2A	3258	1/1	0.86	0.14	79,79,79,79	0
56	MG	2A	3758	1/1	0.86	0.12	57,57,57,57	0
56	MG	2A	3262	1/1	0.86	0.09	64,64,64,64	0
56	MG	1O	201	1/1	0.86	0.08	66,66,66,66	0
56	MG	2A	3102	1/1	0.86	0.12	65,65,65,65	0
56	MG	2A	3782	1/1	0.86	0.19	77,77,77,77	0
56	MG	1a	1814	1/1	0.86	0.12	66,66,66,66	0
56	MG	1A	3434	1/1	0.86	0.16	67,67,67,67	0
56	MG	2A	3116	1/1	0.86	0.11	65,65,65,65	0
56	MG	1A	3637	1/1	0.86	0.11	21,21,21,21	0
56	MG	2A	3523	1/1	0.86	0.14	61,61,61,61	0
56	MG	2A	3533	1/1	0.86	0.12	47,47,47,47	0
56	MG	2A	3540	1/1	0.86	0.21	69,69,69,69	0
58	Y7K	2a	1841	33/33	0.86	0.18	75,81,88,93	0
56	MG	2A	3100	1/1	0.87	0.15	68,68,68,68	0
56	MG	1A	3628	1/1	0.87	0.15	67,67,67,67	0
56	MG	1A	3629	1/1	0.87	0.13	56,56,56,56	0
56	MG	2A	3661	1/1	0.87	0.21	51,51,51,51	0
56	MG	1a	1655	1/1	0.87	0.37	71,71,71,71	0
56	MG	2a	1698	1/1	0.87	0.21	77,77,77,77	0
56	MG	2A	3860	1/1	0.87	0.24	59,59,59,59	0
56	MG	2a	1701	1/1	0.87	0.24	75,75,75,75	0
56	MG	2a	1704	1/1	0.87	0.12	72,72,72,72	0
56	MG	1A	3483	1/1	0.87	0.24	58,58,58,58	0
56	MG	1A	3489	1/1	0.87	0.09	48,48,48,48	0
56	MG	1A	3020	1/1	0.87	0.18	52,52,52,52	0
56	MG	2A	3124	1/1	0.87	0.25	78,78,78,78	0
56	MG	1A	4059	1/1	0.87	0.17	53,53,53,53	0
56	MG	1A	3836	1/1	0.87	0.14	68,68,68,68	0
56	MG	1b	302	1/1	0.87	0.18	71,71,71,71	0
56	MG	2a	1730	1/1	0.87	0.14	68,68,68,68	0
56	MG	1A	3661	1/1	0.87	0.11	29,29,29,29	0
56	MG	2a	1735	1/1	0.87	0.12	83,83,83,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3293	1/1	0.87	0.16	53,53,53,53	0
56	MG	2A	3146	1/1	0.87	0.21	75,75,75,75	0
56	MG	2A	3884	1/1	0.87	0.32	75,75,75,75	0
56	MG	2A	3272	1/1	0.87	0.09	56,56,56,56	0
56	MG	2B	202	1/1	0.87	0.12	63,63,63,63	0
56	MG	2B	203	1/1	0.87	0.14	73,73,73,73	0
56	MG	1A	3955	1/1	0.87	0.12	46,46,46,46	0
56	MG	1a	1732	1/1	0.87	0.10	82,82,82,82	0
56	MG	2A	3153	1/1	0.87	0.18	51,51,51,51	0
56	MG	1a	1733	1/1	0.87	0.14	66,66,66,66	0
56	MG	1A	3975	1/1	0.87	0.12	67,67,67,67	0
56	MG	1A	3977	1/1	0.87	0.14	63,63,63,63	0
56	MG	1a	1766	1/1	0.87	0.16	73,73,73,73	0
56	MG	1A	3978	1/1	0.87	0.10	51,51,51,51	0
56	MG	2B	220	1/1	0.87	0.16	68,68,68,68	0
56	MG	2A	3727	1/1	0.87	0.12	63,63,63,63	0
56	MG	2A	3525	1/1	0.87	0.12	61,61,61,61	0
56	MG	2A	3166	1/1	0.87	0.08	71,71,71,71	0
56	MG	2a	1786	1/1	0.87	0.20	60,60,60,60	0
56	MG	2E	302	1/1	0.87	0.24	47,47,47,47	0
56	MG	2A	3168	1/1	0.87	0.21	67,67,67,67	0
56	MG	1A	3346	1/1	0.87	0.12	59,59,59,59	0
56	MG	2A	3177	1/1	0.87	0.20	78,78,78,78	0
56	MG	2Q	202	1/1	0.87	0.11	66,66,66,66	0
56	MG	1A	3579	1/1	0.87	0.08	40,40,40,40	0
56	MG	2A	3774	1/1	0.87	0.20	63,63,63,63	0
56	MG	1I	201	1/1	0.87	0.12	64,64,64,64	0
56	MG	2A	3185	1/1	0.87	0.18	63,63,63,63	0
56	MG	1A	3389	1/1	0.87	0.13	61,61,61,61	0
56	MG	2A	3571	1/1	0.87	0.39	71,71,71,71	0
56	MG	1S	203	1/1	0.87	0.11	69,69,69,69	0
56	MG	1A	3167	1/1	0.87	0.26	52,52,52,52	0
56	MG	2A	3194	1/1	0.87	0.15	77,77,77,77	0
56	MG	2A	3008	1/1	0.87	0.14	55,55,55,55	0
56	MG	2a	1818	1/1	0.87	0.34	79,79,79,79	0
56	MG	1A	3354	1/1	0.87	0.09	50,50,50,50	0
56	MG	2A	3020	1/1	0.87	0.18	67,67,67,67	0
56	MG	2A	3321	1/1	0.87	0.19	74,74,74,74	0
56	MG	2A	3596	1/1	0.87	0.17	74,74,74,74	0
56	MG	1A	3408	1/1	0.87	0.39	45,45,45,45	0
56	MG	2A	3209	1/1	0.87	0.17	68,68,68,68	0
56	MG	2A	3326	1/1	0.87	0.16	62,62,62,62	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3606	1/1	0.87	0.24	69,69,69,69	0
56	MG	2a	1834	1/1	0.87	0.14	63,63,63,63	0
56	MG	2A	3027	1/1	0.87	0.17	58,58,58,58	0
56	MG	2a	1635	1/1	0.87	0.19	65,65,65,65	0
56	MG	2A	3050	1/1	0.87	0.18	61,61,61,61	0
56	MG	2A	3051	1/1	0.87	0.21	61,61,61,61	0
56	MG	1A	3448	1/1	0.87	0.14	64,64,64,64	0
56	MG	1l	102	1/1	0.87	0.17	50,50,50,50	0
56	MG	13	101	1/1	0.87	0.11	46,46,46,46	0
56	MG	1A	4007	1/1	0.87	0.19	48,48,48,48	0
56	MG	2A	3347	1/1	0.87	0.12	75,75,75,75	0
56	MG	2r	101	1/1	0.87	0.15	75,75,75,75	0
56	MG	2A	3626	1/1	0.87	0.17	58,58,58,58	0
56	MG	18	105	1/1	0.87	0.16	46,46,46,46	0
56	MG	1A	3025	1/1	0.87	0.09	54,54,54,54	0
56	MG	1A	3184	1/1	0.87	0.46	49,49,49,49	0
56	MG	1A	3621	1/1	0.87	0.13	76,76,76,76	0
56	MG	1a	1622	1/1	0.87	0.30	62,62,62,62	0
56	MG	2a	1674	1/1	0.87	0.20	83,83,83,83	0
56	MG	2A	3832	1/1	0.87	0.11	63,63,63,63	0
56	MG	2x	107	1/1	0.87	0.22	55,55,55,55	0
56	MG	2A	3835	1/1	0.87	0.15	75,75,75,75	0
56	MG	2A	3370	1/1	0.87	0.21	72,72,72,72	0
56	MG	2y	103	1/1	0.87	0.08	72,72,72,72	0
56	MG	2A	3379	1/1	0.87	0.23	52,52,52,52	0
56	MG	1A	3919	1/1	0.87	0.07	56,56,56,56	0
56	MG	1a	1627	1/1	0.87	0.21	62,62,62,62	0
56	MG	2A	3097	1/1	0.87	0.35	73,73,73,73	0
56	MG	1A	4052	1/1	0.88	0.10	44,44,44,44	0
56	MG	2A	3691	1/1	0.88	0.21	58,58,58,58	0
56	MG	2a	1621	1/1	0.88	0.20	75,75,75,75	0
56	MG	2A	3173	1/1	0.88	0.14	70,70,70,70	0
56	MG	1a	1836	1/1	0.88	0.09	45,45,45,45	0
56	MG	2A	3178	1/1	0.88	0.18	68,68,68,68	0
56	MG	1A	3881	1/1	0.88	0.15	20,20,20,20	0
56	MG	1A	3251	1/1	0.88	0.25	65,65,65,65	0
56	MG	2A	3709	1/1	0.88	0.09	88,88,88,88	0
56	MG	2A	3356	1/1	0.88	0.23	65,65,65,65	0
56	MG	2A	3359	1/1	0.88	0.27	53,53,53,53	0
56	MG	2A	3183	1/1	0.88	0.20	61,61,61,61	0
56	MG	2A	3184	1/1	0.88	0.29	68,68,68,68	0
56	MG	2A	3368	1/1	0.88	0.26	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3887	1/1	0.88	0.16	59,59,59,59	0
56	MG	2A	3721	1/1	0.88	0.12	68,68,68,68	0
56	MG	1A	3725	1/1	0.88	0.22	50,50,50,50	0
56	MG	1A	3733	1/1	0.88	0.11	55,55,55,55	0
56	MG	2A	3386	1/1	0.88	0.10	41,41,41,41	0
56	MG	1A	3895	1/1	0.88	0.11	22,22,22,22	0
56	MG	1t	201	1/1	0.88	0.15	60,60,60,60	0
56	MG	1A	3896	1/1	0.88	0.24	46,46,46,46	0
56	MG	2A	3409	1/1	0.88	0.11	63,63,63,63	0
56	MG	1A	3902	1/1	0.88	0.14	51,51,51,51	0
56	MG	2A	3772	1/1	0.88	0.14	58,58,58,58	0
56	MG	1w	103	1/1	0.88	0.18	68,68,68,68	0
56	MG	1A	3606	1/1	0.88	0.19	60,60,60,60	0
56	MG	1A	4080	1/1	0.88	0.13	36,36,36,36	0
56	MG	1A	3121	1/1	0.88	0.11	45,45,45,45	0
56	MG	2A	3441	1/1	0.88	0.13	64,64,64,64	0
56	MG	1A	3476	1/1	0.88	0.20	56,56,56,56	0
56	MG	1a	1635	1/1	0.88	0.25	65,65,65,65	0
56	MG	1a	1640	1/1	0.88	0.13	47,47,47,47	0
56	MG	2A	3464	1/1	0.88	0.12	49,49,49,49	0
56	MG	2A	3793	1/1	0.88	0.17	71,71,71,71	0
56	MG	2A	3476	1/1	0.88	0.15	43,43,43,43	0
56	MG	1a	1641	1/1	0.88	0.20	57,57,57,57	0
56	MG	1A	4085	1/1	0.88	0.13	72,72,72,72	0
56	MG	1a	1647	1/1	0.88	0.14	66,66,66,66	0
56	MG	2a	1703	1/1	0.88	0.32	70,70,70,70	0
56	MG	1a	1652	1/1	0.88	0.17	63,63,63,63	0
56	MG	2a	1705	1/1	0.88	0.28	71,71,71,71	0
56	MG	1A	3298	1/1	0.88	0.09	48,48,48,48	0
56	MG	2a	1713	1/1	0.88	0.26	77,77,77,77	0
56	MG	2A	3493	1/1	0.88	0.14	48,48,48,48	0
56	MG	2A	3232	1/1	0.88	0.14	67,67,67,67	0
56	MG	1A	3760	1/1	0.88	0.11	47,47,47,47	0
56	MG	2A	3013	1/1	0.88	0.18	64,64,64,64	0
56	MG	1A	3763	1/1	0.88	0.12	43,43,43,43	0
56	MG	1A	3764	1/1	0.88	0.10	35,35,35,35	0
56	MG	2A	3511	1/1	0.88	0.23	58,58,58,58	0
56	MG	1A	3765	1/1	0.88	0.15	41,41,41,41	0
56	MG	1a	1691	1/1	0.88	0.11	54,54,54,54	0
56	MG	2A	3039	1/1	0.88	0.23	80,80,80,80	0
56	MG	2A	3245	1/1	0.88	0.20	58,58,58,58	0
56	MG	2a	1741	1/1	0.88	0.08	70,70,70,70	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3046	1/1	0.88	0.17	56,56,56,56	0
56	MG	1A	3948	1/1	0.88	0.15	73,73,73,73	0
56	MG	1A	3773	1/1	0.88	0.23	61,61,61,61	0
56	MG	2A	3543	1/1	0.88	0.32	69,69,69,69	0
56	MG	1A	3484	1/1	0.88	0.15	56,56,56,56	0
56	MG	2A	3252	1/1	0.88	0.25	67,67,67,67	0
56	MG	1a	1715	1/1	0.88	0.14	71,71,71,71	0
56	MG	1a	1724	1/1	0.88	0.09	57,57,57,57	0
56	MG	2A	3060	1/1	0.88	0.20	66,66,66,66	0
56	MG	2A	3842	1/1	0.88	0.09	64,64,64,64	0
56	MG	1A	4124	1/1	0.88	0.17	67,67,67,67	0
56	MG	1A	3954	1/1	0.88	0.12	46,46,46,46	0
56	MG	1A	3790	1/1	0.88	0.09	23,23,23,23	0
56	MG	2A	3265	1/1	0.88	0.28	68,68,68,68	0
56	MG	2A	3852	1/1	0.88	0.19	68,68,68,68	0
56	MG	1A	3961	1/1	0.88	0.09	42,42,42,42	0
56	MG	2A	3085	1/1	0.88	0.12	46,46,46,46	0
56	MG	1A	4136	1/1	0.88	0.16	46,46,46,46	0
56	MG	2a	1789	1/1	0.88	0.15	73,73,73,73	0
56	MG	2A	3089	1/1	0.88	0.13	61,61,61,61	0
56	MG	1A	4138	1/1	0.88	0.24	50,50,50,50	0
56	MG	1A	3794	1/1	0.88	0.15	31,31,31,31	0
56	MG	1A	3376	1/1	0.88	0.13	51,51,51,51	0
56	MG	1A	3802	1/1	0.88	0.32	25,25,25,25	0
56	MG	2A	3601	1/1	0.88	0.14	73,73,73,73	0
56	MG	2A	3602	1/1	0.88	0.12	61,61,61,61	0
56	MG	2A	3098	1/1	0.88	0.17	64,64,64,64	0
56	MG	1A	3491	1/1	0.88	0.15	61,61,61,61	0
56	MG	2A	3290	1/1	0.88	0.17	82,82,82,82	0
56	MG	1A	3806	1/1	0.88	0.11	42,42,42,42	0
56	MG	2a	1812	1/1	0.88	0.17	76,76,76,76	0
56	MG	2A	3879	1/1	0.88	0.17	58,58,58,58	0
56	MG	2A	3292	1/1	0.88	0.18	72,72,72,72	0
56	MG	1A	3496	1/1	0.88	0.11	55,55,55,55	0
56	MG	2A	3614	1/1	0.88	0.17	61,61,61,61	0
56	MG	1A	3377	1/1	0.88	0.13	54,54,54,54	0
56	MG	2a	1820	1/1	0.88	0.11	84,84,84,84	0
56	MG	1A	3641	1/1	0.88	0.25	65,65,65,65	0
56	MG	2B	207	1/1	0.88	0.18	59,59,59,59	0
56	MG	2A	3297	1/1	0.88	0.20	81,81,81,81	0
56	MG	1a	1796	1/1	0.88	0.11	64,64,64,64	0
56	MG	2A	3625	1/1	0.88	0.19	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3331	1/1	0.88	0.08	40,40,40,40	0
56	MG	2A	3627	1/1	0.88	0.16	73,73,73,73	0
56	MG	1A	3165	1/1	0.88	0.30	36,36,36,36	0
56	MG	2a	1835	1/1	0.88	0.11	64,64,64,64	0
56	MG	1A	3663	1/1	0.88	0.12	37,37,37,37	0
56	MG	1A	4012	1/1	0.88	0.10	45,45,45,45	0
56	MG	2A	3635	1/1	0.88	0.17	62,62,62,62	0
56	MG	1A	3334	1/1	0.88	0.23	59,59,59,59	0
56	MG	1a	1806	1/1	0.88	0.19	53,53,53,53	0
56	MG	1F	311	1/1	0.88	0.12	64,64,64,64	0
56	MG	1A	4014	1/1	0.88	0.18	54,54,54,54	0
56	MG	2l	204	1/1	0.88	0.12	68,68,68,68	0
56	MG	2E	303	1/1	0.88	0.18	57,57,57,57	0
56	MG	2p	101	1/1	0.88	0.18	60,60,60,60	0
56	MG	1A	3437	1/1	0.88	0.07	57,57,57,57	0
56	MG	1a	1815	1/1	0.88	0.11	71,71,71,71	0
56	MG	2A	3150	1/1	0.88	0.22	63,63,63,63	0
56	MG	2A	3151	1/1	0.88	0.11	70,70,70,70	0
56	MG	2A	3323	1/1	0.88	0.22	47,47,47,47	0
56	MG	20	102	1/1	0.88	0.16	68,68,68,68	0
56	MG	1A	3692	1/1	0.88	0.11	22,22,22,22	0
56	MG	1A	3361	1/1	0.88	0.15	62,62,62,62	0
56	MG	28	103	1/1	0.88	0.19	45,45,45,45	0
56	MG	1P	205	1/1	0.88	0.34	47,47,47,47	0
56	MG	1A	3214	1/1	0.88	0.10	59,59,59,59	0
56	MG	1T	203	1/1	0.88	0.20	53,53,53,53	0
56	MG	2A	3334	1/1	0.88	0.12	69,69,69,69	0
56	MG	2A	3675	1/1	0.88	0.25	67,67,67,67	0
56	MG	1A	3601	1/1	0.88	0.13	31,31,31,31	0
56	MG	1Y	202	1/1	0.88	0.28	71,71,71,71	0
56	MG	1A	3879	1/1	0.88	0.10	71,71,71,71	0
56	MG	2a	1615	1/1	0.88	0.29	63,63,63,63	0
56	MG	2a	1653	1/1	0.89	0.37	72,72,72,72	0
56	MG	2A	3561	1/1	0.89	0.12	50,50,50,50	0
56	MG	1A	4027	1/1	0.89	0.13	38,38,38,38	0
56	MG	1a	1665	1/1	0.89	0.16	68,68,68,68	0
56	MG	2a	1664	1/1	0.89	0.18	61,61,61,61	0
56	MG	1f	202	1/1	0.89	0.14	66,66,66,66	0
56	MG	1A	3912	1/1	0.89	0.11	43,43,43,43	0
56	MG	1A	3514	1/1	0.89	0.14	29,29,29,29	0
56	MG	2a	1670	1/1	0.89	0.22	71,71,71,71	0
56	MG	1a	1669	1/1	0.89	0.10	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1676	1/1	0.89	0.25	60,60,60,60	0
56	MG	2A	3819	1/1	0.89	0.16	66,66,66,66	0
56	MG	1a	1674	1/1	0.89	0.10	53,53,53,53	0
56	MG	1w	101	1/1	0.89	0.21	74,74,74,74	0
56	MG	1a	1675	1/1	0.89	0.24	52,52,52,52	0
56	MG	2A	3167	1/1	0.89	0.11	64,64,64,64	0
56	MG	1a	1682	1/1	0.89	0.22	54,54,54,54	0
56	MG	1A	3918	1/1	0.89	0.10	60,60,60,60	0
56	MG	1a	1687	1/1	0.89	0.17	65,65,65,65	0
56	MG	1A	3783	1/1	0.89	0.16	34,34,34,34	0
56	MG	1w	109	1/1	0.89	0.09	86,86,86,86	0
56	MG	2a	1691	1/1	0.89	0.16	75,75,75,75	0
56	MG	1A	4039	1/1	0.89	0.13	54,54,54,54	0
56	MG	1A	4047	1/1	0.89	0.08	37,37,37,37	0
56	MG	2a	1696	1/1	0.89	0.16	77,77,77,77	0
56	MG	1A	3375	1/1	0.89	0.16	61,61,61,61	0
56	MG	1a	1713	1/1	0.89	0.09	57,57,57,57	0
56	MG	1x	111	1/1	0.89	0.32	65,65,65,65	0
56	MG	1D	310	1/1	0.89	0.11	53,53,53,53	0
56	MG	1A	3138	1/1	0.89	0.29	58,58,58,58	0
56	MG	1A	3291	1/1	0.89	0.15	51,51,51,51	0
56	MG	2a	1711	1/1	0.89	0.21	64,64,64,64	0
56	MG	1A	3551	1/1	0.89	0.10	52,52,52,52	0
56	MG	1A	3577	1/1	0.89	0.16	52,52,52,52	0
56	MG	2A	3014	1/1	0.89	0.22	52,52,52,52	0
56	MG	1A	3688	1/1	0.89	0.13	53,53,53,53	0
56	MG	2A	3854	1/1	0.89	0.08	72,72,72,72	0
56	MG	1a	1757	1/1	0.89	0.12	69,69,69,69	0
56	MG	1A	3018	1/1	0.89	0.12	29,29,29,29	0
56	MG	1A	3816	1/1	0.89	0.12	37,37,37,37	0
56	MG	2a	1728	1/1	0.89	0.12	82,82,82,82	0
56	MG	2A	3034	1/1	0.89	0.13	38,38,38,38	0
56	MG	2A	3035	1/1	0.89	0.13	62,62,62,62	0
56	MG	2A	3220	1/1	0.89	0.28	73,73,73,73	0
56	MG	1O	204	1/1	0.89	0.11	56,56,56,56	0
56	MG	2A	3223	1/1	0.89	0.12	65,65,65,65	0
56	MG	2A	3365	1/1	0.89	0.37	55,55,55,55	0
56	MG	1a	1769	1/1	0.89	0.14	63,63,63,63	0
56	MG	2A	3047	1/1	0.89	0.23	65,65,65,65	0
56	MG	1A	3236	1/1	0.89	0.28	36,36,36,36	0
56	MG	2A	3378	1/1	0.89	0.16	60,60,60,60	0
56	MG	2A	3874	1/1	0.89	0.15	71,71,71,71	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3876	1/1	0.89	0.08	62,62,62,62	0
56	MG	1S	201	1/1	0.89	0.21	44,44,44,44	0
56	MG	1A	3194	1/1	0.89	0.13	34,34,34,34	0
56	MG	1A	3300	1/1	0.89	0.13	41,41,41,41	0
56	MG	2A	3388	1/1	0.89	0.27	46,46,46,46	0
56	MG	2A	3058	1/1	0.89	0.20	66,66,66,66	0
56	MG	1A	3399	1/1	0.89	0.09	63,63,63,63	0
56	MG	1A	3723	1/1	0.89	0.17	55,55,55,55	0
56	MG	1a	1791	1/1	0.89	0.20	68,68,68,68	0
56	MG	2A	3410	1/1	0.89	0.14	38,38,38,38	0
56	MG	2A	3411	1/1	0.89	0.26	67,67,67,67	0
56	MG	1A	3470	1/1	0.89	0.09	37,37,37,37	0
56	MG	2A	3077	1/1	0.89	0.14	58,58,58,58	0
56	MG	1a	1794	1/1	0.89	0.21	69,69,69,69	0
56	MG	2A	3243	1/1	0.89	0.14	54,54,54,54	0
56	MG	1A	3406	1/1	0.89	0.16	51,51,51,51	0
56	MG	1A	3734	1/1	0.89	0.11	52,52,52,52	0
56	MG	2B	219	1/1	0.89	0.15	77,77,77,77	0
56	MG	1A	3310	1/1	0.89	0.13	47,47,47,47	0
56	MG	2a	1800	1/1	0.89	0.20	65,65,65,65	0
56	MG	1A	3480	1/1	0.89	0.11	42,42,42,42	0
56	MG	1A	3142	1/1	0.89	0.17	56,56,56,56	0
56	MG	1A	4098	1/1	0.89	0.17	60,60,60,60	0
56	MG	2E	301	1/1	0.89	0.28	67,67,67,67	0
56	MG	2A	3466	1/1	0.89	0.11	42,42,42,42	0
56	MG	1A	3619	1/1	0.89	0.16	52,52,52,52	0
56	MG	2E	306	1/1	0.89	0.17	54,54,54,54	0
56	MG	1A	3252	1/1	0.89	0.12	49,49,49,49	0
56	MG	1a	1605	1/1	0.89	0.11	65,65,65,65	0
56	MG	2A	3717	1/1	0.89	0.14	60,60,60,60	0
56	MG	2P	202	1/1	0.89	0.14	56,56,56,56	0
56	MG	2A	3718	1/1	0.89	0.10	63,63,63,63	0
56	MG	2W	202	1/1	0.89	0.19	56,56,56,56	0
56	MG	2A	3260	1/1	0.89	0.31	66,66,66,66	0
56	MG	2A	3261	1/1	0.89	0.30	71,71,71,71	0
56	MG	25	104	1/1	0.89	0.13	56,56,56,56	0
56	MG	1A	4113	1/1	0.89	0.09	43,43,43,43	0
56	MG	26	101	1/1	0.89	0.14	68,68,68,68	0
56	MG	1A	3078	1/1	0.89	0.13	60,60,60,60	0
56	MG	2A	3494	1/1	0.89	0.13	49,49,49,49	0
56	MG	1A	3998	1/1	0.89	0.19	57,57,57,57	0
56	MG	2A	3736	1/1	0.89	0.13	44,44,44,44	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3740	1/1	0.89	0.10	52,52,52,52	0
56	MG	2a	1607	1/1	0.89	0.38	79,79,79,79	0
56	MG	1A	3419	1/1	0.89	0.10	46,46,46,46	0
56	MG	1A	4009	1/1	0.89	0.17	60,60,60,60	0
56	MG	2e	201	1/1	0.89	0.09	76,76,76,76	0
56	MG	2A	3756	1/1	0.89	0.09	64,64,64,64	0
56	MG	2A	3505	1/1	0.89	0.15	60,60,60,60	0
56	MG	1A	3494	1/1	0.89	0.09	46,46,46,46	0
56	MG	1A	3769	1/1	0.89	0.20	41,41,41,41	0
56	MG	2A	3771	1/1	0.89	0.17	59,59,59,59	0
56	MG	2A	3510	1/1	0.89	0.10	54,54,54,54	0
56	MG	2a	1618	1/1	0.89	0.25	65,65,65,65	0
56	MG	1A	3771	1/1	0.89	0.31	35,35,35,35	0
56	MG	2v	101	1/1	0.89	0.20	64,64,64,64	0
56	MG	2A	3518	1/1	0.89	0.20	75,75,75,75	0
56	MG	2A	3779	1/1	0.89	0.08	66,66,66,66	0
56	MG	2A	3126	1/1	0.89	0.22	63,63,63,63	0
56	MG	2A	3132	1/1	0.89	0.16	61,61,61,61	0
56	MG	1B	207	1/1	0.89	0.27	61,61,61,61	0
56	MG	1a	1646	1/1	0.89	0.12	54,54,54,54	0
56	MG	2a	1634	1/1	0.89	0.15	57,57,57,57	0
56	MG	2x	105	1/1	0.89	0.30	71,71,71,71	0
56	MG	1A	3125	1/1	0.89	0.37	39,39,39,39	0
56	MG	2A	3282	1/1	0.89	0.16	58,58,58,58	0
56	MG	1a	1649	1/1	0.89	0.13	51,51,51,51	0
56	MG	2a	1640	1/1	0.89	0.14	74,74,74,74	0
56	MG	1A	3776	1/1	0.89	0.11	60,60,60,60	0
56	MG	1a	1839	1/1	0.89	0.12	57,57,57,57	0
56	MG	1A	4023	1/1	0.89	0.12	53,53,53,53	0
56	MG	1a	1663	1/1	0.89	0.30	65,65,65,65	0
56	MG	2A	3294	1/1	0.89	0.25	75,75,75,75	0
56	MG	1B	235	1/1	0.90	0.16	65,65,65,65	0
56	MG	2A	3287	1/1	0.90	0.10	71,71,71,71	0
56	MG	1a	1673	1/1	0.90	0.17	68,68,68,68	0
56	MG	1A	3739	1/1	0.90	0.12	68,68,68,68	0
56	MG	2A	3532	1/1	0.90	0.10	32,32,32,32	0
56	MG	1A	4063	1/1	0.90	0.14	48,48,48,48	0
56	MG	1A	3322	1/1	0.90	0.27	41,41,41,41	0
56	MG	1A	4069	1/1	0.90	0.12	49,49,49,49	0
56	MG	1F	306	1/1	0.90	0.17	25,25,25,25	0
56	MG	1A	4070	1/1	0.90	0.11	52,52,52,52	0
56	MG	2a	1667	1/1	0.90	0.22	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3810	1/1	0.90	0.16	63,63,63,63	0
56	MG	1A	3754	1/1	0.90	0.11	49,49,49,49	0
56	MG	1G	202	1/1	0.90	0.15	57,57,57,57	0
56	MG	1A	3853	1/1	0.90	0.15	65,65,65,65	0
56	MG	2a	1675	1/1	0.90	0.20	69,69,69,69	0
56	MG	2A	3562	1/1	0.90	0.11	57,57,57,57	0
56	MG	2A	3565	1/1	0.90	0.14	62,62,62,62	0
56	MG	2A	3302	1/1	0.90	0.19	53,53,53,53	0
56	MG	1x	104	1/1	0.90	0.18	74,74,74,74	0
56	MG	1a	1709	1/1	0.90	0.19	68,68,68,68	0
56	MG	2A	3574	1/1	0.90	0.15	73,73,73,73	0
56	MG	1x	106	1/1	0.90	0.13	71,71,71,71	0
56	MG	1A	3972	1/1	0.90	0.09	46,46,46,46	0
56	MG	2A	3175	1/1	0.90	0.15	66,66,66,66	0
56	MG	1A	3855	1/1	0.90	0.07	39,39,39,39	0
56	MG	1a	1722	1/1	0.90	0.14	64,64,64,64	0
56	MG	2A	3589	1/1	0.90	0.13	73,73,73,73	0
56	MG	1A	3451	1/1	0.90	0.18	63,63,63,63	0
56	MG	2A	3316	1/1	0.90	0.19	77,77,77,77	0
56	MG	2A	3834	1/1	0.90	0.12	47,47,47,47	0
56	MG	2a	1697	1/1	0.90	0.14	86,86,86,86	0
56	MG	2A	3317	1/1	0.90	0.14	59,59,59,59	0
56	MG	1x	115	1/1	0.90	0.15	67,67,67,67	0
56	MG	2A	3319	1/1	0.90	0.28	56,56,56,56	0
56	MG	2A	3182	1/1	0.90	0.12	55,55,55,55	0
56	MG	1A	3343	1/1	0.90	0.12	58,58,58,58	0
56	MG	2A	3322	1/1	0.90	0.14	66,66,66,66	0
56	MG	2a	1707	1/1	0.90	0.16	60,60,60,60	0
56	MG	2a	1708	1/1	0.90	0.38	80,80,80,80	0
56	MG	2a	1710	1/1	0.90	0.27	55,55,55,55	0
56	MG	2A	3002	1/1	0.90	0.22	59,59,59,59	0
56	MG	2A	3846	1/1	0.90	0.17	70,70,70,70	0
56	MG	1A	3985	1/1	0.90	0.22	52,52,52,52	0
56	MG	2A	3851	1/1	0.90	0.20	54,54,54,54	0
56	MG	1A	3865	1/1	0.90	0.22	50,50,50,50	0
56	MG	2a	1717	1/1	0.90	0.10	60,60,60,60	0
56	MG	2A	3190	1/1	0.90	0.16	63,63,63,63	0
56	MG	1A	3458	1/1	0.90	0.15	39,39,39,39	0
56	MG	2A	3330	1/1	0.90	0.15	50,50,50,50	0
56	MG	2A	3615	1/1	0.90	0.13	48,48,48,48	0
56	MG	2a	1726	1/1	0.90	0.07	80,80,80,80	0
56	MG	1a	1742	1/1	0.90	0.13	48,48,48,48	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3333	1/1	0.90	0.18	71,71,71,71	0
56	MG	1A	3555	1/1	0.90	0.08	27,27,27,27	0
56	MG	1U	210	1/1	0.90	0.37	46,46,46,46	0
56	MG	1A	3469	1/1	0.90	0.48	44,44,44,44	0
56	MG	1A	4093	1/1	0.90	0.09	58,58,58,58	0
56	MG	1A	3325	1/1	0.90	0.12	71,71,71,71	0
56	MG	10	104	1/1	0.90	0.25	43,43,43,43	0
56	MG	2A	3346	1/1	0.90	0.14	74,74,74,74	0
56	MG	1A	3770	1/1	0.90	0.31	47,47,47,47	0
56	MG	2a	1757	1/1	0.90	0.09	65,65,65,65	0
56	MG	2A	3215	1/1	0.90	0.13	76,76,76,76	0
56	MG	2A	3041	1/1	0.90	0.10	57,57,57,57	0
56	MG	2A	3044	1/1	0.90	0.16	55,55,55,55	0
56	MG	1A	3295	1/1	0.90	0.15	55,55,55,55	0
56	MG	11	104	1/1	0.90	0.11	43,43,43,43	0
56	MG	2A	3882	1/1	0.90	0.08	52,52,52,52	0
56	MG	1A	3048	1/1	0.90	0.11	53,53,53,53	0
56	MG	2A	3650	1/1	0.90	0.24	70,70,70,70	0
56	MG	2a	1777	1/1	0.90	0.15	75,75,75,75	0
56	MG	13	102	1/1	0.90	0.26	56,56,56,56	0
56	MG	1A	4000	1/1	0.90	0.16	46,46,46,46	0
56	MG	2B	205	1/1	0.90	0.15	60,60,60,60	0
56	MG	1A	3684	1/1	0.90	0.08	39,39,39,39	0
56	MG	1A	3777	1/1	0.90	0.09	41,41,41,41	0
56	MG	2B	210	1/1	0.90	0.22	72,72,72,72	0
56	MG	2A	3373	1/1	0.90	0.22	55,55,55,55	0
56	MG	1A	4119	1/1	0.90	0.10	39,39,39,39	0
56	MG	1A	3358	1/1	0.90	0.07	39,39,39,39	0
56	MG	2A	3380	1/1	0.90	0.26	66,66,66,66	0
56	MG	1a	1614	1/1	0.90	0.10	57,57,57,57	0
56	MG	2a	1794	1/1	0.90	0.14	74,74,74,74	0
56	MG	2A	3668	1/1	0.90	0.11	74,74,74,74	0
56	MG	1a	1615	1/1	0.90	0.14	56,56,56,56	0
56	MG	2A	3074	1/1	0.90	0.19	54,54,54,54	0
56	MG	1A	4127	1/1	0.90	0.10	56,56,56,56	0
56	MG	2a	1803	1/1	0.90	0.13	55,55,55,55	0
56	MG	2A	3681	1/1	0.90	0.16	63,63,63,63	0
56	MG	2A	3390	1/1	0.90	0.17	57,57,57,57	0
56	MG	1A	3299	1/1	0.90	0.43	57,57,57,57	0
56	MG	2A	3405	1/1	0.90	0.13	59,59,59,59	0
56	MG	1A	3784	1/1	0.90	0.10	58,58,58,58	0
56	MG	1A	3275	1/1	0.90	0.08	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2E	304	1/1	0.90	0.12	34,34,34,34	0
56	MG	1A	3432	1/1	0.90	0.10	44,44,44,44	0
56	MG	2F	301	1/1	0.90	0.15	49,49,49,49	0
56	MG	2A	3244	1/1	0.90	0.12	62,62,62,62	0
56	MG	2A	3417	1/1	0.90	0.10	67,67,67,67	0
56	MG	2A	3088	1/1	0.90	0.13	65,65,65,65	0
56	MG	2A	3708	1/1	0.90	0.15	55,55,55,55	0
56	MG	1a	1630	1/1	0.90	0.12	44,44,44,44	0
56	MG	1A	3490	1/1	0.90	0.13	56,56,56,56	0
56	MG	2a	1824	1/1	0.90	0.16	76,76,76,76	0
56	MG	2a	1826	1/1	0.90	0.26	79,79,79,79	0
56	MG	2a	1827	1/1	0.90	0.17	77,77,77,77	0
56	MG	1a	1638	1/1	0.90	0.22	58,58,58,58	0
56	MG	2A	3713	1/1	0.90	0.17	54,54,54,54	0
56	MG	20	103	1/1	0.90	0.14	60,60,60,60	0
56	MG	2A	3433	1/1	0.90	0.20	63,63,63,63	0
56	MG	2A	3715	1/1	0.90	0.12	70,70,70,70	0
56	MG	1A	3614	1/1	0.90	0.12	41,41,41,41	0
56	MG	1A	3301	1/1	0.90	0.12	46,46,46,46	0
56	MG	1A	3400	1/1	0.90	0.16	53,53,53,53	0
56	MG	1a	1645	1/1	0.90	0.09	64,64,64,64	0
56	MG	2d	301	1/1	0.90	0.14	73,73,73,73	0
56	MG	1A	3809	1/1	0.90	0.44	35,35,35,35	0
56	MG	2A	3259	1/1	0.90	0.12	61,61,61,61	0
56	MG	2a	1606	1/1	0.90	0.19	68,68,68,68	0
56	MG	2A	3465	1/1	0.90	0.07	49,49,49,49	0
56	MG	1a	1827	1/1	0.90	0.19	75,75,75,75	0
56	MG	1B	219	1/1	0.90	0.09	57,57,57,57	0
56	MG	2A	3732	1/1	0.90	0.12	48,48,48,48	0
56	MG	1A	3729	1/1	0.90	0.10	57,57,57,57	0
56	MG	1a	1833	1/1	0.90	0.16	62,62,62,62	0
56	MG	1a	1650	1/1	0.90	0.17	59,59,59,59	0
56	MG	1A	3403	1/1	0.90	0.12	49,49,49,49	0
56	MG	1A	3933	1/1	0.90	0.14	61,61,61,61	0
56	MG	1a	1658	1/1	0.90	0.21	54,54,54,54	0
56	MG	2a	1620	1/1	0.90	0.20	70,70,70,70	0
56	MG	2w	105	1/1	0.90	0.32	90,90,90,90	0
56	MG	2w	107	1/1	0.90	0.12	86,86,86,86	0
56	MG	2A	3759	1/1	0.90	0.10	25,25,25,25	0
56	MG	2A	3270	1/1	0.90	0.13	58,58,58,58	0
56	MG	2A	3133	1/1	0.90	0.09	53,53,53,53	0
56	MG	1a	1659	1/1	0.90	0.20	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1625	1/1	0.90	0.08	82,82,82,82	0
56	MG	1A	3934	1/1	0.90	0.09	33,33,33,33	0
56	MG	2A	3137	1/1	0.90	0.13	59,59,59,59	0
56	MG	2A	3275	1/1	0.90	0.26	64,64,64,64	0
56	MG	1B	227	1/1	0.90	0.14	62,62,62,62	0
56	MG	2A	3279	1/1	0.90	0.12	60,60,60,60	0
56	MG	1A	3620	1/1	0.90	0.15	55,55,55,55	0
56	MG	2A	3514	1/1	0.90	0.14	63,63,63,63	0
56	MG	1A	3506	1/1	0.90	0.13	48,48,48,48	0
56	MG	1A	3049	1/1	0.90	0.10	52,52,52,52	0
56	MG	2A	3384	1/1	0.91	0.33	53,53,53,53	0
56	MG	1A	3085	1/1	0.91	0.08	31,31,31,31	0
56	MG	2A	3204	1/1	0.91	0.12	59,59,59,59	0
56	MG	1A	3665	1/1	0.91	0.08	34,34,34,34	0
56	MG	2a	1626	1/1	0.91	0.08	87,87,87,87	0
56	MG	2a	1627	1/1	0.91	0.19	52,52,52,52	0
56	MG	1a	1624	1/1	0.91	0.26	56,56,56,56	0
56	MG	1s	101	1/1	0.91	0.07	74,74,74,74	0
56	MG	2A	3397	1/1	0.91	0.06	47,47,47,47	0
56	MG	1a	1625	1/1	0.91	0.14	51,51,51,51	0
56	MG	2A	3210	1/1	0.91	0.22	64,64,64,64	0
56	MG	2A	3728	1/1	0.91	0.13	61,61,61,61	0
56	MG	2A	3212	1/1	0.91	0.11	79,79,79,79	0
56	MG	1A	3966	1/1	0.91	0.11	15,15,15,15	0
56	MG	1A	4102	1/1	0.91	0.13	57,57,57,57	0
56	MG	2A	3739	1/1	0.91	0.07	45,45,45,45	0
56	MG	2A	3216	1/1	0.91	0.23	68,68,68,68	0
56	MG	2A	3422	1/1	0.91	0.13	65,65,65,65	0
56	MG	1A	3970	1/1	0.91	0.07	38,38,38,38	0
56	MG	1A	3512	1/1	0.91	0.14	11,11,11,11	0
56	MG	2a	1654	1/1	0.91	0.15	61,61,61,61	0
56	MG	1a	1634	1/1	0.91	0.19	68,68,68,68	0
56	MG	1A	3973	1/1	0.91	0.18	54,54,54,54	0
56	MG	2a	1658	1/1	0.91	0.17	53,53,53,53	0
56	MG	2A	3760	1/1	0.91	0.10	76,76,76,76	0
56	MG	2A	3762	1/1	0.91	0.13	41,41,41,41	0
56	MG	1A	3812	1/1	0.91	0.12	22,22,22,22	0
56	MG	1A	4120	1/1	0.91	0.13	49,49,49,49	0
56	MG	1A	3141	1/1	0.91	0.15	56,56,56,56	0
56	MG	1A	3679	1/1	0.91	0.06	68,68,68,68	0
56	MG	2A	3229	1/1	0.91	0.18	61,61,61,61	0
56	MG	2A	3453	1/1	0.91	0.29	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3516	1/1	0.91	0.11	29,29,29,29	0
56	MG	2A	3780	1/1	0.91	0.13	67,67,67,67	0
56	MG	2A	3456	1/1	0.91	0.18	60,60,60,60	0
56	MG	1A	4129	1/1	0.91	0.09	61,61,61,61	0
56	MG	2a	1680	1/1	0.91	0.14	57,57,57,57	0
56	MG	1A	3092	1/1	0.91	0.09	43,43,43,43	0
56	MG	1A	4133	1/1	0.91	0.09	55,55,55,55	0
56	MG	1A	3529	1/1	0.91	0.15	50,50,50,50	0
56	MG	2a	1684	1/1	0.91	0.15	64,64,64,64	0
56	MG	1x	110	1/1	0.91	0.12	71,71,71,71	0
56	MG	1A	3144	1/1	0.91	0.10	38,38,38,38	0
56	MG	1A	4137	1/1	0.91	0.20	37,37,37,37	0
56	MG	2A	3238	1/1	0.91	0.11	61,61,61,61	0
56	MG	1a	1657	1/1	0.91	0.16	65,65,65,65	0
56	MG	1A	3028	1/1	0.91	0.11	44,44,44,44	0
56	MG	1A	4139	1/1	0.91	0.14	60,60,60,60	0
56	MG	2A	3804	1/1	0.91	0.23	66,66,66,66	0
56	MG	2A	3497	1/1	0.91	0.17	50,50,50,50	0
56	MG	1a	1660	1/1	0.91	0.18	64,64,64,64	0
56	MG	1A	3840	1/1	0.91	0.09	56,56,56,56	0
56	MG	1A	3546	1/1	0.91	0.13	55,55,55,55	0
56	MG	1B	212	1/1	0.91	0.09	46,46,46,46	0
56	MG	1A	3371	1/1	0.91	0.12	36,36,36,36	0
56	MG	2A	3815	1/1	0.91	0.20	63,63,63,63	0
56	MG	1A	3311	1/1	0.91	0.18	56,56,56,56	0
56	MG	2a	1706	1/1	0.91	0.21	76,76,76,76	0
56	MG	2A	3022	1/1	0.91	0.16	50,50,50,50	0
56	MG	1A	3436	1/1	0.91	0.17	79,79,79,79	0
56	MG	1a	1671	1/1	0.91	0.13	67,67,67,67	0
56	MG	2A	3257	1/1	0.91	0.23	74,74,74,74	0
56	MG	1A	3863	1/1	0.91	0.22	25,25,25,25	0
56	MG	1A	3321	1/1	0.91	0.39	42,42,42,42	0
56	MG	1A	3038	1/1	0.91	0.17	57,57,57,57	0
56	MG	1a	1679	1/1	0.91	0.24	58,58,58,58	0
56	MG	2A	3524	1/1	0.91	0.18	64,64,64,64	0
56	MG	1A	3591	1/1	0.91	0.10	31,31,31,31	0
56	MG	1a	1683	1/1	0.91	0.12	48,48,48,48	0
56	MG	2a	1721	1/1	0.91	0.26	57,57,57,57	0
56	MG	1A	3867	1/1	0.91	0.22	55,55,55,55	0
56	MG	2A	3538	1/1	0.91	0.19	71,71,71,71	0
56	MG	2A	3049	1/1	0.91	0.21	69,69,69,69	0
56	MG	1A	3592	1/1	0.91	0.08	20,20,20,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1688	1/1	0.91	0.18	53,53,53,53	0
56	MG	1A	3323	1/1	0.91	0.29	41,41,41,41	0
56	MG	2A	3553	1/1	0.91	0.20	40,40,40,40	0
56	MG	1a	1695	1/1	0.91	0.18	53,53,53,53	0
56	MG	2A	3557	1/1	0.91	0.11	39,39,39,39	0
56	MG	1A	3268	1/1	0.91	0.16	50,50,50,50	0
56	MG	1A	3328	1/1	0.91	0.18	41,41,41,41	0
56	MG	1A	3883	1/1	0.91	0.10	33,33,33,33	0
56	MG	1a	1703	1/1	0.91	0.19	66,66,66,66	0
56	MG	2a	1756	1/1	0.91	0.12	65,65,65,65	0
56	MG	1A	4032	1/1	0.91	0.11	61,61,61,61	0
56	MG	1A	4034	1/1	0.91	0.12	56,56,56,56	0
56	MG	1E	302	1/1	0.91	0.20	42,42,42,42	0
56	MG	2a	1762	1/1	0.91	0.16	77,77,77,77	0
56	MG	1a	1721	1/1	0.91	0.11	72,72,72,72	0
56	MG	2A	3080	1/1	0.91	0.10	62,62,62,62	0
56	MG	1A	3742	1/1	0.91	0.10	55,55,55,55	0
56	MG	2a	1767	1/1	0.91	0.23	67,67,67,67	0
56	MG	1A	3743	1/1	0.91	0.14	66,66,66,66	0
56	MG	1F	309	1/1	0.91	0.07	47,47,47,47	0
56	MG	1F	310	1/1	0.91	0.17	38,38,38,38	0
56	MG	1A	4037	1/1	0.91	0.10	39,39,39,39	0
56	MG	1a	1737	1/1	0.91	0.11	68,68,68,68	0
56	MG	1A	3888	1/1	0.91	0.11	47,47,47,47	0
56	MG	2a	1781	1/1	0.91	0.21	71,71,71,71	0
56	MG	2A	3594	1/1	0.91	0.11	63,63,63,63	0
56	MG	1a	1739	1/1	0.91	0.09	61,61,61,61	0
56	MG	1a	1741	1/1	0.91	0.10	60,60,60,60	0
56	MG	1A	3746	1/1	0.91	0.13	31,31,31,31	0
56	MG	1A	3603	1/1	0.91	0.10	35,35,35,35	0
56	MG	2A	3875	1/1	0.91	0.10	42,42,42,42	0
56	MG	1G	204	1/1	0.91	0.14	46,46,46,46	0
56	MG	1G	205	1/1	0.91	0.24	66,66,66,66	0
56	MG	1A	4050	1/1	0.91	0.10	52,52,52,52	0
56	MG	1A	3272	1/1	0.91	0.15	57,57,57,57	0
56	MG	1a	1772	1/1	0.91	0.13	64,64,64,64	0
56	MG	1a	1773	1/1	0.91	0.11	63,63,63,63	0
56	MG	1A	3759	1/1	0.91	0.13	46,46,46,46	0
56	MG	1O	205	1/1	0.91	0.10	64,64,64,64	0
56	MG	2A	3130	1/1	0.91	0.25	40,40,40,40	0
56	MG	1a	1779	1/1	0.91	0.11	52,52,52,52	0
56	MG	1a	1781	1/1	0.91	0.12	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3467	1/1	0.91	0.32	45,45,45,45	0
56	MG	1Q	205	1/1	0.91	0.14	36,36,36,36	0
56	MG	1R	202	1/1	0.91	0.16	38,38,38,38	0
56	MG	2a	1811	1/1	0.91	0.23	75,75,75,75	0
56	MG	1A	3026	1/1	0.91	0.19	72,72,72,72	0
56	MG	1A	3127	1/1	0.91	0.15	35,35,35,35	0
56	MG	1A	3277	1/1	0.91	0.10	48,48,48,48	0
56	MG	1A	4064	1/1	0.91	0.07	54,54,54,54	0
56	MG	1U	204	1/1	0.91	0.21	56,56,56,56	0
56	MG	1A	3282	1/1	0.91	0.40	39,39,39,39	0
56	MG	1V	203	1/1	0.91	0.29	34,34,34,34	0
56	MG	1V	205	1/1	0.91	0.08	51,51,51,51	0
56	MG	2A	3328	1/1	0.91	0.21	69,69,69,69	0
56	MG	1V	206	1/1	0.91	0.10	41,41,41,41	0
56	MG	1W	207	1/1	0.91	0.22	38,38,38,38	0
56	MG	1A	4068	1/1	0.91	0.14	49,49,49,49	0
56	MG	1A	3285	1/1	0.91	0.23	43,43,43,43	0
56	MG	1Z	301	1/1	0.91	0.08	45,45,45,45	0
56	MG	1A	3922	1/1	0.91	0.10	44,44,44,44	0
56	MG	1A	3215	1/1	0.91	0.15	70,70,70,70	0
56	MG	2A	3340	1/1	0.91	0.13	71,71,71,71	0
56	MG	2F	304	1/1	0.91	0.15	50,50,50,50	0
56	MG	1A	3407	1/1	0.91	0.09	54,54,54,54	0
56	MG	10	107	1/1	0.91	0.13	61,61,61,61	0
56	MG	2A	3344	1/1	0.91	0.17	70,70,70,70	0
56	MG	2O	201	1/1	0.91	0.18	72,72,72,72	0
56	MG	2A	3665	1/1	0.91	0.12	75,75,75,75	0
56	MG	1A	3175	1/1	0.91	0.14	47,47,47,47	0
56	MG	1a	1822	1/1	0.91	0.16	60,60,60,60	0
56	MG	2X	102	1/1	0.91	0.12	68,68,68,68	0
56	MG	2A	3669	1/1	0.91	0.14	60,60,60,60	0
56	MG	20	101	1/1	0.91	0.12	56,56,56,56	0
56	MG	2A	3672	1/1	0.91	0.33	44,44,44,44	0
56	MG	2A	3350	1/1	0.91	0.19	64,64,64,64	0
56	MG	25	102	1/1	0.91	0.18	46,46,46,46	0
56	MG	1A	3084	1/1	0.91	0.20	67,67,67,67	0
56	MG	1A	3228	1/1	0.91	0.13	39,39,39,39	0
56	MG	1A	3353	1/1	0.91	0.07	63,63,63,63	0
56	MG	1A	3937	1/1	0.91	0.07	50,50,50,50	0
56	MG	18	101	1/1	0.91	0.15	64,64,64,64	0
56	MG	2a	1601	1/1	0.91	0.29	74,74,74,74	0
56	MG	2w	104	1/1	0.91	0.13	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3362	1/1	0.91	0.31	46,46,46,46	0
56	MG	2w	106	1/1	0.91	0.14	71,71,71,71	0
56	MG	18	103	1/1	0.91	0.09	39,39,39,39	0
56	MG	1A	3495	1/1	0.91	0.15	56,56,56,56	0
56	MG	2A	3694	1/1	0.91	0.07	78,78,78,78	0
56	MG	18	106	1/1	0.91	0.18	43,43,43,43	0
56	MG	1a	1601	1/1	0.91	0.08	52,52,52,52	0
56	MG	2A	3187	1/1	0.91	0.20	48,48,48,48	0
56	MG	2A	3703	1/1	0.91	0.10	83,83,83,83	0
56	MG	2A	3372	1/1	0.91	0.25	48,48,48,48	0
56	MG	1A	3418	1/1	0.91	0.13	59,59,59,59	0
56	MG	1A	3949	1/1	0.91	0.07	17,17,17,17	0
56	MG	1A	3648	1/1	0.91	0.12	31,31,31,31	0
56	MG	1A	3652	1/1	0.91	0.23	52,52,52,52	0
56	MG	2A	3712	1/1	0.91	0.16	56,56,56,56	0
56	MG	1A	3505	1/1	0.91	0.12	32,32,32,32	0
56	MG	2A	3382	1/1	0.91	0.11	51,51,51,51	0
56	MG	2A	3537	1/1	0.92	0.14	53,53,53,53	0
56	MG	1A	4134	1/1	0.92	0.10	48,48,48,48	0
56	MG	2A	3169	1/1	0.92	0.23	64,64,64,64	0
56	MG	2A	3542	1/1	0.92	0.09	33,33,33,33	0
56	MG	2a	1650	1/1	0.92	0.18	52,52,52,52	0
56	MG	2a	1652	1/1	0.92	0.07	62,62,62,62	0
56	MG	1A	3096	1/1	0.92	0.08	44,44,44,44	0
56	MG	2A	3796	1/1	0.92	0.09	59,59,59,59	0
56	MG	1A	4019	1/1	0.92	0.21	44,44,44,44	0
56	MG	2A	3174	1/1	0.92	0.12	57,57,57,57	0
56	MG	1A	3245	1/1	0.92	0.23	44,44,44,44	0
56	MG	2a	1659	1/1	0.92	0.09	66,66,66,66	0
56	MG	2A	3800	1/1	0.92	0.15	59,59,59,59	0
56	MG	2A	3176	1/1	0.92	0.09	61,61,61,61	0
56	MG	17	104	1/1	0.92	0.09	55,55,55,55	0
56	MG	2a	1666	1/1	0.92	0.14	72,72,72,72	0
56	MG	1a	1736	1/1	0.92	0.09	70,70,70,70	0
56	MG	1A	3248	1/1	0.92	0.21	60,60,60,60	0
56	MG	2A	3807	1/1	0.92	0.09	59,59,59,59	0
56	MG	1x	114	1/1	0.92	0.11	68,68,68,68	0
56	MG	1A	3212	1/1	0.92	0.27	49,49,49,49	0
56	MG	1A	4028	1/1	0.92	0.28	38,38,38,38	0
56	MG	1A	3424	1/1	0.92	0.13	59,59,59,59	0
56	MG	1A	3901	1/1	0.92	0.06	54,54,54,54	0
56	MG	2A	3572	1/1	0.92	0.25	65,65,65,65	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3186	1/1	0.92	0.13	43,43,43,43	0
56	MG	1B	213	1/1	0.92	0.08	37,37,37,37	0
56	MG	1A	3630	1/1	0.92	0.09	68,68,68,68	0
56	MG	1A	3124	1/1	0.92	0.17	41,41,41,41	0
56	MG	2A	3582	1/1	0.92	0.22	67,67,67,67	0
56	MG	1A	3638	1/1	0.92	0.12	26,26,26,26	0
56	MG	2A	3585	1/1	0.92	0.09	52,52,52,52	0
56	MG	1A	3917	1/1	0.92	0.14	53,53,53,53	0
56	MG	1A	3185	1/1	0.92	0.10	35,35,35,35	0
56	MG	1A	3509	1/1	0.92	0.14	46,46,46,46	0
56	MG	2A	3198	1/1	0.92	0.12	60,60,60,60	0
56	MG	2a	1693	1/1	0.92	0.21	68,68,68,68	0
56	MG	2A	3203	1/1	0.92	0.17	66,66,66,66	0
56	MG	2A	3595	1/1	0.92	0.10	58,58,58,58	0
56	MG	1A	4041	1/1	0.92	0.12	50,50,50,50	0
56	MG	2A	3032	1/1	0.92	0.09	51,51,51,51	0
56	MG	2A	3598	1/1	0.92	0.21	75,75,75,75	0
56	MG	1A	3143	1/1	0.92	0.24	39,39,39,39	0
56	MG	1A	3382	1/1	0.92	0.18	53,53,53,53	0
56	MG	2A	3840	1/1	0.92	0.15	60,60,60,60	0
56	MG	2A	3841	1/1	0.92	0.15	49,49,49,49	0
56	MG	1a	1780	1/1	0.92	0.12	60,60,60,60	0
56	MG	2A	3040	1/1	0.92	0.13	61,61,61,61	0
56	MG	1A	3222	1/1	0.92	0.17	56,56,56,56	0
56	MG	1a	1782	1/1	0.92	0.17	70,70,70,70	0
56	MG	2A	3214	1/1	0.92	0.16	61,61,61,61	0
56	MG	2A	3045	1/1	0.92	0.15	67,67,67,67	0
56	MG	1a	1783	1/1	0.92	0.22	68,68,68,68	0
56	MG	1A	3654	1/1	0.92	0.09	14,14,14,14	0
56	MG	2A	3853	1/1	0.92	0.12	52,52,52,52	0
56	MG	1A	3519	1/1	0.92	0.10	38,38,38,38	0
56	MG	1A	3263	1/1	0.92	0.20	56,56,56,56	0
56	MG	2A	3360	1/1	0.92	0.19	40,40,40,40	0
56	MG	1A	3793	1/1	0.92	0.07	43,43,43,43	0
56	MG	2A	3622	1/1	0.92	0.09	65,65,65,65	0
56	MG	2A	3222	1/1	0.92	0.17	62,62,62,62	0
56	MG	1D	312	1/1	0.92	0.09	56,56,56,56	0
56	MG	2a	1725	1/1	0.92	0.14	90,90,90,90	0
56	MG	2A	3054	1/1	0.92	0.08	50,50,50,50	0
56	MG	2a	1727	1/1	0.92	0.08	66,66,66,66	0
56	MG	2A	3367	1/1	0.92	0.25	63,63,63,63	0
56	MG	1A	3440	1/1	0.92	0.10	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1732	1/1	0.92	0.21	75,75,75,75	0
56	MG	1A	3534	1/1	0.92	0.08	36,36,36,36	0
56	MG	1E	306	1/1	0.92	0.11	61,61,61,61	0
56	MG	1a	1644	1/1	0.92	0.15	54,54,54,54	0
56	MG	1A	3442	1/1	0.92	0.26	42,42,42,42	0
56	MG	1A	3675	1/1	0.92	0.10	39,39,39,39	0
56	MG	1A	3390	1/1	0.92	0.10	66,66,66,66	0
56	MG	2a	1750	1/1	0.92	0.10	67,67,67,67	0
56	MG	2A	3076	1/1	0.92	0.10	55,55,55,55	0
56	MG	1A	3446	1/1	0.92	0.12	55,55,55,55	0
56	MG	2a	1753	1/1	0.92	0.26	62,62,62,62	0
56	MG	1A	3686	1/1	0.92	0.13	74,74,74,74	0
56	MG	1A	3267	1/1	0.92	0.13	53,53,53,53	0
56	MG	1A	3226	1/1	0.92	0.14	62,62,62,62	0
56	MG	2A	3655	1/1	0.92	0.10	61,61,61,61	0
56	MG	2A	3885	1/1	0.92	0.13	65,65,65,65	0
56	MG	2a	1763	1/1	0.92	0.23	62,62,62,62	0
56	MG	2A	3084	1/1	0.92	0.37	57,57,57,57	0
56	MG	2A	3240	1/1	0.92	0.08	50,50,50,50	0
56	MG	2A	3658	1/1	0.92	0.18	63,63,63,63	0
56	MG	2A	3392	1/1	0.92	0.21	66,66,66,66	0
56	MG	2a	1768	1/1	0.92	0.13	67,67,67,67	0
56	MG	1A	3561	1/1	0.92	0.13	23,23,23,23	0
56	MG	1A	4079	1/1	0.92	0.13	57,57,57,57	0
56	MG	2A	3400	1/1	0.92	0.36	48,48,48,48	0
56	MG	2A	3402	1/1	0.92	0.08	62,62,62,62	0
56	MG	1A	3452	1/1	0.92	0.09	60,60,60,60	0
56	MG	2a	1779	1/1	0.92	0.20	64,64,64,64	0
56	MG	1A	3344	1/1	0.92	0.15	54,54,54,54	0
56	MG	1a	1820	1/1	0.92	0.17	73,73,73,73	0
56	MG	2A	3670	1/1	0.92	0.09	39,39,39,39	0
56	MG	1a	1662	1/1	0.92	0.24	55,55,55,55	0
56	MG	1A	3708	1/1	0.92	0.09	48,48,48,48	0
56	MG	2A	3414	1/1	0.92	0.22	49,49,49,49	0
56	MG	1A	3718	1/1	0.92	0.08	32,32,32,32	0
56	MG	2a	1788	1/1	0.92	0.28	65,65,65,65	0
56	MG	2A	3419	1/1	0.92	0.16	65,65,65,65	0
56	MG	2D	305	1/1	0.92	0.23	42,42,42,42	0
56	MG	1A	4086	1/1	0.92	0.24	48,48,48,48	0
56	MG	1A	3304	1/1	0.92	0.18	35,35,35,35	0
56	MG	1A	3721	1/1	0.92	0.09	32,32,32,32	0
56	MG	1A	3204	1/1	0.92	0.19	37,37,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3428	1/1	0.92	0.23	51,51,51,51	0
56	MG	2A	3107	1/1	0.92	0.23	51,51,51,51	0
56	MG	2E	305	1/1	0.92	0.14	60,60,60,60	0
56	MG	1a	1670	1/1	0.92	0.09	57,57,57,57	0
56	MG	2A	3697	1/1	0.92	0.09	64,64,64,64	0
56	MG	2F	303	1/1	0.92	0.09	64,64,64,64	0
56	MG	2A	3699	1/1	0.92	0.07	77,77,77,77	0
56	MG	2A	3436	1/1	0.92	0.11	68,68,68,68	0
56	MG	2A	3437	1/1	0.92	0.17	58,58,58,58	0
56	MG	2A	3112	1/1	0.92	0.17	50,50,50,50	0
56	MG	2A	3114	1/1	0.92	0.14	55,55,55,55	0
56	MG	2O	202	1/1	0.92	0.13	68,68,68,68	0
56	MG	2P	201	1/1	0.92	0.14	50,50,50,50	0
56	MG	1A	3404	1/1	0.92	0.08	51,51,51,51	0
56	MG	2A	3446	1/1	0.92	0.09	46,46,46,46	0
56	MG	1S	202	1/1	0.92	0.17	48,48,48,48	0
56	MG	1A	3274	1/1	0.92	0.17	55,55,55,55	0
56	MG	2Y	201	1/1	0.92	0.17	55,55,55,55	0
56	MG	1A	3312	1/1	0.92	0.17	39,39,39,39	0
56	MG	2A	3267	1/1	0.92	0.20	60,60,60,60	0
56	MG	1a	1677	1/1	0.92	0.20	46,46,46,46	0
56	MG	2A	3127	1/1	0.92	0.12	45,45,45,45	0
56	MG	2I	101	1/1	0.92	0.40	56,56,56,56	0
56	MG	25	101	1/1	0.92	0.28	55,55,55,55	0
56	MG	1A	3315	1/1	0.92	0.08	54,54,54,54	0
56	MG	2A	3473	1/1	0.92	0.13	71,71,71,71	0
56	MG	1A	3478	1/1	0.92	0.13	37,37,37,37	0
56	MG	1b	301	1/1	0.92	0.09	84,84,84,84	0
56	MG	1A	3039	1/1	0.92	0.11	35,35,35,35	0
56	MG	1A	3994	1/1	0.92	0.21	46,46,46,46	0
56	MG	2A	3723	1/1	0.92	0.10	47,47,47,47	0
56	MG	1f	201	1/1	0.92	0.14	52,52,52,52	0
56	MG	2a	1840	1/1	0.92	0.11	73,73,73,73	0
56	MG	1A	3482	1/1	0.92	0.25	38,38,38,38	0
56	MG	1A	3873	1/1	0.92	0.09	57,57,57,57	0
56	MG	1m	3001	1/1	0.92	0.07	63,63,63,63	0
56	MG	1A	4116	1/1	0.92	0.12	51,51,51,51	0
56	MG	1A	3413	1/1	0.92	0.06	44,44,44,44	0
56	MG	2A	3737	1/1	0.92	0.09	37,37,37,37	0
56	MG	2I	201	1/1	0.92	0.11	77,77,77,77	0
56	MG	1a	1696	1/1	0.92	0.09	71,71,71,71	0
56	MG	2A	3501	1/1	0.92	0.11	67,67,67,67	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3286	1/1	0.92	0.09	55,55,55,55	0
56	MG	2A	3747	1/1	0.92	0.13	68,68,68,68	0
56	MG	1A	3229	1/1	0.92	0.14	49,49,49,49	0
56	MG	2t	201	1/1	0.92	0.14	56,56,56,56	0
56	MG	2A	3752	1/1	0.92	0.14	48,48,48,48	0
56	MG	1a	1698	1/1	0.92	0.07	52,52,52,52	0
56	MG	1A	4002	1/1	0.92	0.08	31,31,31,31	0
56	MG	1A	3615	1/1	0.92	0.11	53,53,53,53	0
56	MG	10	103	1/1	0.92	0.09	53,53,53,53	0
56	MG	2A	3156	1/1	0.92	0.17	59,59,59,59	0
56	MG	2A	3516	1/1	0.92	0.11	59,59,59,59	0
56	MG	1A	3744	1/1	0.92	0.11	45,45,45,45	0
56	MG	2A	3765	1/1	0.92	0.07	38,38,38,38	0
56	MG	2A	3768	1/1	0.92	0.08	46,46,46,46	0
56	MG	2a	1628	1/1	0.92	0.14	63,63,63,63	0
56	MG	2a	1629	1/1	0.92	0.16	75,75,75,75	0
56	MG	1A	3488	1/1	0.92	0.14	53,53,53,53	0
56	MG	1A	3753	1/1	0.92	0.12	34,34,34,34	0
56	MG	2A	3298	1/1	0.92	0.08	55,55,55,55	0
56	MG	2a	1633	1/1	0.92	0.47	67,67,67,67	0
56	MG	2A	3163	1/1	0.92	0.36	67,67,67,67	0
56	MG	2A	3165	1/1	0.92	0.35	68,68,68,68	0
56	MG	1a	1720	1/1	0.92	0.14	46,46,46,46	0
56	MG	2A	3528	1/1	0.92	0.09	55,55,55,55	0
56	MG	2A	3303	1/1	0.92	0.23	60,60,60,60	0
56	MG	1A	3363	1/1	0.92	0.14	54,54,54,54	0
60	K	2A	3393	1/1	0.92	0.10	67,67,67,67	0
56	MG	1a	1824	1/1	0.93	0.16	63,63,63,63	0
56	MG	1A	3906	1/1	0.93	0.11	28,28,28,28	0
56	MG	1A	3589	1/1	0.93	0.10	21,21,21,21	0
56	MG	2A	3383	1/1	0.93	0.20	57,57,57,57	0
56	MG	18	104	1/1	0.93	0.19	36,36,36,36	0
56	MG	1A	3305	1/1	0.93	0.17	46,46,46,46	0
56	MG	1A	3365	1/1	0.93	0.10	49,49,49,49	0
56	MG	1A	3307	1/1	0.93	0.16	56,56,56,56	0
56	MG	1A	3749	1/1	0.93	0.14	62,62,62,62	0
56	MG	2A	3391	1/1	0.93	0.21	57,57,57,57	0
56	MG	1A	4092	1/1	0.93	0.11	45,45,45,45	0
56	MG	1A	3309	1/1	0.93	0.25	40,40,40,40	0
56	MG	2A	3396	1/1	0.93	0.17	55,55,55,55	0
56	MG	1a	1610	1/1	0.93	0.19	70,70,70,70	0
56	MG	2A	3398	1/1	0.93	0.26	60,60,60,60	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3162	1/1	0.93	0.09	42,42,42,42	0
56	MG	2A	3401	1/1	0.93	0.17	65,65,65,65	0
56	MG	2A	3722	1/1	0.93	0.11	67,67,67,67	0
56	MG	1A	3086	1/1	0.93	0.18	35,35,35,35	0
56	MG	2A	3404	1/1	0.93	0.20	72,72,72,72	0
56	MG	2a	1637	1/1	0.93	0.12	61,61,61,61	0
56	MG	1a	1616	1/1	0.93	0.07	60,60,60,60	0
56	MG	2A	3407	1/1	0.93	0.20	59,59,59,59	0
56	MG	1A	3088	1/1	0.93	0.08	25,25,25,25	0
56	MG	1A	3314	1/1	0.93	0.26	41,41,41,41	0
56	MG	2A	3735	1/1	0.93	0.09	54,54,54,54	0
56	MG	2a	1643	1/1	0.93	0.08	58,58,58,58	0
56	MG	2A	3197	1/1	0.93	0.11	59,59,59,59	0
56	MG	1a	1623	1/1	0.93	0.19	51,51,51,51	0
56	MG	2a	1646	1/1	0.93	0.14	82,82,82,82	0
56	MG	2a	1648	1/1	0.93	0.09	70,70,70,70	0
56	MG	2A	3413	1/1	0.93	0.12	60,60,60,60	0
56	MG	1A	3762	1/1	0.93	0.10	32,32,32,32	0
56	MG	2a	1651	1/1	0.93	0.09	72,72,72,72	0
56	MG	1A	4103	1/1	0.93	0.06	42,42,42,42	0
56	MG	1A	4106	1/1	0.93	0.11	61,61,61,61	0
56	MG	1n	101	1/1	0.93	0.21	53,53,53,53	0
56	MG	1A	4107	1/1	0.93	0.07	63,63,63,63	0
56	MG	1a	1628	1/1	0.93	0.20	51,51,51,51	0
56	MG	1A	4108	1/1	0.93	0.14	34,34,34,34	0
56	MG	1A	3174	1/1	0.93	0.09	34,34,34,34	0
56	MG	1a	1633	1/1	0.93	0.32	67,67,67,67	0
56	MG	2a	1661	1/1	0.93	0.18	61,61,61,61	0
56	MG	2a	1662	1/1	0.93	0.16	59,59,59,59	0
56	MG	2A	3431	1/1	0.93	0.20	57,57,57,57	0
56	MG	1A	4111	1/1	0.93	0.08	24,24,24,24	0
56	MG	1A	3316	1/1	0.93	0.06	41,41,41,41	0
56	MG	1a	1637	1/1	0.93	0.20	43,43,43,43	0
56	MG	2A	3766	1/1	0.93	0.07	47,47,47,47	0
56	MG	2A	3438	1/1	0.93	0.16	58,58,58,58	0
56	MG	2A	3770	1/1	0.93	0.08	61,61,61,61	0
56	MG	2a	1672	1/1	0.93	0.15	64,64,64,64	0
56	MG	1A	3318	1/1	0.93	0.18	46,46,46,46	0
56	MG	1a	1639	1/1	0.93	0.11	58,58,58,58	0
56	MG	2A	3219	1/1	0.93	0.09	50,50,50,50	0
56	MG	1A	3938	1/1	0.93	0.08	50,50,50,50	0
56	MG	2A	3777	1/1	0.93	0.06	63,63,63,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4117	1/1	0.93	0.11	47,47,47,47	0
56	MG	1A	3944	1/1	0.93	0.09	43,43,43,43	0
56	MG	1A	3945	1/1	0.93	0.05	35,35,35,35	0
56	MG	2A	3783	1/1	0.93	0.19	56,56,56,56	0
56	MG	1A	4122	1/1	0.93	0.11	47,47,47,47	0
56	MG	2A	3457	1/1	0.93	0.11	47,47,47,47	0
56	MG	2A	3461	1/1	0.93	0.10	31,31,31,31	0
56	MG	1A	3767	1/1	0.93	0.14	28,28,28,28	0
56	MG	1A	3768	1/1	0.93	0.07	35,35,35,35	0
56	MG	1A	3217	1/1	0.93	0.08	48,48,48,48	0
56	MG	1A	3218	1/1	0.93	0.10	30,30,30,30	0
56	MG	2A	3474	1/1	0.93	0.09	43,43,43,43	0
56	MG	1A	3070	1/1	0.93	0.16	43,43,43,43	0
56	MG	1A	4132	1/1	0.93	0.07	38,38,38,38	0
56	MG	2A	3481	1/1	0.93	0.08	60,60,60,60	0
56	MG	1A	3772	1/1	0.93	0.25	31,31,31,31	0
56	MG	1A	3324	1/1	0.93	0.08	60,60,60,60	0
56	MG	1A	3396	1/1	0.93	0.20	50,50,50,50	0
56	MG	2a	1700	1/1	0.93	0.28	72,72,72,72	0
56	MG	1A	3962	1/1	0.93	0.10	11,11,11,11	0
56	MG	1A	3398	1/1	0.93	0.24	40,40,40,40	0
56	MG	2A	3012	1/1	0.93	0.13	42,42,42,42	0
56	MG	1A	3779	1/1	0.93	0.24	52,52,52,52	0
56	MG	1A	3033	1/1	0.93	0.21	27,27,27,27	0
56	MG	1B	206	1/1	0.93	0.13	49,49,49,49	0
56	MG	1A	3487	1/1	0.93	0.25	57,57,57,57	0
56	MG	1A	3631	1/1	0.93	0.09	52,52,52,52	0
56	MG	2A	3816	1/1	0.93	0.08	52,52,52,52	0
56	MG	1A	3976	1/1	0.93	0.09	45,45,45,45	0
56	MG	2A	3246	1/1	0.93	0.23	68,68,68,68	0
56	MG	1A	3098	1/1	0.93	0.11	35,35,35,35	0
56	MG	2A	3028	1/1	0.93	0.17	49,49,49,49	0
56	MG	2A	3029	1/1	0.93	0.12	52,52,52,52	0
56	MG	1A	3791	1/1	0.93	0.08	25,25,25,25	0
56	MG	1A	3982	1/1	0.93	0.12	40,40,40,40	0
56	MG	1A	3330	1/1	0.93	0.10	48,48,48,48	0
56	MG	2A	3519	1/1	0.93	0.10	38,38,38,38	0
56	MG	2A	3036	1/1	0.93	0.14	57,57,57,57	0
56	MG	2A	3255	1/1	0.93	0.27	62,62,62,62	0
56	MG	2A	3038	1/1	0.93	0.11	57,57,57,57	0
56	MG	1A	3987	1/1	0.93	0.15	57,57,57,57	0
56	MG	1B	222	1/1	0.93	0.06	38,38,38,38	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3831	1/1	0.93	0.21	57,57,57,57	0
56	MG	1A	3106	1/1	0.93	0.36	32,32,32,32	0
56	MG	2A	3043	1/1	0.93	0.23	64,64,64,64	0
56	MG	1a	1680	1/1	0.93	0.41	56,56,56,56	0
56	MG	1A	3278	1/1	0.93	0.24	52,52,52,52	0
56	MG	2A	3838	1/1	0.93	0.09	60,60,60,60	0
56	MG	1A	3799	1/1	0.93	0.09	42,42,42,42	0
56	MG	1A	3801	1/1	0.93	0.15	34,34,34,34	0
56	MG	2a	1743	1/1	0.93	0.12	58,58,58,58	0
56	MG	2a	1749	1/1	0.93	0.07	77,77,77,77	0
56	MG	1A	3492	1/1	0.93	0.33	42,42,42,42	0
56	MG	1A	3646	1/1	0.93	0.08	52,52,52,52	0
56	MG	1A	3110	1/1	0.93	0.12	77,77,77,77	0
56	MG	1a	1692	1/1	0.93	0.08	43,43,43,43	0
56	MG	2A	3545	1/1	0.93	0.06	40,40,40,40	0
56	MG	1A	3996	1/1	0.93	0.09	60,60,60,60	0
56	MG	2A	3548	1/1	0.93	0.14	55,55,55,55	0
56	MG	2A	3849	1/1	0.93	0.14	44,44,44,44	0
56	MG	2A	3056	1/1	0.93	0.14	74,74,74,74	0
56	MG	1D	307	1/1	0.93	0.13	45,45,45,45	0
56	MG	1A	3283	1/1	0.93	0.14	36,36,36,36	0
56	MG	1A	3080	1/1	0.93	0.09	39,39,39,39	0
56	MG	1A	3655	1/1	0.93	0.14	47,47,47,47	0
56	MG	2A	3063	1/1	0.93	0.12	63,63,63,63	0
56	MG	2A	3564	1/1	0.93	0.08	64,64,64,64	0
56	MG	2A	3858	1/1	0.93	0.08	64,64,64,64	0
56	MG	2a	1770	1/1	0.93	0.21	71,71,71,71	0
56	MG	1A	4001	1/1	0.93	0.07	33,33,33,33	0
56	MG	2A	3566	1/1	0.93	0.09	49,49,49,49	0
56	MG	2A	3070	1/1	0.93	0.08	48,48,48,48	0
56	MG	1A	3657	1/1	0.93	0.11	17,17,17,17	0
56	MG	1a	1708	1/1	0.93	0.10	57,57,57,57	0
56	MG	2A	3284	1/1	0.93	0.19	66,66,66,66	0
56	MG	2A	3075	1/1	0.93	0.13	53,53,53,53	0
56	MG	2a	1782	1/1	0.93	0.28	59,59,59,59	0
56	MG	1A	3817	1/1	0.93	0.12	67,67,67,67	0
56	MG	2A	3289	1/1	0.93	0.08	57,57,57,57	0
56	MG	1A	3497	1/1	0.93	0.13	39,39,39,39	0
56	MG	2A	3872	1/1	0.93	0.15	63,63,63,63	0
56	MG	1F	302	1/1	0.93	0.26	33,33,33,33	0
56	MG	1a	1719	1/1	0.93	0.11	67,67,67,67	0
56	MG	1A	3337	1/1	0.93	0.24	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1790	1/1	0.93	0.07	65,65,65,65	0
56	MG	2A	3082	1/1	0.93	0.07	49,49,49,49	0
56	MG	2A	3083	1/1	0.93	0.10	44,44,44,44	0
56	MG	1A	3338	1/1	0.93	0.16	66,66,66,66	0
56	MG	1A	3416	1/1	0.93	0.07	42,42,42,42	0
56	MG	1A	3287	1/1	0.93	0.23	60,60,60,60	0
56	MG	1a	1726	1/1	0.93	0.08	59,59,59,59	0
56	MG	2a	1798	1/1	0.93	0.19	64,64,64,64	0
56	MG	1A	3029	1/1	0.93	0.20	36,36,36,36	0
56	MG	1A	3844	1/1	0.93	0.07	48,48,48,48	0
56	MG	2a	1802	1/1	0.93	0.18	71,71,71,71	0
56	MG	1A	3515	1/1	0.93	0.15	55,55,55,55	0
56	MG	2B	204	1/1	0.93	0.14	77,77,77,77	0
56	MG	2a	1805	1/1	0.93	0.24	72,72,72,72	0
56	MG	1A	3240	1/1	0.93	0.26	34,34,34,34	0
56	MG	1A	3193	1/1	0.93	0.14	28,28,28,28	0
56	MG	1A	3422	1/1	0.93	0.17	39,39,39,39	0
56	MG	1N	201	1/1	0.93	0.10	55,55,55,55	0
56	MG	1A	3857	1/1	0.93	0.07	24,24,24,24	0
56	MG	1O	203	1/1	0.93	0.26	66,66,66,66	0
56	MG	2A	3104	1/1	0.93	0.18	41,41,41,41	0
56	MG	2A	3105	1/1	0.93	0.11	48,48,48,48	0
56	MG	2A	3313	1/1	0.93	0.17	57,57,57,57	0
56	MG	1a	1743	1/1	0.93	0.10	56,56,56,56	0
56	MG	1A	3860	1/1	0.93	0.10	55,55,55,55	0
56	MG	1A	3689	1/1	0.93	0.10	48,48,48,48	0
56	MG	1O	206	1/1	0.93	0.11	50,50,50,50	0
56	MG	1A	3246	1/1	0.93	0.14	53,53,53,53	0
56	MG	1A	3533	1/1	0.93	0.11	39,39,39,39	0
56	MG	1A	3297	1/1	0.93	0.10	40,40,40,40	0
56	MG	2a	1825	1/1	0.93	0.13	53,53,53,53	0
56	MG	2A	3121	1/1	0.93	0.23	52,52,52,52	0
56	MG	2A	3123	1/1	0.93	0.19	52,52,52,52	0
56	MG	1R	203	1/1	0.93	0.09	44,44,44,44	0
56	MG	1A	3535	1/1	0.93	0.12	52,52,52,52	0
56	MG	1A	3350	1/1	0.93	0.08	38,38,38,38	0
56	MG	2a	1832	1/1	0.93	0.36	50,50,50,50	0
56	MG	1A	4042	1/1	0.93	0.09	53,53,53,53	0
56	MG	1A	3876	1/1	0.93	0.07	62,62,62,62	0
56	MG	2A	3331	1/1	0.93	0.11	59,59,59,59	0
56	MG	2F	302	1/1	0.93	0.07	61,61,61,61	0
56	MG	1A	3712	1/1	0.93	0.11	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3715	1/1	0.93	0.07	39,39,39,39	0
56	MG	1A	4055	1/1	0.93	0.16	52,52,52,52	0
56	MG	1V	202	1/1	0.93	0.33	42,42,42,42	0
56	MG	1A	3430	1/1	0.93	0.07	47,47,47,47	0
56	MG	1A	3541	1/1	0.93	0.08	40,40,40,40	0
56	MG	2A	3339	1/1	0.93	0.10	76,76,76,76	0
56	MG	1A	4058	1/1	0.93	0.15	44,44,44,44	0
56	MG	1W	201	1/1	0.93	0.13	40,40,40,40	0
56	MG	2A	3342	1/1	0.93	0.27	67,67,67,67	0
56	MG	2I	202	1/1	0.93	0.10	70,70,70,70	0
56	MG	2V	202	1/1	0.93	0.12	59,59,59,59	0
56	MG	1W	202	1/1	0.93	0.13	39,39,39,39	0
56	MG	2X	101	1/1	0.93	0.14	72,72,72,72	0
56	MG	2q	201	1/1	0.93	0.07	86,86,86,86	0
56	MG	1A	3155	1/1	0.93	0.12	62,62,62,62	0
56	MG	2A	3345	1/1	0.93	0.16	78,78,78,78	0
56	MG	1A	3884	1/1	0.93	0.09	30,30,30,30	0
56	MG	2A	3663	1/1	0.93	0.13	51,51,51,51	0
56	MG	1a	1797	1/1	0.93	0.09	43,43,43,43	0
56	MG	2A	3348	1/1	0.93	0.17	65,65,65,65	0
56	MG	1A	3249	1/1	0.93	0.23	51,51,51,51	0
56	MG	1A	3355	1/1	0.93	0.08	41,41,41,41	0
56	MG	1Z	302	1/1	0.93	0.09	64,64,64,64	0
56	MG	1A	3198	1/1	0.93	0.09	60,60,60,60	0
56	MG	1A	3563	1/1	0.93	0.05	22,22,22,22	0
56	MG	2A	3357	1/1	0.93	0.23	42,42,42,42	0
56	MG	27	104	1/1	0.93	0.10	50,50,50,50	0
56	MG	2x	102	1/1	0.93	0.17	62,62,62,62	0
56	MG	1A	3890	1/1	0.93	0.10	55,55,55,55	0
56	MG	1A	3891	1/1	0.93	0.10	48,48,48,48	0
56	MG	1a	1808	1/1	0.93	0.08	65,65,65,65	0
56	MG	1A	3574	1/1	0.93	0.14	48,48,48,48	0
56	MG	1A	3575	1/1	0.93	0.08	46,46,46,46	0
56	MG	1A	3156	1/1	0.93	0.12	40,40,40,40	0
56	MG	1A	3900	1/1	0.93	0.09	75,75,75,75	0
56	MG	1a	1818	1/1	0.93	0.08	53,53,53,53	0
56	MG	1A	3438	1/1	0.93	0.06	62,62,62,62	0
56	MG	15	103	1/1	0.93	0.14	44,44,44,44	0
56	MG	1A	3064	1/1	0.93	0.20	39,39,39,39	0
56	MG	16	101	1/1	0.93	0.12	44,44,44,44	0
56	MG	1A	3904	1/1	0.93	0.07	22,22,22,22	0
56	MG	1Q	203	1/1	0.94	0.08	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3545	1/1	0.94	0.08	61,61,61,61	0
56	MG	1Q	206	1/1	0.94	0.08	35,35,35,35	0
56	MG	2A	3037	1/1	0.94	0.14	75,75,75,75	0
56	MG	1a	1705	1/1	0.94	0.10	62,62,62,62	0
56	MG	1A	4075	1/1	0.94	0.09	53,53,53,53	0
56	MG	1A	3668	1/1	0.94	0.09	17,17,17,17	0
56	MG	1A	3454	1/1	0.94	0.39	36,36,36,36	0
56	MG	2A	3730	1/1	0.94	0.14	57,57,57,57	0
56	MG	1A	3457	1/1	0.94	0.25	31,31,31,31	0
56	MG	1A	3940	1/1	0.94	0.13	27,27,27,27	0
56	MG	2a	1636	1/1	0.94	0.19	55,55,55,55	0
56	MG	1A	3676	1/1	0.94	0.08	56,56,56,56	0
56	MG	1A	3552	1/1	0.94	0.13	46,46,46,46	0
56	MG	2A	3449	1/1	0.94	0.12	58,58,58,58	0
56	MG	1A	3554	1/1	0.94	0.07	29,29,29,29	0
56	MG	2A	3451	1/1	0.94	0.09	29,29,29,29	0
56	MG	2A	3746	1/1	0.94	0.08	66,66,66,66	0
56	MG	1U	206	1/1	0.94	0.23	32,32,32,32	0
56	MG	2A	3454	1/1	0.94	0.14	57,57,57,57	0
56	MG	1A	3136	1/1	0.94	0.12	32,32,32,32	0
56	MG	2A	3755	1/1	0.94	0.07	60,60,60,60	0
56	MG	1a	1727	1/1	0.94	0.07	60,60,60,60	0
56	MG	1A	3306	1/1	0.94	0.23	48,48,48,48	0
56	MG	1A	3468	1/1	0.94	0.18	39,39,39,39	0
56	MG	2A	3055	1/1	0.94	0.16	54,54,54,54	0
56	MG	2A	3761	1/1	0.94	0.08	56,56,56,56	0
56	MG	1A	3951	1/1	0.94	0.12	59,59,59,59	0
56	MG	1A	3952	1/1	0.94	0.14	43,43,43,43	0
56	MG	1V	207	1/1	0.94	0.10	65,65,65,65	0
56	MG	2A	3256	1/1	0.94	0.25	58,58,58,58	0
56	MG	1A	3568	1/1	0.94	0.07	21,21,21,21	0
56	MG	1A	3094	1/1	0.94	0.11	29,29,29,29	0
56	MG	1W	206	1/1	0.94	0.16	25,25,25,25	0
56	MG	2A	3065	1/1	0.94	0.11	60,60,60,60	0
56	MG	1A	4095	1/1	0.94	0.07	67,67,67,67	0
56	MG	2A	3489	1/1	0.94	0.16	53,53,53,53	0
56	MG	2A	3069	1/1	0.94	0.12	46,46,46,46	0
56	MG	2A	3491	1/1	0.94	0.07	38,38,38,38	0
56	MG	1A	3814	1/1	0.94	0.14	34,34,34,34	0
56	MG	1a	1756	1/1	0.94	0.12	75,75,75,75	0
56	MG	2A	3781	1/1	0.94	0.11	67,67,67,67	0
56	MG	2A	3073	1/1	0.94	0.11	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3495	1/1	0.94	0.06	36,36,36,36	0
56	MG	2A	3784	1/1	0.94	0.16	39,39,39,39	0
56	MG	2A	3496	1/1	0.94	0.10	43,43,43,43	0
56	MG	1A	3959	1/1	0.94	0.12	52,52,52,52	0
56	MG	1Y	204	1/1	0.94	0.18	48,48,48,48	0
56	MG	1a	1761	1/1	0.94	0.07	51,51,51,51	0
56	MG	1a	1764	1/1	0.94	0.07	60,60,60,60	0
56	MG	1a	1765	1/1	0.94	0.18	58,58,58,58	0
56	MG	1A	3703	1/1	0.94	0.48	30,30,30,30	0
56	MG	1A	3308	1/1	0.94	0.09	48,48,48,48	0
56	MG	10	101	1/1	0.94	0.15	47,47,47,47	0
56	MG	1A	3820	1/1	0.94	0.07	61,61,61,61	0
56	MG	2a	1686	1/1	0.94	0.15	50,50,50,50	0
56	MG	1A	3473	1/1	0.94	0.16	38,38,38,38	0
56	MG	2A	3277	1/1	0.94	0.13	56,56,56,56	0
56	MG	1A	3825	1/1	0.94	0.06	43,43,43,43	0
56	MG	1a	1775	1/1	0.94	0.06	64,64,64,64	0
56	MG	1A	3069	1/1	0.94	0.20	29,29,29,29	0
56	MG	1A	3828	1/1	0.94	0.10	45,45,45,45	0
56	MG	1A	4110	1/1	0.94	0.12	60,60,60,60	0
56	MG	1A	3349	1/1	0.94	0.11	43,43,43,43	0
56	MG	2A	3285	1/1	0.94	0.24	65,65,65,65	0
56	MG	1A	3044	1/1	0.94	0.06	30,30,30,30	0
56	MG	2A	3812	1/1	0.94	0.07	63,63,63,63	0
56	MG	1A	3717	1/1	0.94	0.04	27,27,27,27	0
56	MG	1A	3979	1/1	0.94	0.09	31,31,31,31	0
56	MG	2A	3531	1/1	0.94	0.09	30,30,30,30	0
56	MG	2a	1702	1/1	0.94	0.20	62,62,62,62	0
56	MG	2A	3099	1/1	0.94	0.15	46,46,46,46	0
56	MG	1a	1786	1/1	0.94	0.14	57,57,57,57	0
56	MG	2A	3534	1/1	0.94	0.10	47,47,47,47	0
56	MG	2A	3101	1/1	0.94	0.32	65,65,65,65	0
56	MG	1A	3351	1/1	0.94	0.16	56,56,56,56	0
56	MG	1A	3352	1/1	0.94	0.19	55,55,55,55	0
56	MG	2a	1709	1/1	0.94	0.21	63,63,63,63	0
56	MG	16	102	1/1	0.94	0.07	54,54,54,54	0
56	MG	1A	3224	1/1	0.94	0.12	42,42,42,42	0
56	MG	1A	3597	1/1	0.94	0.06	20,20,20,20	0
56	MG	1A	3724	1/1	0.94	0.18	44,44,44,44	0
56	MG	1a	1795	1/1	0.94	0.07	79,79,79,79	0
56	MG	2A	3113	1/1	0.94	0.19	70,70,70,70	0
56	MG	1A	3104	1/1	0.94	0.12	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3115	1/1	0.94	0.09	52,52,52,52	0
56	MG	2A	3555	1/1	0.94	0.06	30,30,30,30	0
56	MG	1A	3486	1/1	0.94	0.12	33,33,33,33	0
56	MG	1A	3859	1/1	0.94	0.07	48,48,48,48	0
56	MG	19	101	1/1	0.94	0.07	41,41,41,41	0
56	MG	1A	3732	1/1	0.94	0.08	58,58,58,58	0
56	MG	2A	3122	1/1	0.94	0.17	45,45,45,45	0
56	MG	1A	3862	1/1	0.94	0.08	36,36,36,36	0
56	MG	1a	1804	1/1	0.94	0.12	62,62,62,62	0
56	MG	1A	3602	1/1	0.94	0.09	45,45,45,45	0
56	MG	1A	3016	1/1	0.94	0.21	44,44,44,44	0
56	MG	2A	3570	1/1	0.94	0.08	50,50,50,50	0
56	MG	1a	1608	1/1	0.94	0.09	55,55,55,55	0
56	MG	1A	3356	1/1	0.94	0.11	53,53,53,53	0
56	MG	2a	1737	1/1	0.94	0.10	74,74,74,74	0
56	MG	1A	3736	1/1	0.94	0.06	40,40,40,40	0
56	MG	2A	3576	1/1	0.94	0.13	71,71,71,71	0
56	MG	2A	3578	1/1	0.94	0.17	70,70,70,70	0
56	MG	1A	3109	1/1	0.94	0.12	50,50,50,50	0
56	MG	2a	1747	1/1	0.94	0.17	70,70,70,70	0
56	MG	2a	1748	1/1	0.94	0.07	78,78,78,78	0
56	MG	1A	3869	1/1	0.94	0.10	58,58,58,58	0
56	MG	1A	4004	1/1	0.94	0.08	57,57,57,57	0
56	MG	1B	204	1/1	0.94	0.20	60,60,60,60	0
56	MG	2A	3583	1/1	0.94	0.08	39,39,39,39	0
56	MG	1A	4006	1/1	0.94	0.23	55,55,55,55	0
56	MG	2a	1755	1/1	0.94	0.10	56,56,56,56	0
56	MG	2A	3144	1/1	0.94	0.14	66,66,66,66	0
56	MG	2A	3586	1/1	0.94	0.09	49,49,49,49	0
56	MG	1A	3871	1/1	0.94	0.07	63,63,63,63	0
56	MG	1B	208	1/1	0.94	0.22	71,71,71,71	0
56	MG	1A	3872	1/1	0.94	0.07	35,35,35,35	0
56	MG	2A	3148	1/1	0.94	0.14	70,70,70,70	0
56	MG	2A	3863	1/1	0.94	0.09	74,74,74,74	0
56	MG	2A	3593	1/1	0.94	0.17	33,33,33,33	0
56	MG	1A	3420	1/1	0.94	0.18	45,45,45,45	0
56	MG	1A	3874	1/1	0.94	0.07	69,69,69,69	0
56	MG	1B	215	1/1	0.94	0.12	61,61,61,61	0
56	MG	1A	3613	1/1	0.94	0.09	51,51,51,51	0
56	MG	1A	3024	1/1	0.94	0.12	39,39,39,39	0
56	MG	2A	3871	1/1	0.94	0.11	51,51,51,51	0
56	MG	1A	4016	1/1	0.94	0.10	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2a	1776	1/1	0.94	0.20	77,77,77,77	0
56	MG	1A	4017	1/1	0.94	0.08	44,44,44,44	0
56	MG	1a	1636	1/1	0.94	0.09	62,62,62,62	0
56	MG	1A	3234	1/1	0.94	0.09	31,31,31,31	0
56	MG	2A	3877	1/1	0.94	0.12	60,60,60,60	0
56	MG	2A	3605	1/1	0.94	0.11	69,69,69,69	0
56	MG	1A	4020	1/1	0.94	0.08	44,44,44,44	0
56	MG	1A	3493	1/1	0.94	0.17	31,31,31,31	0
56	MG	2A	3164	1/1	0.94	0.07	65,65,65,65	0
56	MG	1A	4022	1/1	0.94	0.10	45,45,45,45	0
56	MG	1B	226	1/1	0.94	0.10	51,51,51,51	0
56	MG	1A	3319	1/1	0.94	0.40	33,33,33,33	0
56	MG	1A	3882	1/1	0.94	0.10	26,26,26,26	0
56	MG	1B	230	1/1	0.94	0.06	39,39,39,39	0
56	MG	2A	3170	1/1	0.94	0.17	67,67,67,67	0
56	MG	1A	3188	1/1	0.94	0.26	65,65,65,65	0
56	MG	1A	3751	1/1	0.94	0.10	21,21,21,21	0
56	MG	2B	208	1/1	0.94	0.08	65,65,65,65	0
56	MG	2A	3623	1/1	0.94	0.08	36,36,36,36	0
56	MG	1a	1648	1/1	0.94	0.16	69,69,69,69	0
56	MG	2a	1796	1/1	0.94	0.12	69,69,69,69	0
56	MG	1A	3752	1/1	0.94	0.13	25,25,25,25	0
56	MG	1B	237	1/1	0.94	0.07	47,47,47,47	0
56	MG	1a	1651	1/1	0.94	0.13	57,57,57,57	0
56	MG	2A	3628	1/1	0.94	0.07	53,53,53,53	0
56	MG	2A	3630	1/1	0.94	0.14	44,44,44,44	0
56	MG	2B	216	1/1	0.94	0.12	66,66,66,66	0
56	MG	2A	3358	1/1	0.94	0.24	55,55,55,55	0
56	MG	1D	305	1/1	0.94	0.15	42,42,42,42	0
56	MG	1a	1654	1/1	0.94	0.23	58,58,58,58	0
56	MG	2A	3361	1/1	0.94	0.17	47,47,47,47	0
56	MG	1A	3368	1/1	0.94	0.18	45,45,45,45	0
56	MG	1A	3238	1/1	0.94	0.09	23,23,23,23	0
56	MG	2A	3640	1/1	0.94	0.10	52,52,52,52	0
56	MG	1A	3503	1/1	0.94	0.08	27,27,27,27	0
56	MG	1A	3190	1/1	0.94	0.10	38,38,38,38	0
56	MG	1A	3050	1/1	0.94	0.09	45,45,45,45	0
56	MG	2A	3649	1/1	0.94	0.14	68,68,68,68	0
56	MG	1a	1661	1/1	0.94	0.06	62,62,62,62	0
56	MG	2A	3369	1/1	0.94	0.35	62,62,62,62	0
56	MG	1E	301	1/1	0.94	0.12	49,49,49,49	0
56	MG	2A	3371	1/1	0.94	0.25	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3003	1/1	0.94	0.08	24,24,24,24	0
56	MG	1E	305	1/1	0.94	0.12	39,39,39,39	0
56	MG	2A	3191	1/1	0.94	0.28	55,55,55,55	0
56	MG	1A	3634	1/1	0.94	0.08	48,48,48,48	0
56	MG	1x	103	1/1	0.94	0.24	66,66,66,66	0
56	MG	1E	309	1/1	0.94	0.22	62,62,62,62	0
56	MG	1E	310	1/1	0.94	0.09	30,30,30,30	0
56	MG	2A	3196	1/1	0.94	0.14	60,60,60,60	0
56	MG	1A	3157	1/1	0.94	0.13	38,38,38,38	0
56	MG	2A	3385	1/1	0.94	0.24	53,53,53,53	0
56	MG	1A	4045	1/1	0.94	0.09	49,49,49,49	0
56	MG	2R	202	1/1	0.94	0.18	38,38,38,38	0
56	MG	2U	202	1/1	0.94	0.05	62,62,62,62	0
56	MG	2V	201	1/1	0.94	0.32	50,50,50,50	0
56	MG	2A	3387	1/1	0.94	0.08	61,61,61,61	0
56	MG	2a	1838	1/1	0.94	0.06	67,67,67,67	0
56	MG	2A	3199	1/1	0.94	0.12	49,49,49,49	0
56	MG	2A	3671	1/1	0.94	0.10	56,56,56,56	0
56	MG	1F	304	1/1	0.94	0.12	33,33,33,33	0
56	MG	1a	1672	1/1	0.94	0.18	48,48,48,48	0
56	MG	1A	3294	1/1	0.94	0.06	45,45,45,45	0
56	MG	2f	201	1/1	0.94	0.07	51,51,51,51	0
56	MG	1x	112	1/1	0.94	0.20	62,62,62,62	0
56	MG	2A	3679	1/1	0.94	0.10	57,57,57,57	0
56	MG	2A	3680	1/1	0.94	0.11	55,55,55,55	0
56	MG	1A	3766	1/1	0.94	0.10	41,41,41,41	0
56	MG	23	102	1/1	0.94	0.07	64,64,64,64	0
56	MG	2A	3683	1/1	0.94	0.10	44,44,44,44	0
56	MG	1A	3123	1/1	0.94	0.23	31,31,31,31	0
56	MG	2A	3686	1/1	0.94	0.14	61,61,61,61	0
56	MG	1A	3332	1/1	0.94	0.17	50,50,50,50	0
56	MG	1A	3441	1/1	0.94	0.24	34,34,34,34	0
56	MG	27	103	1/1	0.94	0.12	60,60,60,60	0
56	MG	2A	3690	1/1	0.94	0.07	55,55,55,55	0
56	MG	2A	3399	1/1	0.94	0.05	65,65,65,65	0
56	MG	1A	3058	1/1	0.94	0.16	56,56,56,56	0
56	MG	1A	3042	1/1	0.94	0.14	37,37,37,37	0
56	MG	2A	3004	1/1	0.94	0.12	52,52,52,52	0
56	MG	2A	3403	1/1	0.94	0.07	56,56,56,56	0
56	MG	1A	3067	1/1	0.94	0.07	48,48,48,48	0
56	MG	2A	3010	1/1	0.94	0.14	51,51,51,51	0
56	MG	2A	3406	1/1	0.94	0.13	59,59,59,59	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	4060	1/1	0.94	0.10	39,39,39,39	0
56	MG	2a	1609	1/1	0.94	0.15	60,60,60,60	0
56	MG	2a	1610	1/1	0.94	0.16	65,65,65,65	0
56	MG	1A	3253	1/1	0.94	0.12	37,37,37,37	0
56	MG	1A	3449	1/1	0.94	0.20	55,55,55,55	0
56	MG	1a	1689	1/1	0.94	0.09	52,52,52,52	0
56	MG	1a	1690	1/1	0.94	0.08	64,64,64,64	0
56	MG	1A	3537	1/1	0.94	0.15	11,11,11,11	0
56	MG	1A	3659	1/1	0.94	0.07	27,27,27,27	0
56	MG	1A	3168	1/1	0.94	0.09	38,38,38,38	0
56	MG	1A	3662	1/1	0.94	0.10	24,24,24,24	0
56	MG	2A	3420	1/1	0.94	0.07	65,65,65,65	0
56	MG	1A	3303	1/1	0.94	0.10	40,40,40,40	0
56	MG	2A	3424	1/1	0.94	0.11	70,70,70,70	0
56	MG	2A	3031	1/1	0.94	0.11	36,36,36,36	0
56	MG	1A	3173	1/1	0.94	0.17	52,52,52,52	0
56	MG	2A	3434	1/1	0.95	0.12	36,36,36,36	0
56	MG	1O	202	1/1	0.95	0.17	53,53,53,53	0
56	MG	1A	3650	1/1	0.95	0.06	42,42,42,42	0
56	MG	1A	4066	1/1	0.95	0.09	54,54,54,54	0
56	MG	1A	4067	1/1	0.95	0.14	51,51,51,51	0
56	MG	2A	3440	1/1	0.95	0.11	45,45,45,45	0
56	MG	1A	3145	1/1	0.95	0.10	39,39,39,39	0
56	MG	1P	202	1/1	0.95	0.17	30,30,30,30	0
56	MG	2A	3443	1/1	0.95	0.08	59,59,59,59	0
56	MG	1A	3147	1/1	0.95	0.30	28,28,28,28	0
56	MG	1Q	201	1/1	0.95	0.05	35,35,35,35	0
56	MG	1Q	202	1/1	0.95	0.12	56,56,56,56	0
56	MG	1A	3401	1/1	0.95	0.12	44,44,44,44	0
56	MG	1Q	204	1/1	0.95	0.06	42,42,42,42	0
56	MG	1A	3540	1/1	0.95	0.15	26,26,26,26	0
56	MG	1A	3782	1/1	0.95	0.12	33,33,33,33	0
56	MG	1A	3302	1/1	0.95	0.19	49,49,49,49	0
56	MG	1A	3345	1/1	0.95	0.06	45,45,45,45	0
56	MG	2A	3458	1/1	0.95	0.09	49,49,49,49	0
56	MG	2A	3459	1/1	0.95	0.06	63,63,63,63	0
56	MG	1a	1712	1/1	0.95	0.15	55,55,55,55	0
56	MG	1A	3935	1/1	0.95	0.07	33,33,33,33	0
56	MG	2A	3745	1/1	0.95	0.08	45,45,45,45	0
56	MG	1A	3936	1/1	0.95	0.12	42,42,42,42	0
56	MG	1A	3210	1/1	0.95	0.04	43,43,43,43	0
56	MG	2A	3467	1/1	0.95	0.08	45,45,45,45	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3749	1/1	0.95	0.09	49,49,49,49	0
56	MG	2A	3052	1/1	0.95	0.21	53,53,53,53	0
56	MG	1T	201	1/1	0.95	0.07	43,43,43,43	0
56	MG	2A	3475	1/1	0.95	0.14	37,37,37,37	0
56	MG	1T	202	1/1	0.95	0.12	52,52,52,52	0
56	MG	1A	3548	1/1	0.95	0.07	44,44,44,44	0
56	MG	1A	3792	1/1	0.95	0.07	56,56,56,56	0
56	MG	1U	203	1/1	0.95	0.21	33,33,33,33	0
56	MG	1A	4083	1/1	0.95	0.12	56,56,56,56	0
56	MG	1a	1728	1/1	0.95	0.08	80,80,80,80	0
56	MG	2a	1657	1/1	0.95	0.21	51,51,51,51	0
56	MG	1A	4084	1/1	0.95	0.09	47,47,47,47	0
56	MG	2A	3062	1/1	0.95	0.14	45,45,45,45	0
56	MG	1A	3942	1/1	0.95	0.07	41,41,41,41	0
56	MG	2A	3064	1/1	0.95	0.13	55,55,55,55	0
56	MG	1A	3550	1/1	0.95	0.11	42,42,42,42	0
56	MG	2a	1663	1/1	0.95	0.32	73,73,73,73	0
56	MG	2A	3266	1/1	0.95	0.15	61,61,61,61	0
56	MG	1a	1734	1/1	0.95	0.08	55,55,55,55	0
56	MG	2A	3773	1/1	0.95	0.07	56,56,56,56	0
56	MG	2A	3068	1/1	0.95	0.11	51,51,51,51	0
56	MG	1A	3148	1/1	0.95	0.07	30,30,30,30	0
56	MG	1A	3177	1/1	0.95	0.09	40,40,40,40	0
56	MG	1A	3669	1/1	0.95	0.08	16,16,16,16	0
56	MG	2a	1671	1/1	0.95	0.11	55,55,55,55	0
56	MG	1A	3553	1/1	0.95	0.13	29,29,29,29	0
56	MG	2a	1673	1/1	0.95	0.24	67,67,67,67	0
56	MG	2A	3503	1/1	0.95	0.13	53,53,53,53	0
56	MG	1A	3153	1/1	0.95	0.14	38,38,38,38	0
56	MG	1A	3216	1/1	0.95	0.21	29,29,29,29	0
56	MG	1W	205	1/1	0.95	0.13	36,36,36,36	0
56	MG	1a	1750	1/1	0.95	0.09	63,63,63,63	0
56	MG	1a	1755	1/1	0.95	0.06	84,84,84,84	0
56	MG	1A	3678	1/1	0.95	0.05	18,18,18,18	0
56	MG	2A	3515	1/1	0.95	0.06	51,51,51,51	0
56	MG	1A	4096	1/1	0.95	0.09	55,55,55,55	0
56	MG	1X	101	1/1	0.95	0.45	33,33,33,33	0
56	MG	1A	3807	1/1	0.95	0.09	39,39,39,39	0
56	MG	1A	3808	1/1	0.95	0.10	38,38,38,38	0
56	MG	1A	3556	1/1	0.95	0.07	18,18,18,18	0
56	MG	1A	3681	1/1	0.95	0.05	26,26,26,26	0
56	MG	1A	3557	1/1	0.95	0.07	22,22,22,22	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3477	1/1	0.95	0.07	48,48,48,48	0
56	MG	2A	3801	1/1	0.95	0.18	53,53,53,53	0
56	MG	2A	3288	1/1	0.95	0.23	63,63,63,63	0
56	MG	1A	3963	1/1	0.95	0.06	43,43,43,43	0
56	MG	2A	3529	1/1	0.95	0.16	56,56,56,56	0
56	MG	2A	3530	1/1	0.95	0.07	58,58,58,58	0
56	MG	1A	3414	1/1	0.95	0.15	38,38,38,38	0
56	MG	2A	3093	1/1	0.95	0.11	34,34,34,34	0
56	MG	1A	3967	1/1	0.95	0.07	54,54,54,54	0
56	MG	1A	3565	1/1	0.95	0.06	33,33,33,33	0
56	MG	2A	3535	1/1	0.95	0.12	43,43,43,43	0
56	MG	2A	3813	1/1	0.95	0.19	64,64,64,64	0
56	MG	2A	3536	1/1	0.95	0.12	40,40,40,40	0
56	MG	1a	1777	1/1	0.95	0.21	62,62,62,62	0
56	MG	1A	3818	1/1	0.95	0.15	37,37,37,37	0
56	MG	2A	3539	1/1	0.95	0.09	55,55,55,55	0
56	MG	1A	3052	1/1	0.95	0.30	52,52,52,52	0
56	MG	11	103	1/1	0.95	0.10	58,58,58,58	0
56	MG	1A	3693	1/1	0.95	0.09	18,18,18,18	0
56	MG	1A	3570	1/1	0.95	0.09	17,17,17,17	0
56	MG	1A	3697	1/1	0.95	0.06	36,36,36,36	0
56	MG	2A	3301	1/1	0.95	0.16	57,57,57,57	0
56	MG	13	104	1/1	0.95	0.13	38,38,38,38	0
56	MG	2A	3551	1/1	0.95	0.14	58,58,58,58	0
56	MG	13	105	1/1	0.95	0.13	54,54,54,54	0
56	MG	2a	1716	1/1	0.95	0.17	67,67,67,67	0
56	MG	13	106	1/1	0.95	0.16	56,56,56,56	0
56	MG	2A	3111	1/1	0.95	0.05	73,73,73,73	0
56	MG	1A	3699	1/1	0.95	0.04	23,23,23,23	0
56	MG	2A	3559	1/1	0.95	0.09	68,68,68,68	0
56	MG	1A	3481	1/1	0.95	0.41	34,34,34,34	0
56	MG	1A	4121	1/1	0.95	0.10	53,53,53,53	0
56	MG	2A	3833	1/1	0.95	0.07	58,58,58,58	0
56	MG	1A	3980	1/1	0.95	0.08	46,46,46,46	0
56	MG	1A	3101	1/1	0.95	0.07	47,47,47,47	0
56	MG	2A	3836	1/1	0.95	0.06	59,59,59,59	0
56	MG	2a	1729	1/1	0.95	0.21	68,68,68,68	0
56	MG	1A	4126	1/1	0.95	0.37	34,34,34,34	0
56	MG	2a	1731	1/1	0.95	0.07	82,82,82,82	0
56	MG	2A	3119	1/1	0.95	0.09	46,46,46,46	0
56	MG	2A	3315	1/1	0.95	0.15	69,69,69,69	0
56	MG	2A	3568	1/1	0.95	0.19	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3984	1/1	0.95	0.11	43,43,43,43	0
56	MG	1A	3264	1/1	0.95	0.38	33,33,33,33	0
56	MG	1A	3219	1/1	0.95	0.07	55,55,55,55	0
56	MG	1A	3842	1/1	0.95	0.07	62,62,62,62	0
56	MG	18	107	1/1	0.95	0.13	46,46,46,46	0
56	MG	1a	1802	1/1	0.95	0.08	51,51,51,51	0
56	MG	1A	3485	1/1	0.95	0.10	41,41,41,41	0
56	MG	2A	3848	1/1	0.95	0.06	64,64,64,64	0
56	MG	1A	3588	1/1	0.95	0.09	65,65,65,65	0
56	MG	2A	3850	1/1	0.95	0.07	49,49,49,49	0
56	MG	1A	3103	1/1	0.95	0.17	44,44,44,44	0
56	MG	1A	3854	1/1	0.95	0.05	36,36,36,36	0
56	MG	1a	1604	1/1	0.95	0.14	59,59,59,59	0
56	MG	2a	1754	1/1	0.95	0.10	77,77,77,77	0
56	MG	1A	3993	1/1	0.95	0.08	39,39,39,39	0
56	MG	1a	1607	1/1	0.95	0.21	62,62,62,62	0
56	MG	1A	3001	1/1	0.95	0.07	36,36,36,36	0
56	MG	2A	3141	1/1	0.95	0.08	62,62,62,62	0
56	MG	1a	1609	1/1	0.95	0.24	49,49,49,49	0
56	MG	1A	3223	1/1	0.95	0.08	55,55,55,55	0
56	MG	1A	3593	1/1	0.95	0.11	38,38,38,38	0
56	MG	1B	203	1/1	0.95	0.10	61,61,61,61	0
56	MG	1A	3076	1/1	0.95	0.12	49,49,49,49	0
56	MG	1A	3007	1/1	0.95	0.09	35,35,35,35	0
56	MG	1a	1621	1/1	0.95	0.08	51,51,51,51	0
56	MG	1A	3861	1/1	0.95	0.05	23,23,23,23	0
56	MG	1A	3598	1/1	0.95	0.06	17,17,17,17	0
56	MG	1A	3728	1/1	0.95	0.10	59,59,59,59	0
56	MG	1A	3191	1/1	0.95	0.17	43,43,43,43	0
56	MG	2a	1772	1/1	0.95	0.16	54,54,54,54	0
56	MG	1A	4005	1/1	0.95	0.09	48,48,48,48	0
56	MG	2a	1774	1/1	0.95	0.09	60,60,60,60	0
56	MG	1A	3731	1/1	0.95	0.06	30,30,30,30	0
56	MG	2A	3157	1/1	0.95	0.09	49,49,49,49	0
56	MG	2A	3158	1/1	0.95	0.09	39,39,39,39	0
56	MG	1A	3367	1/1	0.95	0.14	36,36,36,36	0
56	MG	2A	3349	1/1	0.95	0.09	60,60,60,60	0
56	MG	1A	3427	1/1	0.95	0.17	29,29,29,29	0
56	MG	2A	3161	1/1	0.95	0.07	55,55,55,55	0
56	MG	1A	3041	1/1	0.95	0.17	33,33,33,33	0
56	MG	1a	1631	1/1	0.95	0.20	48,48,48,48	0
56	MG	2A	3355	1/1	0.95	0.13	43,43,43,43	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1a	1632	1/1	0.95	0.12	58,58,58,58	0
56	MG	2A	3617	1/1	0.95	0.09	65,65,65,65	0
56	MG	1A	3280	1/1	0.95	0.12	38,38,38,38	0
56	MG	1A	3433	1/1	0.95	0.12	54,54,54,54	0
56	MG	1A	3607	1/1	0.95	0.14	51,51,51,51	0
56	MG	1A	3095	1/1	0.95	0.09	34,34,34,34	0
56	MG	1A	3611	1/1	0.95	0.11	59,59,59,59	0
56	MG	1A	3612	1/1	0.95	0.07	37,37,37,37	0
56	MG	2A	3171	1/1	0.95	0.19	49,49,49,49	0
56	MG	2A	3364	1/1	0.95	0.07	48,48,48,48	0
56	MG	1e	202	1/1	0.95	0.15	61,61,61,61	0
56	MG	1A	3499	1/1	0.95	0.07	28,28,28,28	0
56	MG	2A	3631	1/1	0.95	0.10	42,42,42,42	0
56	MG	1B	228	1/1	0.95	0.06	54,54,54,54	0
56	MG	1A	3501	1/1	0.95	0.10	24,24,24,24	0
56	MG	1a	1642	1/1	0.95	0.14	48,48,48,48	0
56	MG	1A	3230	1/1	0.95	0.16	42,42,42,42	0
56	MG	2A	3636	1/1	0.95	0.09	68,68,68,68	0
56	MG	1A	3504	1/1	0.95	0.07	49,49,49,49	0
56	MG	1A	4026	1/1	0.95	0.08	29,29,29,29	0
56	MG	2A	3180	1/1	0.95	0.07	59,59,59,59	0
56	MG	2A	3641	1/1	0.95	0.10	31,31,31,31	0
56	MG	2A	3374	1/1	0.95	0.08	71,71,71,71	0
56	MG	2A	3645	1/1	0.95	0.08	66,66,66,66	0
56	MG	2A	3376	1/1	0.95	0.13	44,44,44,44	0
56	MG	1A	3750	1/1	0.95	0.10	58,58,58,58	0
56	MG	1B	236	1/1	0.95	0.08	49,49,49,49	0
56	MG	1A	3284	1/1	0.95	0.07	38,38,38,38	0
56	MG	1w	102	1/1	0.95	0.18	46,46,46,46	0
56	MG	1A	3885	1/1	0.95	0.12	25,25,25,25	0
56	MG	2A	3654	1/1	0.95	0.06	50,50,50,50	0
56	MG	1D	306	1/1	0.95	0.09	48,48,48,48	0
56	MG	1A	4031	1/1	0.95	0.09	21,21,21,21	0
56	MG	1A	3233	1/1	0.95	0.10	42,42,42,42	0
56	MG	2A	3189	1/1	0.95	0.12	52,52,52,52	0
56	MG	2A	3659	1/1	0.95	0.07	81,81,81,81	0
56	MG	1a	1653	1/1	0.95	0.15	61,61,61,61	0
56	MG	1A	4033	1/1	0.95	0.05	52,52,52,52	0
56	MG	1A	3507	1/1	0.95	0.10	35,35,35,35	0
56	MG	1a	1656	1/1	0.95	0.17	50,50,50,50	0
56	MG	1A	3197	1/1	0.95	0.21	42,42,42,42	0
56	MG	1A	3288	1/1	0.95	0.13	55,55,55,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3758	1/1	0.95	0.08	46,46,46,46	0
56	MG	1E	303	1/1	0.95	0.07	28,28,28,28	0
56	MG	2T	201	1/1	0.95	0.11	65,65,65,65	0
56	MG	2T	202	1/1	0.95	0.13	53,53,53,53	0
56	MG	1x	108	1/1	0.95	0.13	62,62,62,62	0
56	MG	1A	3009	1/1	0.95	0.06	29,29,29,29	0
56	MG	2A	3200	1/1	0.95	0.13	46,46,46,46	0
56	MG	1A	3201	1/1	0.95	0.11	54,54,54,54	0
56	MG	1A	3761	1/1	0.95	0.07	49,49,49,49	0
56	MG	1A	3388	1/1	0.95	0.08	48,48,48,48	0
56	MG	2X	103	1/1	0.95	0.09	58,58,58,58	0
56	MG	2A	3676	1/1	0.95	0.08	60,60,60,60	0
56	MG	2A	3677	1/1	0.95	0.07	56,56,56,56	0
56	MG	1A	3202	1/1	0.95	0.17	34,34,34,34	0
56	MG	1F	301	1/1	0.95	0.15	37,37,37,37	0
56	MG	1A	3635	1/1	0.95	0.06	43,43,43,43	0
56	MG	1A	4049	1/1	0.95	0.12	43,43,43,43	0
56	MG	23	101	1/1	0.95	0.08	59,59,59,59	0
56	MG	2A	3682	1/1	0.95	0.14	57,57,57,57	0
56	MG	1A	3241	1/1	0.95	0.10	39,39,39,39	0
56	MG	1A	3903	1/1	0.95	0.07	30,30,30,30	0
56	MG	1A	4053	1/1	0.95	0.10	45,45,45,45	0
56	MG	2A	3005	1/1	0.95	0.11	60,60,60,60	0
56	MG	1A	3525	1/1	0.95	0.05	35,35,35,35	0
56	MG	27	101	1/1	0.95	0.20	39,39,39,39	0
56	MG	27	102	1/1	0.95	0.23	55,55,55,55	0
56	MG	2A	3689	1/1	0.95	0.10	61,61,61,61	0
56	MG	1A	3639	1/1	0.95	0.07	47,47,47,47	0
56	MG	1A	3242	1/1	0.95	0.13	49,49,49,49	0
56	MG	28	102	1/1	0.95	0.14	54,54,54,54	0
56	MG	2A	3416	1/1	0.95	0.11	46,46,46,46	0
56	MG	1A	3913	1/1	0.95	0.06	47,47,47,47	0
56	MG	1A	3531	1/1	0.95	0.08	22,22,22,22	0
56	MG	2A	3018	1/1	0.95	0.18	48,48,48,48	0
56	MG	2x	101	1/1	0.95	0.13	55,55,55,55	0
56	MG	2A	3421	1/1	0.95	0.18	59,59,59,59	0
56	MG	1A	3915	1/1	0.95	0.06	66,66,66,66	0
56	MG	1a	1681	1/1	0.95	0.19	58,58,58,58	0
56	MG	2A	3702	1/1	0.95	0.07	65,65,65,65	0
56	MG	1A	3244	1/1	0.95	0.07	53,53,53,53	0
56	MG	2A	3226	1/1	0.95	0.08	62,62,62,62	0
56	MG	2A	3705	1/1	0.95	0.07	49,49,49,49	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3707	1/1	0.95	0.16	68,68,68,68	0
56	MG	2A	3024	1/1	0.95	0.16	46,46,46,46	0
56	MG	1A	3203	1/1	0.95	0.40	30,30,30,30	0
56	MG	2A	3026	1/1	0.95	0.18	48,48,48,48	0
56	MG	1N	203	1/1	0.95	0.09	42,42,42,42	0
57	ZN	24	501	1/1	0.95	0.10	128,128,128,128	0
58	Y7K	1a	1842	33/33	0.95	0.13	51,58,66,70	0
56	MG	2A	3432	1/1	0.95	0.12	28,28,28,28	0
56	MG	1A	3097	1/1	0.95	0.10	36,36,36,36	0
56	MG	1a	1759	1/1	0.96	0.08	76,76,76,76	0
56	MG	2A	3653	1/1	0.96	0.08	56,56,56,56	0
56	MG	1A	3339	1/1	0.96	0.14	37,37,37,37	0
56	MG	1a	1762	1/1	0.96	0.07	68,68,68,68	0
56	MG	1a	1763	1/1	0.96	0.07	62,62,62,62	0
56	MG	1A	3694	1/1	0.96	0.07	35,35,35,35	0
56	MG	1A	4054	1/1	0.96	0.07	46,46,46,46	0
56	MG	2A	3129	1/1	0.96	0.20	60,60,60,60	0
56	MG	1A	3868	1/1	0.96	0.10	66,66,66,66	0
56	MG	2A	3131	1/1	0.96	0.12	41,41,41,41	0
56	MG	1A	3695	1/1	0.96	0.07	36,36,36,36	0
56	MG	1A	3870	1/1	0.96	0.09	71,71,71,71	0
56	MG	1a	1770	1/1	0.96	0.09	51,51,51,51	0
56	MG	1A	3340	1/1	0.96	0.06	55,55,55,55	0
56	MG	2a	1603	1/1	0.96	0.20	53,53,53,53	0
56	MG	2A	3666	1/1	0.96	0.18	57,57,57,57	0
56	MG	2A	3136	1/1	0.96	0.10	57,57,57,57	0
56	MG	1U	208	1/1	0.96	0.35	36,36,36,36	0
56	MG	2A	3138	1/1	0.96	0.17	55,55,55,55	0
56	MG	2A	3375	1/1	0.96	0.08	45,45,45,45	0
56	MG	1U	209	1/1	0.96	0.33	38,38,38,38	0
56	MG	2A	3377	1/1	0.96	0.29	48,48,48,48	0
56	MG	1A	3102	1/1	0.96	0.06	42,42,42,42	0
56	MG	1A	3428	1/1	0.96	0.17	42,42,42,42	0
56	MG	1A	3152	1/1	0.96	0.21	46,46,46,46	0
56	MG	1A	4062	1/1	0.96	0.06	39,39,39,39	0
56	MG	1A	3542	1/1	0.96	0.09	39,39,39,39	0
56	MG	1A	3543	1/1	0.96	0.06	31,31,31,31	0
56	MG	1A	3706	1/1	0.96	0.05	33,33,33,33	0
56	MG	1A	3707	1/1	0.96	0.08	46,46,46,46	0
56	MG	2a	1619	1/1	0.96	0.14	56,56,56,56	0
56	MG	1W	204	1/1	0.96	0.09	37,37,37,37	0
56	MG	1A	3431	1/1	0.96	0.18	34,34,34,34	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3152	1/1	0.96	0.12	39,39,39,39	0
56	MG	1A	3710	1/1	0.96	0.11	59,59,59,59	0
56	MG	1A	3211	1/1	0.96	0.08	58,58,58,58	0
56	MG	1A	3075	1/1	0.96	0.10	44,44,44,44	0
56	MG	1a	1790	1/1	0.96	0.06	51,51,51,51	0
56	MG	1X	103	1/1	0.96	0.05	41,41,41,41	0
56	MG	1X	105	1/1	0.96	0.06	56,56,56,56	0
56	MG	1a	1793	1/1	0.96	0.14	45,45,45,45	0
56	MG	1Y	201	1/1	0.96	0.13	45,45,45,45	0
56	MG	1A	3716	1/1	0.96	0.06	26,26,26,26	0
56	MG	1A	4072	1/1	0.96	0.08	44,44,44,44	0
56	MG	1A	3549	1/1	0.96	0.08	40,40,40,40	0
56	MG	1A	3213	1/1	0.96	0.06	39,39,39,39	0
56	MG	1A	3006	1/1	0.96	0.20	54,54,54,54	0
56	MG	1A	3720	1/1	0.96	0.07	31,31,31,31	0
56	MG	1A	3281	1/1	0.96	0.25	45,45,45,45	0
56	MG	1A	3077	1/1	0.96	0.12	19,19,19,19	0
56	MG	1A	3108	1/1	0.96	0.38	36,36,36,36	0
56	MG	1A	3439	1/1	0.96	0.06	45,45,45,45	0
56	MG	1A	3726	1/1	0.96	0.12	56,56,56,56	0
56	MG	1A	3899	1/1	0.96	0.05	60,60,60,60	0
56	MG	1A	3727	1/1	0.96	0.09	43,43,43,43	0
56	MG	2A	3412	1/1	0.96	0.07	60,60,60,60	0
56	MG	1A	3027	1/1	0.96	0.26	24,24,24,24	0
56	MG	1a	1812	1/1	0.96	0.09	81,81,81,81	0
56	MG	2a	1647	1/1	0.96	0.29	58,58,58,58	0
56	MG	1a	1813	1/1	0.96	0.21	62,62,62,62	0
56	MG	12	101	1/1	0.96	0.08	44,44,44,44	0
56	MG	2A	3418	1/1	0.96	0.07	67,67,67,67	0
56	MG	12	102	1/1	0.96	0.09	48,48,48,48	0
56	MG	1A	3053	1/1	0.96	0.09	35,35,35,35	0
56	MG	1A	3730	1/1	0.96	0.09	35,35,35,35	0
56	MG	1A	3286	1/1	0.96	0.25	26,26,26,26	0
56	MG	2A	3423	1/1	0.96	0.07	56,56,56,56	0
56	MG	1A	3161	1/1	0.96	0.21	36,36,36,36	0
56	MG	1A	3910	1/1	0.96	0.07	38,38,38,38	0
56	MG	15	101	1/1	0.96	0.15	32,32,32,32	0
56	MG	1A	3220	1/1	0.96	0.18	60,60,60,60	0
56	MG	1A	3447	1/1	0.96	0.21	62,62,62,62	0
56	MG	1A	3569	1/1	0.96	0.06	20,20,20,20	0
56	MG	2A	3430	1/1	0.96	0.08	32,32,32,32	0
56	MG	2A	3731	1/1	0.96	0.06	39,39,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3290	1/1	0.96	0.11	67,67,67,67	0
56	MG	2A	3733	1/1	0.96	0.11	39,39,39,39	0
56	MG	2A	3734	1/1	0.96	0.06	33,33,33,33	0
56	MG	17	103	1/1	0.96	0.11	39,39,39,39	0
56	MG	1a	1828	1/1	0.96	0.06	54,54,54,54	0
56	MG	1A	3573	1/1	0.96	0.05	27,27,27,27	0
56	MG	2A	3738	1/1	0.96	0.10	60,60,60,60	0
56	MG	1A	4099	1/1	0.96	0.08	35,35,35,35	0
56	MG	1a	1832	1/1	0.96	0.12	58,58,58,58	0
56	MG	18	102	1/1	0.96	0.20	41,41,41,41	0
56	MG	1A	3082	1/1	0.96	0.07	42,42,42,42	0
56	MG	1A	4101	1/1	0.96	0.05	48,48,48,48	0
56	MG	1A	3450	1/1	0.96	0.09	48,48,48,48	0
56	MG	1A	3360	1/1	0.96	0.14	45,45,45,45	0
56	MG	1A	4105	1/1	0.96	0.07	47,47,47,47	0
56	MG	2a	1679	1/1	0.96	0.16	42,42,42,42	0
56	MG	2A	3444	1/1	0.96	0.07	32,32,32,32	0
56	MG	2A	3754	1/1	0.96	0.11	70,70,70,70	0
56	MG	2A	3445	1/1	0.96	0.10	51,51,51,51	0
56	MG	1A	3112	1/1	0.96	0.09	36,36,36,36	0
56	MG	2A	3447	1/1	0.96	0.09	47,47,47,47	0
56	MG	2A	3201	1/1	0.96	0.20	45,45,45,45	0
56	MG	1A	3166	1/1	0.96	0.05	34,34,34,34	0
56	MG	1A	3924	1/1	0.96	0.05	41,41,41,41	0
56	MG	1A	3745	1/1	0.96	0.09	58,58,58,58	0
56	MG	1A	3582	1/1	0.96	0.07	28,28,28,28	0
56	MG	1A	3747	1/1	0.96	0.08	17,17,17,17	0
56	MG	1A	3930	1/1	0.96	0.05	47,47,47,47	0
56	MG	1A	4114	1/1	0.96	0.06	61,61,61,61	0
56	MG	2A	3211	1/1	0.96	0.08	63,63,63,63	0
56	MG	2A	3769	1/1	0.96	0.13	52,52,52,52	0
56	MG	1l	201	1/1	0.96	0.07	68,68,68,68	0
56	MG	1l	202	1/1	0.96	0.08	56,56,56,56	0
56	MG	1A	3932	1/1	0.96	0.07	60,60,60,60	0
56	MG	1A	3585	1/1	0.96	0.14	21,21,21,21	0
56	MG	1a	1612	1/1	0.96	0.07	57,57,57,57	0
56	MG	1A	3586	1/1	0.96	0.09	16,16,16,16	0
56	MG	2A	3472	1/1	0.96	0.14	50,50,50,50	0
56	MG	1A	4118	1/1	0.96	0.20	36,36,36,36	0
56	MG	1A	3587	1/1	0.96	0.05	24,24,24,24	0
56	MG	1a	1617	1/1	0.96	0.07	53,53,53,53	0
56	MG	1a	1618	1/1	0.96	0.15	57,57,57,57	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3478	1/1	0.96	0.07	23,23,23,23	0
56	MG	1A	3115	1/1	0.96	0.17	35,35,35,35	0
56	MG	2A	3480	1/1	0.96	0.09	65,65,65,65	0
56	MG	1A	3116	1/1	0.96	0.06	42,42,42,42	0
56	MG	2A	3483	1/1	0.96	0.12	56,56,56,56	0
56	MG	2A	3484	1/1	0.96	0.09	40,40,40,40	0
56	MG	2A	3485	1/1	0.96	0.09	44,44,44,44	0
56	MG	1A	3366	1/1	0.96	0.14	38,38,38,38	0
56	MG	2A	3225	1/1	0.96	0.17	62,62,62,62	0
56	MG	1w	106	1/1	0.96	0.25	63,63,63,63	0
56	MG	1A	3939	1/1	0.96	0.14	30,30,30,30	0
56	MG	1A	4125	1/1	0.96	0.23	49,49,49,49	0
56	MG	1A	3460	1/1	0.96	0.06	41,41,41,41	0
56	MG	1A	3941	1/1	0.96	0.09	28,28,28,28	0
56	MG	1A	3461	1/1	0.96	0.09	36,36,36,36	0
56	MG	2a	1723	1/1	0.96	0.06	61,61,61,61	0
56	MG	1A	3464	1/1	0.96	0.41	42,42,42,42	0
56	MG	2A	3803	1/1	0.96	0.13	46,46,46,46	0
56	MG	1A	3596	1/1	0.96	0.09	26,26,26,26	0
56	MG	1A	3465	1/1	0.96	0.10	45,45,45,45	0
56	MG	1A	3170	1/1	0.96	0.06	27,27,27,27	0
56	MG	1A	3171	1/1	0.96	0.06	38,38,38,38	0
56	MG	1A	3600	1/1	0.96	0.10	27,27,27,27	0
56	MG	1A	3120	1/1	0.96	0.06	49,49,49,49	0
56	MG	1A	3054	1/1	0.96	0.13	49,49,49,49	0
56	MG	2A	3504	1/1	0.96	0.11	49,49,49,49	0
56	MG	1A	3472	1/1	0.96	0.14	41,41,41,41	0
56	MG	1A	3231	1/1	0.96	0.06	36,36,36,36	0
56	MG	1B	201	1/1	0.96	0.04	39,39,39,39	0
56	MG	1A	3605	1/1	0.96	0.09	52,52,52,52	0
56	MG	1y	101	1/1	0.96	0.11	42,42,42,42	0
56	MG	1A	3957	1/1	0.96	0.05	26,26,26,26	0
56	MG	1B	205	1/1	0.96	0.06	51,51,51,51	0
56	MG	2a	1745	1/1	0.96	0.08	63,63,63,63	0
56	MG	1A	3012	1/1	0.96	0.05	31,31,31,31	0
56	MG	2A	3517	1/1	0.96	0.13	54,54,54,54	0
56	MG	1A	3475	1/1	0.96	0.14	34,34,34,34	0
56	MG	1A	3057	1/1	0.96	0.07	26,26,26,26	0
56	MG	1A	3235	1/1	0.96	0.15	29,29,29,29	0
56	MG	2A	3009	1/1	0.96	0.07	50,50,50,50	0
56	MG	1B	210	1/1	0.96	0.06	55,55,55,55	0
56	MG	2A	3011	1/1	0.96	0.12	47,47,47,47	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1B	211	1/1	0.96	0.10	40,40,40,40	0
56	MG	1A	3774	1/1	0.96	0.15	37,37,37,37	0
56	MG	1A	3775	1/1	0.96	0.19	36,36,36,36	0
56	MG	2A	3016	1/1	0.96	0.15	54,54,54,54	0
56	MG	1A	3969	1/1	0.96	0.07	43,43,43,43	0
56	MG	2a	1761	1/1	0.96	0.11	66,66,66,66	0
56	MG	1A	3004	1/1	0.96	0.07	30,30,30,30	0
56	MG	1B	217	1/1	0.96	0.16	61,61,61,61	0
56	MG	1A	3479	1/1	0.96	0.15	42,42,42,42	0
56	MG	2A	3023	1/1	0.96	0.07	37,37,37,37	0
56	MG	1A	3380	1/1	0.96	0.21	52,52,52,52	0
56	MG	1A	3381	1/1	0.96	0.26	42,42,42,42	0
56	MG	1A	3089	1/1	0.96	0.20	34,34,34,34	0
56	MG	1A	3239	1/1	0.96	0.28	28,28,28,28	0
56	MG	1A	3385	1/1	0.96	0.15	42,42,42,42	0
56	MG	1A	3787	1/1	0.96	0.10	18,18,18,18	0
56	MG	1A	3387	1/1	0.96	0.07	39,39,39,39	0
56	MG	1A	3128	1/1	0.96	0.14	42,42,42,42	0
56	MG	1A	3983	1/1	0.96	0.15	42,42,42,42	0
56	MG	1A	3623	1/1	0.96	0.17	51,51,51,51	0
56	MG	1A	3181	1/1	0.96	0.13	49,49,49,49	0
56	MG	2A	3547	1/1	0.96	0.11	42,42,42,42	0
56	MG	1A	3131	1/1	0.96	0.17	43,43,43,43	0
56	MG	2A	3549	1/1	0.96	0.09	31,31,31,31	0
56	MG	1A	3132	1/1	0.96	0.21	31,31,31,31	0
56	MG	2A	3552	1/1	0.96	0.08	35,35,35,35	0
56	MG	2A	3278	1/1	0.96	0.09	49,49,49,49	0
56	MG	1A	3798	1/1	0.96	0.04	47,47,47,47	0
56	MG	1a	1668	1/1	0.96	0.09	39,39,39,39	0
56	MG	1A	3133	1/1	0.96	0.15	37,37,37,37	0
56	MG	2A	3558	1/1	0.96	0.09	58,58,58,58	0
56	MG	2A	3042	1/1	0.96	0.16	30,30,30,30	0
56	MG	1A	3800	1/1	0.96	0.04	32,32,32,32	0
56	MG	1A	3393	1/1	0.96	0.22	45,45,45,45	0
56	MG	1A	3394	1/1	0.96	0.12	43,43,43,43	0
56	MG	2A	3563	1/1	0.96	0.07	50,50,50,50	0
56	MG	1A	3803	1/1	0.96	0.08	47,47,47,47	0
56	MG	1A	3395	1/1	0.96	0.08	46,46,46,46	0
56	MG	1A	3134	1/1	0.96	0.07	42,42,42,42	0
56	MG	1a	1676	1/1	0.96	0.16	45,45,45,45	0
56	MG	1D	311	1/1	0.96	0.08	45,45,45,45	0
56	MG	1A	3397	1/1	0.96	0.08	41,41,41,41	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3189	1/1	0.96	0.10	40,40,40,40	0
56	MG	1A	3135	1/1	0.96	0.07	36,36,36,36	0
56	MG	1A	3091	1/1	0.96	0.16	28,28,28,28	0
56	MG	1A	3645	1/1	0.96	0.06	35,35,35,35	0
56	MG	1E	304	1/1	0.96	0.10	29,29,29,29	0
56	MG	1A	3500	1/1	0.96	0.08	45,45,45,45	0
56	MG	1A	3815	1/1	0.96	0.22	56,56,56,56	0
56	MG	1A	3059	1/1	0.96	0.16	26,26,26,26	0
56	MG	1A	3502	1/1	0.96	0.08	43,43,43,43	0
56	MG	1A	3320	1/1	0.96	0.36	36,36,36,36	0
56	MG	2A	3881	1/1	0.96	0.18	60,60,60,60	0
56	MG	1E	313	1/1	0.96	0.14	38,38,38,38	0
56	MG	1A	4011	1/1	0.96	0.12	29,29,29,29	0
56	MG	2A	3066	1/1	0.96	0.08	52,52,52,52	0
56	MG	1A	3139	1/1	0.96	0.08	40,40,40,40	0
56	MG	1F	303	1/1	0.96	0.06	30,30,30,30	0
56	MG	1A	3195	1/1	0.96	0.08	46,46,46,46	0
56	MG	1A	3060	1/1	0.96	0.11	24,24,24,24	0
56	MG	1F	307	1/1	0.96	0.19	33,33,33,33	0
56	MG	2B	206	1/1	0.96	0.08	69,69,69,69	0
56	MG	1A	3658	1/1	0.96	0.07	18,18,18,18	0
56	MG	1a	1704	1/1	0.96	0.12	61,61,61,61	0
56	MG	1A	3259	1/1	0.96	0.22	55,55,55,55	0
56	MG	2A	3314	1/1	0.96	0.19	67,67,67,67	0
56	MG	1a	1706	1/1	0.96	0.09	55,55,55,55	0
56	MG	1A	3832	1/1	0.96	0.05	40,40,40,40	0
56	MG	1A	3834	1/1	0.96	0.07	34,34,34,34	0
56	MG	2A	3600	1/1	0.96	0.06	39,39,39,39	0
56	MG	1a	1710	1/1	0.96	0.14	45,45,45,45	0
56	MG	1A	3508	1/1	0.96	0.08	43,43,43,43	0
56	MG	2A	3603	1/1	0.96	0.12	57,57,57,57	0
56	MG	1A	3031	1/1	0.96	0.23	26,26,26,26	0
56	MG	1a	1714	1/1	0.96	0.19	58,58,58,58	0
56	MG	1A	3511	1/1	0.96	0.06	37,37,37,37	0
56	MG	2D	303	1/1	0.96	0.11	37,37,37,37	0
56	MG	1A	3664	1/1	0.96	0.07	32,32,32,32	0
56	MG	2A	3086	1/1	0.96	0.08	39,39,39,39	0
56	MG	1A	4024	1/1	0.96	0.13	35,35,35,35	0
56	MG	2A	3610	1/1	0.96	0.06	76,76,76,76	0
56	MG	2A	3611	1/1	0.96	0.09	35,35,35,35	0
56	MG	1A	3412	1/1	0.96	0.23	34,34,34,34	0
56	MG	1A	3327	1/1	0.96	0.21	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3090	1/1	0.96	0.06	47,47,47,47	0
56	MG	2A	3329	1/1	0.96	0.09	50,50,50,50	0
56	MG	1a	1723	1/1	0.96	0.07	48,48,48,48	0
56	MG	2A	3618	1/1	0.96	0.09	71,71,71,71	0
56	MG	2I	203	1/1	0.96	0.07	68,68,68,68	0
56	MG	1A	3846	1/1	0.96	0.06	54,54,54,54	0
56	MG	1a	1725	1/1	0.96	0.10	57,57,57,57	0
56	MG	2A	3621	1/1	0.96	0.07	60,60,60,60	0
56	MG	2F	305	1/1	0.96	0.24	50,50,50,50	0
56	MG	1A	3847	1/1	0.96	0.11	45,45,45,45	0
56	MG	2A	3096	1/1	0.96	0.20	45,45,45,45	0
56	MG	1A	3848	1/1	0.96	0.06	54,54,54,54	0
56	MG	2A	3336	1/1	0.96	0.09	60,60,60,60	0
56	MG	1A	3849	1/1	0.96	0.07	55,55,55,55	0
56	MG	1A	3262	1/1	0.96	0.12	38,38,38,38	0
56	MG	1a	1730	1/1	0.96	0.06	63,63,63,63	0
56	MG	2Q	201	1/1	0.96	0.12	59,59,59,59	0
56	MG	1A	3047	1/1	0.96	0.11	33,33,33,33	0
56	MG	1A	3032	1/1	0.96	0.58	33,33,33,33	0
56	MG	2R	203	1/1	0.96	0.06	43,43,43,43	0
56	MG	1P	204	1/1	0.96	0.35	35,35,35,35	0
56	MG	1A	3520	1/1	0.96	0.09	49,49,49,49	0
56	MG	2T	203	1/1	0.96	0.11	61,61,61,61	0
56	MG	2U	201	1/1	0.96	0.10	55,55,55,55	0
56	MG	1A	3265	1/1	0.96	0.09	58,58,58,58	0
56	MG	1A	3524	1/1	0.96	0.05	33,33,33,33	0
56	MG	2A	3109	1/1	0.96	0.25	58,58,58,58	0
56	MG	1A	3266	1/1	0.96	0.22	40,40,40,40	0
56	MG	1A	4040	1/1	0.96	0.08	57,57,57,57	0
56	MG	1A	3527	1/1	0.96	0.07	28,28,28,28	0
56	MG	1A	3017	1/1	0.96	0.12	64,64,64,64	0
56	MG	1a	1744	1/1	0.96	0.06	75,75,75,75	0
56	MG	2A	3644	1/1	0.96	0.06	30,30,30,30	0
56	MG	1A	3099	1/1	0.96	0.23	28,28,28,28	0
56	MG	1A	3269	1/1	0.96	0.09	50,50,50,50	0
56	MG	1A	3072	1/1	0.96	0.12	31,31,31,31	0
57	ZN	2n	501	1/1	0.96	0.05	109,109,109,109	0
56	MG	2A	3118	1/1	0.96	0.10	49,49,49,49	0
56	MG	1A	3273	1/1	0.96	0.13	49,49,49,49	0
56	MG	1A	4051	1/1	0.96	0.13	45,45,45,45	0
56	MG	1a	1685	1/1	0.97	0.12	54,54,54,54	0
56	MG	1a	1686	1/1	0.97	0.13	51,51,51,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3722	1/1	0.97	0.12	37,37,37,37	0
56	MG	1A	3196	1/1	0.97	0.21	42,42,42,42	0
56	MG	1U	202	1/1	0.97	0.14	28,28,28,28	0
56	MG	1A	3386	1/1	0.97	0.09	48,48,48,48	0
56	MG	1A	3610	1/1	0.97	0.05	17,17,17,17	0
56	MG	1A	3329	1/1	0.97	0.09	41,41,41,41	0
56	MG	1a	1693	1/1	0.97	0.09	39,39,39,39	0
56	MG	1U	207	1/1	0.97	0.13	35,35,35,35	0
56	MG	1A	4112	1/1	0.97	0.06	31,31,31,31	0
56	MG	1A	3046	1/1	0.97	0.13	26,26,26,26	0
56	MG	2A	3001	1/1	0.97	0.30	51,51,51,51	0
56	MG	1A	3079	1/1	0.97	0.17	38,38,38,38	0
56	MG	1V	201	1/1	0.97	0.19	21,21,21,21	0
56	MG	1A	3851	1/1	0.97	0.07	59,59,59,59	0
56	MG	1A	3852	1/1	0.97	0.07	36,36,36,36	0
56	MG	2A	3007	1/1	0.97	0.17	57,57,57,57	0
56	MG	1V	204	1/1	0.97	0.14	31,31,31,31	0
56	MG	1A	3986	1/1	0.97	0.19	52,52,52,52	0
56	MG	1A	3526	1/1	0.97	0.05	15,15,15,15	0
56	MG	1a	1707	1/1	0.97	0.12	51,51,51,51	0
56	MG	1A	3199	1/1	0.97	0.22	26,26,26,26	0
56	MG	1A	3455	1/1	0.97	0.18	31,31,31,31	0
56	MG	2A	3202	1/1	0.97	0.14	37,37,37,37	0
56	MG	1A	3456	1/1	0.97	0.09	31,31,31,31	0
56	MG	1A	3532	1/1	0.97	0.09	49,49,49,49	0
56	MG	1A	4123	1/1	0.97	0.11	59,59,59,59	0
56	MG	2A	3206	1/1	0.97	0.10	66,66,66,66	0
56	MG	1A	3200	1/1	0.97	0.12	25,25,25,25	0
56	MG	1A	3036	1/1	0.97	0.16	32,32,32,32	0
56	MG	1a	1718	1/1	0.97	0.11	49,49,49,49	0
56	MG	1A	3622	1/1	0.97	0.09	46,46,46,46	0
56	MG	1X	102	1/1	0.97	0.10	30,30,30,30	0
56	MG	1A	3459	1/1	0.97	0.24	34,34,34,34	0
56	MG	1X	104	1/1	0.97	0.12	36,36,36,36	0
56	MG	1A	3738	1/1	0.97	0.10	39,39,39,39	0
56	MG	1A	3624	1/1	0.97	0.09	53,53,53,53	0
56	MG	1A	3740	1/1	0.97	0.05	55,55,55,55	0
56	MG	2A	3030	1/1	0.97	0.14	53,53,53,53	0
56	MG	1A	4131	1/1	0.97	0.08	48,48,48,48	0
56	MG	1A	3625	1/1	0.97	0.05	36,36,36,36	0
56	MG	2A	3033	1/1	0.97	0.05	43,43,43,43	0
56	MG	1A	3536	1/1	0.97	0.04	24,24,24,24	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3163	1/1	0.97	0.16	32,32,32,32	0
56	MG	1Z	303	1/1	0.97	0.14	52,52,52,52	0
56	MG	1a	1731	1/1	0.97	0.09	80,80,80,80	0
56	MG	1A	3037	1/1	0.97	0.22	40,40,40,40	0
56	MG	1A	3463	1/1	0.97	0.40	40,40,40,40	0
56	MG	2A	3415	1/1	0.97	0.05	50,50,50,50	0
56	MG	1A	3633	1/1	0.97	0.05	54,54,54,54	0
56	MG	1A	3243	1/1	0.97	0.09	39,39,39,39	0
56	MG	1A	4008	1/1	0.97	0.09	17,17,17,17	0
56	MG	10	106	1/1	0.97	0.10	53,53,53,53	0
56	MG	1A	3748	1/1	0.97	0.20	44,44,44,44	0
56	MG	1a	1740	1/1	0.97	0.07	71,71,71,71	0
56	MG	1B	202	1/1	0.97	0.11	48,48,48,48	0
56	MG	1A	3289	1/1	0.97	0.07	38,38,38,38	0
56	MG	2A	3048	1/1	0.97	0.12	56,56,56,56	0
56	MG	1A	3105	1/1	0.97	0.32	35,35,35,35	0
56	MG	2A	3865	1/1	0.97	0.04	58,58,58,58	0
56	MG	1A	3205	1/1	0.97	0.11	43,43,43,43	0
56	MG	1a	1745	1/1	0.97	0.05	65,65,65,65	0
56	MG	2a	1719	1/1	0.97	0.05	64,64,64,64	0
56	MG	1a	1746	1/1	0.97	0.06	55,55,55,55	0
56	MG	1a	1747	1/1	0.97	0.08	69,69,69,69	0
56	MG	2A	3241	1/1	0.97	0.19	49,49,49,49	0
56	MG	1a	1748	1/1	0.97	0.07	52,52,52,52	0
56	MG	1A	3544	1/1	0.97	0.06	28,28,28,28	0
56	MG	1a	1751	1/1	0.97	0.05	75,75,75,75	0
56	MG	1A	3061	1/1	0.97	0.25	33,33,33,33	0
56	MG	1A	3247	1/1	0.97	0.06	49,49,49,49	0
56	MG	1A	3642	1/1	0.97	0.04	54,54,54,54	0
56	MG	1A	3756	1/1	0.97	0.07	36,36,36,36	0
56	MG	2A	3061	1/1	0.97	0.15	49,49,49,49	0
56	MG	1A	3107	1/1	0.97	0.19	38,38,38,38	0
56	MG	1a	1760	1/1	0.97	0.05	75,75,75,75	0
56	MG	1A	3137	1/1	0.97	0.12	31,31,31,31	0
56	MG	2a	1734	1/1	0.97	0.06	67,67,67,67	0
56	MG	2A	3883	1/1	0.97	0.07	57,57,57,57	0
56	MG	1A	3296	1/1	0.97	0.10	49,49,49,49	0
56	MG	1A	3063	1/1	0.97	0.07	31,31,31,31	0
56	MG	1A	3019	1/1	0.97	0.19	42,42,42,42	0
56	MG	2a	1739	1/1	0.97	0.17	57,57,57,57	0
56	MG	1A	3651	1/1	0.97	0.14	46,46,46,46	0
56	MG	1A	3348	1/1	0.97	0.15	40,40,40,40	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3448	1/1	0.97	0.09	42,42,42,42	0
56	MG	2a	1744	1/1	0.97	0.05	79,79,79,79	0
56	MG	1A	3066	1/1	0.97	0.11	25,25,25,25	0
56	MG	2A	3071	1/1	0.97	0.16	30,30,30,30	0
56	MG	1a	1768	1/1	0.97	0.12	62,62,62,62	0
56	MG	2A	3452	1/1	0.97	0.05	57,57,57,57	0
56	MG	1A	3893	1/1	0.97	0.06	42,42,42,42	0
56	MG	1A	4030	1/1	0.97	0.16	23,23,23,23	0
56	MG	1A	3411	1/1	0.97	0.09	27,27,27,27	0
56	MG	2A	3674	1/1	0.97	0.07	61,61,61,61	0
56	MG	1A	3002	1/1	0.97	0.07	47,47,47,47	0
56	MG	1A	3255	1/1	0.97	0.05	35,35,35,35	0
56	MG	1A	3558	1/1	0.97	0.05	44,44,44,44	0
56	MG	2A	3079	1/1	0.97	0.04	42,42,42,42	0
56	MG	2a	1758	1/1	0.97	0.10	50,50,50,50	0
56	MG	1A	3559	1/1	0.97	0.06	37,37,37,37	0
56	MG	2A	3463	1/1	0.97	0.10	43,43,43,43	0
56	MG	1A	3256	1/1	0.97	0.09	53,53,53,53	0
56	MG	1A	3090	1/1	0.97	0.31	38,38,38,38	0
56	MG	2D	301	1/1	0.97	0.10	55,55,55,55	0
56	MG	2D	302	1/1	0.97	0.15	49,49,49,49	0
56	MG	1A	3258	1/1	0.97	0.06	55,55,55,55	0
56	MG	2A	3684	1/1	0.97	0.06	40,40,40,40	0
56	MG	1A	3567	1/1	0.97	0.07	24,24,24,24	0
56	MG	2A	3468	1/1	0.97	0.07	32,32,32,32	0
56	MG	2A	3470	1/1	0.97	0.07	28,28,28,28	0
56	MG	1A	3905	1/1	0.97	0.05	27,27,27,27	0
56	MG	1B	234	1/1	0.97	0.06	42,42,42,42	0
56	MG	1a	1606	1/1	0.97	0.07	52,52,52,52	0
56	MG	1a	1785	1/1	0.97	0.09	32,32,32,32	0
56	MG	1A	3113	1/1	0.97	0.12	41,41,41,41	0
56	MG	2a	1775	1/1	0.97	0.09	51,51,51,51	0
56	MG	1A	3908	1/1	0.97	0.04	39,39,39,39	0
56	MG	1A	4044	1/1	0.97	0.06	32,32,32,32	0
56	MG	1D	301	1/1	0.97	0.08	40,40,40,40	0
56	MG	2A	3698	1/1	0.97	0.08	63,63,63,63	0
56	MG	1a	1611	1/1	0.97	0.10	28,28,28,28	0
56	MG	2A	3482	1/1	0.97	0.08	36,36,36,36	0
56	MG	1D	303	1/1	0.97	0.05	23,23,23,23	0
56	MG	2A	3095	1/1	0.97	0.14	53,53,53,53	0
56	MG	1a	1613	1/1	0.97	0.08	65,65,65,65	0
56	MG	1D	304	1/1	0.97	0.16	28,28,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3487	1/1	0.97	0.06	50,50,50,50	0
56	MG	2A	3706	1/1	0.97	0.06	63,63,63,63	0
56	MG	1A	3909	1/1	0.97	0.04	34,34,34,34	0
56	MG	1A	3114	1/1	0.97	0.14	31,31,31,31	0
56	MG	1A	3357	1/1	0.97	0.06	37,37,37,37	0
56	MG	2R	201	1/1	0.97	0.18	64,64,64,64	0
56	MG	1D	308	1/1	0.97	0.21	32,32,32,32	0
56	MG	1a	1798	1/1	0.97	0.06	64,64,64,64	0
56	MG	1A	3670	1/1	0.97	0.04	33,33,33,33	0
56	MG	1A	3572	1/1	0.97	0.07	20,20,20,20	0
56	MG	1A	3672	1/1	0.97	0.05	50,50,50,50	0
56	MG	2A	3106	1/1	0.97	0.14	64,64,64,64	0
56	MG	1A	3674	1/1	0.97	0.08	21,21,21,21	0
56	MG	2a	1799	1/1	0.97	0.18	71,71,71,71	0
56	MG	1A	3179	1/1	0.97	0.28	37,37,37,37	0
56	MG	1A	3785	1/1	0.97	0.09	51,51,51,51	0
56	MG	2W	201	1/1	0.97	0.13	42,42,42,42	0
56	MG	1A	3786	1/1	0.97	0.06	35,35,35,35	0
56	MG	1A	3040	1/1	0.97	0.09	27,27,27,27	0
56	MG	1A	3788	1/1	0.97	0.05	22,22,22,22	0
56	MG	2a	1806	1/1	0.97	0.09	71,71,71,71	0
56	MG	1A	3677	1/1	0.97	0.07	41,41,41,41	0
56	MG	1A	3146	1/1	0.97	0.35	32,32,32,32	0
56	MG	1a	1811	1/1	0.97	0.09	57,57,57,57	0
56	MG	2A	3305	1/1	0.97	0.31	62,62,62,62	0
56	MG	1E	307	1/1	0.97	0.05	44,44,44,44	0
56	MG	1A	3576	1/1	0.97	0.06	25,25,25,25	0
56	MG	1A	3022	1/1	0.97	0.07	32,32,32,32	0
56	MG	2I	102	1/1	0.97	0.11	55,55,55,55	0
56	MG	1E	311	1/1	0.97	0.08	18,18,18,18	0
56	MG	1a	1816	1/1	0.97	0.09	59,59,59,59	0
56	MG	1A	3119	1/1	0.97	0.12	15,15,15,15	0
56	MG	1A	3364	1/1	0.97	0.13	39,39,39,39	0
56	MG	1E	314	1/1	0.97	0.10	56,56,56,56	0
56	MG	1A	3687	1/1	0.97	0.11	58,58,58,58	0
56	MG	1A	3149	1/1	0.97	0.08	18,18,18,18	0
56	MG	1A	3584	1/1	0.97	0.06	31,31,31,31	0
56	MG	1A	3151	1/1	0.97	0.08	35,35,35,35	0
56	MG	1A	3225	1/1	0.97	0.09	37,37,37,37	0
56	MG	1A	3270	1/1	0.97	0.23	51,51,51,51	0
56	MG	1F	308	1/1	0.97	0.05	49,49,49,49	0
56	MG	2a	1829	1/1	0.97	0.11	53,53,53,53	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3498	1/1	0.97	0.07	22,22,22,22	0
56	MG	1A	3369	1/1	0.97	0.16	32,32,32,32	0
56	MG	1A	3590	1/1	0.97	0.13	44,44,44,44	0
56	MG	1A	3317	1/1	0.97	0.07	36,36,36,36	0
56	MG	2A	3750	1/1	0.97	0.07	41,41,41,41	0
56	MG	2A	3751	1/1	0.97	0.07	58,58,58,58	0
56	MG	1a	1831	1/1	0.97	0.09	50,50,50,50	0
56	MG	1G	201	1/1	0.97	0.15	33,33,33,33	0
56	MG	1A	4076	1/1	0.97	0.07	46,46,46,46	0
56	MG	1A	3943	1/1	0.97	0.05	43,43,43,43	0
56	MG	2A	3757	1/1	0.97	0.06	69,69,69,69	0
56	MG	1A	3700	1/1	0.97	0.08	18,18,18,18	0
56	MG	1a	1837	1/1	0.97	0.13	48,48,48,48	0
56	MG	1A	3271	1/1	0.97	0.11	44,44,44,44	0
56	MG	1A	3034	1/1	0.97	0.07	37,37,37,37	0
56	MG	2A	3541	1/1	0.97	0.06	43,43,43,43	0
56	MG	1A	3594	1/1	0.97	0.12	23,23,23,23	0
56	MG	1N	202	1/1	0.97	0.18	46,46,46,46	0
56	MG	1A	3073	1/1	0.97	0.21	29,29,29,29	0
56	MG	1N	204	1/1	0.97	0.18	45,45,45,45	0
56	MG	2A	3767	1/1	0.97	0.14	59,59,59,59	0
56	MG	1N	206	1/1	0.97	0.05	44,44,44,44	0
56	MG	1A	3074	1/1	0.97	0.23	41,41,41,41	0
56	MG	1A	3192	1/1	0.97	0.09	38,38,38,38	0
56	MG	1A	3709	1/1	0.97	0.06	50,50,50,50	0
56	MG	1A	3819	1/1	0.97	0.06	41,41,41,41	0
56	MG	1A	3055	1/1	0.97	0.11	32,32,32,32	0
56	MG	1A	3711	1/1	0.97	0.06	25,25,25,25	0
56	MG	2A	3775	1/1	0.97	0.10	64,64,64,64	0
56	MG	1A	3824	1/1	0.97	0.08	42,42,42,42	0
56	MG	1P	203	1/1	0.97	0.16	31,31,31,31	0
56	MG	2A	3778	1/1	0.97	0.04	53,53,53,53	0
56	MG	1A	3958	1/1	0.97	0.05	48,48,48,48	0
56	MG	1A	3378	1/1	0.97	0.06	46,46,46,46	0
56	MG	1A	3714	1/1	0.97	0.05	33,33,33,33	0
56	MG	1A	3827	1/1	0.97	0.05	17,17,17,17	0
56	MG	1A	3379	1/1	0.97	0.07	35,35,35,35	0
56	MG	1A	3965	1/1	0.97	0.07	39,39,39,39	0
56	MG	2A	3352	1/1	0.97	0.12	62,62,62,62	0
56	MG	2A	3786	1/1	0.97	0.07	51,51,51,51	0
56	MG	1A	3035	1/1	0.97	0.18	18,18,18,18	0
56	MG	1A	3045	1/1	0.97	0.05	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3789	1/1	0.97	0.07	77,77,77,77	0
56	MG	1R	201	1/1	0.97	0.13	45,45,45,45	0
56	MG	1A	3968	1/1	0.97	0.08	38,38,38,38	0
56	MG	1a	1678	1/1	0.97	0.18	36,36,36,36	0
56	MG	1A	3445	1/1	0.97	0.20	41,41,41,41	0
56	MG	2A	3795	1/1	0.97	0.15	62,62,62,62	0
56	MG	1A	3326	1/1	0.97	0.19	33,33,33,33	0
56	MG	1A	3383	1/1	0.97	0.06	27,27,27,27	0
56	MG	1A	4104	1/1	0.97	0.03	17,17,17,17	0
56	MG	2A	3573	1/1	0.97	0.06	59,59,59,59	0
56	MG	1A	3279	1/1	0.97	0.15	42,42,42,42	0
56	MG	2A	3575	1/1	0.97	0.09	49,49,49,49	0
56	MG	1A	3841	1/1	0.97	0.09	58,58,58,58	0
60	K	1x	101	1/1	0.97	0.08	59,59,59,59	0
56	MG	2A	3577	1/1	0.97	0.07	67,67,67,67	0
56	MG	1A	3778	1/1	0.98	0.05	47,47,47,47	0
56	MG	1A	3186	1/1	0.98	0.12	38,38,38,38	0
56	MG	1A	3649	1/1	0.98	0.05	20,20,20,20	0
56	MG	1A	4043	1/1	0.98	0.11	20,20,20,20	0
56	MG	1A	3781	1/1	0.98	0.05	18,18,18,18	0
56	MG	1Q	207	1/1	0.98	0.06	41,41,41,41	0
56	MG	2A	3808	1/1	0.98	0.05	54,54,54,54	0
56	MG	2A	3513	1/1	0.98	0.04	36,36,36,36	0
56	MG	2a	1740	1/1	0.98	0.04	62,62,62,62	0
56	MG	2A	3247	1/1	0.98	0.05	67,67,67,67	0
56	MG	25	103	1/1	0.98	0.11	58,58,58,58	0
56	MG	1a	1753	1/1	0.98	0.07	62,62,62,62	0
56	MG	1A	3187	1/1	0.98	0.07	41,41,41,41	0
56	MG	1A	3071	1/1	0.98	0.14	40,40,40,40	0
56	MG	2a	1746	1/1	0.98	0.04	77,77,77,77	0
56	MG	1A	4048	1/1	0.98	0.06	28,28,28,28	0
56	MG	1A	3373	1/1	0.98	0.05	42,42,42,42	0
56	MG	1A	3653	1/1	0.98	0.06	42,42,42,42	0
56	MG	1A	3956	1/1	0.98	0.04	35,35,35,35	0
56	MG	1A	3410	1/1	0.98	0.06	38,38,38,38	0
56	MG	2A	3128	1/1	0.98	0.14	45,45,45,45	0
56	MG	1A	3093	1/1	0.98	0.13	36,36,36,36	0
56	MG	1A	3122	1/1	0.98	0.13	26,26,26,26	0
56	MG	2A	3526	1/1	0.98	0.07	70,70,70,70	0
56	MG	2A	3527	1/1	0.98	0.06	49,49,49,49	0
56	MG	1A	3960	1/1	0.98	0.05	43,43,43,43	0
56	MG	2A	3006	1/1	0.98	0.08	42,42,42,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1U	201	1/1	0.98	0.17	26,26,26,26	0
56	MG	1A	3789	1/1	0.98	0.04	22,22,22,22	0
56	MG	1B	214	1/1	0.98	0.04	27,27,27,27	0
56	MG	1A	3164	1/1	0.98	0.19	28,28,28,28	0
56	MG	1U	205	1/1	0.98	0.10	29,29,29,29	0
56	MG	2A	3394	1/1	0.98	0.14	28,28,28,28	0
56	MG	1A	3015	1/1	0.98	0.11	26,26,26,26	0
56	MG	2A	3139	1/1	0.98	0.07	34,34,34,34	0
56	MG	1A	3660	1/1	0.98	0.05	35,35,35,35	0
56	MG	1A	3875	1/1	0.98	0.10	52,52,52,52	0
56	MG	2A	3015	1/1	0.98	0.04	33,33,33,33	0
56	MG	1A	3083	1/1	0.98	0.06	41,41,41,41	0
56	MG	2A	3017	1/1	0.98	0.09	34,34,34,34	0
56	MG	1A	3313	1/1	0.98	0.04	19,19,19,19	0
56	MG	1A	3795	1/1	0.98	0.06	45,45,45,45	0
56	MG	1A	3796	1/1	0.98	0.04	25,25,25,25	0
56	MG	2A	3021	1/1	0.98	0.09	51,51,51,51	0
56	MG	1A	3971	1/1	0.98	0.08	32,32,32,32	0
56	MG	2A	3693	1/1	0.98	0.04	57,57,57,57	0
56	MG	1A	3005	1/1	0.98	0.07	41,41,41,41	0
56	MG	1A	3126	1/1	0.98	0.19	31,31,31,31	0
56	MG	2A	3696	1/1	0.98	0.04	58,58,58,58	0
56	MG	2A	3550	1/1	0.98	0.06	47,47,47,47	0
56	MG	1A	3974	1/1	0.98	0.06	51,51,51,51	0
56	MG	1A	3043	1/1	0.98	0.06	42,42,42,42	0
56	MG	1A	3254	1/1	0.98	0.09	34,34,34,34	0
56	MG	1A	3667	1/1	0.98	0.04	47,47,47,47	0
56	MG	1W	203	1/1	0.98	0.17	35,35,35,35	0
56	MG	1B	231	1/1	0.98	0.07	30,30,30,30	0
56	MG	1A	3065	1/1	0.98	0.12	26,26,26,26	0
56	MG	1A	4073	1/1	0.98	0.09	55,55,55,55	0
56	MG	1A	3608	1/1	0.98	0.06	55,55,55,55	0
56	MG	1A	3172	1/1	0.98	0.07	26,26,26,26	0
56	MG	1A	3981	1/1	0.98	0.11	33,33,33,33	0
56	MG	1A	3129	1/1	0.98	0.06	27,27,27,27	0
56	MG	1A	3130	1/1	0.98	0.16	36,36,36,36	0
56	MG	1D	302	1/1	0.98	0.15	31,31,31,31	0
56	MG	1A	3466	1/1	0.98	0.08	47,47,47,47	0
56	MG	1A	3892	1/1	0.98	0.03	47,47,47,47	0
56	MG	1A	3087	1/1	0.98	0.09	37,37,37,37	0
56	MG	1A	3562	1/1	0.98	0.05	26,26,26,26	0
56	MG	1A	3426	1/1	0.98	0.23	30,30,30,30	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3564	1/1	0.98	0.07	21,21,21,21	0
56	MG	1A	3897	1/1	0.98	0.10	18,18,18,18	0
56	MG	1A	3260	1/1	0.98	0.20	47,47,47,47	0
56	MG	1A	3680	1/1	0.98	0.07	44,44,44,44	0
56	MG	1A	4088	1/1	0.98	0.05	57,57,57,57	0
56	MG	2A	3873	1/1	0.98	0.04	65,65,65,65	0
56	MG	1A	3100	1/1	0.98	0.06	33,33,33,33	0
56	MG	1A	3682	1/1	0.98	0.03	36,36,36,36	0
56	MG	1A	3683	1/1	0.98	0.03	38,38,38,38	0
56	MG	2A	3725	1/1	0.98	0.06	65,65,65,65	0
56	MG	2A	3726	1/1	0.98	0.03	40,40,40,40	0
56	MG	1A	3471	1/1	0.98	0.06	44,44,44,44	0
56	MG	2a	1813	1/1	0.98	0.12	54,54,54,54	0
56	MG	10	108	1/1	0.98	0.07	57,57,57,57	0
56	MG	11	101	1/1	0.98	0.22	27,27,27,27	0
56	MG	2a	1816	1/1	0.98	0.05	68,68,68,68	0
56	MG	1A	3821	1/1	0.98	0.06	40,40,40,40	0
56	MG	1A	3429	1/1	0.98	0.15	31,31,31,31	0
56	MG	1A	3999	1/1	0.98	0.06	36,36,36,36	0
56	MG	1A	3823	1/1	0.98	0.06	30,30,30,30	0
56	MG	1E	308	1/1	0.98	0.05	47,47,47,47	0
56	MG	1A	3517	1/1	0.98	0.09	24,24,24,24	0
56	MG	2A	3588	1/1	0.98	0.07	44,44,44,44	0
56	MG	1A	3021	1/1	0.98	0.03	17,17,17,17	0
56	MG	1A	4003	1/1	0.98	0.06	27,27,27,27	0
56	MG	1a	1694	1/1	0.98	0.10	32,32,32,32	0
56	MG	2A	3592	1/1	0.98	0.09	48,48,48,48	0
56	MG	1A	3232	1/1	0.98	0.10	44,44,44,44	0
56	MG	1A	3690	1/1	0.98	0.05	16,16,16,16	0
56	MG	1A	3359	1/1	0.98	0.25	45,45,45,45	0
56	MG	15	102	1/1	0.98	0.04	26,26,26,26	0
56	MG	1A	3829	1/1	0.98	0.04	50,50,50,50	0
56	MG	1A	3626	1/1	0.98	0.07	24,24,24,24	0
56	MG	1a	1701	1/1	0.98	0.06	33,33,33,33	0
56	MG	1a	1702	1/1	0.98	0.11	36,36,36,36	0
56	MG	1A	3833	1/1	0.98	0.09	50,50,50,50	0
56	MG	1A	4010	1/1	0.98	0.04	25,25,25,25	0
56	MG	17	101	1/1	0.98	0.04	27,27,27,27	0
56	MG	2A	3460	1/1	0.98	0.06	58,58,58,58	0
56	MG	17	102	1/1	0.98	0.09	29,29,29,29	0
56	MG	1F	305	1/1	0.98	0.03	36,36,36,36	0
56	MG	1a	1835	1/1	0.98	0.07	73,73,73,73	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3757	1/1	0.98	0.11	48,48,48,48	0
56	MG	1A	3920	1/1	0.98	0.04	45,45,45,45	0
56	MG	1A	3835	1/1	0.98	0.03	49,49,49,49	0
56	MG	1A	3051	1/1	0.98	0.05	25,25,25,25	0
56	MG	2a	1692	1/1	0.98	0.05	74,74,74,74	0
56	MG	2A	3469	1/1	0.98	0.05	54,54,54,54	0
56	MG	2A	3613	1/1	0.98	0.04	60,60,60,60	0
56	MG	1A	3010	1/1	0.98	0.07	28,28,28,28	0
56	MG	2A	3471	1/1	0.98	0.12	34,34,34,34	0
56	MG	1A	3117	1/1	0.98	0.15	30,30,30,30	0
56	MG	1F	312	1/1	0.98	0.04	44,44,44,44	0
56	MG	1a	1717	1/1	0.98	0.03	42,42,42,42	0
56	MG	1A	3578	1/1	0.98	0.09	22,22,22,22	0
56	MG	1A	4018	1/1	0.98	0.10	34,34,34,34	0
56	MG	2A	3477	1/1	0.98	0.08	50,50,50,50	0
56	MG	1A	3698	1/1	0.98	0.13	56,56,56,56	0
56	MG	1A	3208	1/1	0.98	0.07	40,40,40,40	0
56	MG	1A	3528	1/1	0.98	0.07	17,17,17,17	0
56	MG	1A	3931	1/1	0.98	0.05	48,48,48,48	0
56	MG	1A	3845	1/1	0.98	0.05	79,79,79,79	0
56	MG	1A	3701	1/1	0.98	0.05	34,34,34,34	0
56	MG	1A	4025	1/1	0.98	0.05	33,33,33,33	0
56	MG	1A	3237	1/1	0.98	0.12	35,35,35,35	0
56	MG	1A	3583	1/1	0.98	0.09	26,26,26,26	0
56	MG	1N	205	1/1	0.98	0.07	32,32,32,32	0
56	MG	1A	3118	1/1	0.98	0.09	31,31,31,31	0
56	MG	2Q	203	1/1	0.98	0.09	67,67,67,67	0
56	MG	1A	3008	1/1	0.98	0.06	15,15,15,15	0
56	MG	1A	3183	1/1	0.98	0.19	41,41,41,41	0
56	MG	1A	3402	1/1	0.98	0.16	28,28,28,28	0
56	MG	1A	3159	1/1	0.98	0.07	37,37,37,37	0
56	MG	1A	3160	1/1	0.98	0.07	28,28,28,28	0
56	MG	1A	3644	1/1	0.98	0.04	33,33,33,33	0
56	MG	1P	201	1/1	0.98	0.12	28,28,28,28	0
56	MG	1a	1619	1/1	0.98	0.05	50,50,50,50	0
56	MG	2A	3643	1/1	0.98	0.04	33,33,33,33	0
56	MG	2A	3794	1/1	0.98	0.06	52,52,52,52	0
56	MG	1A	3444	1/1	0.98	0.17	38,38,38,38	0
56	MG	2y	107	1/1	0.98	0.05	77,77,77,77	0
57	ZN	14	501	1/1	0.98	0.04	94,94,94,94	0
57	ZN	2Y	202	1/1	0.98	0.05	95,95,95,95	0
56	MG	2A	3108	1/1	0.98	0.18	66,66,66,66	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3713	1/1	0.98	0.31	31,31,31,31	0
56	MG	2A	3500	1/1	0.98	0.12	32,32,32,32	0
56	MG	1A	3858	1/1	0.98	0.04	41,41,41,41	0
56	MG	1A	3946	1/1	0.98	0.06	23,23,23,23	0
56	MG	1A	3405	1/1	0.98	0.05	46,46,46,46	0
56	MG	1B	221	1/1	0.99	0.09	39,39,39,39	0
56	MG	1A	3513	1/1	0.99	0.05	27,27,27,27	0
56	MG	1A	3837	1/1	0.99	0.05	33,33,33,33	0
56	MG	1A	3647	1/1	0.99	0.05	34,34,34,34	0
56	MG	1a	1749	1/1	0.99	0.04	49,49,49,49	0
56	MG	1A	3911	1/1	0.99	0.09	28,28,28,28	0
56	MG	1A	3169	1/1	0.99	0.05	32,32,32,32	0
56	MG	1a	1752	1/1	0.99	0.04	41,41,41,41	0
56	MG	2A	3142	1/1	0.99	0.04	60,60,60,60	0
56	MG	1A	3014	1/1	0.99	0.04	27,27,27,27	0
56	MG	1a	1754	1/1	0.99	0.03	56,56,56,56	0
56	MG	1A	3011	1/1	0.99	0.09	39,39,39,39	0
56	MG	1a	1809	1/1	0.99	0.04	63,63,63,63	0
56	MG	1A	3030	1/1	0.99	0.12	22,22,22,22	0
56	MG	1A	3916	1/1	0.99	0.04	50,50,50,50	0
56	MG	1A	3518	1/1	0.99	0.08	27,27,27,27	0
56	MG	1A	3081	1/1	0.99	0.15	23,23,23,23	0
56	MG	2A	3741	1/1	0.99	0.09	31,31,31,31	0
56	MG	1A	3880	1/1	0.99	0.04	45,45,45,45	0
56	MG	2A	3743	1/1	0.99	0.03	47,47,47,47	0
56	MG	2A	3744	1/1	0.99	0.04	56,56,56,56	0
56	MG	1A	3013	1/1	0.99	0.19	23,23,23,23	0
56	MG	1a	1711	1/1	0.99	0.11	47,47,47,47	0
56	MG	2A	3435	1/1	0.99	0.09	34,34,34,34	0
56	MG	1A	3810	1/1	0.99	0.02	21,21,21,21	0
56	MG	2A	3556	1/1	0.99	0.06	41,41,41,41	0
56	MG	1A	4046	1/1	0.99	0.04	68,68,68,68	0
56	MG	1A	3580	1/1	0.99	0.05	22,22,22,22	0
56	MG	13	103	1/1	0.99	0.11	32,32,32,32	0
56	MG	2A	3753	1/1	0.99	0.03	33,33,33,33	0
56	MG	1a	1716	1/1	0.99	0.06	53,53,53,53	0
56	MG	1A	3685	1/1	0.99	0.09	17,17,17,17	0
56	MG	1A	4091	1/1	0.99	0.11	50,50,50,50	0
56	MG	1A	3656	1/1	0.99	0.07	38,38,38,38	0
56	MG	1a	1771	1/1	0.99	0.04	54,54,54,54	0
56	MG	1A	3068	1/1	0.99	0.07	36,36,36,36	0
56	MG	1A	3522	1/1	0.99	0.06	18,18,18,18	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	2A	3629	1/1	0.99	0.05	28,28,28,28	0
56	MG	1A	3927	1/1	0.99	0.02	21,21,21,21	0
56	MG	2A	3506	1/1	0.99	0.05	39,39,39,39	0
56	MG	1A	3928	1/1	0.99	0.03	45,45,45,45	0
56	MG	2A	3508	1/1	0.99	0.05	54,54,54,54	0
56	MG	1a	1776	1/1	0.99	0.09	48,48,48,48	0
56	MG	1A	3560	1/1	0.99	0.03	38,38,38,38	0
56	MG	1A	3632	1/1	0.99	0.05	48,48,48,48	0
56	MG	2A	3512	1/1	0.99	0.05	39,39,39,39	0
56	MG	1A	3691	1/1	0.99	0.06	22,22,22,22	0
56	MG	1A	3523	1/1	0.99	0.03	44,44,44,44	0
56	MG	1A	3206	1/1	0.99	0.20	38,38,38,38	0
56	MG	1A	3062	1/1	0.99	0.04	11,11,11,11	0
56	MG	1A	3636	1/1	0.99	0.08	50,50,50,50	0
56	MG	1A	3023	1/1	0.99	0.03	20,20,20,20	0
56	MG	1A	3510	1/1	0.99	0.06	17,17,17,17	0
56	MG	1A	3566	1/1	0.99	0.02	35,35,35,35	0
56	MG	1A	3898	1/1	0.99	0.04	30,30,30,30	0
56	MG	1a	1735	1/1	0.99	0.02	48,48,48,48	0
56	MG	2A	3462	1/1	0.99	0.05	46,46,46,46	0
56	MG	1A	3462	1/1	0.99	0.13	28,28,28,28	0
56	MG	2A	3125	1/1	0.99	0.16	34,34,34,34	0
57	ZN	1Y	205	1/1	0.99	0.03	63,63,63,63	0
56	MG	1A	3547	1/1	0.99	0.06	28,28,28,28	0
57	ZN	1n	102	1/1	0.99	0.03	69,69,69,69	0
56	MG	1A	3150	1/1	0.99	0.04	33,33,33,33	0
56	MG	1A	3831	1/1	0.99	0.04	32,32,32,32	0
57	ZN	25	106	1/1	0.99	0.06	59,59,59,59	0
57	ZN	26	102	1/1	0.99	0.04	73,73,73,73	0
57	ZN	29	501	1/1	0.99	0.04	76,76,76,76	0
56	MG	1A	3530	1/1	0.99	0.12	23,23,23,23	0
56	MG	1A	3617	1/1	0.99	0.06	23,23,23,23	0
56	MG	1A	3673	1/1	0.99	0.04	24,24,24,24	0
59	SF4	1d	501	8/8	0.99	0.05	55,69,72,74	0
59	SF4	2d	303	8/8	0.99	0.04	70,78,89,91	0
56	MG	1A	3571	1/1	0.99	0.05	25,25,25,25	0
56	MG	1A	3907	1/1	0.99	0.04	23,23,23,23	0
56	MG	1A	3964	1/1	1.00	0.05	22,22,22,22	0
56	MG	1A	3805	1/1	1.00	0.08	40,40,40,40	0
56	MG	2A	3637	1/1	1.00	0.02	47,47,47,47	0
56	MG	2A	3646	1/1	1.00	0.03	36,36,36,36	0
56	MG	1A	3627	1/1	1.00	0.05	21,21,21,21	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
56	MG	1A	3830	1/1	1.00	0.06	22,22,22,22	0
56	MG	1A	3702	1/1	1.00	0.07	27,27,27,27	0
56	MG	1A	3811	1/1	1.00	0.02	27,27,27,27	0
57	ZN	15	105	1/1	1.00	0.06	44,44,44,44	0
57	ZN	16	103	1/1	1.00	0.04	46,46,46,46	0
57	ZN	19	102	1/1	1.00	0.04	42,42,42,42	0
56	MG	1A	3843	1/1	1.00	0.04	44,44,44,44	0

6.5 Other polymers [i](#)

There are no such residues in this entry.