



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 25, 2026 – 11:59 AM EDT

PDB ID : 4UW1 / pdb_00004uw1
Title : X-ray crystal structure of human TNKS in complex with a small molecule inhibitor
Authors : Oliver, A.W.; Rajasekaran, M.B.; Pearl, L.H.
Deposited on : 2014-08-08
Resolution : 3.37 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1047 (3.42-3.34)
Clashscore	190562	1067 (3.42-3.34)
Ramachandran outliers	187476	1056 (3.42-3.34)
Sidechain outliers	187428	1056 (3.42-3.34)
RSRZ outliers	180081	1047 (3.42-3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	258	5% 71% 10% 19%
1	B	258	3% 68% 13% 19%
1	C	258	8% 62% 17% 21%
1	D	258	7% 69% 12% 18%
1	E	258	6% 64% 16% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	258	7% 67% 12% 19%
1	G	258	9% 72% 8% 19%
1	H	258	5% 68% 14% 19%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12945 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TANKYRASE-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	0	0
			1571	1000	281	279	11			
1	B	209	Total	C	N	O	S	0	0	0
			1608	1019	287	291	11			
1	C	205	Total	C	N	O	S	0	3	0
			1573	999	283	281	10			
1	D	211	Total	C	N	O	S	0	0	0
			1593	1007	285	290	11			
1	E	207	Total	C	N	O	S	0	0	0
			1584	1001	285	287	11			
1	F	209	Total	C	N	O	S	0	0	0
			1575	1002	277	286	10			
1	G	209	Total	C	N	O	S	0	2	0
			1601	1016	285	290	10			
1	H	210	Total	C	N	O	S	0	0	0
			1624	1025	296	292	11			

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1068	MET	-	expression tag	UNP O95271
A	1069	HIS	-	expression tag	UNP O95271
A	1070	HIS	-	expression tag	UNP O95271
A	1071	HIS	-	expression tag	UNP O95271
A	1072	HIS	-	expression tag	UNP O95271
A	1073	HIS	-	expression tag	UNP O95271
A	1074	HIS	-	expression tag	UNP O95271
A	1075	SER	-	expression tag	UNP O95271
A	1076	SER	-	expression tag	UNP O95271
A	1077	GLY	-	expression tag	UNP O95271
A	1078	VAL	-	expression tag	UNP O95271
A	1079	ASP	-	expression tag	UNP O95271
A	1080	LEU	-	expression tag	UNP O95271

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1081	GLY	-	expression tag	UNP O95271
A	1082	THR	-	expression tag	UNP O95271
A	1083	GLU	-	expression tag	UNP O95271
A	1084	ASN	-	expression tag	UNP O95271
A	1085	LEU	-	expression tag	UNP O95271
A	1086	TYR	-	expression tag	UNP O95271
A	1087	PHE	-	expression tag	UNP O95271
A	1088	GLN	-	expression tag	UNP O95271
A	1089	SER	-	expression tag	UNP O95271
A	1090	MET	-	expression tag	UNP O95271
A	1266	ILE	MET	variant	UNP O95271
B	1068	MET	-	expression tag	UNP O95271
B	1069	HIS	-	expression tag	UNP O95271
B	1070	HIS	-	expression tag	UNP O95271
B	1071	HIS	-	expression tag	UNP O95271
B	1072	HIS	-	expression tag	UNP O95271
B	1073	HIS	-	expression tag	UNP O95271
B	1074	HIS	-	expression tag	UNP O95271
B	1075	SER	-	expression tag	UNP O95271
B	1076	SER	-	expression tag	UNP O95271
B	1077	GLY	-	expression tag	UNP O95271
B	1078	VAL	-	expression tag	UNP O95271
B	1079	ASP	-	expression tag	UNP O95271
B	1080	LEU	-	expression tag	UNP O95271
B	1081	GLY	-	expression tag	UNP O95271
B	1082	THR	-	expression tag	UNP O95271
B	1083	GLU	-	expression tag	UNP O95271
B	1084	ASN	-	expression tag	UNP O95271
B	1085	LEU	-	expression tag	UNP O95271
B	1086	TYR	-	expression tag	UNP O95271
B	1087	PHE	-	expression tag	UNP O95271
B	1088	GLN	-	expression tag	UNP O95271
B	1089	SER	-	expression tag	UNP O95271
B	1090	MET	-	expression tag	UNP O95271
B	1266	ILE	MET	variant	UNP O95271
C	1068	MET	-	expression tag	UNP O95271
C	1069	HIS	-	expression tag	UNP O95271
C	1070	HIS	-	expression tag	UNP O95271
C	1071	HIS	-	expression tag	UNP O95271
C	1072	HIS	-	expression tag	UNP O95271
C	1073	HIS	-	expression tag	UNP O95271
C	1074	HIS	-	expression tag	UNP O95271

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1075	SER	-	expression tag	UNP O95271
C	1076	SER	-	expression tag	UNP O95271
C	1077	GLY	-	expression tag	UNP O95271
C	1078	VAL	-	expression tag	UNP O95271
C	1079	ASP	-	expression tag	UNP O95271
C	1080	LEU	-	expression tag	UNP O95271
C	1081	GLY	-	expression tag	UNP O95271
C	1082	THR	-	expression tag	UNP O95271
C	1083	GLU	-	expression tag	UNP O95271
C	1084	ASN	-	expression tag	UNP O95271
C	1085	LEU	-	expression tag	UNP O95271
C	1086	TYR	-	expression tag	UNP O95271
C	1087	PHE	-	expression tag	UNP O95271
C	1088	GLN	-	expression tag	UNP O95271
C	1089	SER	-	expression tag	UNP O95271
C	1090	MET	-	expression tag	UNP O95271
C	1266	ILE	MET	variant	UNP O95271
D	1068	MET	-	expression tag	UNP O95271
D	1069	HIS	-	expression tag	UNP O95271
D	1070	HIS	-	expression tag	UNP O95271
D	1071	HIS	-	expression tag	UNP O95271
D	1072	HIS	-	expression tag	UNP O95271
D	1073	HIS	-	expression tag	UNP O95271
D	1074	HIS	-	expression tag	UNP O95271
D	1075	SER	-	expression tag	UNP O95271
D	1076	SER	-	expression tag	UNP O95271
D	1077	GLY	-	expression tag	UNP O95271
D	1078	VAL	-	expression tag	UNP O95271
D	1079	ASP	-	expression tag	UNP O95271
D	1080	LEU	-	expression tag	UNP O95271
D	1081	GLY	-	expression tag	UNP O95271
D	1082	THR	-	expression tag	UNP O95271
D	1083	GLU	-	expression tag	UNP O95271
D	1084	ASN	-	expression tag	UNP O95271
D	1085	LEU	-	expression tag	UNP O95271
D	1086	TYR	-	expression tag	UNP O95271
D	1087	PHE	-	expression tag	UNP O95271
D	1088	GLN	-	expression tag	UNP O95271
D	1089	SER	-	expression tag	UNP O95271
D	1090	MET	-	expression tag	UNP O95271
D	1266	ILE	MET	variant	UNP O95271
E	1068	MET	-	expression tag	UNP O95271

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	1069	HIS	-	expression tag	UNP O95271
E	1070	HIS	-	expression tag	UNP O95271
E	1071	HIS	-	expression tag	UNP O95271
E	1072	HIS	-	expression tag	UNP O95271
E	1073	HIS	-	expression tag	UNP O95271
E	1074	HIS	-	expression tag	UNP O95271
E	1075	SER	-	expression tag	UNP O95271
E	1076	SER	-	expression tag	UNP O95271
E	1077	GLY	-	expression tag	UNP O95271
E	1078	VAL	-	expression tag	UNP O95271
E	1079	ASP	-	expression tag	UNP O95271
E	1080	LEU	-	expression tag	UNP O95271
E	1081	GLY	-	expression tag	UNP O95271
E	1082	THR	-	expression tag	UNP O95271
E	1083	GLU	-	expression tag	UNP O95271
E	1084	ASN	-	expression tag	UNP O95271
E	1085	LEU	-	expression tag	UNP O95271
E	1086	TYR	-	expression tag	UNP O95271
E	1087	PHE	-	expression tag	UNP O95271
E	1088	GLN	-	expression tag	UNP O95271
E	1089	SER	-	expression tag	UNP O95271
E	1090	MET	-	expression tag	UNP O95271
E	1266	ILE	MET	variant	UNP O95271
F	1068	MET	-	expression tag	UNP O95271
F	1069	HIS	-	expression tag	UNP O95271
F	1070	HIS	-	expression tag	UNP O95271
F	1071	HIS	-	expression tag	UNP O95271
F	1072	HIS	-	expression tag	UNP O95271
F	1073	HIS	-	expression tag	UNP O95271
F	1074	HIS	-	expression tag	UNP O95271
F	1075	SER	-	expression tag	UNP O95271
F	1076	SER	-	expression tag	UNP O95271
F	1077	GLY	-	expression tag	UNP O95271
F	1078	VAL	-	expression tag	UNP O95271
F	1079	ASP	-	expression tag	UNP O95271
F	1080	LEU	-	expression tag	UNP O95271
F	1081	GLY	-	expression tag	UNP O95271
F	1082	THR	-	expression tag	UNP O95271
F	1083	GLU	-	expression tag	UNP O95271
F	1084	ASN	-	expression tag	UNP O95271
F	1085	LEU	-	expression tag	UNP O95271
F	1086	TYR	-	expression tag	UNP O95271

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	1087	PHE	-	expression tag	UNP O95271
F	1088	GLN	-	expression tag	UNP O95271
F	1089	SER	-	expression tag	UNP O95271
F	1090	MET	-	expression tag	UNP O95271
F	1266	ILE	MET	variant	UNP O95271
G	1068	MET	-	expression tag	UNP O95271
G	1069	HIS	-	expression tag	UNP O95271
G	1070	HIS	-	expression tag	UNP O95271
G	1071	HIS	-	expression tag	UNP O95271
G	1072	HIS	-	expression tag	UNP O95271
G	1073	HIS	-	expression tag	UNP O95271
G	1074	HIS	-	expression tag	UNP O95271
G	1075	SER	-	expression tag	UNP O95271
G	1076	SER	-	expression tag	UNP O95271
G	1077	GLY	-	expression tag	UNP O95271
G	1078	VAL	-	expression tag	UNP O95271
G	1079	ASP	-	expression tag	UNP O95271
G	1080	LEU	-	expression tag	UNP O95271
G	1081	GLY	-	expression tag	UNP O95271
G	1082	THR	-	expression tag	UNP O95271
G	1083	GLU	-	expression tag	UNP O95271
G	1084	ASN	-	expression tag	UNP O95271
G	1085	LEU	-	expression tag	UNP O95271
G	1086	TYR	-	expression tag	UNP O95271
G	1087	PHE	-	expression tag	UNP O95271
G	1088	GLN	-	expression tag	UNP O95271
G	1089	SER	-	expression tag	UNP O95271
G	1090	MET	-	expression tag	UNP O95271
G	1266	ILE	MET	variant	UNP O95271
H	1068	MET	-	expression tag	UNP O95271
H	1069	HIS	-	expression tag	UNP O95271
H	1070	HIS	-	expression tag	UNP O95271
H	1071	HIS	-	expression tag	UNP O95271
H	1072	HIS	-	expression tag	UNP O95271
H	1073	HIS	-	expression tag	UNP O95271
H	1074	HIS	-	expression tag	UNP O95271
H	1075	SER	-	expression tag	UNP O95271
H	1076	SER	-	expression tag	UNP O95271
H	1077	GLY	-	expression tag	UNP O95271
H	1078	VAL	-	expression tag	UNP O95271
H	1079	ASP	-	expression tag	UNP O95271
H	1080	LEU	-	expression tag	UNP O95271

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	1081	GLY	-	expression tag	UNP O95271
H	1082	THR	-	expression tag	UNP O95271
H	1083	GLU	-	expression tag	UNP O95271
H	1084	ASN	-	expression tag	UNP O95271
H	1085	LEU	-	expression tag	UNP O95271
H	1086	TYR	-	expression tag	UNP O95271
H	1087	PHE	-	expression tag	UNP O95271
H	1088	GLN	-	expression tag	UNP O95271
H	1089	SER	-	expression tag	UNP O95271
H	1090	MET	-	expression tag	UNP O95271
H	1266	ILE	MET	variant	UNP O95271

- Molecule 2 is ZINC ION (CCD ID: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Zn 1 1	0	0
2	B	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	E	1	Total Zn 1 1	0	0
2	F	1	Total Zn 1 1	0	0
2	G	1	Total Zn 1 1	0	0
2	H	1	Total Zn 1 1	0	0

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is 3-{4-[(dimethylamino)methyl]phenyl}-5-methoxyisoquinolin-1(2H)-one (CCD ID: 92R) (formula: C₁₉H₂₀N₂O₂).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			20	17	1	2		
5	B	1	Total	C	N	O	0	0
			23	19	2	2		
5	C	1	Total	C	N	O	0	0
			23	19	2	2		
5	D	1	Total	C	N	O	0	0
			20	17	1	2		
5	E	1	Total	C	N	O	0	0
			23	19	2	2		
5	F	1	Total	C	N	O	0	0
			23	19	2	2		
5	G	1	Total	C	N	O	0	0
			23	19	2	2		
5	H	1	Total	C	N	O	0	0
			23	19	2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: TANKYRASE-1




• Molecule 1: TANKYRASE-1




• Molecule 1: TANKYRASE-1







• Molecule 1: TANKYRASE-1




• Molecule 1: TANKYRASE-1




• Molecule 1: TANKYRASE-1




• Molecule 1: TANKYRASE-1





• Molecule 1: TANKYRASE-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	80.59Å 82.31Å 86.73Å 71.38° 67.31° 89.51°	Depositor
Resolution (Å)	46.92 – 3.37 46.92 – 3.37	Depositor EDS
% Data completeness (in resolution range)	98.9 (46.92-3.37) 99.1 (46.92-3.37)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.84 (at 3.40Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.266 , 0.322 0.247 , 0.299	Depositor DCC
R_{free} test set	1358 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	38.1	Xtriage
Anisotropy	0.504	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	12945	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 41.07 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.4912e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, GOL, ZN, 92R

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/1613	0.70	0/2189
1	B	0.26	0/1650	0.69	0/2229
1	C	0.26	0/1621	0.70	0/2189
1	D	0.25	0/1635	0.68	0/2216
1	E	0.28	0/1625	0.73	0/2199
1	F	0.25	0/1617	0.69	0/2191
1	G	0.25	0/1651	0.69	2/2239 (0.1%)
1	H	0.24	0/1667	0.66	0/2255
All	All	0.25	0/13079	0.69	2/17707 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	1281	ARG	CA-C-N	5.07	126.17	119.84
1	G	1281	ARG	C-N-CA	5.07	126.17	119.84

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1571	0	1419	17	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1608	0	1465	16	0
1	C	1573	0	1415	29	0
1	D	1593	0	1410	19	0
1	E	1584	0	1427	24	0
1	F	1575	0	1409	18	0
1	G	1601	0	1435	11	0
1	H	1624	0	1485	20	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	6	0	8	1	0
3	C	6	0	8	0	0
3	D	6	0	8	0	0
4	A	4	0	6	0	0
4	C	4	0	6	1	0
4	G	4	0	6	1	0
5	A	20	0	12	3	0
5	B	23	0	20	0	0
5	C	23	0	20	0	0
5	D	20	0	12	2	0
5	E	23	0	20	1	0
5	F	23	0	20	1	0
5	G	23	0	20	0	0
5	H	23	0	20	1	0
All	All	12945	0	11651	147	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 147 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1251:PHE:HB3	1:B:1304:TYR:HB2	1.65	0.78
1:D:1251:PHE:HB3	1:D:1304:TYR:HB2	1.71	0.73
1:F:1174:HIS:O	1:F:1176:HIS:N	2.22	0.72
1:A:1251:PHE:HB3	1:A:1304:TYR:HB2	1.72	0.72

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:1251:PHE:HB3	1:G:1304:TYR:HB2	1.74	0.68

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/258 (80%)	200 (97%)	7 (3%)	0	100	100
1	B	207/258 (80%)	196 (95%)	10 (5%)	1 (0%)	24	53
1	C	200/258 (78%)	184 (92%)	13 (6%)	3 (2%)	8	29
1	D	209/258 (81%)	198 (95%)	11 (5%)	0	100	100
1	E	203/258 (79%)	191 (94%)	11 (5%)	1 (0%)	24	53
1	F	207/258 (80%)	193 (93%)	9 (4%)	5 (2%)	4	22
1	G	209/258 (81%)	203 (97%)	5 (2%)	1 (0%)	24	53
1	H	208/258 (81%)	194 (93%)	13 (6%)	1 (0%)	24	53
All	All	1650/2064 (80%)	1559 (94%)	79 (5%)	12 (1%)	18	46

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	1175	ASN
1	C	1202	ALA
1	G	1282	PRO
1	C	1178	ASN
1	F	1174	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	147/219 (67%)	147 (100%)	0	100	100
1	B	154/219 (70%)	152 (99%)	2 (1%)	61	71
1	C	147/219 (67%)	145 (99%)	2 (1%)	59	70
1	D	149/219 (68%)	149 (100%)	0	100	100
1	E	152/219 (69%)	151 (99%)	1 (1%)	76	78
1	F	146/219 (67%)	145 (99%)	1 (1%)	76	78
1	G	152/219 (69%)	150 (99%)	2 (1%)	61	71
1	H	158/219 (72%)	157 (99%)	1 (1%)	78	80
All	All	1205/1752 (69%)	1196 (99%)	9 (1%)	76	78

5 of 9 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	1171	GLU
1	H	1157	LYS
1	C	1165	ARG
1	E	1158	LEU
1	F	1180	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	1237	HIS
1	H	1309	GLN
1	H	1146	ASN
1	C	1309	GLN
1	F	1164	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 8 are monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	EDO	G	2314	-	3,3,3	0.42	0	2,2,2	0.38	0
5	92R	F	3000	-	24,25,25	0.15	0	34,35,35	0.24	0
5	92R	E	3000	-	24,25,25	0.16	0	34,35,35	0.24	0
5	92R	G	3000	-	24,25,25	0.15	0	34,35,35	0.24	0
5	92R	C	3000	-	24,25,25	0.15	0	34,35,35	0.24	0
5	92R	H	3000	-	24,25,25	0.15	0	34,35,35	0.24	0
5	92R	A	3000	-	21,22,25	0.15	0	30,31,35	0.26	0
3	GOL	C	2315	-	5,5,5	0.38	0	5,5,5	0.32	0
4	EDO	C	2316	-	3,3,3	0.42	0	2,2,2	0.40	0
3	GOL	A	2314	-	5,5,5	0.38	0	5,5,5	0.28	0
3	GOL	D	2316	-	5,5,5	0.37	0	5,5,5	0.32	0
5	92R	B	3000	-	24,25,25	0.15	0	34,35,35	0.24	0
4	EDO	A	2315	-	3,3,3	0.42	0	2,2,2	0.38	0
5	92R	D	3000	-	21,22,25	0.15	0	30,31,35	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	EDO	G	2314	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	92R	F	3000	-	-	2/10/10/10	0/3/3/3
5	92R	E	3000	-	-	1/10/10/10	0/3/3/3
5	92R	G	3000	-	-	2/10/10/10	0/3/3/3
5	92R	C	3000	-	-	2/10/10/10	0/3/3/3
5	92R	H	3000	-	-	6/10/10/10	0/3/3/3
5	92R	A	3000	-	-	4/6/6/10	0/3/3/3
3	GOL	C	2315	-	-	2/4/4/4	-
4	EDO	C	2316	-	-	0/1/1/1	-
3	GOL	A	2314	-	-	4/4/4/4	-
3	GOL	D	2316	-	-	2/4/4/4	-
5	92R	B	3000	-	-	6/10/10/10	0/3/3/3
4	EDO	A	2315	-	-	0/1/1/1	-
5	92R	D	3000	-	-	4/6/6/10	0/3/3/3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 35 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	2314	GOL	C1-C2-C3-O3
3	C	2315	GOL	C1-C2-C3-O3
5	D	3000	92R	C11-C10-C8-N
5	H	3000	92R	C18-C10-C8-N
5	H	3000	92R	C11-C10-C8-N

There are no ring outliers.


8 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	2314	EDO	1	0
5	F	3000	92R	1	0
5	E	3000	92R	1	0
5	H	3000	92R	1	0
5	A	3000	92R	3	0
4	C	2316	EDO	1	0
3	A	2314	GOL	1	0
5	D	3000	92R	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






Ligand 92R E 3000





Ligand 92R G 3000











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/258 (81%)	0.92	14 (6%) 24 19	25, 46, 74, 91	0
1	B	209/258 (81%)	0.88	9 (4%) 40 29	15, 44, 65, 76	0
1	C	205/258 (79%)	1.00	20 (9%) 13 13	16, 45, 71, 86	3 (1%)
1	D	211/258 (81%)	0.94	17 (8%) 18 15	20, 48, 68, 95	0
1	E	207/258 (80%)	0.82	16 (7%) 19 16	20, 46, 73, 87	0
1	F	209/258 (81%)	0.85	17 (8%) 18 15	19, 43, 71, 81	0
1	G	209/258 (81%)	1.03	23 (11%) 10 11	21, 47, 71, 80	2 (0%)
1	H	210/258 (81%)	0.82	12 (5%) 29 22	20, 43, 66, 85	0
All	All	1669/2064 (80%)	0.91	128 (7%) 19 16	15, 46, 71, 95	5 (0%)

The worst 5 of 128 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1262	GLN	4.6
1	C	1203	TYR	4.6
1	A	1263	PHE	4.6
1	F	1285	ASN	4.5
1	C	1202	ALA	4.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	GOL	A	2314	6/6	0.79	0.20	33,33,34,34	0
3	GOL	C	2315	6/6	0.86	0.15	26,27,27,27	0
4	EDO	A	2315	4/4	0.86	0.14	23,23,23,24	0
5	92R	B	3000	23/23	0.88	0.16	35,36,39,39	0
4	EDO	C	2316	4/4	0.89	0.11	22,22,22,23	0
3	GOL	D	2316	6/6	0.90	0.14	19,19,19,20	0
5	92R	C	3000	23/23	0.91	0.13	25,28,35,36	0
5	92R	D	3000	20/23	0.91	0.12	24,27,29,29	0
5	92R	E	3000	23/23	0.91	0.13	8,12,18,19	0
5	92R	A	3000	20/23	0.92	0.11	25,30,32,32	0
5	92R	F	3000	23/23	0.92	0.11	4,11,23,24	0
4	EDO	G	2314	4/4	0.93	0.15	28,28,29,29	0
5	92R	H	3000	23/23	0.93	0.13	10,11,18,18	0
5	92R	G	3000	23/23	0.95	0.10	1,4,12,12	0
2	ZN	H	2000	1/1	0.99	0.02	29,29,29,29	0
2	ZN	C	2000	1/1	0.99	0.02	19,19,19,19	0
2	ZN	D	2000	1/1	0.99	0.03	17,17,17,17	0
2	ZN	E	2000	1/1	0.99	0.03	37,37,37,37	0
2	ZN	F	2000	1/1	0.99	0.03	44,44,44,44	0
2	ZN	A	2000	1/1	1.00	0.01	30,30,30,30	0
2	ZN	B	2000	1/1	1.00	0.03	40,40,40,40	0
2	ZN	G	2000	1/1	1.00	0.01	27,27,27,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 92R B 3000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 92R C 3000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 92R D 3000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 92R E 3000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 92R A 3000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 92R F 3000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 92R H 3000:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 92R G 3000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.