



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 01:18 AM UTC

PDB ID : 2UXA / pdb_00002uxa
Title : Crystal structure of the GluR2-flip ligand binding domain, r/g unedited.
Authors : Greger, I.H.; Akamine, P.; Khatri, L.; Ziff, E.B.
Deposited on : 2007-03-27
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7164 (2.40-2.36)
Clashscore	190562	7722 (2.40-2.36)
Ramachandran outliers	187476	7626 (2.40-2.36)
Sidechain outliers	187428	7627 (2.40-2.36)
RSRZ outliers	180081	7170 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	261	77% 20% ..
1	B	261	76% 21% .
1	C	261	78% 19% ..

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6535 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GLUTAMATE RECEPTOR SUBUNIT GLUR2-FLIP.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	4	0
			2039	1303	341	381	14			
1	B	261	Total	C	N	O	S	0	2	2
			2029	1296	338	381	14			
1	C	259	Total	C	N	O	S	0	1	0
			2017	1286	335	381	15			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	231	ARG	GLY	conflict	UNP Q9R174
B	231	ARG	GLY	conflict	UNP Q9R174
C	231	ARG	GLY	conflict	UNP Q9R174

- Molecule 2 is GLUTAMIC ACID (CCD ID: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			10	5	1	4		
2	B	1	Total	C	N	O	0	0
			10	5	1	4		
2	C	1	Total	C	N	O	0	0
			10	5	1	4		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	2	Total	Zn	0	0
			2	2		
3	C	2	Total	Zn	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	126	Total	O	0	0
			126	126		
4	B	154	Total	O	0	0
			154	154		
4	C	135	Total	O	0	0
			135	135		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: GLUTAMATE RECEPTOR SUBUNIT GLUR2-FLIP



• Molecule 1: GLUTAMATE RECEPTOR SUBUNIT GLUR2-FLIP



• Molecule 1: GLUTAMATE RECEPTOR SUBUNIT GLUR2-FLIP



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	114.25Å 164.00Å 47.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.56 – 2.38 28.56 – 2.38	Depositor EDS
% Data completeness (in resolution range)	97.2 (28.56-2.38) 97.5 (28.56-2.38)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.57 (at 2.39Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.174 , 0.265 0.174 , 0.264	Depositor DCC
R_{free} test set	1789 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	20.4	Xtriage
Anisotropy	0.159	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 31.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6535	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 13.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.33	7/2088 (0.3%)	1.26	5/2810 (0.2%)
1	B	1.33	7/2072 (0.3%)	1.26	6/2787 (0.2%)
1	C	1.27	5/2057 (0.2%)	1.27	8/2767 (0.3%)
All	All	1.31	19/6217 (0.3%)	1.26	19/8364 (0.2%)

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	234	VAL	CA-CB	8.00	1.64	1.54
1	B	246	VAL	CA-CB	7.58	1.64	1.54
1	A	113	ILE	CA-CB	7.19	1.62	1.54
1	B	79	VAL	CA-CB	7.18	1.63	1.54
1	C	222	ILE	CA-CB	6.88	1.62	1.54
1	B	111	ILE	CA-CB	6.85	1.62	1.54
1	A	133	ILE	CA-CB	6.83	1.62	1.54
1	A	121	ILE	CA-CB	6.64	1.63	1.54
1	C	56	VAL	CA-CB	6.51	1.61	1.54
1	A	55	ILE	CA-CB	6.30	1.62	1.54
1	C	238	VAL	CA-CB	6.18	1.61	1.54
1	B	92	ILE	CA-CB	5.46	1.60	1.53
1	C	232	THR	C-O	-5.37	1.19	1.24
1	B	178	VAL	CA-CB	5.37	1.60	1.54
1	C	190	TYR	C-O	-5.13	1.17	1.24
1	A	258	LYS	CA-C	5.09	1.60	1.52
1	A	79	VAL	CA-CB	5.08	1.60	1.54
1	B	140	SER	C-O	5.05	1.31	1.24
1	B	224	THR	CA-CB	5.05	1.61	1.54

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	88	ALA	N-CA-C	7.19	114.69	108.22
1	B	94	LEU	N-CA-C	6.99	119.50	111.11
1	B	140	SER	N-CA-C	6.95	121.44	112.41
1	C	232	THR	CA-C-N	-6.85	111.51	119.32
1	C	232	THR	C-N-CA	-6.85	111.51	119.32
1	C	46	HIS	N-CA-C	6.58	118.54	111.36
1	A	75	VAL	N-CA-C	6.25	116.42	110.42
1	B	77	GLU	N-CA-C	6.04	118.63	111.33
1	B	250	LEU	N-CA-C	5.75	117.55	111.28
1	C	154	VAL	N-CA-C	5.70	116.43	110.62
1	A	109	LEU	N-CA-C	5.38	115.65	108.38
1	C	23	HIS	N-CA-C	5.31	117.82	111.71
1	C	43	ILE	N-CA-C	5.25	116.02	110.72
1	B	29	ASN	N-CA-C	5.12	116.94	111.36
1	C	95	VAL	N-CA-CB	5.09	116.83	110.47
1	B	261	CYS	CA-C-N	5.09	126.38	116.20
1	A	199	TYR	CA-C-N	5.02	127.34	120.46
1	A	199	TYR	C-N-CA	5.02	127.34	120.46
1	C	198	GLU	N-CA-C	5.00	116.73	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2039	0	2067	39	0
1	B	2029	0	2058	30	0
1	C	2017	0	2035	41	0
2	A	10	0	5	1	0
2	B	10	0	5	0	0
2	C	10	0	5	1	0
3	A	1	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
4	A	126	0	0	7	0
4	B	154	0	0	7	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	135	0	0	13	0
All	All	6535	0	6175	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:22:ASN:HB2	1:C:25:MET:HE3	1.27	1.15
1:B:209:MET:HE1	4:B:2073:HOH:O	1.53	1.07
1:A:240:LYS:HE3	4:A:2114:HOH:O	1.65	0.94
1:C:22:ASN:CB	1:C:25:MET:HE3	1.99	0.92
1:A:12:LEU:HD11	1:A:19:MET:HE2	1.52	0.92
1:C:117:LYS:HG2	1:C:209[A]:MET:HE3	1.53	0.91
1:A:65:ASP:HB3	1:A:68:THR:HG22	1.55	0.88
1:B:117:LYS:HG2	1:B:209:MET:HE2	1.53	0.87
1:C:22:ASN:HB2	1:C:25:MET:CE	2.07	0.84
1:B:130:GLN:HE22	1:B:133:ILE:H	1.23	0.82
1:A:139:ASP:O	1:A:144:LYS:HD3	1.82	0.80
1:C:46:HIS:HD2	4:C:2025:HOH:O	1.64	0.79
1:C:230:LEU:O	1:C:234:VAL:HG13	1.80	0.79
1:C:230:LEU:O	1:C:234:VAL:CG1	2.32	0.78
1:A:117:LYS:HE2	1:A:206:CYS:O	1.85	0.76
1:B:157:LYS:HE3	4:B:2025:HOH:O	1.84	0.76
1:C:145:GLU:OE2	1:C:149:ARG:HD2	1.87	0.74
1:A:240:LYS:O	1:A:244:GLN:HG2	1.87	0.73
1:C:66:ALA:O	1:C:69:LYS:NZ	2.21	0.73
1:A:43:ILE:HD13	1:A:222[B]:ILE:CD1	2.19	0.73
1:C:43:ILE:CG2	4:C:2114:HOH:O	2.38	0.70
2:A:1264:GLU:OE1	4:A:2126:HOH:O	2.08	0.70
1:C:117:LYS:HE3	1:C:206:CYS:O	1.92	0.69
1:C:43:ILE:HB	4:C:2114:HOH:O	1.91	0.69
1:B:117:LYS:HG2	1:B:209:MET:CE	2.23	0.67
1:B:159:TRP:O	1:B:163:ARG:HG2	1.98	0.63
1:A:65:ASP:CB	1:A:68:THR:HG22	2.28	0.63
1:A:231:ARG:HD2	4:A:2047:HOH:O	1.98	0.63
1:B:94:LEU:O	1:B:98:GLU:HG3	2.01	0.60
1:A:43:ILE:HD13	1:A:222[B]:ILE:HD13	1.83	0.60
1:C:39:LEU:O	1:C:43:ILE:HG23	2.02	0.60
1:C:145:GLU:HG2	4:C:2070:HOH:O	2.02	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:ILE:CD1	1:A:222[B]:ILE:CD1	2.80	0.59
1:C:198:GLU:OE1	4:C:2088:HOH:O	2.16	0.59
1:A:154:VAL:O	1:A:158:MET:HG3	2.03	0.59
1:A:43:ILE:CD1	1:A:222[B]:ILE:HD11	2.35	0.56
1:A:91:THR:HG21	1:A:218:LYS:HD2	1.87	0.56
1:B:100:ILE:HD12	1:B:223:ALA:HB1	1.88	0.56
1:A:91:THR:CG2	1:A:218:LYS:HD2	2.37	0.55
1:B:105:PRO:HA	1:B:220:TYR:O	2.07	0.55
1:B:13:GLU:HG2	1:B:196:MET:HE2	1.89	0.55
1:A:68:THR:O	1:A:69:LYS:HB2	2.07	0.54
1:C:117:LYS:HG2	1:C:209[A]:MET:CE	2.32	0.53
1:A:45:LYS:HE3	1:B:168:SER:HB2	1.89	0.53
1:B:145[A]:GLU:HG3	4:B:2085:HOH:O	2.09	0.53
1:A:196:MET:HE1	1:A:220:TYR:OH	2.09	0.52
1:B:245:GLY:HA2	4:B:2146:HOH:O	2.09	0.52
1:A:117:LYS:HE3	4:A:2055:HOH:O	2.09	0.52
1:C:230:LEU:O	1:C:234:VAL:HG12	2.09	0.52
1:B:54:THR:CG2	4:B:2047:HOH:O	2.58	0.51
1:A:15:PRO:HB3	1:A:199:TYR:CE1	2.46	0.51
1:A:109:LEU:HD23	1:A:193:GLU:HB3	1.93	0.50
1:A:230:LEU:O	1:A:234:VAL:HG13	2.12	0.50
1:B:135:TYR:HA	1:B:189:ALA:O	2.13	0.48
1:C:149:ARG:NH1	4:C:2071:HOH:O	2.01	0.48
1:A:88:ALA:HB1	1:A:89:PRO:HD2	1.95	0.48
1:B:35:TYR:CZ	1:B:107:MET:HE2	2.48	0.48
1:C:82:LYS:HE3	4:C:2043:HOH:O	2.13	0.48
1:A:100:ILE:HD13	1:A:223:ALA:HB1	1.94	0.48
1:A:200:ILE:O	1:A:203:ARG:HB2	2.13	0.48
1:C:145:GLU:CD	1:C:149:ARG:HD2	2.39	0.47
1:A:196:MET:HG2	4:A:2003:HOH:O	2.14	0.47
1:C:43:ILE:HD13	1:C:234:VAL:HB	1.97	0.46
1:A:196:MET:O	1:A:200:ILE:HG12	2.15	0.46
1:C:19:MET:HE2	4:C:2015:HOH:O	2.14	0.46
1:C:158:MET:O	1:C:162:MET:HG3	2.16	0.46
1:A:107:MET:HE3	4:A:2011:HOH:O	2.16	0.46
1:C:101:ASP:O	1:C:223:ALA:HA	2.16	0.45
1:C:240:LYS:O	1:C:244:GLN:HG3	2.16	0.45
1:A:43:ILE:HD11	1:A:222[B]:ILE:HD11	1.98	0.45
1:B:101:ASP:O	1:B:223:ALA:HA	2.16	0.45
1:C:232:THR:O	1:C:233:PRO:C	2.58	0.45
1:C:82:LYS:CE	4:C:2043:HOH:O	2.64	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:249:LYS:HE2	4:C:2127:HOH:O	2.16	0.44
1:C:61:TYR:CE1	2:C:1265:GLU:HB2	2.52	0.44
1:B:6:VAL:HG13	1:B:84:ASP:HB2	1.99	0.44
1:A:68:THR:HG23	1:A:70:ILE:H	1.83	0.44
1:A:96:ARG:O	1:A:100:ILE:HG13	2.18	0.44
1:C:203:ARG:NH1	1:C:258:LYS:O	2.49	0.44
1:B:81:GLY:HA2	4:B:2048:HOH:O	2.17	0.44
1:A:103:SER:O	1:C:104:LYS:HE3	2.18	0.43
1:B:42:GLU:O	1:B:46:HIS:HD2	2.01	0.43
1:B:121:ILE:CD1	1:B:133:ILE:HD12	2.49	0.43
1:A:159:TRP:O	1:A:163:ARG:HG2	2.18	0.43
1:C:35:TYR:C	1:C:35:TYR:CD1	2.97	0.43
1:B:163:ARG:HH11	1:B:163:ARG:HD2	1.68	0.42
1:C:111:ILE:HG22	1:C:215:LEU:HD22	2.02	0.42
1:B:121:ILE:CD1	1:B:133:ILE:CD1	2.97	0.42
1:B:167:PRO:O	1:B:168:SER:C	2.61	0.42
1:C:201:GLU:HB2	4:C:2087:HOH:O	2.20	0.42
1:C:20:LYS:O	1:C:21:LYS:C	2.63	0.42
1:A:107:MET:HE2	1:A:251:LYS:HE3	2.00	0.42
1:C:68:THR:HB	1:C:70:ILE:HG13	2.01	0.42
1:C:126:ASP:O	1:C:130:GLN:HG3	2.20	0.42
1:B:23:HIS:CD2	1:B:26:LEU:HD22	2.54	0.41
1:C:43:ILE:HG21	4:C:2114:HOH:O	2.15	0.41
1:A:16:TYR:CD2	1:A:89:PRO:HG3	2.55	0.41
1:B:242:SER:HB2	1:B:247:LEU:HD12	2.02	0.41
1:B:16:TYR:CE2	1:B:196:MET:HE3	2.56	0.41
1:B:125:GLU:HG2	1:B:129:LYS:HE3	2.03	0.41
1:A:210:LYS:HD3	4:A:2089:HOH:O	2.20	0.41
1:A:232:THR:HB	1:A:233:PRO:HD3	2.03	0.41
1:B:15:PRO:HB2	1:B:254:TRP:HB3	2.03	0.41
1:B:145[A]:GLU:CG	4:B:2085:HOH:O	2.68	0.40
1:A:94:LEU:O	1:A:98:GLU:HG3	2.21	0.40
1:C:150:SER:OG	1:C:155:PHE:HB2	2.21	0.40
1:C:30:GLU:HG2	4:C:2014:HOH:O	2.20	0.40
1:A:148:ARG:HG3	1:A:159:TRP:CZ2	2.57	0.40
1:C:180:ARG:O	1:C:184:SER:OG	2.31	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/261 (101%)	257 (98%)	6 (2%)	0	100	100
1	B	261/261 (100%)	254 (97%)	7 (3%)	0	100	100
1	C	258/261 (99%)	248 (96%)	10 (4%)	0	100	100
All	All	782/783 (100%)	759 (97%)	23 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	217/221 (98%)	208 (96%)	9 (4%)	27	43
1	B	217/221 (98%)	199 (92%)	18 (8%)	10	15
1	C	216/221 (98%)	208 (96%)	8 (4%)	30	47
All	All	650/663 (98%)	615 (95%)	35 (5%)	20	32

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	GLU
1	A	68	THR
1	A	78	LEU
1	A	109	LEU
1	A	151	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	LYS
1	A	234	VAL
1	A	250	LEU
1	A	258	LYS
1	B	27	GLU
1	B	30	GLU
1	B	45	LYS
1	B	54	THR
1	B	82	LYS
1	B	109	LEU
1	B	116	LYS
1	B	121	ILE
1	B	130	GLN
1	B	140	SER
1	B	163	ARG
1	B	172	ARG
1	B	196	MET
1	B	217	SER
1	B	232	THR
1	B	246	VAL
1	B	249	LYS
1	B	251	LYS
1	C	43	ILE
1	C	78	LEU
1	C	109	LEU
1	C	163	ARG
1	C	185	LYS
1	C	203	ARG
1	C	215	LEU
1	C	234	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	HIS
1	B	130	GLN
1	C	46	HIS
1	C	214	ASN
1	C	244	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 5 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GLU	B	1264	-	8,9,9	1.30	1 (12%)	8,11,11	1.13	1 (12%)
2	GLU	C	1265	-	8,9,9	1.53	2 (25%)	8,11,11	1.22	1 (12%)
2	GLU	A	1264	-	8,9,9	1.08	1 (12%)	8,11,11	0.79	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLU	B	1264	-	-	1/9/9/9	-
2	GLU	C	1265	-	-	2/9/9/9	-
2	GLU	A	1264	-	-	1/9/9/9	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1265	GLU	CB-CG	2.57	1.60	1.52
2	C	1265	GLU	OXT-C	-2.36	1.23	1.30
2	A	1264	GLU	OE2-CD	-2.35	1.23	1.30
2	B	1264	GLU	OXT-C	-2.13	1.23	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1265	GLU	OXT-C-O	-2.75	117.83	124.08
2	B	1264	GLU	OXT-C-O	-2.18	119.13	124.08

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1265	GLU	O-C-CA-CB
2	C	1265	GLU	OXT-C-CA-CB
2	B	1264	GLU	O-C-CA-N
2	A	1264	GLU	O-C-CA-CB

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1265	GLU	1	0
2	A	1264	GLU	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/261 (100%)	-0.52	1 (0%) 88 88	6, 17, 31, 47	4 (1%)
1	B	261/261 (100%)	-0.60	1 (0%) 88 88	6, 16, 32, 40	2 (0%)
1	C	259/261 (99%)	-0.53	1 (0%) 88 88	7, 18, 35, 41	1 (0%)
All	All	781/783 (99%)	-0.55	3 (0%) 88 88	6, 17, 33, 47	7 (0%)

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	GLU	4.2
1	A	2	GLU	3.8
1	C	256	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ZN	B	1263	1/1	0.97	0.06	33,33,33,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GLU	C	1265	10/10	0.98	0.04	6,8,10,12	0
2	GLU	A	1264	10/10	0.98	0.04	12,13,13,13	0
3	ZN	C	1264	1/1	0.98	0.03	41,41,41,41	0
2	GLU	B	1264	10/10	0.99	0.04	8,10,12,14	0
3	ZN	C	1263	1/1	0.99	0.05	33,33,33,33	0
3	ZN	A	1263	1/1	0.99	0.04	24,24,24,24	0
3	ZN	B	1262	1/1	1.00	0.04	23,23,23,23	0

6.5 Other polymers [i](#)

There are no such residues in this entry.