



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 09:43 AM UTC

PDB ID : 3UXK / pdb_00003uxk
Title : P. putida mandelate racemase co-crystallized with the intermediate analogue benzohydroxamate
Authors : Lietzan, A.D.; Pellmann, E.; St Maurice, M.
Deposited on : 2011-12-05
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	383	
1	B	383	
1	C	383	
1	D	383	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11566 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mandelate racemase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	357	Total	C	N	O	S	4	2	0
			2694	1725	459	496	14			
1	B	357	Total	C	N	O	S	16	1	0
			2693	1724	461	495	13			
1	C	357	Total	C	N	O	S	9	1	0
			2690	1723	457	497	13			
1	D	357	Total	C	N	O	S	9	1	0
			2696	1726	461	496	13			

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-23	MET	-	expression tag	UNP P11444
A	-22	ALA	-	expression tag	UNP P11444
A	-21	SER	-	expression tag	UNP P11444
A	-20	TRP	-	expression tag	UNP P11444
A	-19	SER	-	expression tag	UNP P11444
A	-18	HIS	-	expression tag	UNP P11444
A	-17	PRO	-	expression tag	UNP P11444
A	-16	GLN	-	expression tag	UNP P11444
A	-15	PHE	-	expression tag	UNP P11444
A	-14	GLU	-	expression tag	UNP P11444
A	-13	LYS	-	expression tag	UNP P11444
A	-12	GLY	-	expression tag	UNP P11444
A	-11	ALA	-	expression tag	UNP P11444
A	-10	LEU	-	expression tag	UNP P11444
A	-9	GLU	-	expression tag	UNP P11444
A	-8	VAL	-	expression tag	UNP P11444
A	-7	LEU	-	expression tag	UNP P11444
A	-6	PHE	-	expression tag	UNP P11444
A	-5	GLN	-	expression tag	UNP P11444
A	-4	GLY	-	expression tag	UNP P11444
A	-3	PRO	-	expression tag	UNP P11444

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP P11444
A	-1	TYR	-	expression tag	UNP P11444
A	0	HIS	-	expression tag	UNP P11444
B	-23	MET	-	expression tag	UNP P11444
B	-22	ALA	-	expression tag	UNP P11444
B	-21	SER	-	expression tag	UNP P11444
B	-20	TRP	-	expression tag	UNP P11444
B	-19	SER	-	expression tag	UNP P11444
B	-18	HIS	-	expression tag	UNP P11444
B	-17	PRO	-	expression tag	UNP P11444
B	-16	GLN	-	expression tag	UNP P11444
B	-15	PHE	-	expression tag	UNP P11444
B	-14	GLU	-	expression tag	UNP P11444
B	-13	LYS	-	expression tag	UNP P11444
B	-12	GLY	-	expression tag	UNP P11444
B	-11	ALA	-	expression tag	UNP P11444
B	-10	LEU	-	expression tag	UNP P11444
B	-9	GLU	-	expression tag	UNP P11444
B	-8	VAL	-	expression tag	UNP P11444
B	-7	LEU	-	expression tag	UNP P11444
B	-6	PHE	-	expression tag	UNP P11444
B	-5	GLN	-	expression tag	UNP P11444
B	-4	GLY	-	expression tag	UNP P11444
B	-3	PRO	-	expression tag	UNP P11444
B	-2	GLY	-	expression tag	UNP P11444
B	-1	TYR	-	expression tag	UNP P11444
B	0	HIS	-	expression tag	UNP P11444
C	-23	MET	-	expression tag	UNP P11444
C	-22	ALA	-	expression tag	UNP P11444
C	-21	SER	-	expression tag	UNP P11444
C	-20	TRP	-	expression tag	UNP P11444
C	-19	SER	-	expression tag	UNP P11444
C	-18	HIS	-	expression tag	UNP P11444
C	-17	PRO	-	expression tag	UNP P11444
C	-16	GLN	-	expression tag	UNP P11444
C	-15	PHE	-	expression tag	UNP P11444
C	-14	GLU	-	expression tag	UNP P11444
C	-13	LYS	-	expression tag	UNP P11444
C	-12	GLY	-	expression tag	UNP P11444
C	-11	ALA	-	expression tag	UNP P11444
C	-10	LEU	-	expression tag	UNP P11444
C	-9	GLU	-	expression tag	UNP P11444

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-8	VAL	-	expression tag	UNP P11444
C	-7	LEU	-	expression tag	UNP P11444
C	-6	PHE	-	expression tag	UNP P11444
C	-5	GLN	-	expression tag	UNP P11444
C	-4	GLY	-	expression tag	UNP P11444
C	-3	PRO	-	expression tag	UNP P11444
C	-2	GLY	-	expression tag	UNP P11444
C	-1	TYR	-	expression tag	UNP P11444
C	0	HIS	-	expression tag	UNP P11444
D	-23	MET	-	expression tag	UNP P11444
D	-22	ALA	-	expression tag	UNP P11444
D	-21	SER	-	expression tag	UNP P11444
D	-20	TRP	-	expression tag	UNP P11444
D	-19	SER	-	expression tag	UNP P11444
D	-18	HIS	-	expression tag	UNP P11444
D	-17	PRO	-	expression tag	UNP P11444
D	-16	GLN	-	expression tag	UNP P11444
D	-15	PHE	-	expression tag	UNP P11444
D	-14	GLU	-	expression tag	UNP P11444
D	-13	LYS	-	expression tag	UNP P11444
D	-12	GLY	-	expression tag	UNP P11444
D	-11	ALA	-	expression tag	UNP P11444
D	-10	LEU	-	expression tag	UNP P11444
D	-9	GLU	-	expression tag	UNP P11444
D	-8	VAL	-	expression tag	UNP P11444
D	-7	LEU	-	expression tag	UNP P11444
D	-6	PHE	-	expression tag	UNP P11444
D	-5	GLN	-	expression tag	UNP P11444
D	-4	GLY	-	expression tag	UNP P11444
D	-3	PRO	-	expression tag	UNP P11444
D	-2	GLY	-	expression tag	UNP P11444
D	-1	TYR	-	expression tag	UNP P11444
D	0	HIS	-	expression tag	UNP P11444

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is BENZHYDROXAMIC ACID (CCD ID: BHO) (formula: $C_7H_7NO_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			10	7	1	2		
3	B	1	Total	C	N	O	0	0
			10	7	1	2		
3	C	1	Total	C	N	O	0	0
			10	7	1	2		
3	D	1	Total	C	N	O	0	0
			10	7	1	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	209	Total	O	0	0
			209	209		
4	B	169	Total	O	0	0
			169	169		
4	C	161	Total	O	0	0
			161	161		
4	D	210	Total	O	0	0
			210	210		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Mandelate racemase




- Molecule 1: Mandelate racemase



- Molecule 1: Mandelate racemase



- Molecule 1: Mandelate racemase





4 Data and refinement statistics

Property	Value	Source
Space group	I 4	Depositor
Cell constants a, b, c, α , β , γ	148.31Å 148.31Å 169.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 50.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.20) 99.9 (50.00-2.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.93 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.162 , 0.193 0.163 , 0.193	Depositor DCC
R_{free} test set	4618 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	16.8	Xtriage
Anisotropy	0.070	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 9.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.486 for -h,k,-l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	11566	wwPDB-VP
Average B, all atoms (Å ²)	17.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: BHO, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.95	6/2756 (0.2%)	0.87	2/3756 (0.1%)
1	B	0.93	8/2752 (0.3%)	0.85	1/3750 (0.0%)
1	C	0.89	8/2749 (0.3%)	0.85	1/3746 (0.0%)
1	D	0.96	6/2755 (0.2%)	0.86	1/3753 (0.0%)
All	All	0.93	28/11012 (0.3%)	0.86	5/15005 (0.0%)

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	305	HIS	CD2-NE2	-9.04	1.27	1.37
1	D	305	HIS	CD2-NE2	-8.96	1.27	1.37
1	B	140	HIS	CG-ND1	-8.32	1.29	1.38
1	D	305	HIS	CG-ND1	-7.75	1.29	1.38
1	C	89	LYS	C-O	-7.74	1.15	1.24
1	B	260	SER	C-O	-7.57	1.14	1.24
1	C	314	HIS	CG-ND1	-7.54	1.29	1.38
1	B	314	HIS	CG-ND1	-7.52	1.29	1.38
1	C	227	HIS	CG-ND1	-7.41	1.30	1.38
1	C	227	HIS	CD2-NE2	-7.17	1.29	1.37
1	A	305	HIS	CG-ND1	-7.10	1.30	1.38
1	A	314	HIS	CG-ND1	-7.00	1.30	1.38
1	B	314	HIS	CD2-NE2	-6.93	1.30	1.37
1	C	48	HIS	CG-ND1	-6.92	1.30	1.38
1	B	262	GLY	C-O	-6.91	1.16	1.24
1	B	125	LYS	C-O	-6.74	1.16	1.24
1	D	314	HIS	CG-ND1	-6.74	1.30	1.38
1	C	314	HIS	CD2-NE2	-6.47	1.30	1.37
1	B	140	HIS	CD2-NE2	-6.42	1.30	1.37
1	B	83	LEU	C-O	-6.36	1.16	1.24
1	D	89	LYS	C-O	-6.22	1.16	1.24
1	C	48	HIS	CD2-NE2	-6.16	1.31	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	314	HIS	C-O	-5.90	1.16	1.24
1	C	125	LYS	C-O	-5.89	1.17	1.24
1	D	10	ARG	C-O	-5.48	1.17	1.24
1	A	89	LYS	C-O	-5.47	1.17	1.24
1	A	314	HIS	C-O	-5.35	1.17	1.24
1	A	56	PRO	C-O	-5.34	1.17	1.24

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	16	VAL	N-CA-C	5.91	113.40	107.55
1	C	141	SER	N-CA-C	5.21	115.01	108.45
1	B	141	SER	N-CA-C	5.19	114.89	108.19
1	A	16	VAL	N-CA-C	5.15	113.53	107.77
1	A	273	LYS	N-CA-C	5.00	116.73	111.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2694	0	2728	16	0
1	B	2693	0	2732	29	0
1	C	2690	0	2726	18	0
1	D	2696	0	2739	15	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	10	0	7	0	0
3	B	10	0	6	1	0
3	C	10	0	7	0	0
3	D	10	0	7	1	0
4	A	209	0	0	2	0
4	B	169	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	161	0	0	2	0
4	D	210	0	0	2	0
All	All	11566	0	10952	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54:TYR:OH	4:C:383:HOH:O	1.88	0.84
1:B:226:GLN:HG3	1:B:248:ASN:CB	2.12	0.79
1:A:135:GLN:HA	1:A:336:ASN:HD22	1.50	0.76
1:C:135:GLN:HA	1:C:336:ASN:HD22	1.50	0.76
1:B:54:TYR:OH	4:B:429:HOH:O	1.87	0.76
1:B:229:TYR:HB3	1:B:261:ILE:HD11	1.66	0.76
1:D:135:GLN:HA	1:D:336:ASN:HD22	1.52	0.74
1:B:135:GLN:HA	1:B:336:ASN:HD22	1.52	0.74
1:B:226:GLN:NE2	4:B:443:HOH:O	2.23	0.70
1:B:124:VAL:H	1:B:305:HIS:HD2	1.39	0.68
1:B:226:GLN:HG3	1:B:248:ASN:HB3	1.80	0.64
1:D:54:TYR:OH	4:D:646:HOH:O	1.88	0.63
1:C:171:ALA:H	1:C:174:GLN:HE21	1.48	0.61
1:A:72:MET:HE2	1:A:90:ARG:CZ	2.31	0.61
1:A:112:TRP:CD1	1:A:277:VAL:HB	2.37	0.60
1:D:112:TRP:CD1	1:D:277:VAL:HB	2.37	0.58
1:D:248:ASN:HD22	1:D:273:LYS:NZ	2.02	0.57
1:D:248:ASN:HD22	1:D:273:LYS:HZ2	1.52	0.56
1:C:289:GLN:NE2	4:C:811:HOH:O	2.40	0.54
1:B:261:ILE:HD11	1:B:263:ALA:HB2	1.89	0.54
1:B:226:GLN:CG	1:B:248:ASN:CB	2.86	0.54
1:C:112:TRP:CD1	1:C:277:VAL:HB	2.43	0.54
1:B:132:ARG:NH1	4:B:446:HOH:O	2.29	0.53
1:B:171:ALA:H	1:B:174:GLN:HE21	1.54	0.53
1:A:171:ALA:H	1:A:174:GLN:HE21	1.54	0.53
1:B:248:ASN:HD22	1:B:273:LYS:NZ	2.07	0.53
1:B:226:GLN:HG3	1:B:248:ASN:HB2	1.89	0.52
1:C:248:ASN:HD22	1:C:273:LYS:NZ	2.08	0.52
1:B:226:GLN:CG	1:B:248:ASN:HB2	2.39	0.52
1:A:83:LEU:HD13	4:A:651:HOH:O	2.09	0.52
1:C:171:ALA:H	1:C:174:GLN:NE2	2.08	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:246:GLY:HA2	1:D:249:TRP:CD2	2.45	0.51
1:A:246:GLY:HA2	1:A:249:TRP:CD2	2.47	0.50
1:C:246:GLY:HA2	1:C:249:TRP:CD2	2.46	0.50
1:D:289:GLN:NE2	4:D:491:HOH:O	2.44	0.50
1:B:246:GLY:HA2	1:B:249:TRP:CD2	2.46	0.50
1:B:132:ARG:NH2	4:B:446:HOH:O	2.44	0.50
1:C:51:LEU:HD21	1:C:106:GLY:CA	2.41	0.50
1:B:248:ASN:HD22	1:B:273:LYS:HZ2	1.59	0.50
1:B:112:TRP:CD1	1:B:277:VAL:HB	2.47	0.49
1:D:270:ASP:OD1	1:D:297:HIS:HD2	1.95	0.49
1:C:248:ASN:HD22	1:C:273:LYS:HZ2	1.60	0.49
1:B:124:VAL:H	1:B:305:HIS:CD2	2.26	0.49
1:A:92[B]:CYS:SG	1:C:26:VAL:HG21	2.53	0.48
1:B:51:LEU:HD21	1:B:106:GLY:CA	2.44	0.48
1:A:54:TYR:OH	4:A:686:HOH:O	2.16	0.47
1:A:14:VAL:HG12	1:A:358:LEU:HD23	1.95	0.47
1:C:16:VAL:HG23	1:C:32:ALA:HB3	1.97	0.46
1:D:297:HIS:HE1	3:D:361:BHO:N	2.13	0.46
1:B:23:HIS:O	1:B:141:SER:HB2	2.16	0.45
1:B:65:LEU:HD21	1:B:100:ILE:HA	1.98	0.45
1:B:21:PRO:HB3	1:B:30:GLY:HA2	1.98	0.45
1:C:65:LEU:HD21	1:C:100:ILE:HA	1.98	0.45
1:A:135:GLN:CA	1:A:336:ASN:HD22	2.24	0.44
1:D:247:GLU:HB2	1:D:297:HIS:CD2	2.52	0.44
1:B:26:VAL:HG21	1:D:92:CYS:SG	2.58	0.44
1:A:280:TRP:C	1:A:280:TRP:CD1	2.96	0.43
1:A:171:ALA:H	1:A:174:GLN:NE2	2.16	0.43
1:B:171:ALA:H	1:B:174:GLN:NE2	2.16	0.42
1:D:261:ILE:HD12	1:D:261:ILE:C	2.44	0.42
1:C:16:VAL:CG2	1:C:32:ALA:HB3	2.49	0.42
1:C:182:ILE:O	1:C:186:VAL:HG22	2.18	0.42
1:C:3:GLU:O	1:C:3:GLU:HG3	2.19	0.42
1:C:23:HIS:O	1:C:141:SER:HB2	2.19	0.42
1:D:23:HIS:O	1:D:141:SER:HB2	2.19	0.42
3:B:361:BHO:HN	3:B:361:BHO:H2	1.57	0.42
1:A:201:ASP:OD1	1:A:203:PRO:HD2	2.20	0.42
1:D:16:VAL:HG11	1:D:324:SER:HB2	2.02	0.41
1:B:72:MET:HE3	1:D:57:VAL:HG21	2.02	0.41
1:B:305:HIS:CE1	1:B:339:ILE:HG23	2.55	0.41
1:A:143:ASP:HB3	1:A:147:LEU:HB3	2.03	0.41
1:B:15:ASN:HD22	1:B:15:ASN:HA	1.73	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:VAL:HA	1:A:17:PRO:HD2	1.93	0.41
1:A:55:THR:OG1	1:A:56:PRO:HD2	2.21	0.41
1:B:219:TRP:C	1:B:219:TRP:CD1	2.99	0.40
1:C:15:ASN:HD22	1:C:15:ASN:HA	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/383 (93%)	345 (97%)	12 (3%)	0	100	100
1	B	356/383 (93%)	346 (97%)	10 (3%)	0	100	100
1	C	356/383 (93%)	348 (98%)	8 (2%)	0	100	100
1	D	356/383 (93%)	345 (97%)	11 (3%)	0	100	100
All	All	1425/1532 (93%)	1384 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	278/301 (92%)	276 (99%)	2 (1%)	76	87
1	B	278/301 (92%)	276 (99%)	2 (1%)	76	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	278/301 (92%)	277 (100%)	1 (0%)	84	92
1	D	279/301 (93%)	277 (99%)	2 (1%)	76	87
All	All	1113/1204 (92%)	1106 (99%)	7 (1%)	78	89

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	LEU
1	A	161	ARG
1	B	318	ARG
1	B	319	LEU
1	C	359	VAL
1	D	75	ASN
1	D	89	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (39) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	15	ASN
1	A	174	GLN
1	A	184	GLN
1	A	210	GLN
1	A	214	GLN
1	A	300	GLN
1	A	336	ASN
1	B	15	ASN
1	B	75	ASN
1	B	130	ASN
1	B	174	GLN
1	B	214	GLN
1	B	226	GLN
1	B	248	ASN
1	B	305	HIS
1	B	336	ASN
1	C	15	ASN
1	C	75	ASN
1	C	130	ASN
1	C	174	GLN
1	C	210	GLN
1	C	214	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	227	HIS
1	C	233	GLN
1	C	248	ASN
1	C	289	GLN
1	C	300	GLN
1	C	336	ASN
1	D	15	ASN
1	D	184	GLN
1	D	197	ASN
1	D	210	GLN
1	D	214	GLN
1	D	248	ASN
1	D	288	GLN
1	D	289	GLN
1	D	297	HIS
1	D	300	GLN
1	D	336	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	BHO	A	361	2	10,10,10	1.81	2 (20%)	12,12,12	2.56	4 (33%)
3	BHO	B	361	2	10,10,10	1.82	2 (20%)	12,12,12	2.56	4 (33%)
3	BHO	C	361	2	10,10,10	1.80	2 (20%)	12,12,12	2.56	4 (33%)
3	BHO	D	361	2	10,10,10	1.81	2 (20%)	12,12,12	2.56	4 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BHO	A	361	2	-	0/6/6/6	0/1/1/1
3	BHO	B	361	2	-	0/6/6/6	0/1/1/1
3	BHO	C	361	2	-	0/6/6/6	0/1/1/1
3	BHO	D	361	2	-	0/6/6/6	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	361	BHO	C-N	5.15	1.39	1.32
3	D	361	BHO	C-N	5.14	1.39	1.32
3	A	361	BHO	C-N	5.12	1.39	1.32
3	C	361	BHO	C-N	5.09	1.39	1.32
3	A	361	BHO	O2-N	-2.13	1.34	1.40
3	C	361	BHO	O2-N	-2.12	1.34	1.40
3	B	361	BHO	O2-N	-2.11	1.34	1.40
3	D	361	BHO	O2-N	-2.09	1.34	1.40

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	361	BHO	O2-N-C	6.28	135.44	119.73
3	D	361	BHO	O2-N-C	6.27	135.43	119.73
3	C	361	BHO	O2-N-C	6.27	135.42	119.73
3	B	361	BHO	O2-N-C	6.26	135.39	119.73
3	B	361	BHO	C1-C-N	-5.38	107.95	116.26
3	C	361	BHO	C1-C-N	-5.36	107.97	116.26
3	D	361	BHO	C1-C-N	-5.35	108.00	116.26
3	A	361	BHO	C1-C-N	-5.34	108.00	116.26
3	B	361	BHO	O1-C-C1	2.27	125.40	120.90
3	D	361	BHO	O1-C-C1	2.27	125.40	120.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	361	BHO	O1-C-C1	2.26	125.38	120.90
3	C	361	BHO	O1-C-C1	2.26	125.38	120.90
3	C	361	BHO	O1-C-N	2.04	126.66	122.90
3	B	361	BHO	O1-C-N	2.03	126.65	122.90
3	A	361	BHO	O1-C-N	2.02	126.62	122.90
3	D	361	BHO	O1-C-N	2.01	126.60	122.90

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	361	BHO	1	0
3	D	361	BHO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	357/383 (93%)	-1.66	0 100 100	7, 14, 26, 38	11 (3%)
1	B	357/383 (93%)	-1.60	0 100 100	8, 18, 32, 42	15 (4%)
1	C	357/383 (93%)	-1.61	0 100 100	7, 18, 32, 46	11 (3%)
1	D	357/383 (93%)	-1.66	0 100 100	7, 13, 25, 37	13 (3%)
All	All	1428/1532 (93%)	-1.64	0 100 100	7, 15, 30, 46	50 (3%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	BHO	A	361	10/10	0.99	0.04	31,38,40,41	0
3	BHO	B	361	10/10	0.99	0.05	39,46,48,48	0
3	BHO	C	361	10/10	0.99	0.06	39,44,47,47	0
3	BHO	D	361	10/10	0.99	0.04	30,36,37,37	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	A	360	1/1	1.00	0.01	11,11,11,11	0
2	MG	B	360	1/1	1.00	0.00	14,14,14,14	0
2	MG	C	360	1/1	1.00	0.01	13,13,13,13	0
2	MG	D	360	1/1	1.00	0.01	11,11,11,11	0

6.5 Other polymers [i](#)

There are no such residues in this entry.