



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 02:12 AM UTC

PDB ID : 1UYK / pdb_00001uyk
Title : Human Hsp90-alpha with 8-Benzo[1,3]dioxol-5-ylmethyl-9-butyl-2-fluoro-9H-purin-6-ylamine
Authors : Wright, L.; Barril, X.; Dymock, B.; Sheridan, L.; Surgenor, A.; Beswick, M.; Drysdale, M.; Collier, A.; Massey, A.; Davies, N.; Fink, A.; Fromont, C.; Aherne, W.; Boxall, K.; Sharp, S.; Workman, P.; Hubbard, R.E.
Deposited on : 2004-03-02
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	236	42% 33% 12% • 11%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PUX	A	1224	-	X	-	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 1816 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called HEAT SHOCK PROTEIN HSP 90-ALPHA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	1	1
			1637	1039	270	323	5			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	63	SER	THR	conflict	UNP P07900

- Molecule 2 is 8-BENZO[1,3]DIOXOL-5-YLMETHYL-9-BUTYL-2-FLUORO-9H-PURIN-6-YLAMINE (CCD ID: PUX) (formula: $C_{17}H_{18}FN_5O_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			25	17	1	5	2		


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	154	Total 154	O 154	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HEAT SHOCK PROTEIN HSP 90-ALPHA

Chain A: 



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	66.84Å 90.66Å 98.68Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	67.42 – 2.20 66.76 – 2.60	Depositor EDS
% Data completeness (in resolution range)	94.2 (67.42-2.20) 66.4 (66.76-2.60)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.61Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.183 , 0.218 0.207 , 0.277	Depositor DCC
R_{free} test set	585 reflections (4.79%)	wwPDB-VP
Wilson B-factor (Å ²)	53.1	Xtriage
Anisotropy	0.656	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 51.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	1816	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: PUX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	2.32	74/1670 (4.4%)	1.96	39/2253 (1.7%)

All (74) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	24	ALA	CA-CB	-13.32	1.32	1.53
1	A	119	MET	SD-CE	12.90	2.11	1.79
1	A	42	GLU	CA-C	10.06	1.66	1.52
1	A	27	ALA	CA-CB	-9.90	1.37	1.53
1	A	145	ALA	CA-CB	-9.82	1.40	1.53
1	A	206	ILE	CA-CB	-9.07	1.43	1.54
1	A	106	ASN	C-O	-8.75	1.13	1.24
1	A	174	THR	CA-C	8.29	1.63	1.52
1	A	49	ILE	C-O	-8.25	1.14	1.24
1	A	160	TYR	CA-C	-7.89	1.43	1.52
1	A	217	PRO	CA-C	7.44	1.61	1.52
1	A	113	SER	CA-C	7.27	1.61	1.52
1	A	144	VAL	CA-CB	7.25	1.64	1.54
1	A	41	LYS	CA-C	7.18	1.62	1.52
1	A	164	SER	N-CA	6.96	1.54	1.46
1	A	180	MET	CA-C	6.82	1.61	1.52
1	A	124	ALA	CA-CB	6.81	1.65	1.53
1	A	88	THR	C-O	-6.77	1.15	1.23
1	A	56	LEU	C-O	-6.76	1.16	1.24
1	A	93	ASP	CA-C	6.69	1.60	1.52
1	A	25	GLU	C-O	6.59	1.31	1.24
1	A	78	ILE	CA-C	6.50	1.60	1.52
1	A	223	GLU	C-N	-6.49	1.24	1.33
1	A	60	ARG	N-CA	6.37	1.53	1.46
1	A	176	THR	CA-C	6.31	1.61	1.52
1	A	220	LEU	CA-CB	6.30	1.60	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	219	THR	C-O	6.27	1.31	1.24
1	A	90	THR	C-O	-6.22	1.16	1.24
1	A	207	VAL	CA-C	6.12	1.60	1.52
1	A	154	HIS	C-O	-6.09	1.16	1.23
1	A	216	TYR	CA-C	-6.02	1.45	1.52
1	A	144	VAL	CA-C	5.93	1.60	1.52
1	A	175	ASP	N-CA	-5.92	1.38	1.46
1	A	85	GLN	C-O	-5.90	1.17	1.24
1	A	161	ALA	CA-CB	-5.86	1.45	1.53
1	A	180	MET	SD-CE	-5.85	1.65	1.79
1	A	119	MET	CG-SD	-5.84	1.66	1.80
1	A	109	THR	CA-CB	5.78	1.62	1.53
1	A	48	LEU	C-O	-5.77	1.17	1.24
1	A	26	ILE	CB-CG2	-5.77	1.33	1.52
1	A	75	GLU	CA-C	5.77	1.60	1.52
1	A	19	THR	N-CA	5.73	1.53	1.46
1	A	142	TYR	C-O	5.71	1.31	1.24
1	A	186	VAL	CA-CB	5.66	1.60	1.53
1	A	150	VAL	CB-CG1	5.64	1.71	1.52
1	A	202	ARG	N-CA	5.63	1.52	1.46
1	A	103	LEU	CA-C	5.54	1.60	1.52
1	A	184	THR	CA-C	5.52	1.59	1.52
1	A	204	LYS	CA-C	5.52	1.59	1.52
1	A	213	PHE	CD1-CE1	5.52	1.55	1.38
1	A	68	SER	CA-C	5.51	1.60	1.52
1	A	152	THR	C-O	-5.48	1.17	1.23
1	A	49	ILE	C-N	-5.44	1.26	1.33
1	A	43	ILE	CA-C	5.41	1.59	1.52
1	A	88	THR	CA-CB	5.40	1.67	1.53
1	A	213	PHE	CD2-CE2	5.35	1.54	1.38
1	A	59	ILE	N-CA	-5.33	1.39	1.46
1	A	21	ALA	CA-C	5.32	1.59	1.52
1	A	191	LYS	C-O	5.32	1.30	1.23
1	A	154	HIS	CA-C	-5.31	1.46	1.52
1	A	99	THR	C-O	5.28	1.30	1.23
1	A	200	GLU	N-CA	-5.28	1.40	1.46
1	A	26	ILE	N-CA	5.27	1.52	1.46
1	A	99	THR	CA-C	5.26	1.60	1.53
1	A	213	PHE	CE2-CZ	5.25	1.54	1.38
1	A	172	VAL	C-O	-5.21	1.18	1.24
1	A	152	THR	CA-C	-5.18	1.46	1.52
1	A	144	VAL	N-CA	5.17	1.52	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	220	LEU	CA-C	5.15	1.59	1.52
1	A	222	VAL	CA-C	5.12	1.57	1.52
1	A	162	TRP	N-CA	5.08	1.52	1.46
1	A	28	GLN	CA-C	5.07	1.59	1.52
1	A	219	THR	CA-CB	-5.03	1.46	1.53
1	A	69	LYS	CB-CG	5.00	1.67	1.52

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	100	LYS	N-CA-C	-8.91	101.65	111.36
1	A	223	GLU	O-C-N	-8.18	109.91	123.00
1	A	87	ARG	CA-C-O	-7.56	113.18	122.03
1	A	106	ASN	N-CA-C	6.93	119.86	111.82
1	A	178	GLU	N-CA-C	-6.82	97.64	109.58
1	A	113	SER	N-CA-C	6.64	118.21	110.97
1	A	154	HIS	N-CA-C	-6.64	99.39	109.95
1	A	88	THR	OG1-CB-CG2	-6.61	96.09	109.30
1	A	204	LYS	N-CA-C	6.59	118.12	111.07
1	A	122	LEU	N-CA-C	6.44	118.30	111.28
1	A	166	ALA	CA-C-N	-6.33	109.25	121.78
1	A	166	ALA	C-N-CA	-6.33	109.25	121.78
1	A	52	SER	N-CA-C	-6.06	104.60	111.14
1	A	154	HIS	CA-C-O	-5.86	114.54	121.16
1	A	103	LEU	N-CA-C	5.85	118.13	111.11
1	A	155	ASN	CB-CA-C	-5.77	101.58	110.81
1	A	49	ILE	O-C-N	-5.64	116.40	121.87
1	A	104	ILE	N-CA-CB	-5.54	102.55	110.52
1	A	109	THR	OG1-CB-CG2	-5.47	98.36	109.30
1	A	162	TRP	CA-CB-CG	5.44	123.93	113.60
1	A	166	ALA	CB-CA-C	-5.42	110.31	116.54
1	A	174	THR	N-CA-C	5.41	118.07	110.23
1	A	209	LYS	N-CA-C	5.40	116.97	111.14
1	A	121	ALA	CA-C-N	5.39	127.51	120.28
1	A	121	ALA	C-N-CA	5.39	127.51	120.28
1	A	178	GLU	O-C-N	5.38	125.99	121.31
1	A	24	ALA	N-CA-C	5.34	116.78	111.07
1	A	46	ARG	CG-CD-NE	-5.28	100.38	112.00
1	A	219	THR	CA-C-O	5.22	125.94	120.36
1	A	164	SER	N-CA-C	5.21	117.87	108.48
1	A	209	LYS	CB-CG-CD	-5.20	99.33	111.30
1	A	38	TYR	N-CA-C	-5.20	99.79	108.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	186	VAL	CA-C-N	-5.18	116.00	122.48
1	A	186	VAL	C-N-CA	-5.18	116.00	122.48
1	A	120	GLU	N-CA-C	5.16	117.57	111.33
1	A	57	ASP	CB-CA-C	-5.13	100.51	110.46
1	A	129	SER	N-CA-C	-5.13	106.86	113.01
1	A	159	GLN	N-CA-C	-5.09	101.97	110.17
1	A	212	GLN	CB-CG-CD	5.02	121.13	112.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1637	0	1633	42	0
2	A	25	0	18	2	0
3	A	154	0	0	10	1
All	All	1816	0	1651	43	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (43) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:119:MET:SD	1:A:119:MET:CE	2.11	1.37
2:A:1224:PUX:F	2:A:1224:PUX:C14	1.67	1.32
1:A:212:GLN:HG3	3:A:2136:HOH:O	1.63	0.98
1:A:117:ALA:O	3:A:2072:HOH:O	1.93	0.85
1:A:16:GLU:HG3	1:A:16:GLU:O	1.87	0.72
1:A:106:ASN:ND2	3:A:2068:HOH:O	2.01	0.72
1:A:87:ARG:HD3	1:A:195:THR:HG22	1.71	0.72
1:A:100:LYS:HE2	1:A:104:ILE:HD11	1.74	0.69
1:A:173:ARG:HD2	3:A:2107:HOH:O	1.94	0.68
1:A:197:TYR:OH	3:A:2125:HOH:O	2.13	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:LYS:HG2	1:A:104:ILE:HD12	1.78	0.64
1:A:88:THR:OG1	3:A:2058:HOH:O	2.15	0.63
1:A:51:ASN:ND2	2:A:1224:PUX:H9C1	2.15	0.62
1:A:123:GLN:O	1:A:124:ALA:CB	2.51	0.57
1:A:144:VAL:O	1:A:191:LYS:HG3	2.03	0.57
1:A:100:LYS:HE2	1:A:104:ILE:CD1	2.34	0.57
1:A:119:MET:CE	1:A:119:MET:CG	2.82	0.57
1:A:39:SER:O	1:A:41:LYS:N	2.37	0.57
1:A:142:TYR:OH	1:A:164:SER:HB3	2.07	0.55
1:A:194:GLN:HE21	1:A:197:TYR:HE2	1.55	0.54
1:A:200:GLU:OE2	1:A:204:LYS:NZ	2.36	0.54
1:A:91:ILE:N	1:A:91:ILE:HD12	2.23	0.53
1:A:23:GLN:HB2	1:A:26:ILE:HG12	1.93	0.50
1:A:43:ILE:C	1:A:43:ILE:HD12	2.37	0.50
1:A:204:LYS:HE2	3:A:2062:HOH:O	2.12	0.48
1:A:147:LYS:HD2	1:A:163:GLU:OE2	2.13	0.48
1:A:62:GLU:HB3	1:A:69:LYS:HD3	1.95	0.47
1:A:140:SER:O	1:A:143:LEU:HB2	2.14	0.47
1:A:201:ARG:HG2	3:A:2126:HOH:O	2.14	0.47
1:A:38:TYR:CZ	1:A:40:ASN:HB3	2.51	0.46
1:A:83:ASN:OD1	1:A:85:GLN:HG2	2.17	0.45
1:A:147:LYS:CE	1:A:163:GLU:OE2	2.66	0.44
1:A:118:PHE:CZ	1:A:131:ILE:HB	2.52	0.44
1:A:79:ASN:HB2	1:A:92:VAL:HB	2.00	0.43
1:A:115:THR:O	1:A:119:MET:HB2	2.18	0.43
1:A:29:LEU:HD11	1:A:118:PHE:CD2	2.54	0.42
1:A:191:LYS:HE2	3:A:2081:HOH:O	2.19	0.42
1:A:38:TYR:HE2	1:A:40:ASN:O	2.04	0.41
1:A:156:ASP:HA	3:A:2091:HOH:O	2.19	0.41
1:A:123:GLN:O	1:A:124:ALA:HB3	2.20	0.41
1:A:104:ILE:HG22	1:A:105:ASN:HD22	1.86	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:2026:HOH:O	3:A:2031:HOH:O[2_555]	2.15	0.05

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	208/236 (88%)	188 (90%)	15 (7%)	5 (2%)	4 3

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	40	ASN
1	A	42	GLU
1	A	124	ALA
1	A	177	GLY
1	A	114	GLY

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	180/206 (87%)	168 (93%)	12 (7%)	15 17

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	GLU
1	A	42	GLU
1	A	67	PRO
1	A	75	GLU
1	A	85	GLN
1	A	105	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	110	ILE
1	A	112	LYS
1	A	123	GLN
1	A	162	TRP
1	A	194	GLN
1	A	202	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	23	GLN
1	A	40	ASN
1	A	51	ASN
1	A	79	ASN
1	A	105	ASN
1	A	194	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PUX	A	1224	-	28,28,28	3.71	11 (39%)	37,40,40	4.93	26 (70%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PUX	A	1224	-	-	0/8/14/14	0/4/4/4

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1224	PUX	F-C14	14.46	1.67	1.33
2	A	1224	PUX	C14-N3	5.27	1.36	1.31
2	A	1224	PUX	C9-C10	5.06	1.59	1.50
2	A	1224	PUX	C10-N1	4.81	1.41	1.32
2	A	1224	PUX	C10-N2	4.68	1.44	1.37
2	A	1224	PUX	C12-N4	4.01	1.39	1.34
2	A	1224	PUX	C14-N4	3.73	1.35	1.31
2	A	1224	PUX	C13-N3	3.47	1.39	1.35
2	A	1224	PUX	C3-C2	3.45	1.44	1.38
2	A	1224	PUX	O1-C4	-2.63	1.33	1.38
2	A	1224	PUX	C11-N1	-2.15	1.35	1.39

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1224	PUX	F-C14-N4	20.57	134.46	114.69
2	A	1224	PUX	N3-C14-N4	-12.15	113.03	130.60
2	A	1224	PUX	C7-O1-C4	6.59	114.14	105.32
2	A	1224	PUX	N2-C10-N1	-5.66	107.37	112.92
2	A	1224	PUX	C11-C12-N4	-5.63	121.25	127.18
2	A	1224	PUX	O1-C7-O3	-5.61	99.28	108.09
2	A	1224	PUX	C7-O3-C5	5.09	112.13	105.32
2	A	1224	PUX	C14-N3-C13	4.90	128.39	112.44
2	A	1224	PUX	C2-C3-C4	-3.45	113.52	120.06
2	A	1224	PUX	C11-N1-C10	3.26	108.63	104.87
2	A	1224	PUX	C5-C6-C1	-3.12	115.42	120.04
2	A	1224	PUX	C9-C10-N2	3.04	126.98	123.88
2	A	1224	PUX	N5-C13-N3	3.03	121.11	117.03
2	A	1224	PUX	C13-C11-N1	2.98	134.68	131.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1224	PUX	C16-C15-N2	2.92	118.79	112.45
2	A	1224	PUX	F-C14-N3	-2.81	111.98	114.69
2	A	1224	PUX	C11-C12-N2	2.70	109.68	106.11
2	A	1224	PUX	C1-C9-C10	-2.68	108.71	113.64
2	A	1224	PUX	O3-C5-C4	-2.67	106.56	109.79
2	A	1224	PUX	C12-C11-N1	-2.64	108.21	110.91
2	A	1224	PUX	C9-C1-C2	-2.37	117.41	120.89
2	A	1224	PUX	C2-C1-C6	2.16	121.52	118.55
2	A	1224	PUX	C3-C4-C5	2.14	124.14	121.50
2	A	1224	PUX	O3-C5-C6	2.11	130.66	127.86
2	A	1224	PUX	O1-C4-C5	-2.06	107.30	109.79
2	A	1224	PUX	N4-C12-N2	2.01	129.04	125.67

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1224	PUX	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/236 (88%)	-0.29	0 100 100	45, 58, 76, 90	2 (0%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	PUX	A	1224	25/25	0.88	0.11	53,58,61,64	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.