



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 04:53 AM UTC

PDB ID : 4UYB / pdb_00004uyb
Title : Crystal structure of SEC14-like protein 3
Authors : Kopec, J.; Goubin, S.; Krojer, T.; Burgess-Brown, N.; von Delft, F.; Arrow-smith, C.; Edwards, A.; Bountra, C.; Yue, W.W.
Deposited on : 2014-08-29
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4037 (1.50-1.50)
Clashscore	190562	4235 (1.50-1.50)
Ramachandran outliers	187476	4153 (1.50-1.50)
Sidechain outliers	187428	4150 (1.50-1.50)
RSRZ outliers	180081	4039 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	401	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4063 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called SEC14-LIKE PROTEIN 3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	401	3531	2270	593	647	21	19	39	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	SER	-	expression tag	UNP Q9UDX4
A	335	GLU	ASP	cloning artifact	UNP Q9UDX4

- Molecule 2 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is UNKNOWN LIGAND (CCD ID: UNL) (formula:).

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			16	14	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	492	Total	O	0	0
			492	492		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SEC14-LIKE PROTEIN 3



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	83.24Å 83.24Å 174.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	75.12 – 1.50 75.12 – 1.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (75.12-1.50) 99.9 (75.12-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.50Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.140 , 0.178 0.149 , 0.181	Depositor DCC
R_{free} test set	4973 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	16.9	Xtriage
Anisotropy	0.235	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 41.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	4063	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UNL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.82	53/3642 (1.5%)	1.42	22/4924 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	40	ARG	NE-CZ	9.57	1.43	1.33
1	A	240	GLN	CD-NE2	-9.21	1.14	1.33
1	A	240	GLN	CD-OE1	9.10	1.40	1.23
1	A	65	THR	CB-OG1	-8.99	1.29	1.43
1	A	286[A]	ARG	CD-NE	-7.73	1.35	1.46
1	A	286[B]	ARG	CD-NE	-7.73	1.35	1.46
1	A	364	ARG	CD-NE	7.50	1.56	1.46
1	A	131	ILE	C-O	7.32	1.33	1.24
1	A	127	ASP	C-O	7.30	1.32	1.24
1	A	226	GLU	CA-CB	7.29	1.64	1.53
1	A	214	ARG	CD-NE	-7.27	1.36	1.46
1	A	131	ILE	N-CA	7.14	1.55	1.46
1	A	370	SER	C-O	-6.95	1.14	1.23
1	A	96	CYS	C-N	6.95	1.43	1.33
1	A	138	GLN	N-CA	6.78	1.54	1.46
1	A	175	PHE	N-CA	6.68	1.54	1.46
1	A	124	LYS	N-CA	6.67	1.54	1.46
1	A	40	ARG	CZ-NH2	6.61	1.42	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	80	ILE	N-CA	6.42	1.54	1.46
1	A	77	PRO	C-O	6.26	1.31	1.23
1	A	124	LYS	C-O	6.22	1.31	1.24
1	A	381	VAL	C-O	-6.22	1.18	1.24
1	A	77	PRO	C-N	-6.14	1.25	1.33
1	A	51	LYS	CE-NZ	-6.12	1.30	1.49
1	A	123	THR	CB-OG1	6.06	1.53	1.43
1	A	398	THR	CB-OG1	-6.00	1.34	1.43
1	A	131	ILE	C-N	-5.94	1.26	1.33
1	A	138	GLN	C-N	-5.87	1.26	1.33
1	A	85	PRO	N-CA	5.77	1.53	1.47
1	A	393	TYR	CG-CD1	5.69	1.51	1.39
1	A	192	VAL	CA-C	-5.58	1.46	1.52
1	A	4	ARG	CZ-NH1	5.47	1.40	1.32
1	A	142	LEU	N-CA	5.46	1.53	1.46
1	A	131	ILE	CA-CB	-5.43	1.46	1.54
1	A	111	LEU	CB-CG	-5.41	1.42	1.53
1	A	20[A]	ARG	C-O	5.34	1.30	1.24
1	A	20[B]	ARG	C-O	5.34	1.30	1.24
1	A	98	VAL	CA-C	5.32	1.58	1.52
1	A	119	ASP	CG-OD2	5.27	1.35	1.25
1	A	181	ASN	C-O	-5.25	1.17	1.24
1	A	14	GLU	CD-OE2	5.25	1.35	1.25
1	A	109	LYS	N-CA	5.24	1.52	1.46
1	A	362	VAL	N-CA	5.22	1.52	1.46
1	A	269	TYR	C-O	5.20	1.30	1.23
1	A	35[A]	ASP	CA-C	5.20	1.59	1.52
1	A	35[B]	ASP	CA-C	5.20	1.59	1.52
1	A	304	ARG	C-O	-5.19	1.17	1.23
1	A	127	ASP	N-CA	5.15	1.52	1.46
1	A	88	LEU	N-CA	5.13	1.52	1.46
1	A	142	LEU	C-N	-5.09	1.27	1.33
1	A	392	LYS	CA-C	5.07	1.59	1.52
1	A	138	GLN	C-O	5.06	1.30	1.24
1	A	337	LEU	CA-C	5.04	1.58	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	97	PRO	N-CA-CB	-7.32	96.98	103.35
1	A	98	VAL	O-C-N	6.99	130.27	123.14
1	A	123	THR	O-C-N	6.81	129.08	122.07

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	128	CYS	O-C-N	-6.02	115.83	122.09
1	A	286[A]	ARG	NE-CZ-NH1	-5.92	115.58	121.50
1	A	286[B]	ARG	NE-CZ-NH1	-5.92	115.58	121.50
1	A	181	ASN	O-C-N	5.92	129.62	122.35
1	A	124	LYS	O-C-N	-5.91	115.86	122.12
1	A	131	ILE	N-CA-C	-5.69	103.82	111.44
1	A	170	VAL	O-C-N	5.64	127.44	121.91
1	A	127	ASP	CA-C-O	-5.56	114.53	120.42
1	A	95	GLY	CA-C-O	-5.42	113.00	119.01
1	A	182	TYR	CA-C-O	-5.39	115.89	121.07
1	A	40	ARG	NE-CZ-NH2	5.36	124.03	119.20
1	A	230	LYS	CA-C-O	5.34	126.14	120.10
1	A	182	TYR	O-C-N	5.28	125.69	121.05
1	A	165	LYS	CA-C-O	5.27	123.45	118.34
1	A	119	ASP	CA-C-O	-5.22	114.89	120.42
1	A	126[B]	ARG	O-C-N	5.16	127.58	122.12
1	A	126[C]	ARG	O-C-N	5.16	127.58	122.12
1	A	346	MET	CG-SD-CE	5.12	112.17	100.90
1	A	202	TYR	N-CA-C	5.12	116.86	111.28

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	284	ILE	Mainchain
1	A	370	SER	Mainchain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3531	0	3543	68	1
2	A	24	0	34	1	0
3	A	16	0	0	1	0
4	A	492	0	0	29	1
All	All	4063	0	3577	68	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:46[B]:ASN:OD1	4:A:2097:HOH:O	1.52	1.23
1:A:132[A]:LEU:HD11	4:A:2233:HOH:O	1.04	1.20
1:A:132[B]:LEU:HD23	4:A:2225:HOH:O	1.49	1.13
1:A:23[B]:VAL:HG12	1:A:53[B]:GLU:HG3	1.28	1.09
1:A:126[B]:ARG:HG2	1:A:126[B]:ARG:HH11	1.19	1.06
1:A:126[B]:ARG:HD2	4:A:2156:HOH:O	1.56	1.05
1:A:216:LYS:NZ	4:A:2287:HOH:O	1.87	1.05
1:A:23[A]:VAL:O	1:A:27[A]:LEU:HG	1.55	1.04
1:A:23[B]:VAL:CG1	1:A:53[B]:GLU:HG3	1.94	0.97
1:A:23[B]:VAL:HG12	1:A:53[B]:GLU:CG	1.96	0.94
1:A:266:LYS:NZ	4:A:2369:HOH:O	2.00	0.92
1:A:22[B]:ASN:HB3	1:A:53[B]:GLU:OE1	1.83	0.79
1:A:132[B]:LEU:CD1	4:A:2084:HOH:O	2.31	0.79
1:A:132[B]:LEU:CD2	4:A:2222:HOH:O	2.30	0.79
1:A:126[B]:ARG:HG2	1:A:126[B]:ARG:NH1	1.92	0.77
1:A:286[B]:ARG:HB3	4:A:2397:HOH:O	1.85	0.76
1:A:20[B]:ARG:HH22	1:A:34[B]:ASP:HA	1.50	0.76
1:A:23[B]:VAL:HG12	1:A:53[B]:GLU:CD	2.15	0.72
1:A:32[A]:ASN:HB3	4:A:2065:HOH:O	1.90	0.72
1:A:132[B]:LEU:HD13	4:A:2084:HOH:O	1.87	0.72
1:A:23[A]:VAL:HG23	1:A:27[A]:LEU:HD21	1.73	0.70
1:A:343:ASN:OD1	1:A:345:HIS:CD2	2.45	0.69
1:A:32[A]:ASN:CB	4:A:2065:HOH:O	2.41	0.69
1:A:345:HIS:CD2	4:A:2428:HOH:O	2.47	0.67
1:A:118[B]:GLN:NE2	4:A:2216:HOH:O	2.27	0.67
1:A:116:THR:OG1	1:A:118[B]:GLN:HB2	1.95	0.66
1:A:126[B]:ARG:HH11	1:A:126[B]:ARG:CG	2.02	0.66
1:A:352:ASN:ND2	4:A:2261:HOH:O	2.28	0.64
1:A:132[B]:LEU:HG	4:A:2222:HOH:O	1.97	0.64
1:A:23[B]:VAL:CG1	1:A:53[B]:GLU:CG	2.67	0.64
1:A:126[B]:ARG:NH1	1:A:126[B]:ARG:CG	2.60	0.64
1:A:132[B]:LEU:HD11	4:A:2084:HOH:O	2.00	0.61
1:A:20[B]:ARG:NH2	1:A:35[B]:ASP:OD1	2.34	0.60
1:A:335:GLU:HA	4:A:2432:HOH:O	2.01	0.59
1:A:372[B]:VAL:CG1	1:A:373[B]:HIS:N	2.65	0.59
1:A:288:SER:HB2	2:A:1406:EDO:H11	1.83	0.58
1:A:19[A]:PHE:O	1:A:22[A]:ASN:HB2	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20[B]:ARG:NH2	1:A:35[B]:ASP:N	2.57	0.53
1:A:372[B]:VAL:HG13	1:A:373[B]:HIS:H	1.73	0.53
1:A:266:LYS:HD3	1:A:269:TYR:CZ	2.45	0.51
1:A:372[B]:VAL:CG1	1:A:373[B]:HIS:H	2.24	0.51
1:A:335:GLU:CB	4:A:2432:HOH:O	2.60	0.49
1:A:276:THR:HG21	1:A:306:GLN:NE2	2.28	0.49
1:A:286[B]:ARG:NH2	4:A:2398:HOH:O	2.28	0.49
1:A:25[B]:ASP:OD1	1:A:25[B]:ASP:N	2.46	0.49
1:A:372[B]:VAL:HG13	4:A:2477:HOH:O	2.13	0.48
1:A:335:GLU:CA	4:A:2432:HOH:O	2.60	0.48
1:A:271[B]:ARG:NH1	4:A:2375:HOH:O	2.46	0.48
1:A:201:GLY:HA3	3:A:1407:UNL:CAH	2.44	0.48
1:A:20[B]:ARG:HH21	1:A:35[B]:ASP:N	2.11	0.48
1:A:132[B]:LEU:CG	4:A:2222:HOH:O	2.54	0.47
1:A:20[A]:ARG:O	1:A:21[A]:GLU:C	2.56	0.47
1:A:18[B]:LYS:HD2	1:A:18[B]:LYS:HA	1.68	0.47
1:A:20[B]:ARG:NH2	1:A:34[B]:ASP:C	2.73	0.46
1:A:31[A]:PRO:HG2	4:A:2026:HOH:O	2.15	0.46
1:A:132[B]:LEU:HD21	4:A:2222:HOH:O	2.02	0.46
1:A:126[B]:ARG:NH1	1:A:127:ASP:OD1	2.45	0.46
1:A:27[A]:LEU:N	1:A:28[A]:PRO:CD	2.79	0.45
1:A:372[B]:VAL:HG12	1:A:373[B]:HIS:N	2.31	0.45
1:A:19[B]:PHE:C	1:A:21[B]:GLU:N	2.74	0.45
1:A:126[B]:ARG:CD	4:A:2156:HOH:O	2.36	0.44
1:A:23[B]:VAL:CG1	1:A:53[B]:GLU:CD	2.87	0.44
1:A:20[B]:ARG:HH22	1:A:34[B]:ASP:CA	2.25	0.44
1:A:53[A]:GLU:HG2	4:A:2117:HOH:O	2.18	0.43
1:A:400:VAL:HG12	4:A:2490:HOH:O	2.18	0.42
1:A:30[A]:LEU:HD21	1:A:60:MET:SD	2.60	0.42
1:A:23[A]:VAL:CG2	1:A:27[A]:LEU:HD21	2.47	0.41
1:A:273:GLN:HB3	1:A:347[A]:VAL:HG23	2.02	0.41

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:287[A]:GLY:O	4:A:2058:HOH:O[7_455]	2.19	0.01

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	438/401 (109%)	425 (97%)	13 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/359 (110%)	388 (99%)	5 (1%)	61	35

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	126[B]	ARG
1	A	126[C]	ARG
1	A	132[A]	LEU
1	A	132[B]	LEU
1	A	370	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is unknown - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	EDO	A	1403	-	3,3,3	0.47	0	2,2,2	0.39	0
2	EDO	A	1401	-	3,3,3	0.76	0	2,2,2	0.32	0
2	EDO	A	1406	-	3,3,3	1.90	2 (66%)	2,2,2	1.62	0
2	EDO	A	1405	-	3,3,3	0.57	0	2,2,2	0.46	0
2	EDO	A	1404	-	3,3,3	1.02	0	2,2,2	1.19	0
2	EDO	A	1402	-	3,3,3	1.05	0	2,2,2	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	EDO	A	1403	-	-	0/1/1/1	-
2	EDO	A	1401	-	-	1/1/1/1	-
2	EDO	A	1406	-	-	0/1/1/1	-
2	EDO	A	1405	-	-	1/1/1/1	-
2	EDO	A	1404	-	-	0/1/1/1	-
2	EDO	A	1402	-	-	1/1/1/1	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1406	EDO	O2-C2	-2.51	1.29	1.42
2	A	1406	EDO	O1-C1	-2.05	1.31	1.42

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1401	EDO	O1-C1-C2-O2
2	A	1402	EDO	O1-C1-C2-O2
2	A	1405	EDO	O1-C1-C2-O2

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1406	EDO	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	401/401 (100%)	-0.35	11 (2%) 56 60	7, 17, 36, 56	39 (9%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	400	VAL	5.8
1	A	394	ASP	3.7
1	A	26[A]	VAL	3.3
1	A	27[A]	LEU	3.2
1	A	322	THR	3.1
1	A	371[A]	PHE	2.6
1	A	331	GLY	2.4
1	A	28[A]	PRO	2.3
1	A	399	PRO	2.2
1	A	325	GLY	2.1
1	A	398	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	UNL	A	1407	16/-	0.86	0.19	33,38,51,53	16
2	EDO	A	1401	4/4	0.93	0.12	49,51,55,57	0
2	EDO	A	1404	4/4	0.94	0.10	27,34,36,39	0
2	EDO	A	1406	4/4	0.95	0.23	23,26,28,41	0
2	EDO	A	1405	4/4	0.97	0.08	35,38,44,46	0
2	EDO	A	1403	4/4	0.97	0.09	23,26,27,28	0
2	EDO	A	1402	4/4	0.97	0.08	21,28,33,46	0

6.5 Other polymers [i](#)

There are no such residues in this entry.