



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 03:59 PM UTC

PDB ID : 5UYK / pdb_00005uyk
EMDB ID : EMD-8615
Title : 70S ribosome bound with cognate ternary complex not base-paired to A site codon (Structure I)
Authors : Loveland, A.B.; Demo, G.; Grigorieff, N.; Korostelev, A.A.
Deposited on : 2017-02-24
Resolution : 3.90 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.











Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8855 (3.40 - 4.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	04	271	
2	05	209	
3	06	201	










Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	07	177	
5	08	176	
6	09	149	
7	10	131	
8	11	141	
9	12	142	
10	13	122	
11	14	143	
12	15	136	
13	16	120	
14	17	116	
15	18	114	
16	19	117	
17	20	103	
18	21	110	
19	22	93	
20	23	102	
21	24	94	
22	25	75	
23	26	77	
24	27	63	
25	28	58	
26	29	66	
27	30	56	
28	31	50	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	32	46	
30	33	64	
31	34	38	
32	B	218	
33	C	206	
34	D	205	
35	E	157	
36	F	100	
37	G	151	
38	H	129	
39	I	127	
40	J	98	
41	K	116	
42	L	123	
43	M	114	
44	N	100	
45	O	88	
46	P	82	
47	Q	80	
48	R	65	
49	S	79	
50	T	85	
51	U	65	
52	03	223	
53	A	1539	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	01	2903	
55	02	120	
56	W	77	
56	X	77	
57	V	20	
58	Y	76	
59	Z	392	

2 Entry composition

There are 60 unique types of molecules in this entry. The entry contains 154412 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	04	271	Total	C	N	O	S	0	0
			2083	1288	423	365	7		

- Molecule 2 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	05	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 3 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	06	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 4 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	07	177	Total	C	N	O	S	0	0
			1411	899	249	257	6		

- Molecule 5 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	08	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 6 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	09	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 7 is a protein called 50S ribosomal protein L10.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	10	131	Total	C	N	O	S	0	0
			989	625	175	184	5		

- Molecule 8 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	11	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	12	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	13	122	Total	C	N	O	S	0	0
			939	587	180	166	6		

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	14	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	15	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	16	120	Total	C	N	O	S	0	0
			961	593	196	167	5		

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
14	17	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	18	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
16	19	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	20	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	21	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	22	93	Total	C	N	O	S	0	0
			739	466	139	132	2		

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
20	23	102	Total	C	N	O	0	0
			780	492	146	142		

- Molecule 21 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	24	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	25	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	26	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	27	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	28	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	29	66	Total	C	N	O	S	0	0
			523	323	99	95	6		

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	30	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
28	31	50	Total	C	N	O	0	0
			410	263	75	72		

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	32	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	33	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	34	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 32 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B	218	Total	C	N	O	S	0	0
			1705	1081	305	312	7		

- Molecule 33 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	C	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 34 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	D	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 35 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	E	157	Total	C	N	O	S	0	0
			1157	719	218	214	6		

- Molecule 36 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	F	100	Total	C	N	O	S	0	0
			818	515	148	149	6		

- Molecule 37 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	G	151	Total	C	N	O	S	0	0
			1182	735	227	216	4		

- Molecule 38 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	H	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 39 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	I	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 40 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	J	98	Total	C	N	O	S	0	0
			787	493	150	143	1		

- Molecule 41 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	K	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 42 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	L	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 43 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	M	114	Total	C	N	O	S	0	0
			884	546	178	157	3		

- Molecule 44 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	N	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 45 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	O	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 46 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	P	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 47 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Q	80	Total	C	N	O	S	0	0
			649	411	121	114	3		

- Molecule 48 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	R	65	Total	C	N	O	S	0	0
			536	339	100	96	1		

- Molecule 49 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	S	79	Total	C	N	O	S	0	0
			638	408	120	108	2		

- Molecule 50 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	T	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 51 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	U	65	Total	C	N	O	S	0	0
			545	335	117	92	1		

- Molecule 52 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	03	223	Total	C	N	O	S	0	0
			1662	1039	302	315	6		

- Molecule 53 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	A	1539	Total	C	N	O	P	0	0
			33012	14725	6052	10697	1538		

- Molecule 54 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	01	2903	Total	C	N	O	P	0	0
			62317	27801	11468	20146	2902		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
01	747	C	U	conflict	GB 802133627

- Molecule 55 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	02	120	Total	C	N	O	P	0	0
			2568	1145	471	833	119		

- Molecule 56 is a RNA chain called tRNAfMet.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	X	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		
56	W	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 57 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	V	20	Total	C	N	O	P	0	0
			432	195	86	132	19		


- Molecule 58 is a RNA chain called tRNAPhe.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	Y	76	Total	C	N	O	P	0	0
			1619	723	290	531	75		

- Molecule 59 is a protein called Elongation factor Tu 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	Z	392	Total	C	N	O	S	0	0
			3029	1915	521	580	13		

- Molecule 60 is PHOSPHOMETHYLPHOSPHONIC ACID GUANYLATE ESTER (CCD ID: GCP) (formula: C₁₁H₁₈N₅O₁₃P₃).




Mol	Chain	Residues	Atoms					AltConf
60	Z	1	Total	C	N	O	P	0
			32	11	5	13	3	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S ribosomal protein L2




- Molecule 2: 50S ribosomal protein L3




- Molecule 3: 50S ribosomal protein L4




- Molecule 4: 50S ribosomal protein L5




- Molecule 5: 50S ribosomal protein L6




- Molecule 6: 50S ribosomal protein L9




- Molecule 7: 50S ribosomal protein L10







• Molecule 8: 50S ribosomal protein L11





• Molecule 9: 50S ribosomal protein L13




• Molecule 10: 50S ribosomal protein L14




• Molecule 11: 50S ribosomal protein L15




- Molecule 12: 50S ribosomal protein L16




- Molecule 13: 50S ribosomal protein L17




- Molecule 14: 50S ribosomal protein L18




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22




- Molecule 19: 50S ribosomal protein L23



- Molecule 20: 50S ribosomal protein L24



- Molecule 21: 50S ribosomal protein L25



- Molecule 22: 50S ribosomal protein L27







- Molecule 23: 50S ribosomal protein L28



- Molecule 24: 50S ribosomal protein L29



- Molecule 25: 50S ribosomal protein L30



- Molecule 26: 50S ribosomal protein L31



- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34

Chain 32:  76% 24%




- Molecule 30: 50S ribosomal protein L35

Chain 33:  77% 22%




- Molecule 31: 50S ribosomal protein L36

Chain 34:  55% 42%




- Molecule 32: 30S ribosomal protein S2

Chain B:  6% 53% 44%




- Molecule 33: 30S ribosomal protein S3


Chain C:  64% 34%




- Molecule 34: 30S ribosomal protein S4




- Molecule 35: 30S ribosomal protein S5



- Molecule 36: 30S ribosomal protein S6




- Molecule 37: 30S ribosomal protein S7




- Molecule 38: 30S ribosomal protein S8

Chain H:  60% 39% .




- Molecule 39: 30S ribosomal protein S9

Chain I:  5% 57% 41% .




- Molecule 40: 30S ribosomal protein S10

Chain J:  14% 46% 47% 6% .




- Molecule 41: 30S ribosomal protein S11

Chain K:  67% 28% .




- Molecule 42: 30S ribosomal protein S12

Chain L:  7% 59% 32% 8% .



- Molecule 43: 30S ribosomal protein S13

Chain M:  67% 32%



- Molecule 44: 30S ribosomal protein S14

Chain N:  66% 33%



- Molecule 45: 30S ribosomal protein S15

Chain O:  63% 36%




- Molecule 46: 30S ribosomal protein S16

Chain P:  60% 39%




- Molecule 47: 30S ribosomal protein S17

Chain Q:  59% 38%




- Molecule 48: 30S ribosomal protein S18

Chain R:  8% 66% 29% 5%



- Molecule 49: 30S ribosomal protein S19


Chain S:  5% 58% 41%




- Molecule 50: 30S ribosomal protein S20



- Molecule 51: 30S ribosomal protein S21




- Molecule 52: 50S ribosomal protein L1




- Molecule 53: 16S ribosomal RNA






Chain 01:








• Molecule 55: 5S ribosomal RNA

Chain 02: 58% 35% 7%



• Molecule 56: tRNAfMet

Chain X: 12% 53% 39% 8%



• Molecule 56: tRNAfMet

Chain W: 9% 74% 22% .




• Molecule 57: mRNA

Chain V: 55% 75% 25%




• Molecule 58: tRNAfPhe

Chain Y: 18% 57% 34% 9%



• Molecule 59: Elongation factor Tu 2

Chain Z: 53% 43% 50% 7%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	6726	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION; CTFFIND3 was used to determine CTF values. FREALIGN applied CTF correction.	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	1.0	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	5000	Depositor
Magnification	60976	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	17.111	Depositor
Minimum map value	-6.509	Depositor
Average map value	-0.407	Depositor
Map value standard deviation	1.292	Depositor
Recommended contour level	3.47	Depositor
Map size ($\text{\AA}$)	393.6, 393.6, 393.6	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	0.82, 0.82, 0.82	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	04	0.37	0/2122	0.89	6/2852 (0.2%)
2	05	0.36	0/1586	0.85	1/2134 (0.0%)
3	06	0.35	0/1571	0.89	5/2113 (0.2%)
4	07	0.35	0/1435	0.93	6/1926 (0.3%)
5	08	0.34	0/1343	0.86	4/1816 (0.2%)
6	09	0.40	0/1122	0.94	3/1515 (0.2%)
7	10	0.45	0/1002	1.13	11/1350 (0.8%)
8	11	0.45	0/1046	0.93	4/1410 (0.3%)
9	12	0.35	0/1152	0.89	4/1551 (0.3%)
10	13	0.34	0/948	0.93	3/1268 (0.2%)
11	14	0.35	0/1054	0.93	3/1403 (0.2%)
12	15	0.37	0/1093	0.86	1/1460 (0.1%)
13	16	0.35	0/974	0.93	3/1301 (0.2%)
14	17	0.33	0/902	0.87	2/1209 (0.2%)
15	18	0.33	0/929	0.83	0/1242
16	19	0.34	0/960	0.95	5/1278 (0.4%)
17	20	0.34	0/829	0.91	2/1107 (0.2%)
18	21	0.33	0/864	0.91	1/1156 (0.1%)
19	22	0.33	0/745	0.82	2/994 (0.2%)
20	23	0.32	0/788	0.94	1/1051 (0.1%)
21	24	0.32	0/766	0.88	3/1025 (0.3%)
22	25	0.32	0/582	0.83	1/769 (0.1%)
23	26	0.35	0/635	0.86	1/848 (0.1%)
24	27	0.31	0/510	1.00	4/677 (0.6%)
25	28	0.35	0/453	0.84	0/605
26	29	0.38	0/532	0.93	0/709
27	30	0.35	0/450	0.92	2/599 (0.3%)
28	31	0.36	0/417	0.89	1/554 (0.2%)
29	32	0.37	0/380	0.88	1/498 (0.2%)
30	33	0.34	0/513	0.90	2/676 (0.3%)
31	34	0.34	0/303	0.80	0/397
32	B	0.36	0/1736	1.07	12/2338 (0.5%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	C	0.36	0/1652	0.84	5/2225 (0.2%)
34	D	0.34	0/1665	0.96	8/2227 (0.4%)
35	E	0.37	0/1170	1.01	4/1573 (0.3%)
36	F	0.39	0/836	1.04	2/1128 (0.2%)
37	G	0.35	0/1196	1.00	8/1602 (0.5%)
38	H	0.34	0/989	0.95	3/1326 (0.2%)
39	I	0.37	0/1034	0.98	2/1375 (0.1%)
40	J	0.39	0/797	0.99	6/1077 (0.6%)
41	K	0.37	0/886	0.91	3/1195 (0.3%)
42	L	0.36	0/969	1.07	12/1300 (0.9%)
43	M	0.35	0/893	0.95	2/1193 (0.2%)
44	N	0.34	0/817	0.89	2/1088 (0.2%)
45	O	0.34	0/722	0.96	3/964 (0.3%)
46	P	0.37	0/659	0.95	1/884 (0.1%)
47	Q	0.35	0/658	0.92	1/881 (0.1%)
48	R	0.40	0/545	0.97	5/731 (0.7%)
49	S	0.37	0/653	0.84	0/877
50	T	0.35	0/671	0.90	1/888 (0.1%)
51	U	0.39	0/551	1.00	3/728 (0.4%)
52	03	1.62	22/1677 (1.3%)	1.05	7/2259 (0.3%)
53	A	0.45	0/36963	0.54	17/57662 (0.0%)
54	01	0.45	0/69796	0.54	19/108888 (0.0%)
55	02	0.44	0/2872	0.54	1/4479 (0.0%)
56	W	0.48	0/1832	0.51	0/2855
56	X	0.51	0/1832	0.57	0/2855
57	V	0.54	0/486	0.54	0/757
58	Y	0.51	0/1809	0.56	0/2819
59	Z	1.50	26/3085 (0.8%)	1.05	13/4173 (0.3%)
All	All	0.50	48/167457 (0.0%)	0.68	222/249840 (0.1%)

The worst 5 of 48 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
52	03	137	MET	SD-CE	8.81	2.01	1.79
59	Z	368	MET	SD-CE	7.92	1.99	1.79
59	Z	91	MET	SD-CE	7.31	1.97	1.79
52	03	121	MET	SD-CE	7.20	1.97	1.79
52	03	109	MET	SD-CE	7.15	1.97	1.79

The worst 5 of 222 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	B	17	HIS	N-CA-C	11.51	125.52	109.18
37	G	142	ARG	N-CA-C	-9.43	101.91	113.41
38	H	67	GLY	N-CA-C	-9.34	100.85	113.37
53	A	1201	A	C2'-C3'-O3'	9.04	123.05	109.50
32	B	160	LEU	O-C-N	-8.69	111.65	123.12

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	04	2083	0	2157	84	0
2	05	1565	0	1616	54	0
3	06	1552	0	1619	45	0
4	07	1411	0	1447	51	0
5	08	1323	0	1374	47	0
6	09	1111	0	1148	42	0
7	10	989	0	1025	68	0
8	11	1032	0	1088	53	0
9	12	1129	0	1162	43	0
10	13	939	0	1012	27	0
11	14	1045	0	1117	31	0
12	15	1074	0	1157	42	0
13	16	961	0	1000	27	0
14	17	892	0	923	22	0
15	18	917	0	965	32	0
16	19	947	0	1022	35	0
17	20	816	0	839	26	0
18	21	857	0	922	28	0
19	22	739	0	807	18	0
20	23	780	0	834	23	0
21	24	753	0	780	21	0
22	25	575	0	592	21	0
23	26	625	0	655	16	0
24	27	509	0	543	27	0
25	28	449	0	491	9	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
26	29	523	0	524	17	0
27	30	444	0	461	22	0
28	31	410	0	440	10	0
29	32	377	0	418	9	0
30	33	504	0	574	9	0
31	34	302	0	343	15	0
32	B	1705	0	1732	80	0
33	C	1625	0	1699	64	0
34	D	1643	0	1710	45	0
35	E	1157	0	1199	57	0
36	F	818	0	808	37	0
37	G	1182	0	1240	24	0
38	H	979	0	1034	37	0
39	I	1022	0	1070	41	0
40	J	787	0	828	39	0
41	K	870	0	878	30	0
42	L	955	0	1019	39	0
43	M	884	0	944	32	0
44	N	805	0	847	34	0
45	O	714	0	737	19	0
46	P	649	0	666	27	0
47	Q	649	0	691	32	0
48	R	536	0	552	12	0
49	S	638	0	665	26	0
50	T	665	0	714	20	0
51	U	545	0	579	30	0
52	03	1662	0	1750	104	0
53	A	33012	0	16618	427	0
54	01	62317	0	31346	825	0
55	02	2568	0	1303	43	0
56	W	1640	0	837	10	0
56	X	1640	0	837	23	0
57	V	432	0	218	3	0
58	Y	1619	0	822	23	0
59	Z	3029	0	3043	171	0
60	Z	32	0	14	4	0
All	All	154412	0	105455	3005	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 3005 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
52:03:137:MET:SD	52:03:137:MET:CE	2.01	1.49
54:01:45:G:H5''	54:01:46:G:H5'	1.31	1.07
52:03:26:ALA:HB2	52:03:224:VAL:HG11	1.41	1.02
36:F:3:HIS:H	36:F:92:THR:HG22	1.30	0.97
37:G:12:LEU:HD11	39:I:49:GLN:HE22	1.30	0.95

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	04	269/271 (99%)	241 (90%)	26 (10%)	2 (1%)	18	53
2	05	207/209 (99%)	185 (89%)	21 (10%)	1 (0%)	24	59
3	06	199/201 (99%)	174 (87%)	24 (12%)	1 (0%)	24	59
4	07	175/177 (99%)	155 (89%)	16 (9%)	4 (2%)	5	30
5	08	174/176 (99%)	157 (90%)	12 (7%)	5 (3%)	3	26
6	09	147/149 (99%)	124 (84%)	21 (14%)	2 (1%)	9	38
7	10	129/131 (98%)	95 (74%)	27 (21%)	7 (5%)	1	17
8	11	139/141 (99%)	111 (80%)	27 (19%)	1 (1%)	18	53
9	12	140/142 (99%)	130 (93%)	10 (7%)	0	100	100
10	13	120/122 (98%)	100 (83%)	18 (15%)	2 (2%)	7	35
11	14	141/143 (99%)	116 (82%)	21 (15%)	4 (3%)	4	27
12	15	134/136 (98%)	122 (91%)	10 (8%)	2 (2%)	8	37
13	16	118/120 (98%)	103 (87%)	15 (13%)	0	100	100
14	17	114/116 (98%)	105 (92%)	9 (8%)	0	100	100
15	18	112/114 (98%)	97 (87%)	15 (13%)	0	100	100
16	19	115/117 (98%)	110 (96%)	5 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	20	101/103 (98%)	82 (81%)	18 (18%)	1 (1%)	12	45
18	21	108/110 (98%)	99 (92%)	9 (8%)	0	100	100
19	22	91/93 (98%)	80 (88%)	10 (11%)	1 (1%)	11	43
20	23	100/102 (98%)	84 (84%)	13 (13%)	3 (3%)	3	26
21	24	92/94 (98%)	86 (94%)	6 (6%)	0	100	100
22	25	73/75 (97%)	65 (89%)	8 (11%)	0	100	100
23	26	75/77 (97%)	68 (91%)	7 (9%)	0	100	100
24	27	61/63 (97%)	57 (93%)	4 (7%)	0	100	100
25	28	56/58 (97%)	52 (93%)	4 (7%)	0	100	100
26	29	64/66 (97%)	50 (78%)	14 (22%)	0	100	100
27	30	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
28	31	48/50 (96%)	41 (85%)	7 (15%)	0	100	100
29	32	44/46 (96%)	40 (91%)	4 (9%)	0	100	100
30	33	62/64 (97%)	56 (90%)	4 (6%)	2 (3%)	3	25
31	34	36/38 (95%)	28 (78%)	6 (17%)	2 (6%)	1	16
32	B	216/218 (99%)	173 (80%)	40 (18%)	3 (1%)	9	38
33	C	204/206 (99%)	188 (92%)	16 (8%)	0	100	100
34	D	203/205 (99%)	174 (86%)	23 (11%)	6 (3%)	3	26
35	E	155/157 (99%)	119 (77%)	27 (17%)	9 (6%)	1	16
36	F	98/100 (98%)	73 (74%)	21 (21%)	4 (4%)	2	20
37	G	149/151 (99%)	127 (85%)	20 (13%)	2 (1%)	9	40
38	H	127/129 (98%)	117 (92%)	9 (7%)	1 (1%)	16	50
39	I	125/127 (98%)	103 (82%)	16 (13%)	6 (5%)	2	18
40	J	96/98 (98%)	78 (81%)	10 (10%)	8 (8%)	0	10
41	K	114/116 (98%)	95 (83%)	14 (12%)	5 (4%)	2	20
42	L	121/123 (98%)	93 (77%)	19 (16%)	9 (7%)	1	12
43	M	112/114 (98%)	95 (85%)	14 (12%)	3 (3%)	4	28
44	N	98/100 (98%)	83 (85%)	15 (15%)	0	100	100
45	O	86/88 (98%)	80 (93%)	4 (5%)	2 (2%)	5	30
46	P	80/82 (98%)	68 (85%)	11 (14%)	1 (1%)	9	40
47	Q	78/80 (98%)	66 (85%)	9 (12%)	3 (4%)	2	21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	R	63/65 (97%)	56 (89%)	5 (8%)	2 (3%)	3	25
49	S	77/79 (98%)	65 (84%)	10 (13%)	2 (3%)	4	28
50	T	83/85 (98%)	79 (95%)	3 (4%)	1 (1%)	10	41
51	U	63/65 (97%)	43 (68%)	19 (30%)	1 (2%)	7	36
52	03	221/223 (99%)	193 (87%)	27 (12%)	1 (0%)	24	59
59	Z	390/392 (100%)	349 (90%)	39 (10%)	2 (0%)	24	59
All	All	6457/6563 (98%)	5581 (86%)	765 (12%)	111 (2%)	9	35

5 of 111 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	04	232	GLY
3	06	83	VAL
4	07	175	PRO
5	08	46	ASP
5	08	119	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	04	216/216 (100%)	213 (99%)	3 (1%)	59	71
2	05	164/164 (100%)	164 (100%)	0	100	100
3	06	165/165 (100%)	165 (100%)	0	100	100
4	07	148/148 (100%)	147 (99%)	1 (1%)	76	78
5	08	137/137 (100%)	136 (99%)	1 (1%)	76	78
6	09	114/114 (100%)	114 (100%)	0	100	100
7	10	100/100 (100%)	97 (97%)	3 (3%)	36	57
8	11	109/109 (100%)	108 (99%)	1 (1%)	70	75
9	12	116/116 (100%)	116 (100%)	0	100	100
10	13	103/103 (100%)	102 (99%)	1 (1%)	68	75

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	14	102/102 (100%)	100 (98%)	2 (2%)	48	65
12	15	109/109 (100%)	109 (100%)	0	100	100
13	16	100/100 (100%)	99 (99%)	1 (1%)	68	75
14	17	86/86 (100%)	86 (100%)	0	100	100
15	18	99/99 (100%)	99 (100%)	0	100	100
16	19	89/89 (100%)	88 (99%)	1 (1%)	65	74
17	20	84/84 (100%)	82 (98%)	2 (2%)	43	63
18	21	93/93 (100%)	92 (99%)	1 (1%)	65	74
19	22	80/80 (100%)	78 (98%)	2 (2%)	42	62
20	23	83/83 (100%)	83 (100%)	0	100	100
21	24	78/78 (100%)	78 (100%)	0	100	100
22	25	57/57 (100%)	57 (100%)	0	100	100
23	26	67/67 (100%)	67 (100%)	0	100	100
24	27	55/55 (100%)	53 (96%)	2 (4%)	31	54
25	28	48/48 (100%)	48 (100%)	0	100	100
26	29	59/59 (100%)	59 (100%)	0	100	100
27	30	47/47 (100%)	47 (100%)	0	100	100
28	31	45/45 (100%)	45 (100%)	0	100	100
29	32	38/38 (100%)	38 (100%)	0	100	100
30	33	51/51 (100%)	51 (100%)	0	100	100
31	34	34/34 (100%)	34 (100%)	0	100	100
32	B	180/180 (100%)	179 (99%)	1 (1%)	78	80
33	C	170/170 (100%)	168 (99%)	2 (1%)	63	72
34	D	172/172 (100%)	170 (99%)	2 (1%)	63	72
35	E	119/119 (100%)	118 (99%)	1 (1%)	73	77
36	F	87/87 (100%)	87 (100%)	0	100	100
37	G	124/124 (100%)	124 (100%)	0	100	100
38	H	104/104 (100%)	103 (99%)	1 (1%)	68	75
39	I	105/105 (100%)	105 (100%)	0	100	100
40	J	86/86 (100%)	85 (99%)	1 (1%)	63	72
41	K	89/89 (100%)	89 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
42	L	103/103 (100%)	101 (98%)	2 (2%)	50	66
43	M	92/92 (100%)	90 (98%)	2 (2%)	45	64
44	N	83/83 (100%)	83 (100%)	0	100	100
45	O	76/76 (100%)	76 (100%)	0	100	100
46	P	65/65 (100%)	63 (97%)	2 (3%)	35	57
47	Q	74/74 (100%)	74 (100%)	0	100	100
48	R	56/56 (100%)	56 (100%)	0	100	100
49	S	70/70 (100%)	69 (99%)	1 (1%)	59	71
50	T	65/65 (100%)	63 (97%)	2 (3%)	35	57
51	U	55/55 (100%)	54 (98%)	1 (2%)	51	67
52	03	174/174 (100%)	172 (99%)	2 (1%)	65	74
59	Z	324/325 (100%)	318 (98%)	6 (2%)	50	66
All	All	5349/5350 (100%)	5302 (99%)	47 (1%)	68	75

5 of 47 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
40	J	30	LYS
49	S	10	ILE
42	L	34	THR
43	M	111	PRO
50	T	53	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 109 such sidechains are listed below:

Mol	Chain	Res	Type
32	B	23	ASN
36	F	11	HIS
50	T	60	GLN
32	B	41	ASN
33	C	189	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
53	A	1538/1539 (99%)	161 (10%)	10 (0%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
54	01	2902/2903 (99%)	355 (12%)	12 (0%)
55	02	119/120 (99%)	9 (7%)	1 (0%)
56	W	76/77 (98%)	7 (9%)	0
56	X	76/77 (98%)	11 (14%)	0
57	V	19/20 (95%)	2 (10%)	0
58	Y	75/76 (98%)	12 (16%)	0
All	All	4805/4812 (99%)	557 (11%)	23 (0%)

5 of 557 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
53	A	6	G
53	A	7	A
53	A	9	G
53	A	22	G
53	A	31	G

5 of 23 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
54	01	858	G
54	01	1130	U
54	01	1020	A
54	01	1378	A
53	A	1190	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
60	GCP	Z	401	-	32,34,34	1.80	7 (21%)	49,54,54	2.56	15 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	GCP	Z	401	-	-	8/19/38/38	0/3/3/3

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
60	Z	401	GCP	PA-O3A	-5.38	1.53	1.59
60	Z	401	GCP	PB-O3A	-3.97	1.54	1.58
60	Z	401	GCP	C1'-N9	3.34	1.57	1.47
60	Z	401	GCP	O4'-C1'	2.42	1.47	1.42
60	Z	401	GCP	C2'-C3'	2.23	1.59	1.53

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
60	Z	401	GCP	C1'-N9-C4	7.99	150.09	126.49
60	Z	401	GCP	C1'-N9-C8	-7.55	105.27	126.73
60	Z	401	GCP	O1G-PG-C3B	-7.42	95.19	111.37
60	Z	401	GCP	O4'-C1'-C2'	-4.46	97.07	106.62
60	Z	401	GCP	O5'-PA-O1A	-3.94	93.32	108.94

There are no chirality outliers.

5 of 8 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	Z	401	GCP	PB-C3B-PG-O1G
60	Z	401	GCP	PB-C3B-PG-O2G
60	Z	401	GCP	PG-C3B-PB-O1B
60	Z	401	GCP	C5'-O5'-PA-O3A

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
60	Z	401	GCP	O4'-C4'-C5'-O5'

There are no ring outliers.

1 monomer is involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
60	Z	401	GCP	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8615. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 251




Y Index: 247




Z Index: 227


6.3.2 Raw map



X Index: 237



Y Index: 248




Z Index: 234


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 3.47. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1616 nm³; this corresponds to an approximate mass of 1460 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.256 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.256 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.90	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.40	6.60	4.55

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.40 differs from the reported value 3.9 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-8615 and PDB model 5UYK. Per-residue inclusion information can be found in [section 3](#) on [page 16](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 3.47 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (3.47) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8560	 0.3540
01	 0.9450	 0.3760
02	 0.9540	 0.3590
03	 0.3760	 0.1730
04	 0.7860	 0.4080
05	 0.7830	 0.3950
06	 0.7510	 0.3530
07	 0.7870	 0.3250
08	 0.7820	 0.3550
09	 0.5250	 0.2890
10	 0.4380	 0.1870
11	 0.5110	 0.1820
12	 0.7790	 0.3820
13	 0.7120	 0.4000
14	 0.7740	 0.3740
15	 0.7090	 0.3840
16	 0.8000	 0.3750
17	 0.7970	 0.3330
18	 0.7250	 0.3680
19	 0.7870	 0.3780
20	 0.7500	 0.3730
21	 0.7440	 0.3770
22	 0.7750	 0.3660
23	 0.7680	 0.3370
24	 0.7790	 0.3520
25	 0.7640	 0.3850
26	 0.7700	 0.3750
27	 0.7520	 0.3000
28	 0.7460	 0.3690
29	 0.7130	 0.2840
30	 0.7640	 0.3680
31	 0.7020	 0.3670
32	 0.8080	 0.3950
33	 0.7700	 0.3980
34	 0.7770	 0.4180



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
A	 0.9410	 0.3650
B	 0.7210	 0.3030
C	 0.7280	 0.3550
D	 0.7330	 0.3220
E	 0.7620	 0.3680
F	 0.8030	 0.3520
G	 0.7290	 0.3230
H	 0.7960	 0.3680
I	 0.7610	 0.3090
J	 0.6680	 0.3140
K	 0.7770	 0.3550
L	 0.7430	 0.3830
M	 0.7610	 0.3260
N	 0.7640	 0.3370
O	 0.7990	 0.3440
P	 0.8040	 0.3630
Q	 0.7520	 0.3550
R	 0.7650	 0.3570
S	 0.7620	 0.3210
T	 0.7570	 0.3270
U	 0.5830	 0.2790
V	 0.3840	 0.2420
W	 0.6670	 0.3220
X	 0.6880	 0.1750
Y	 0.5960	 0.1750
Z	 0.3930	 0.2260