



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:57 PM UTC

PDB ID : 1UZF / pdb_00001uzf
Title : Complex of the anti-hypertensive drug captopril an the human testicular angiotensin I-converting enzyme
Authors : Natesh, R.; Schwager, S.L.U.; Evans, H.R.; Sturrock, E.D.; Acharya, K.R.
Deposited on : 2004-03-11
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	589	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	MCO	A	702	X	-	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 5146 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ANGIOTENSIN CONVERTING ENZYME.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	575	Total	C	N	O	S	0	0	1
			4671	2996	799	852	24			

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is 1-(3-MERCAPTO-2-METHYL-PROPIONYL)-PYRROLIDINE-2-CARBOXYLIC ACID (CCD ID: MCO) (formula: $C_9H_{15}NO_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			14	9	1	3	1		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Cl	0	0
			2	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	430	Total	O	0	0
			430	430		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: ANGIOTENSIN CONVERTING ENZYME



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.65Å 84.90Å 133.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.00	Depositor
% Data completeness (in resolution range)	82.8 (50.00-2.00)	Depositor
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.184 , 0.227	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	5146	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MCO, CL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	1/4807 (0.0%)	0.87	14/6537 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	617	PRO	C-N	-5.46	1.25	1.33

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	347	GLY	N-CA-C	-8.01	104.51	114.92
1	A	466	GLN	N-CA-C	-7.86	102.79	111.36
1	A	463	LEU	N-CA-C	6.98	118.89	111.28
1	A	454	LYS	N-CA-C	6.63	118.30	111.14
1	A	329	LEU	N-CA-C	6.22	117.65	109.93
1	A	272	ALA	N-CA-C	6.13	120.23	112.87
1	A	412	ALA	N-CA-C	5.99	119.06	111.69
1	A	197	TYR	N-CA-C	5.72	120.52	112.75
1	A	587	MET	N-CA-C	-5.48	101.61	110.32
1	A	360	TYR	N-CA-C	5.46	118.97	111.54
1	A	582	THR	N-CA-C	5.36	119.97	113.38
1	A	585	PRO	N-CA-C	5.33	123.46	112.47
1	A	464	VAL	N-CA-C	5.10	115.54	110.23
1	A	471	VAL	N-CA-C	-5.06	105.77	110.53

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4671	0	4505	81	0
2	A	28	0	26	0	0
3	A	1	0	0	0	0
4	A	14	0	8	2	0
5	A	2	0	0	1	0
6	A	430	0	0	10	0
All	All	5146	0	4539	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:613:LYS:HE2	1:A:617:PRO:HG2	1.60	0.82
1:A:148:VAL:HG12	1:A:349:GLU:HG2	1.64	0.79
1:A:231:GLN:HG3	6:A:2178:HOH:O	1.88	0.72
1:A:304:ALA:O	1:A:308:GLN:HG2	1.90	0.71
1:A:56:GLN:HG2	1:A:399:VAL:HG21	1.75	0.68
1:A:560:GLN:O	1:A:564:THR:HG23	1.96	0.66
1:A:317:LYS:HD2	1:A:336:TRP:CH2	2.32	0.65
1:A:82:LEU:HA	1:A:85:ASN:HD22	1.62	0.65
1:A:116:ILE:O	1:A:120:GLN:HG3	1.95	0.65
1:A:399:VAL:HA	1:A:402:ARG:HG3	1.80	0.64
1:A:45:SER:O	1:A:49:GLU:HG3	1.99	0.63
1:A:96:GLY:HA3	1:A:122:LEU:CD2	2.28	0.62
1:A:54:THR:O	1:A:58:VAL:HG12	2.01	0.61
1:A:134:GLU:O	1:A:138:ILE:HG12	2.00	0.61
1:A:148:VAL:HG12	1:A:349:GLU:CG	2.30	0.60
1:A:79:LYS:O	1:A:83:GLN:HG3	2.02	0.59
1:A:179:LEU:HD11	1:A:499:VAL:HG23	1.84	0.58
1:A:317:LYS:HD2	1:A:336:TRP:CZ2	2.38	0.58
1:A:613:LYS:CE	1:A:617:PRO:HG2	2.34	0.56
1:A:59:TRP:CZ3	1:A:399:VAL:HG12	2.40	0.56
1:A:424:PRO:HA	1:A:433:LEU:HD12	1.88	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:107:LEU:HD21	1:A:116:ILE:HD12	1.88	0.55
1:A:463:LEU:C	1:A:463:LEU:HD23	2.31	0.55
1:A:531:PHE:CE1	1:A:592:MET:HE3	2.43	0.54
1:A:117:LYS:O	1:A:117:LYS:HD3	2.06	0.54
1:A:523:TYR:CD2	4:A:702:MCO:HC51	2.43	0.54
1:A:597:LYS:HB3	1:A:598:PRO:HD3	1.90	0.54
1:A:79:LYS:HG2	1:A:83:GLN:HE21	1.72	0.53
1:A:154:PRO:HD2	6:A:2102:HOH:O	2.09	0.52
1:A:514:ILE:HB	1:A:515:PRO:CD	2.40	0.52
1:A:333:PRO:HD2	6:A:2241:HOH:O	2.10	0.52
1:A:79:LYS:HG2	1:A:83:GLN:NE2	2.25	0.52
1:A:543:HIS:CD2	1:A:550:CYS:HB2	2.45	0.51
1:A:511:LYS:O	1:A:515:PRO:HD2	2.11	0.51
1:A:117:LYS:HD3	1:A:117:LYS:C	2.36	0.50
1:A:562:LEU:HB3	1:A:566:MET:HE2	1.93	0.50
1:A:173:ARG:NH1	1:A:288:ASP:OD1	2.40	0.50
1:A:301:THR:HG21	1:A:375:LEU:HG	1.94	0.50
1:A:488:LEU:HD22	1:A:492:TYR:HE1	1.76	0.50
1:A:462:TYR:O	1:A:466:GLN:HG2	2.11	0.49
1:A:485:TRP:CD2	1:A:508:PRO:HG3	2.48	0.49
1:A:295:SER:HB2	6:A:2227:HOH:O	2.12	0.48
1:A:155:ASN:OD1	1:A:156:GLY:N	2.46	0.48
1:A:275:LEU:N	1:A:275:LEU:HD22	2.28	0.47
1:A:560:GLN:HE21	1:A:564:THR:CG2	2.27	0.47
1:A:609:LEU:C	1:A:609:LEU:HD12	2.40	0.47
1:A:579:GLN:HE21	1:A:583:GLY:C	2.22	0.47
1:A:84:LYS:HD3	1:A:87:GLN:OE1	2.15	0.47
1:A:572:ARG:HD3	6:A:2381:HOH:O	2.15	0.47
1:A:159:LEU:HD12	1:A:159:LEU:N	2.30	0.46
1:A:476:ILE:HG12	1:A:484:GLU:HG3	1.98	0.46
1:A:107:LEU:CD2	1:A:116:ILE:HD12	2.46	0.46
1:A:292:PRO:HD2	1:A:445:ASN:OD1	2.16	0.45
1:A:52:ASP:O	1:A:56:GLN:HG3	2.16	0.45
1:A:404:GLY:O	1:A:405:ALA:C	2.59	0.45
1:A:463:LEU:HD11	1:A:489:ARG:HA	1.98	0.45
1:A:103:ASP:OD1	1:A:105:ASN:HB2	2.16	0.45
1:A:325:SER:O	1:A:554:GLN:HA	2.17	0.45
1:A:597:LYS:HE3	1:A:601:ASP:OD2	2.17	0.45
1:A:169:MET:O	1:A:276:GLY:HA2	2.17	0.45
1:A:96:GLY:HA3	1:A:122:LEU:HD21	1.99	0.44
1:A:363:LYS:HG3	6:A:2267:HOH:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:554:GLN:O	1:A:554:GLN:HG2	2.17	0.44
1:A:209:ARG:HA	1:A:213:TYR:O	2.16	0.44
1:A:574:TRP:CG	1:A:575:PRO:HD3	2.53	0.44
1:A:152:CYS:HA	1:A:158:CYS:HA	1.99	0.43
1:A:195:GLN:HE21	1:A:195:GLN:HB2	1.67	0.43
1:A:523:TYR:CE2	4:A:702:MCO:HC51	2.54	0.43
1:A:376:GLU:HG3	6:A:2276:HOH:O	2.19	0.43
1:A:557:GLU:HG2	6:A:2362:HOH:O	2.19	0.43
1:A:56:GLN:HG2	1:A:399:VAL:CG2	2.46	0.42
1:A:380:VAL:O	1:A:383:HIS:HB3	2.20	0.42
1:A:522:ARG:HB3	5:A:704:CL:CL	2.57	0.42
1:A:443:ASP:CG	1:A:548:HIS:HE2	2.27	0.42
1:A:457:PHE:CE2	1:A:461:SER:HB3	2.55	0.42
1:A:507:ASP:N	1:A:508:PRO:CD	2.84	0.41
1:A:308:GLN:HG2	1:A:308:GLN:H	1.72	0.41
1:A:353:HIS:HD2	6:A:2255:HOH:O	2.04	0.41
1:A:473:ASP:OD1	1:A:473:ASP:C	2.64	0.41
1:A:579:GLN:HA	1:A:584:GLN:O	2.20	0.41
1:A:130:GLN:HG2	6:A:2086:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	571/589 (97%)	551 (96%)	19 (3%)	1 (0%)	43 42

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	617	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	498/515 (97%)	487 (98%)	11 (2%)	45	50

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	108	GLN
1	A	133	GLU
1	A	162	GLU
1	A	240	LEU
1	A	308	GLN
1	A	314	ARG
1	A	375	LEU
1	A	394	TYR
1	A	463	LEU
1	A	539	GLN
1	A	585	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	83	GLN
1	A	85	ASN
1	A	90	ASN
1	A	98	GLN
1	A	153	HIS
1	A	167	ASN
1	A	195	GLN
1	A	258	HIS
1	A	369	GLN
1	A	426	HIS
1	A	539	GLN
1	A	554	GLN
1	A	560	GLN
1	A	579	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	586	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAG	A	691	1	14,14,15	2.12	6 (42%)	17,19,21	1.01	2 (11%)
2	NAG	A	693	1	14,14,15	2.05	5 (35%)	17,19,21	0.97	1 (5%)
4	MCO	A	702	3	14,14,14	6.37	5 (35%)	18,19,19	5.66	12 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	691	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	693	1	-	0/6/23/26	0/1/1/1
4	MCO	A	702	3	1/1/5/5	6/14/24/24	0/1/1/1

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	702	MCO	C2-C4	16.65	1.72	1.52
4	A	702	MCO	C3-C2	-11.01	1.16	1.52
4	A	702	MCO	C8-C9	-10.95	1.31	1.52
4	A	702	MCO	C8-N	-6.07	1.35	1.47
2	A	691	NAG	C1-C2	4.17	1.58	1.52
2	A	693	NAG	C1-C2	3.79	1.57	1.52
2	A	691	NAG	O7-C7	-3.51	1.15	1.23
2	A	693	NAG	O7-C7	-3.49	1.15	1.23
2	A	691	NAG	O5-C5	3.48	1.50	1.43
2	A	693	NAG	O5-C5	3.42	1.50	1.43
4	A	702	MCO	O2-C9	2.98	1.30	1.22
2	A	693	NAG	C4-C5	2.86	1.59	1.53
2	A	691	NAG	C4-C5	2.66	1.58	1.53
2	A	691	NAG	C8-C7	-2.25	1.45	1.50
2	A	691	NAG	C3-C2	2.23	1.57	1.52
2	A	693	NAG	C8-C7	-2.21	1.46	1.50

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	702	MCO	C2-C1-S	10.68	127.87	114.04
4	A	702	MCO	C7-C8-N	8.60	115.62	103.02
4	A	702	MCO	C5-N-C8	-8.59	98.52	112.01
4	A	702	MCO	C2-C4-N	-7.77	104.06	118.19
4	A	702	MCO	O2-C9-C8	7.37	145.06	122.44
4	A	702	MCO	O3-C9-O2	-7.11	107.95	124.08
4	A	702	MCO	O1-C4-C2	7.03	133.95	121.57
4	A	702	MCO	C9-C8-N	6.99	126.56	112.54
4	A	702	MCO	C6-C5-N	3.97	110.07	103.24
4	A	702	MCO	C7-C6-C5	-3.20	95.99	104.90
4	A	702	MCO	C7-C8-C9	3.06	117.78	111.26
4	A	702	MCO	C8-N-C4	2.47	130.14	121.45
2	A	691	NAG	C4-C3-C2	-2.39	107.52	111.02
2	A	693	NAG	C4-C3-C2	-2.36	107.56	111.02
2	A	691	NAG	O5-C1-C2	-2.33	107.69	111.29

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	A	702	MCO	C8

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	702	MCO	N-C8-C9-O2
4	A	702	MCO	C2-C4-N-C8
4	A	702	MCO	C2-C4-N-C5
4	A	702	MCO	O1-C4-N-C8
4	A	702	MCO	N-C8-C9-O3
4	A	702	MCO	O1-C4-N-C5
2	A	691	NAG	C4-C5-C6-O6
2	A	691	NAG	O5-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	702	MCO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.