



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 03:37 AM UTC

PDB ID : 3UZP / pdb_00003uzp
Title : crystal structure of ck1d with PF670462 from P21 crystal form
Authors : Huang, X.
Deposited on : 2011-12-07
Resolution : 1.94 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1452 (1.94-1.94)
Clashscore	190562	1494 (1.94-1.94)
Ramachandran outliers	187476	1479 (1.94-1.94)
Sidechain outliers	187428	1479 (1.94-1.94)
RSRZ outliers	180081	1453 (1.94-1.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	296	16% 69% 26% ...
1	B	296	6% 66% 28% ..

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 4980 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Casein kinase I isoform delta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2333	1495	404	420	14			
1	B	284	Total	C	N	O	S	0	0	0
			2289	1465	398	412	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P48730
A	0	SER	-	expression tag	UNP P48730
B	-1	GLY	-	expression tag	UNP P48730
B	0	SER	-	expression tag	UNP P48730

- Molecule 2 is 4-[1-cyclohexyl-4-(4-fluorophenyl)-1H-imidazol-5-yl]pyrimidin-2-amine (CCD ID: 0CK) (formula: C₁₉H₂₀FN₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	F	N	0	0
			25	19	1	5		
2	B	1	Total	C	F	N	0	0
			25	19	1	5		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	127	Total	O	0	0
			127	127		
3	B	181	Total	O	0	0
			181	181		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Casein kinase I isoform delta



• Molecule 1: Casein kinase I isoform delta



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	49.00Å 72.80Å 88.99Å 90.00° 103.21° 90.00°	Depositor
Resolution (Å)	50.00 – 1.94 50.00 – 1.94	Depositor EDS
% Data completeness (in resolution range)	(Not available) (50.00-1.94) 98.0 (50.00-1.94)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.17 (at 1.94Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.222 , 0.237 0.217 , 0.237	Depositor DCC
R_{free} test set	2260 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	32.2	Xtriage
Anisotropy	0.498	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 34.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4980	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.02% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OCK

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.64	3/2386 (0.1%)	1.14	19/3213 (0.6%)
1	B	0.66	2/2338 (0.1%)	0.99	5/3145 (0.2%)
All	All	0.65	5/4724 (0.1%)	1.07	24/6358 (0.4%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	16	GLY	C-O	12.03	1.38	1.23
1	A	45	LYS	CA-CB	-8.28	1.39	1.53
1	A	44	THR	CA-CB	6.83	1.65	1.53
1	A	42	VAL	CA-C	5.33	1.58	1.52
1	B	169	GLU	CB-CG	-5.17	1.36	1.52

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	220	THR	N-CA-C	10.46	124.55	111.69
1	A	78	ASN	N-CA-C	-10.10	93.00	109.96
1	A	43	LYS	CA-CB-CG	7.52	129.14	114.10
1	A	86	GLY	CA-C-N	7.48	127.49	119.78
1	A	86	GLY	C-N-CA	7.48	127.49	119.78
1	B	209	GLY	N-CA-C	-7.04	105.35	115.27
1	A	224	LYS	N-CA-C	-6.96	103.46	112.23
1	A	71	CYS	N-CA-C	-6.95	98.08	109.40
1	A	77	TYR	N-CA-C	6.72	120.12	109.50
1	A	8	ARG	CD-NE-CZ	-6.60	115.16	124.40
1	A	43	LYS	CB-CG-CD	-6.32	96.77	111.30
1	A	44	THR	CA-C-O	6.28	129.49	120.51
1	A	8	ARG	NE-CZ-NH2	5.91	124.52	119.20
1	A	43	LYS	CB-CA-C	-5.82	98.84	110.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	44	THR	N-CA-C	5.68	122.90	110.80
1	B	86	GLY	CA-C-N	5.68	125.58	119.85
1	B	86	GLY	C-N-CA	5.68	125.58	119.85
1	B	123	ASN	N-CA-C	5.65	120.12	113.23
1	A	73	ALA	N-CA-C	-5.63	100.61	109.50
1	A	160	ARG	N-CA-C	5.54	118.15	111.40
1	A	44	THR	O-C-N	5.52	129.94	122.59
1	B	160	ARG	CG-CD-NE	5.52	124.15	112.00
1	A	21	GLY	N-CA-C	5.21	118.10	110.38
1	A	42	VAL	N-CA-C	-5.14	106.55	112.98

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2333	0	2290	84	0
1	B	2289	0	2248	82	0
2	A	25	0	20	1	0
2	B	25	0	20	1	0
3	A	127	0	0	11	3
3	B	181	0	0	18	3
All	All	4980	0	4578	160	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (160) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LYS:HZ1	1:A:44:THR:HB	1.18	1.06
1:A:91:ASP:OD2	3:A:364:HOH:O	1.76	1.02
1:B:168:ARG:HH11	1:B:168:ARG:HG3	1.24	1.01
1:B:220:THR:HG23	1:B:223:GLN:NE2	1.78	0.99

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238:GLU:HG2	3:A:315:HOH:O	1.63	0.96
1:A:163:GLN:HG3	3:A:359:HOH:O	1.66	0.95
1:A:163:GLN:CG	3:A:359:HOH:O	2.17	0.91
1:B:76:ASP:OD1	3:B:432:HOH:O	1.91	0.89
1:B:259:ARG:NH1	3:B:398:HOH:O	2.04	0.88
1:A:43:LYS:HE2	1:A:44:THR:H	1.40	0.86
1:B:230:GLU:HG3	3:B:375:HOH:O	1.77	0.85
1:B:128:ASP:OD2	3:B:386:HOH:O	1.95	0.84
1:B:3:LEU:HD21	3:B:335:HOH:O	1.78	0.82
1:B:256:ARG:NH1	3:B:387:HOH:O	1.88	0.79
1:A:236:PRO:HG2	1:A:239:VAL:HG23	1.65	0.78
1:A:43:LYS:HZ1	1:A:44:THR:CB	1.94	0.78
1:B:271:GLN:HG3	3:B:438:HOH:O	1.83	0.78
1:B:132:ASP:OD1	3:B:321:HOH:O	1.99	0.78
1:A:279:ARG:HB2	3:A:342:HOH:O	1.83	0.77
1:B:168:ARG:HH11	1:B:168:ARG:CG	2.00	0.73
1:B:238:GLU:HB2	3:B:379:HOH:O	1.88	0.73
1:A:43:LYS:NZ	1:A:44:THR:HB	2.00	0.73
1:A:43:LYS:CE	1:A:44:THR:H	2.03	0.72
1:B:183:ASN:ND2	3:B:392:HOH:O	2.19	0.71
1:A:43:LYS:NZ	1:A:44:THR:CG2	2.54	0.70
1:A:34:GLU:OE2	3:A:463:HOH:O	2.09	0.70
1:A:44:THR:OG1	1:A:45:LYS:N	2.20	0.70
1:A:279:ARG:HD3	3:A:357:HOH:O	1.91	0.69
1:B:168:ARG:HG3	1:B:168:ARG:NH1	2.04	0.69
1:B:259:ARG:HG2	1:B:259:ARG:HH11	1.57	0.69
1:A:43:LYS:HE2	1:A:44:THR:HG22	1.75	0.68
1:B:162:HIS:ND1	3:B:437:HOH:O	2.27	0.68
1:A:138:LEU:HD13	1:B:34:GLU:HG2	1.76	0.67
1:A:6:GLY:N	1:A:74:GLU:OE1	2.25	0.67
1:B:39:LEU:CD2	1:B:79:VAL:HG22	2.25	0.67
1:B:189:GLU:OE2	3:B:389:HOH:O	2.14	0.65
1:A:41:CYS:HB3	1:A:43:LYS:HG3	1.78	0.65
1:B:259:ARG:HH11	1:B:259:ARG:CG	2.10	0.65
1:B:3:LEU:HD22	1:B:11:LEU:HD22	1.80	0.64
1:B:3:LEU:HD11	3:B:335:HOH:O	1.98	0.62
1:B:220:THR:H	1:B:223:GLN:HE21	1.46	0.62
1:B:15:ILE:HD13	1:B:25:LEU:HB2	1.81	0.62
1:B:137:GLY:O	1:B:142:GLY:HA2	2.00	0.62
1:A:224:LYS:HE2	1:A:228:ILE:HD11	1.81	0.62
1:A:236:PRO:HG2	1:A:239:VAL:CG2	2.28	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:220:THR:O	1:A:221:LYS:CB	2.48	0.62
1:A:107:LEU:HD22	1:A:286:TYR:CD1	2.36	0.60
1:A:6:GLY:C	1:A:8:ARG:H	2.11	0.59
1:A:43:LYS:HZ3	1:A:44:THR:CG2	2.15	0.59
1:B:39:LEU:HD23	1:B:79:VAL:HG22	1.83	0.59
1:A:68:ILE:HD12	1:A:80:MET:HG2	1.85	0.57
1:A:43:LYS:NZ	1:A:44:THR:CB	2.61	0.57
1:A:6:GLY:O	1:A:8:ARG:N	2.33	0.57
1:A:23:ILE:HD11	1:A:38:LYS:HD2	1.87	0.56
1:A:43:LYS:CE	1:A:44:THR:HG22	2.36	0.56
1:B:286:TYR:OH	3:B:571:HOH:O	2.18	0.56
1:B:168:ARG:CG	1:B:168:ARG:NH1	2.65	0.55
1:A:23:ILE:HD12	1:A:38:LYS:HB2	1.89	0.55
1:A:23:ILE:CD1	1:A:38:LYS:HG3	2.37	0.55
1:A:43:LYS:NZ	1:A:44:THR:HG22	2.21	0.54
1:A:293:LEU:HD12	1:B:29:ILE:HD11	1.88	0.54
1:B:116:ILE:HD12	1:B:199:LEU:HD22	1.89	0.54
1:A:286:TYR:OH	3:A:345:HOH:O	2.16	0.54
1:B:154:LYS:NZ	1:B:189:GLU:OE2	2.40	0.54
1:A:279:ARG:HH21	1:A:280:GLN:NE2	2.06	0.53
1:B:134:PHE:C	1:B:135:LEU:HD23	2.34	0.53
1:B:204:MET:HE2	1:B:241:CYS:HA	1.91	0.53
1:A:224:LYS:O	1:A:228:ILE:HG13	2.09	0.53
1:B:51:ILE:HD12	1:B:51:ILE:O	2.09	0.52
1:B:88:SER:HB3	2:B:295:OCK:H16	1.92	0.52
1:A:14:LYS:O	1:B:13:ARG:HD3	2.09	0.52
1:A:226:GLU:OE2	1:A:230:GLU:CG	2.58	0.52
1:B:219:ALA:HB3	1:B:223:GLN:HE22	1.74	0.51
1:A:202:VAL:O	1:A:205:TYR:HB3	2.11	0.50
1:B:51:ILE:HD11	1:B:55:ILE:HD11	1.93	0.50
1:A:68:ILE:HD12	1:A:80:MET:CG	2.40	0.50
1:A:102:LEU:HD21	1:A:245:PRO:HG2	1.93	0.50
1:A:116:ILE:HD12	1:A:199:LEU:HD22	1.94	0.50
1:A:44:THR:O	1:A:46:HIS:N	2.46	0.49
1:A:119:ILE:HD11	1:A:147:ILE:HG21	1.92	0.49
1:B:12:GLY:HA3	1:B:25:LEU:O	2.13	0.49
1:B:200:GLY:HA3	1:B:252:LEU:HD21	1.94	0.49
1:A:19:SER:O	1:A:20:PHE:HB2	2.12	0.49
1:A:55:ILE:O	1:A:59:MET:HG2	2.12	0.49
1:A:19:SER:C	1:A:20:PHE:CD1	2.90	0.49
1:A:23:ILE:CD1	1:A:38:LYS:CG	2.91	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:43:LYS:CE	1:A:44:THR:N	2.74	0.49
1:B:119:ILE:CD1	1:B:147:ILE:HD13	2.42	0.49
1:A:44:THR:C	1:A:46:HIS:N	2.71	0.49
1:A:279:ARG:HD3	3:A:342:HOH:O	2.11	0.48
1:A:23:ILE:HD12	1:A:38:LYS:CB	2.43	0.48
1:B:109:ALA:O	1:B:113:ILE:HG13	2.12	0.48
1:A:49:LEU:HD23	1:A:78:ASN:HB3	1.95	0.48
1:B:259:ARG:NH1	1:B:259:ARG:CG	2.71	0.48
1:A:279:ARG:CB	3:A:342:HOH:O	2.53	0.48
1:A:293:LEU:CD1	1:B:29:ILE:HD11	2.43	0.48
1:B:177:ALA:HB1	1:B:228:ILE:HD12	1.94	0.47
1:B:190:GLN:NE2	3:B:402:HOH:O	2.47	0.47
1:B:15:ILE:HD13	1:B:25:LEU:CB	2.43	0.47
1:B:3:LEU:HD22	1:B:11:LEU:CD2	2.43	0.47
1:B:254:PHE:O	1:B:257:SER:HB2	2.14	0.47
1:A:13:ARG:HD2	1:B:14:LYS:O	2.15	0.47
1:B:182:ILE:HD12	1:B:256:ARG:CZ	2.45	0.47
1:B:128:ASP:HB2	1:B:152:LEU:HD12	1.97	0.47
1:A:66:PRO:HB2	1:A:82:MET:HE2	1.95	0.46
1:A:226:GLU:OE2	1:A:230:GLU:HG2	2.14	0.46
1:A:7:ASN:ND2	1:B:293:LEU:HD22	2.30	0.46
1:B:173:LEU:HD21	1:B:222:ARG:NH2	2.31	0.46
1:B:178:ARG:HD2	1:B:179:TYR:CZ	2.51	0.46
1:A:156:TYR:CZ	1:A:192:ARG:HD3	2.51	0.46
1:A:178:ARG:HD2	1:A:179:TYR:CZ	2.51	0.46
1:B:23:ILE:CD1	1:B:38:LYS:HG3	2.46	0.46
1:A:115:ARG:O	1:A:119:ILE:HG13	2.16	0.45
2:A:295:OCK:H19	3:A:313:HOH:O	2.15	0.45
1:B:126:HIS:O	1:B:127:ARG:HB2	2.17	0.45
1:B:238:GLU:OE2	3:B:379:HOH:O	2.21	0.45
1:A:62:GLY:HA3	1:A:118:TYR:CZ	2.51	0.45
1:A:6:GLY:C	1:A:8:ARG:N	2.74	0.45
1:B:131:PRO:HG3	1:B:202:VAL:HG13	1.99	0.45
1:A:161:THR:O	1:A:162:HIS:HB2	2.18	0.44
1:A:226:GLU:OE2	1:A:230:GLU:HG3	2.18	0.44
1:A:107:LEU:CD2	1:A:286:TYR:CD1	3.00	0.44
1:B:119:ILE:HD12	1:B:147:ILE:HD13	2.00	0.44
1:A:14:LYS:O	1:B:13:ARG:CD	2.65	0.44
1:B:3:LEU:CD2	3:B:335:HOH:O	2.52	0.44
1:A:43:LYS:HE2	1:A:43:LYS:HB2	1.11	0.43
1:A:78:ASN:HD22	1:A:78:ASN:HA	1.59	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:217:LYS:O	1:B:227:ARG:NH1	2.47	0.43
1:B:229:SER:O	1:B:233:MET:HG3	2.19	0.43
1:A:154:LYS:NZ	1:A:189:GLU:OE2	2.49	0.43
1:A:220:THR:OG1	1:A:223:GLN:N	2.51	0.42
1:B:254:PHE:CD2	1:B:269:LEU:HD21	2.54	0.42
1:B:119:ILE:HD11	1:B:147:ILE:HG21	2.01	0.42
1:B:3:LEU:HB3	1:B:11:LEU:HB3	2.01	0.42
1:A:44:THR:OG1	1:A:45:LYS:CB	2.67	0.42
1:B:182:ILE:HD12	1:B:256:ARG:NE	2.35	0.42
1:A:43:LYS:HZ3	1:A:44:THR:HG22	1.80	0.42
1:A:112:MET:HE3	1:A:134:PHE:CD2	2.54	0.42
1:B:97:SER:O	1:B:99:LYS:HG3	2.20	0.42
1:A:12:GLY:N	1:A:25:LEU:O	2.51	0.41
1:A:211:LEU:O	1:A:214:GLN:HB2	2.20	0.41
1:B:24:TYR:CE1	1:B:39:LEU:HD12	2.55	0.41
1:A:43:LYS:HB3	1:A:43:LYS:HE3	1.50	0.41
1:A:130:LYS:HE2	1:A:133:ASN:ND2	2.34	0.41
1:B:39:LEU:HD22	1:B:77:TYR:CD2	2.55	0.41
1:A:92:LEU:HD13	1:A:290:TRP:CE2	2.55	0.41
1:B:112:MET:HE2	1:B:199:LEU:HD13	2.02	0.41
1:B:24:TYR:CD1	1:B:24:TYR:N	2.88	0.41
1:B:51:ILE:HD12	1:B:51:ILE:C	2.45	0.41
1:B:39:LEU:HD22	1:B:77:TYR:CE2	2.56	0.41
1:B:152:LEU:HD22	1:B:174:THR:HG23	2.01	0.41
1:A:43:LYS:HB2	1:A:44:THR:H	1.20	0.41
1:B:134:PHE:HA	1:B:146:TYR:O	2.20	0.41
1:B:247:GLU:HG3	1:B:272:LEU:HD22	2.03	0.41
1:B:115:ARG:HA	1:B:115:ARG:HD3	1.95	0.41
1:A:224:LYS:HG3	1:A:225:TYR:HD1	1.86	0.41
1:B:202:VAL:O	1:B:205:TYR:HB3	2.22	0.40
1:B:224:LYS:HE2	3:B:348:HOH:O	2.21	0.40
1:A:22:ASP:C	1:A:23:ILE:HD13	2.46	0.40
1:B:259:ARG:O	1:B:262:ASP:HB2	2.22	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:368:HOH:O	3:B:379:HOH:O[1_556]	1.86	0.34
3:A:323:HOH:O	3:B:365:HOH:O[1_556]	2.09	0.11
3:A:363:HOH:O	3:B:316:HOH:O[2_545]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/296 (98%)	276 (95%)	9 (3%)	5 (2%)	7	1
1	B	278/296 (94%)	269 (97%)	8 (3%)	1 (0%)	30	22
All	All	568/592 (96%)	545 (96%)	17 (3%)	6 (1%)	11	4

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	43	LYS
1	A	45	LYS
1	A	221	LYS
1	A	7	ASN
1	B	149	ASP
1	A	47	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	244/259 (94%)	232 (95%)	12 (5%)	22	9
1	B	240/259 (93%)	231 (96%)	9 (4%)	29	15
All	All	484/518 (93%)	463 (96%)	21 (4%)	26	13

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	VAL
1	A	7	ASN
1	A	8	ARG
1	A	29	ILE
1	A	42	VAL
1	A	50	HIS
1	A	51	ILE
1	A	58	MET
1	A	74	GLU
1	A	78	ASN
1	A	79	VAL
1	A	155	LYS
1	B	15	ILE
1	B	17	SER
1	B	29	ILE
1	B	40	GLU
1	B	51	ILE
1	B	135	LEU
1	B	168	ARG
1	B	220	THR
1	B	271	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	78	ASN
1	A	143	ASN
1	A	190	GLN
1	A	280	GLN
1	B	183	ASN
1	B	190	GLN
1	B	214	GLN
1	B	223	GLN
1	B	280	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	OCK	B	295	-	28,28,28	3.58	14 (50%)	35,39,39	2.53	13 (37%)
2	OCK	A	295	-	28,28,28	3.73	16 (57%)	35,39,39	2.58	12 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OCK	B	295	-	-	0/12/20/20	0/4/4/4
2	OCK	A	295	-	-	0/12/20/20	0/4/4/4

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	295	OCK	C7-C9	11.39	1.52	1.38
2	B	295	OCK	C7-C9	9.74	1.50	1.38
2	A	295	OCK	C13-N5	6.22	1.43	1.34
2	B	295	OCK	C4-C3	5.80	1.48	1.38
2	A	295	OCK	C6-C5	5.74	1.48	1.39
2	A	295	OCK	C13-C7	5.69	1.53	1.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	295	0CK	C6-C5	5.64	1.48	1.39
2	B	295	0CK	C13-C7	5.62	1.53	1.48
2	A	295	0CK	C3-C2	5.58	1.48	1.37
2	B	295	0CK	C13-N5	5.43	1.42	1.34
2	B	295	0CK	C4-C5	5.23	1.47	1.39
2	B	295	0CK	C3-C2	5.14	1.47	1.37
2	A	295	0CK	C4-C3	4.29	1.45	1.38
2	B	295	0CK	C10-C13	3.89	1.46	1.39
2	A	295	0CK	C4-C5	3.86	1.45	1.39
2	A	295	0CK	C6-C1	3.77	1.44	1.38
2	B	295	0CK	C1-C2	3.66	1.44	1.37
2	A	295	0CK	C10-C13	3.51	1.45	1.39
2	B	295	0CK	C9-N3	-3.48	1.36	1.39
2	A	295	0CK	C1-C2	3.35	1.43	1.37
2	A	295	0CK	C9-N3	-3.26	1.36	1.39
2	B	295	0CK	C6-C1	3.12	1.43	1.38
2	B	295	0CK	C10-C11	2.99	1.44	1.38
2	A	295	0CK	C15-N2	-2.83	1.44	1.48
2	A	295	0CK	C12-N1	2.70	1.39	1.33
2	A	295	0CK	C5-C9	2.63	1.52	1.48
2	A	295	0CK	C12-N4	2.62	1.39	1.35
2	B	295	0CK	C5-C9	2.58	1.52	1.48
2	A	295	0CK	C10-C11	2.19	1.42	1.38
2	B	295	0CK	C15-N2	-2.18	1.45	1.48

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	295	0CK	C13-N5-C12	6.72	121.33	116.37
2	B	295	0CK	C13-N5-C12	5.99	120.79	116.37
2	B	295	0CK	C14-C15-N2	5.88	119.21	110.86
2	A	295	0CK	C10-C13-N5	-5.66	116.32	122.92
2	B	295	0CK	C10-C13-N5	-5.14	116.93	122.92
2	A	295	0CK	C11-C10-C13	5.07	120.13	117.02
2	A	295	0CK	C11-N4-C12	4.73	120.92	116.21
2	A	295	0CK	C7-C13-N5	4.72	121.17	115.57
2	B	295	0CK	C11-N4-C12	4.61	120.80	116.21
2	B	295	0CK	C11-C10-C13	4.23	119.62	117.02
2	A	295	0CK	N4-C12-N5	-4.06	121.18	125.70
2	B	295	0CK	C10-C11-N4	-3.51	119.67	123.97
2	B	295	0CK	C6-C5-C9	-3.50	115.01	120.74
2	B	295	0CK	N4-C12-N5	-3.15	122.19	125.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	295	0CK	C10-C11-N4	-3.15	120.11	123.97
2	B	295	0CK	C15-N2-C8	-2.90	122.51	128.20
2	A	295	0CK	C8-N3-C9	-2.78	103.80	105.51
2	A	295	0CK	C6-C5-C9	-2.69	116.33	120.74
2	B	295	0CK	C4-C5-C9	2.59	124.98	120.74
2	A	295	0CK	C14-C15-N2	2.48	114.38	110.86
2	B	295	0CK	C7-C13-N5	2.45	118.48	115.57
2	A	295	0CK	F1-C2-C3	2.11	121.92	118.55
2	B	295	0CK	C3-C4-C5	-2.09	118.56	120.80
2	B	295	0CK	C19-C14-C15	2.08	114.76	110.81
2	A	295	0CK	N2-C8-N3	2.06	117.22	113.40

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	295	0CK	1	0
2	A	295	0CK	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 0CK B 295



Ligand 0CK A 295



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/296 (98%)	0.97	46 (15%) 5 5	23, 36, 61, 72	1 (0%)
1	B	284/296 (95%)	0.67	19 (6%) 24 27	22, 34, 51, 60	0
All	All	576/592 (97%)	0.82	65 (11%) 10 11	22, 35, 56, 72	1 (0%)

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	47	PRO	6.3
1	A	3	LEU	4.8
1	A	46	HIS	4.3
1	A	44	THR	4.2
1	A	71	CYS	4.1
1	A	220	THR	4.0
1	B	50	HIS	3.9
1	B	44	THR	3.9
1	B	76	ASP	3.9
1	B	170	ASN	3.9
1	B	3	LEU	3.8
1	A	20	PHE	3.8
1	A	279	ARG	3.6
1	A	294	LYS	3.5
1	A	33	GLU	3.5
1	B	230	GLU	3.3
1	B	168	ARG	3.3
1	A	77	TYR	3.2
1	B	41	CYS	3.2
1	A	79	VAL	3.1
1	A	49	LEU	3.1
1	A	218	ALA	3.1
1	A	219	ALA	3.1
1	A	281	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	51	ILE	3.0
1	A	48	GLN	3.0
1	B	286	TYR	3.0
1	A	278	HIS	3.0
1	A	222	ARG	2.9
1	B	70	TRP	2.9
1	A	42	VAL	2.8
1	A	8	ARG	2.8
1	B	15	ILE	2.8
1	A	51	ILE	2.7
1	A	43	LYS	2.7
1	A	243	GLY	2.7
1	B	216	LEU	2.6
1	B	238	GLU	2.6
1	A	45	LYS	2.5
1	B	17	SER	2.5
1	A	171	LYS	2.5
1	A	225	TYR	2.4
1	A	19	SER	2.4
1	A	23	ILE	2.4
1	A	226	GLU	2.4
1	A	7	ASN	2.4
1	A	50	HIS	2.4
1	A	41	CYS	2.4
1	A	282	PHE	2.3
1	A	99	LYS	2.3
1	B	218	ALA	2.3
1	A	60	GLN	2.3
1	B	53	SER	2.2
1	A	223	GLN	2.2
1	A	293	LEU	2.2
1	A	159	ALA	2.2
1	A	292	MET	2.2
1	A	73	ALA	2.2
1	B	267	SER	2.1
1	A	221	LYS	2.1
1	B	77	TYR	2.1
1	A	286	TYR	2.1
1	A	174	THR	2.1
1	A	283	SER	2.0
1	A	267	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	OCK	A	295	25/25	0.87	0.12	30,35,38,39	0
2	OCK	B	295	25/25	0.92	0.09	26,29,31,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 0CK A 295:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 0CK B 295:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.