



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 02:50 PM UTC

PDB ID : 5UZS / pdb_00005uzs
Title : Crystal Structure of Inosine 5'-monophosphate Dehydrogenase from *Clostridium perfringens* Complexed with IMP and P200
Authors : Maltseva, N.; Kim, Y.; Mulligan, R.; Makowska-Grzyska, M.; Gu, M.; Gollapalli, D.R.; Hedstrom, L.; Joachimiak, A.; Anderson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on : 2017-02-27
Resolution : 2.37 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.37 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	363	% 80% 15% .
1	B	363	% 79% 15% • 5%
1	C	363	 83% 12% • •
1	D	363	% 82% 13% • •

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 10821 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Inosine-5'-monophosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	347	Total	C	N	O	S	0	3	0
			2585	1623	449	491	22			
1	B	345	Total	C	N	O	S	0	2	0
			2559	1606	443	490	20			
1	C	347	Total	C	N	O	S	0	4	0
			2594	1627	449	498	20			
1	D	347	Total	C	N	O	S	0	8	0
			2632	1650	459	502	21			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	expression tag	UNP A0A0H2YRZ7
A	-1	ASN	-	expression tag	UNP A0A0H2YRZ7
A	0	ALA	-	expression tag	UNP A0A0H2YRZ7
A	89	SER	-	linker	UNP A0A0H2YRZ7
A	90	GLY	-	linker	UNP A0A0H2YRZ7
A	91	GLY	-	linker	UNP A0A0H2YRZ7
B	-2	SER	-	expression tag	UNP A0A0H2YRZ7
B	-1	ASN	-	expression tag	UNP A0A0H2YRZ7
B	0	ALA	-	expression tag	UNP A0A0H2YRZ7
B	89	SER	-	linker	UNP A0A0H2YRZ7
B	90	GLY	-	linker	UNP A0A0H2YRZ7
B	91	GLY	-	linker	UNP A0A0H2YRZ7
C	-2	SER	-	expression tag	UNP A0A0H2YRZ7
C	-1	ASN	-	expression tag	UNP A0A0H2YRZ7
C	0	ALA	-	expression tag	UNP A0A0H2YRZ7
C	89	SER	-	linker	UNP A0A0H2YRZ7
C	90	GLY	-	linker	UNP A0A0H2YRZ7
C	91	GLY	-	linker	UNP A0A0H2YRZ7
D	-2	SER	-	expression tag	UNP A0A0H2YRZ7
D	-1	ASN	-	expression tag	UNP A0A0H2YRZ7
D	0	ALA	-	expression tag	UNP A0A0H2YRZ7

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	89	SER	-	linker	UNP A0A0H2YRZ7
D	90	GLY	-	linker	UNP A0A0H2YRZ7
D	91	GLY	-	linker	UNP A0A0H2YRZ7

- Molecule 2 is INOSINIC ACID (CCD ID: IMP) (formula: $C_{10}H_{13}N_4O_8P$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	B	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	C	1	Total	C	N	O	P	0	0
			23	10	4	8	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	4	8	1		

- Molecule 3 is 3-(2-[(4-chlorophenyl)carbamoyl]amino)propan-2-yl)-N-hydroxybenzene-1-carboximidamide (CCD ID: 8L4) (formula: $C_{17}H_{19}ClN_4O_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	B	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	C	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		
3	D	1	Total	C	Cl	N	O	0	0
			24	17	1	4	2		

- Molecule 4 is TRIETHYLENE GLYCOL (CCD ID: PGE) (formula: $C_6H_{14}O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	6	4		
4	A	1	Total	C	O	0	0
			10	6	4		
4	B	1	Total	C	O	0	0
			10	6	4		
4	C	1	Total	C	O	0	0
			10	6	4		
4	C	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			7	4	3		
5	B	1	Total	C	O	0	0
			7	4	3		
5	C	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		
5	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	1	Total	Mg	0	0
			1	1		

- Molecule 8 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	B	1	Total	K	0	0
			1	1		
8	C	1	Total	K	0	0
			1	1		

- Molecule 9 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	D	1	Total	C	O	0	0
			13	8	5		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	15	Total	O	0	0
			15	15		
10	B	30	Total	O	0	0
			30	30		
10	C	48	Total	O	0	0
			48	48		
10	D	54	Total	O	0	0
			54	54		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Inosine-5'-monophosphate dehydrogenase





- Molecule 1: Inosine-5'-monophosphate dehydrogenase



- Molecule 1: Inosine-5'-monophosphate dehydrogenase



- Molecule 1: Inosine-5'-monophosphate dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 ₁ 2 ₁ 2	Depositor
Cell constants a, b, c, α , β , γ	111.12Å 144.40Å 87.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	31.09 – 2.37 31.09 – 2.37	Depositor EDS
% Data completeness (in resolution range)	98.5 (31.09-2.37) 98.5 (31.09-2.37)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.71 (at 2.36Å)	Xtriage
Refinement program	PHENIX (1.11.1 _2575: ???)	Depositor
R, R_{free}	0.170 , 0.238 0.171 , 0.238	Depositor DCC
R_{free} test set	2839 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å ²)	33.0	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 44.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10821	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, EDO, IMP, K, ALY, PG4, MG, 8L4, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/2608	0.54	0/3514
1	B	0.36	0/2580	0.53	0/3480
1	C	0.39	1/2615 (0.0%)	0.58	3/3526 (0.1%)
1	D	0.40	1/2653 (0.0%)	0.59	3/3576 (0.1%)
All	All	0.37	2/10456 (0.0%)	0.56	6/14096 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	298	GLY	C-N	5.96	1.39	1.33
1	C	298	GLY	C-N	5.92	1.39	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	298	GLY	CA-C-N	-5.54	114.19	120.89
1	D	298	GLY	C-N-CA	-5.54	114.19	120.89
1	D	298	GLY	N-CA-C	5.53	123.63	112.34
1	C	298	GLY	N-CA-C	5.44	123.45	112.34
1	C	298	GLY	CA-C-N	-5.26	114.53	120.89
1	C	298	GLY	C-N-CA	-5.26	114.53	120.89

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2585	0	2657	35	0
1	B	2559	0	2621	45	0
1	C	2594	0	2654	41	0
1	D	2632	0	2697	37	0
2	A	23	0	11	3	0
2	B	23	0	11	3	0
2	C	23	0	11	3	0
2	D	23	0	11	2	0
3	A	24	0	0	0	0
3	B	24	0	0	0	0
3	C	24	0	0	0	0
3	D	24	0	0	0	0
4	A	20	0	28	2	0
4	B	10	0	14	0	0
4	C	20	0	28	2	0
5	A	7	0	10	2	0
5	B	7	0	10	1	0
5	C	7	0	10	0	0
5	D	21	0	30	1	0
6	B	4	0	6	1	0
6	C	4	0	6	0	0
7	B	1	0	0	0	0
8	B	1	0	0	0	0
8	C	1	0	0	0	0
9	D	13	0	18	0	0
10	A	15	0	0	0	0
10	B	30	0	0	1	0
10	C	48	0	0	1	0
10	D	54	0	0	2	0
All	All	10821	0	10833	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:6:LYS:HZ2	4:C:503:PGE:H22	1.40	0.86
1:C:272[B]:ILE:HD11	1:C:294:LYS:HB2	1.70	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:364:GLY:HA3	1:B:420:LYS:HD3	1.72	0.70
1:C:303:CYS:SG	2:C:500:IMP:H2	2.32	0.69
1:A:365:CYS:O	1:A:381:LYS:NZ	2.27	0.67
1:A:303:CYS:SG	2:A:500:IMP:H2	2.34	0.67
1:C:386:MET:HE2	1:C:386:MET:HA	1.77	0.67
1:C:50:ASP:CG	1:C:386:MET:HE1	2.21	0.66
1:C:272[A]:ILE:HG12	1:C:292:CYS:HB3	1.79	0.65
1:D:73:ASN:HB2	1:D:386:MET:HE1	1.79	0.65
1:A:429:GLN:HE21	1:A:478:PRO:HB2	1.62	0.64
1:D:329:LEU:HB2	1:D:331[B]:ILE:HG22	1.81	0.62
1:C:54:GLU:HG3	1:C:369:PRO:HG3	1.82	0.62
1:B:303:CYS:SG	2:B:500:IMP:H2	2.42	0.60
1:D:303:CYS:SG	2:D:500:IMP:H2	2.42	0.59
1:B:366:GLU:HG3	1:B:372:ILE:HD11	1.85	0.58
1:C:44:LEU:HD22	1:C:358:MET:HE1	1.85	0.58
1:A:428:TYR:CE2	5:A:504:PEG:H31	2.37	0.58
1:A:475:LYS:HB2	1:B:414:GLU:HG3	1.86	0.58
1:B:14:VAL:HG21	1:B:316:LEU:HD22	1.86	0.57
1:B:265:LYS:HD3	1:B:266:TYR:CE2	2.40	0.57
1:D:384:ARG:HH22	1:D:394:LYS:HD3	1.69	0.56
1:D:229:MET:HE2	1:D:265:LYS:HD3	1.88	0.56
1:A:14:VAL:HG21	1:A:316:LEU:HD22	1.87	0.56
1:A:358[B]:MET:HG2	1:A:361:ILE:HD12	1.86	0.56
1:B:73:ASN:HB2	1:B:386:MET:HE1	1.88	0.56
1:B:6:LYS:HA	6:B:503:EDO:H11	1.89	0.55
1:B:20:LYS:HG3	1:D:251:HIS:CD2	2.41	0.55
1:D:23:VAL:HG23	1:D:27:GLU:HB2	1.89	0.54
1:A:56:LYS:HE2	1:A:367:GLU:HA	1.90	0.54
1:D:235:VAL:HG21	1:D:243[A]:ILE:HD11	1.89	0.54
1:C:56:LYS:HD3	1:C:367:GLU:HA	1.90	0.54
1:C:77[A]:GLU:O	1:C:81:ARG:HG3	2.07	0.54
1:A:303:CYS:SG	2:A:500:IMP:C2	2.97	0.53
1:D:82:GLU:OE1	1:D:85:ARG:NH1	2.41	0.53
1:A:50:ASP:HA	1:A:71:HIS:CD2	2.44	0.53
1:B:246:ASP:HA	1:B:274:GLY:O	2.08	0.53
1:B:467:HIS:HA	1:D:307:ILE:HD11	1.91	0.52
1:A:82:GLU:OE1	1:A:85:ARG:NH2	2.43	0.52
1:B:30:LEU:HD13	1:B:431:ILE:HD12	1.91	0.52
1:C:303:CYS:SG	2:C:500:IMP:C2	2.97	0.52
1:C:244:VAL:HG22	1:C:272[B]:ILE:HG23	1.92	0.52
1:D:283:ARG:O	1:D:287:GLU:HG2	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:430:LEU:O	1:A:434:ILE:HG13	2.10	0.52
1:B:50:ASP:HA	1:B:71:HIS:CD2	2.45	0.51
1:C:244:VAL:HG13	1:C:272[B]:ILE:HD13	1.92	0.51
1:C:298:GLY:HA2	1:C:303:CYS:SG	2.51	0.51
1:B:320:MET:HE1	1:D:4:ILE:HD11	1.92	0.51
1:B:476:GLU:HG2	1:B:476:GLU:O	2.10	0.51
1:B:82:GLU:O	1:B:86:VAL:HG23	2.11	0.50
1:D:247:THR:HG22	10:D:648:HOH:O	2.11	0.50
1:A:423:LEU:HG	1:A:427:ILE:HD13	1.94	0.50
1:C:228:MET:HE1	1:C:258:GLY:CA	2.41	0.50
1:B:470:ASP:OD1	1:D:340:LYS:HD2	2.12	0.49
1:A:6:LYS:HD3	4:A:502:PGE:H2	1.94	0.49
1:D:61[A]:MET:HE1	1:D:362:PHE:CZ	2.47	0.49
1:C:6:LYS:NZ	4:C:503:PGE:H22	2.21	0.49
1:C:77[B]:GLU:O	1:C:81:ARG:HG3	2.11	0.49
1:B:325:GLU:HA	1:B:328:LYS:HD2	1.95	0.49
1:B:372:ILE:HG12	1:B:381:LYS:HD3	1.95	0.49
1:B:272:ILE:HG12	1:B:292:CYS:HB3	1.95	0.49
1:C:283[B]:ARG:CZ	1:C:329:LEU:HD21	2.43	0.49
1:D:363:ALA:HB3	1:D:417:ILE:HD11	1.94	0.48
1:B:387:GLY:N	2:B:500:IMP:O6	2.37	0.48
1:D:370:GLY:O	1:D:381:LYS:NZ	2.42	0.48
1:B:447:GLU:O	1:B:451:GLU:HG3	2.14	0.47
1:C:369:PRO:HD3	10:C:632:HOH:O	2.14	0.47
1:A:282:VAL:HG22	1:A:293:VAL:HG21	1.95	0.47
1:A:429:GLN:NE2	1:A:478:PRO:HB2	2.29	0.47
1:C:228:MET:HE1	1:C:258:GLY:HA2	1.97	0.47
1:B:303:CYS:SG	2:B:500:IMP:C2	3.02	0.47
1:A:364:GLY:HA3	1:A:420:LYS:HG3	1.97	0.47
1:D:343:GLY:O	1:D:347:LYS:HG3	2.15	0.47
1:A:470:ASP:OD2	1:B:340[B]:LYS:NZ	2.40	0.47
1:B:324:GLU:HB2	1:D:1:MET:HE1	1.98	0.46
1:C:275:ASN:HD21	1:C:294:LYS:NZ	2.12	0.46
1:D:37:LYS:O	1:D:37:LYS:HG3	2.15	0.46
1:A:376:GLN:O	1:A:376:GLN:HG3	2.16	0.46
1:B:77:GLU:HG3	1:B:81:ARG:CZ	2.46	0.46
1:A:26:ASN:HD22	1:B:408:PHE:HE1	1.63	0.46
1:B:429:GLN:HE21	1:B:479:ASN:HB3	1.81	0.45
1:B:42:ILE:HD12	1:B:44:LEU:HD12	1.99	0.45
1:C:416:ARG:NE	1:D:474:THR:HG21	2.31	0.45
1:D:298:GLY:HA2	1:D:303:CYS:SG	2.57	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:480:TYR:CE1	1:D:307:ILE:HD13	2.51	0.45
1:B:302:ILE:C	1:B:302:ILE:HD12	2.43	0.44
1:D:367:GLU:N	1:D:367:GLU:OE1	2.50	0.44
1:A:256:ILE:HG23	1:A:288:ALA:HB2	2.00	0.44
1:A:451:GLU:HB3	1:B:0:ALA:HB1	1.99	0.44
1:D:428:TYR:CE2	5:D:502:PEG:H42	2.52	0.44
1:B:283:ARG:O	1:B:287:GLU:HG3	2.17	0.44
1:C:52:VAL:O	1:C:57:MET:HG2	2.18	0.44
1:C:283[A]:ARG:CZ	1:C:329:LEU:HD21	2.48	0.44
5:B:502:PEG:O4	10:B:601:HOH:O	2.21	0.44
1:C:244:VAL:HG22	1:C:272[B]:ILE:CG2	2.48	0.44
1:D:285:LEU:HD23	1:D:285:LEU:HA	1.89	0.44
1:A:42:ILE:HD12	1:A:44:LEU:HD12	1.99	0.43
1:B:243:ILE:HG12	1:B:269:LEU:HD21	1.99	0.43
1:B:370:GLY:O	1:B:381:LYS:NZ	2.51	0.43
1:A:0:ALA:HB1	1:C:451:GLU:HB3	2.00	0.43
1:C:388:SER:O	1:C:392:MET:HG3	2.19	0.43
1:C:447:GLU:O	1:C:451:GLU:HG3	2.19	0.43
1:A:388:SER:O	1:A:392:MET:HG3	2.19	0.43
1:A:445:THR:OG1	1:A:448:ASN:HB2	2.17	0.43
1:B:20:LYS:HG3	1:D:251:HIS:NE2	2.33	0.43
1:B:378:ARG:HA	1:B:378:ARG:HD3	1.69	0.43
1:C:387:GLY:N	2:C:500:IMP:O6	2.44	0.43
1:C:222:ILE:HG13	1:C:243:ILE:HG23	2.01	0.43
1:A:16:LEU:HD22	1:A:441:LEU:HD21	2.01	0.43
1:C:429:GLN:CD	1:C:478:PRO:HB2	2.43	0.43
1:D:293:VAL:HG22	1:D:333:VAL:HG12	2.00	0.43
1:C:50:ASP:HA	1:C:71:HIS:CD2	2.54	0.42
1:A:342:SER:OG	1:A:433:GLY:HA3	2.19	0.42
1:B:372:ILE:HD13	1:B:419:TYR:CE1	2.54	0.42
1:D:272:ILE:HG12	1:D:292:CYS:HB3	2.01	0.42
1:D:303:CYS:SG	2:D:500:IMP:C2	3.06	0.42
1:D:388:SER:HB2	1:D:414[B]:GLU:HG2	2.01	0.42
1:C:235:VAL:HG21	1:C:243:ILE:HD11	2.01	0.42
1:C:381:LYS:HB3	1:C:381:LYS:HE2	1.70	0.42
1:C:16:LEU:HD22	1:C:441:LEU:HD21	2.02	0.41
5:A:504:PEG:H11	1:B:408:PHE:HA	2.02	0.41
1:A:466:SER:HA	1:B:306:ARG:HD2	2.03	0.41
1:A:469:HIS:O	1:B:301:SER:HB2	2.21	0.41
1:C:302:ILE:HD13	1:C:385:GLY:HA2	2.02	0.41
1:D:229:MET:HE3	1:D:232:VAL:HB	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:284:ASP:OD2	1:C:20:LYS:HE3	2.21	0.41
1:A:56:LYS:CE	1:A:367:GLU:HA	2.51	0.41
1:C:245:LEU:HD23	1:C:245:LEU:HA	1.82	0.41
1:D:467:HIS:O	1:D:468:PRO:C	2.63	0.41
1:B:451:GLU:HB3	1:D:0:ALA:HB1	2.03	0.40
1:C:340:LYS:NZ	1:D:470:ASP:OD1	2.26	0.40
1:B:76:ILE:HG23	1:B:231:ARG:HA	2.03	0.40
1:C:56:LYS:CD	1:C:367:GLU:HA	2.50	0.40
1:D:72:LYS:HG2	10:D:622:HOH:O	2.20	0.40
1:A:336:ASP:OD1	2:A:500:IMP:O3'	2.29	0.40
1:B:372:ILE:HD13	1:B:419:TYR:CZ	2.57	0.40
1:C:71:HIS:CE1	1:C:74:MET:HE3	2.56	0.40
1:A:65:GLY:HA2	4:A:503:PGE:H22	2.02	0.40
1:A:340:LYS:HE2	1:A:341:TYR:CZ	2.56	0.40
1:B:15:LEU:HD12	1:D:314:PRO:HD3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	345/363 (95%)	333 (96%)	12 (4%)	0	100	100
1	B	342/363 (94%)	332 (97%)	10 (3%)	0	100	100
1	C	346/363 (95%)	337 (97%)	9 (3%)	0	100	100
1	D	350/363 (96%)	340 (97%)	10 (3%)	0	100	100
All	All	1383/1452 (95%)	1342 (97%)	41 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	270/281 (96%)	265 (98%)	5 (2%)	50	65
1	B	267/281 (95%)	265 (99%)	2 (1%)	76	86
1	C	271/281 (96%)	267 (98%)	4 (2%)	57	72
1	D	275/281 (98%)	271 (98%)	4 (2%)	57	72
All	All	1083/1124 (96%)	1068 (99%)	15 (1%)	65	73

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	24	LEU
1	A	73	ASN
1	A	373	GLU
1	A	435	LYS
1	A	456	VAL
1	B	420	LYS
1	B	476	GLU
1	C	67	ILE
1	C	77[A]	GLU
1	C	77[B]	GLU
1	C	245	LEU
1	D	243[A]	ILE
1	D	243[B]	ILE
1	D	268[A]	GLU
1	D	268[B]	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	41	ASN
1	A	73	ASN
1	A	270	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	376	GLN
1	A	458	GLN
1	B	73	ASN
1	B	429	GLN
1	B	472	ASN
1	C	33	GLN
1	C	39	GLN
1	C	41	ASN
1	C	73	ASN
1	C	275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	ALY	A	327	1	7,8,12	0.72	0	3,8,14	0.32	0
1	ALY	C	327	1	9,10,12	0.68	0	4,10,14	0.33	0
1	ALY	D	327	1	9,10,12	0.69	0	4,10,14	0.81	0
1	ALY	B	327	1	9,10,12	0.65	0	4,10,14	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ALY	A	327	1	-	2/6/7/12	-
1	ALY	C	327	1	-	5/8/9/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	ALY	D	327	1	-	6/8/9/12	-
1	ALY	B	327	1	-	6/8/9/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (19) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	327	ALY	O-C-CA-CB
1	B	327	ALY	OH-CH-NZ-CE
1	B	327	ALY	N-CA-CB-CG
1	B	327	ALY	C-CA-CB-CG
1	C	327	ALY	OH-CH-NZ-CE
1	D	327	ALY	OH-CH-NZ-CE
1	D	327	ALY	N-CA-CB-CG
1	D	327	ALY	C-CA-CB-CG
1	D	327	ALY	O-C-CA-CB
1	D	327	ALY	CG-CD-CE-NZ
1	C	327	ALY	CG-CD-CE-NZ
1	D	327	ALY	CA-CB-CG-CD
1	C	327	ALY	CA-CB-CG-CD
1	B	327	ALY	CG-CD-CE-NZ
1	C	327	ALY	CE-CD-CG-CB
1	A	327	ALY	CE-CD-CG-CB
1	C	327	ALY	CD-CE-NZ-CH
1	B	327	ALY	CA-CB-CG-CD
1	B	327	ALY	CD-CE-NZ-CH

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 25 ligands modelled in this entry, 3 are monoatomic - leaving 22 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	PGE	A	503	-	9,9,9	0.56	0	8,8,8	0.36	0
5	PEG	D	502	-	6,6,6	0.42	0	5,5,5	0.35	0
4	PGE	C	505	-	9,9,9	0.50	0	8,8,8	0.23	0
4	PGE	C	503	-	9,9,9	0.58	0	8,8,8	0.50	0
5	PEG	C	502	-	6,6,6	0.51	0	5,5,5	0.33	0
3	8L4	B	501	-	25,25,25	1.07	3 (12%)	32,35,35	1.18	4 (12%)
9	PG4	D	505	-	12,12,12	0.52	0	11,11,11	0.32	0
4	PGE	A	502	-	9,9,9	0.63	0	8,8,8	0.36	0
5	PEG	B	502	-	6,6,6	0.48	0	5,5,5	0.21	0
4	PGE	B	504	-	9,9,9	0.58	0	8,8,8	0.23	0
3	8L4	A	501	-	25,25,25	1.08	3 (12%)	32,35,35	1.09	2 (6%)
5	PEG	D	503	-	6,6,6	0.41	0	5,5,5	0.39	0
5	PEG	D	504	-	6,6,6	0.50	0	5,5,5	0.32	0
5	PEG	A	504	-	6,6,6	0.51	0	5,5,5	0.15	0
6	EDO	C	504	-	3,3,3	0.41	0	2,2,2	0.48	0
3	8L4	C	501	-	25,25,25	1.14	3 (12%)	32,35,35	1.24	2 (6%)
6	EDO	B	503	-	3,3,3	0.46	0	2,2,2	0.38	0
3	8L4	D	501	-	25,25,25	1.17	2 (8%)	32,35,35	1.14	2 (6%)
2	IMP	A	500	-	25,25,25	1.22	2 (8%)	37,38,38	2.08	11 (29%)
2	IMP	D	500	-	25,25,25	1.27	4 (16%)	37,38,38	2.00	9 (24%)
2	IMP	B	500	-	25,25,25	1.25	3 (12%)	37,38,38	2.11	10 (27%)
2	IMP	C	500	-	25,25,25	1.22	3 (12%)	37,38,38	2.06	9 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	A	503	-	-	1/7/7/7	-
5	PEG	D	502	-	-	1/4/4/4	-
4	PGE	C	505	-	-	0/7/7/7	-
4	PGE	C	503	-	-	6/7/7/7	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	C	502	-	-	1/4/4/4	-
3	8L4	B	501	-	-	2/19/21/21	0/2/2/2
9	PG4	D	505	-	-	0/10/10/10	-
4	PGE	A	502	-	-	2/7/7/7	-
5	PEG	B	502	-	-	0/4/4/4	-
4	PGE	B	504	-	-	2/7/7/7	-
3	8L4	A	501	-	-	0/19/21/21	0/2/2/2
5	PEG	D	503	-	-	2/4/4/4	-
5	PEG	D	504	-	-	0/4/4/4	-
5	PEG	A	504	-	-	2/4/4/4	-
6	EDO	C	504	-	-	1/1/1/1	-
3	8L4	C	501	-	-	2/19/21/21	0/2/2/2
6	EDO	B	503	-	-	1/1/1/1	-
3	8L4	D	501	-	-	0/19/21/21	0/2/2/2
2	IMP	A	500	-	-	5/10/26/26	0/3/3/3
2	IMP	D	500	-	-	0/10/26/26	0/3/3/3
2	IMP	B	500	-	-	0/10/26/26	0/3/3/3
2	IMP	C	500	-	-	2/10/26/26	0/3/3/3

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	501	8L4	C11-C1	-3.59	1.49	1.53
3	A	501	8L4	C11-C1	-3.04	1.50	1.53
2	A	500	IMP	C6-N1	-2.65	1.33	1.39
3	B	501	8L4	C11-C1	-2.56	1.50	1.53
2	C	500	IMP	C6-N1	-2.55	1.33	1.39
3	C	501	8L4	C11-C1	-2.53	1.50	1.53
2	B	500	IMP	C5-N7	-2.52	1.34	1.39
2	A	500	IMP	C5-N7	-2.48	1.34	1.39
3	D	501	8L4	C17-N4	-2.48	1.36	1.41
2	D	500	IMP	C5-N7	-2.45	1.34	1.39
2	B	500	IMP	C6-N1	-2.43	1.34	1.39
2	D	500	IMP	C6-N1	-2.43	1.34	1.39
3	A	501	8L4	C17-N4	-2.37	1.36	1.41
2	C	500	IMP	C5-N7	-2.29	1.34	1.39
3	C	501	8L4	C17-N4	-2.28	1.37	1.41
3	A	501	8L4	C20-CL	2.24	1.79	1.74
3	B	501	8L4	C17-N4	-2.19	1.37	1.41
3	B	501	8L4	C20-CL	2.17	1.79	1.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	500	IMP	C4-N9	-2.11	1.32	1.38
2	C	500	IMP	C4-N9	-2.10	1.32	1.38
2	D	500	IMP	P-O3P	-2.09	1.47	1.54
2	B	500	IMP	C4-N9	-2.09	1.32	1.38
3	C	501	8L4	C5-C7	2.00	1.51	1.47

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	500	IMP	C5-C6-N1	6.04	119.46	110.78
2	C	500	IMP	C5-C6-N1	5.79	119.10	110.78
2	D	500	IMP	C5-C6-N1	5.77	119.07	110.78
2	A	500	IMP	C5-C6-N1	5.76	119.06	110.78
2	B	500	IMP	C5-C4-N3	-5.49	119.18	127.27
2	C	500	IMP	C5-C4-N3	-5.41	119.31	127.27
2	A	500	IMP	C5-C4-N3	-5.31	119.46	127.27
2	B	500	IMP	C2-N3-C4	5.25	120.77	111.53
2	C	500	IMP	C2-N3-C4	5.21	120.70	111.53
2	D	500	IMP	C5-C4-N3	-5.19	119.63	127.27
2	D	500	IMP	C2-N3-C4	4.89	120.14	111.53
2	A	500	IMP	C2-N3-C4	4.74	119.87	111.53
3	C	501	8L4	C1-C11-N3	-4.00	105.40	110.81
2	B	500	IMP	N1-C2-N3	-3.70	121.24	125.50
2	C	500	IMP	N1-C2-N3	-3.64	121.31	125.50
2	A	500	IMP	O3P-P-O5'	3.56	115.96	106.67
2	B	500	IMP	C2-N1-C6	-3.37	120.47	125.09
2	D	500	IMP	N1-C2-N3	-3.34	121.65	125.50
2	D	500	IMP	C2-N1-C6	-3.33	120.52	125.09
2	A	500	IMP	C2-N1-C6	-3.29	120.58	125.09
3	C	501	8L4	C12-C11-N3	3.19	116.13	107.88
2	A	500	IMP	N1-C2-N3	-3.10	121.92	125.50
2	C	500	IMP	C2-N1-C6	-3.09	120.86	125.09
3	D	501	8L4	C12-C11-N3	2.98	115.60	107.88
3	B	501	8L4	C1-C11-N3	-2.91	106.89	110.81
3	B	501	8L4	C5-C7-N1	2.86	119.06	114.66
3	A	501	8L4	C5-C7-N1	2.73	118.86	114.66
3	B	501	8L4	C12-C11-N3	2.68	114.83	107.88
3	A	501	8L4	C12-C11-N3	2.67	114.80	107.88
2	D	500	IMP	N9-C4-N3	2.65	132.94	126.90
2	B	500	IMP	N9-C4-N3	2.60	132.82	126.90
2	A	500	IMP	N9-C4-N3	2.53	132.65	126.90
3	B	501	8L4	C12-C11-C13	-2.46	106.75	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	IMP	N9-C4-N3	2.43	132.43	126.90
3	D	501	8L4	C13-C11-C1	-2.42	104.47	110.54
2	A	500	IMP	N9-C8-N7	-2.39	108.97	113.40
2	C	500	IMP	C4-C5-N7	-2.37	106.91	110.67
2	B	500	IMP	C4-C5-N7	-2.33	106.98	110.67
2	D	500	IMP	N9-C8-N7	-2.30	109.14	113.40
2	A	500	IMP	C4-C5-N7	-2.26	107.08	110.67
2	B	500	IMP	N9-C8-N7	-2.26	109.20	113.40
2	C	500	IMP	C6-C5-N7	2.24	134.36	130.29
2	C	500	IMP	N9-C8-N7	-2.20	109.32	113.40
2	D	500	IMP	O6-C6-C5	-2.19	120.75	126.53
2	B	500	IMP	O6-C6-C5	-2.12	120.95	126.53
2	B	500	IMP	C6-C5-N7	2.11	134.14	130.29
2	A	500	IMP	C8-N7-C5	2.06	107.92	104.26
2	D	500	IMP	C4-C5-N7	-2.02	107.46	110.67
2	A	500	IMP	C3'-C2'-C1'	2.01	105.26	101.46

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	500	IMP	C5'-O5'-P-O2P
2	A	500	IMP	C5'-O5'-P-O3P
2	A	500	IMP	C3'-C4'-C5'-O5'
5	D	503	PEG	O2-C3-C4-O4
4	A	502	PGE	O3-C5-C6-O4
4	C	503	PGE	O3-C5-C6-O4
5	A	504	PEG	O2-C3-C4-O4
5	D	503	PEG	O1-C1-C2-O2
4	A	502	PGE	O2-C3-C4-O3
4	C	503	PGE	O1-C1-C2-O2
2	A	500	IMP	O4'-C4'-C5'-O5'
5	C	502	PEG	O1-C1-C2-O2
3	B	501	8L4	C4-C5-C7-N1
3	B	501	8L4	C6-C5-C7-N1
6	C	504	EDO	O1-C1-C2-O2
2	A	500	IMP	C5'-O5'-P-O1P
3	C	501	8L4	C12-C11-N3-C10
2	C	500	IMP	C3'-C4'-C5'-O5'
5	D	502	PEG	C4-C3-O2-C2
4	C	503	PGE	C1-C2-O2-C3
5	A	504	PEG	C4-C3-O2-C2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	504	PGE	C4-C3-O2-C2
4	B	504	PGE	O2-C3-C4-O3
4	C	503	PGE	O2-C3-C4-O3
4	C	503	PGE	C6-C5-O3-C4
4	A	503	PGE	O2-C3-C4-O3
2	C	500	IMP	C5'-O5'-P-O2P
6	B	503	EDO	O1-C1-C2-O2
4	C	503	PGE	C3-C4-O3-C5
3	C	501	8L4	C6-C5-C7-N1


There are no ring outliers.

11 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	503	PGE	1	0
5	D	502	PEG	1	0
4	C	503	PGE	2	0
4	A	502	PGE	1	0
5	B	502	PEG	1	0
5	A	504	PEG	2	0
6	B	503	EDO	1	0
2	A	500	IMP	3	0
2	D	500	IMP	2	0
2	B	500	IMP	3	0
2	C	500	IMP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 8L4 B 501




Ligand 8L4 A 501




Ligand 8L4 C 501




Ligand 8L4 D 501




Ligand IMP A 500



Ligand IMP D 500





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	346/363 (95%)	-0.08	5 (1%) 73 78	18, 45, 68, 91	4 (1%)
1	B	344/363 (94%)	-0.28	3 (0%) 81 84	16, 37, 61, 102	4 (1%)
1	C	346/363 (95%)	-0.45	0 100 100	10, 31, 51, 73	4 (1%)
1	D	346/363 (95%)	-0.44	2 (0%) 85 89	11, 30, 50, 70	10 (2%)
All	All	1382/1452 (95%)	-0.31	10 (0%) 84 87	10, 35, 62, 102	22 (1%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	375	TYR	3.3
1	A	375	TYR	3.2
1	D	91	GLY	2.9
1	A	377	GLY	2.5
1	B	372	ILE	2.5
1	A	246	ASP	2.5
1	D	408	PHE	2.4
1	A	374	ILE	2.4
1	A	408	PHE	2.4
1	B	393	ALA	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	ALY	A	327	9/13	0.68	0.16	42,46,55,59	0
1	ALY	D	327	11/13	0.88	0.11	24,44,53,55	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
1	ALY	B	327	11/13	0.89	0.12	39,43,58,59	0
1	ALY	C	327	11/13	0.92	0.10	23,38,62,65	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	PGE	A	503	10/10	0.77	0.15	46,52,59,64	0
4	PGE	A	502	10/10	0.83	0.13	37,48,52,52	0
5	PEG	A	504	7/7	0.84	0.12	53,62,67,68	0
4	PGE	B	504	10/10	0.86	0.12	43,47,50,51	0
5	PEG	D	502	7/7	0.86	0.13	44,49,53,56	0
4	PGE	C	503	10/10	0.87	0.12	36,44,50,51	0
5	PEG	B	502	7/7	0.89	0.10	31,38,48,50	0
6	EDO	B	503	4/4	0.89	0.11	43,44,45,47	0
4	PGE	C	505	10/10	0.90	0.09	41,46,56,57	0
5	PEG	D	503	7/7	0.90	0.09	44,48,53,57	0
5	PEG	D	504	7/7	0.90	0.10	38,41,45,49	0
5	PEG	C	502	7/7	0.90	0.12	50,53,59,63	0
9	PG4	D	505	13/13	0.92	0.09	33,41,49,51	0
6	EDO	C	504	4/4	0.93	0.11	31,31,33,43	0
8	K	B	506	1/1	0.93	0.15	59,59,59,59	0
3	8L4	C	501	24/24	0.93	0.09	24,35,43,45	0
3	8L4	D	501	24/24	0.94	0.08	22,29,39,61	0
3	8L4	A	501	24/24	0.94	0.08	31,41,49,63	0
3	8L4	B	501	24/24	0.94	0.09	36,49,53,64	0
2	IMP	A	500	23/23	0.94	0.08	29,37,40,42	0
2	IMP	B	500	23/23	0.96	0.07	28,35,44,51	0
7	MG	B	505	1/1	0.96	0.17	28,28,28,28	1
2	IMP	C	500	23/23	0.97	0.06	22,30,36,41	0
2	IMP	D	500	23/23	0.97	0.06	14,23,31,33	0
8	K	C	506	1/1	0.99	0.09	48,48,48,48	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 8L4 C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around 8L4 D 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 8L4 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around IMP A 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around IMP B 500:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around IMP C 500:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.