



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:58 PM UTC

PDB ID : 4V0U / pdb_00004v0u
Title : The crystal structure of ternary PP1G-PPP1R15B and G-actin complex
Authors : Chen, R.; Yan, Y.; Casado, A.C.; Ron, D.; Read, R.J.
Deposited on : 2014-09-18
Resolution : 7.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 7.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1168 (11.50-4.00)
Clashscore	190562	1001 (11.50-4.06)
Ramachandran outliers	187476	1055 (11.50-4.00)
Sidechain outliers	187428	1018 (11.50-4.00)
RSRZ outliers	180081	1162 (11.50-4.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	375	 2% 92% 5% .
1	B	375	 % 90% 6% .
1	C	375	 % 92% 5% .
1	L	375	 % 92% 5% .
1	M	375	 % 92% 5% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	D	323	3% 85% 5% • 9%
2	F	323	2% 84% 6% • 9%
2	H	323	% 83% 8% • 9%
2	J	323	% 84% 6% • 9%
2	N	323	84% 6% • 9%
3	E	84	2% 20% • • 76%
3	G	84	21% • • 76%
3	I	84	21% • • 76%
3	K	84	21% • • 76%
3	O	84	21% • • 76%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 27065 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACTIN, ALPHA SKELETAL MUSCLE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	364	Total	C	N	O	S	0	0	0
			2835	1796	476	544	19			
1	B	364	Total	C	N	O	S	0	0	0
			2835	1796	476	544	19			
1	C	364	Total	C	N	O	S	0	0	0
			2835	1796	476	544	19			
1	L	364	Total	C	N	O	S	0	0	0
			2835	1796	476	544	19			
1	M	364	Total	C	N	O	S	0	0	0
			2835	1796	476	544	19			

- Molecule 2 is a protein called SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	294	Total	C	N	O	S	0	0	0
			2351	1509	393	432	17			
2	F	294	Total	C	N	O	S	0	0	0
			2351	1509	393	432	17			
2	H	294	Total	C	N	O	S	0	0	0
			2351	1509	393	432	17			
2	J	294	Total	C	N	O	S	0	0	0
			2351	1509	393	432	17			
2	N	294	Total	C	N	O	S	0	0	0
			2351	1509	393	432	17			

- Molecule 3 is a protein called PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	20	Total	C	N	O	0	0	0
			167	107	25	35			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	G	20	Total	C	N	O	0	0	0
			167	107	25	35			
3	I	20	Total	C	N	O	0	0	0
			167	107	25	35			
3	K	20	Total	C	N	O	0	0	0
			167	107	25	35			
3	O	20	Total	C	N	O	0	0	0
			167	107	25	35			

There are 65 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	626	GLY	-	expression tag	UNP Q5SWA1
E	627	ALA	-	expression tag	UNP Q5SWA1
E	628	MET	-	expression tag	UNP Q5SWA1
E	629	ASP	-	expression tag	UNP Q5SWA1
E	630	PRO	-	expression tag	UNP Q5SWA1
E	702	LEU	-	expression tag	UNP Q5SWA1
E	703	GLU	-	expression tag	UNP Q5SWA1
E	704	HIS	-	expression tag	UNP Q5SWA1
E	705	HIS	-	expression tag	UNP Q5SWA1
E	706	HIS	-	expression tag	UNP Q5SWA1
E	707	HIS	-	expression tag	UNP Q5SWA1
E	708	HIS	-	expression tag	UNP Q5SWA1
E	709	HIS	-	expression tag	UNP Q5SWA1
G	626	GLY	-	expression tag	UNP Q5SWA1
G	627	ALA	-	expression tag	UNP Q5SWA1
G	628	MET	-	expression tag	UNP Q5SWA1
G	629	ASP	-	expression tag	UNP Q5SWA1
G	630	PRO	-	expression tag	UNP Q5SWA1
G	702	LEU	-	expression tag	UNP Q5SWA1
G	703	GLU	-	expression tag	UNP Q5SWA1
G	704	HIS	-	expression tag	UNP Q5SWA1
G	705	HIS	-	expression tag	UNP Q5SWA1
G	706	HIS	-	expression tag	UNP Q5SWA1
G	707	HIS	-	expression tag	UNP Q5SWA1
G	708	HIS	-	expression tag	UNP Q5SWA1
G	709	HIS	-	expression tag	UNP Q5SWA1
I	626	GLY	-	expression tag	UNP Q5SWA1
I	627	ALA	-	expression tag	UNP Q5SWA1
I	628	MET	-	expression tag	UNP Q5SWA1
I	629	ASP	-	expression tag	UNP Q5SWA1
I	630	PRO	-	expression tag	UNP Q5SWA1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
I	702	LEU	-	expression tag	UNP Q5SWA1
I	703	GLU	-	expression tag	UNP Q5SWA1
I	704	HIS	-	expression tag	UNP Q5SWA1
I	705	HIS	-	expression tag	UNP Q5SWA1
I	706	HIS	-	expression tag	UNP Q5SWA1
I	707	HIS	-	expression tag	UNP Q5SWA1
I	708	HIS	-	expression tag	UNP Q5SWA1
I	709	HIS	-	expression tag	UNP Q5SWA1
K	626	GLY	-	expression tag	UNP Q5SWA1
K	627	ALA	-	expression tag	UNP Q5SWA1
K	628	MET	-	expression tag	UNP Q5SWA1
K	629	ASP	-	expression tag	UNP Q5SWA1
K	630	PRO	-	expression tag	UNP Q5SWA1
K	702	LEU	-	expression tag	UNP Q5SWA1
K	703	GLU	-	expression tag	UNP Q5SWA1
K	704	HIS	-	expression tag	UNP Q5SWA1
K	705	HIS	-	expression tag	UNP Q5SWA1
K	706	HIS	-	expression tag	UNP Q5SWA1
K	707	HIS	-	expression tag	UNP Q5SWA1
K	708	HIS	-	expression tag	UNP Q5SWA1
K	709	HIS	-	expression tag	UNP Q5SWA1
O	626	GLY	-	expression tag	UNP Q5SWA1
O	627	ALA	-	expression tag	UNP Q5SWA1
O	628	MET	-	expression tag	UNP Q5SWA1
O	629	ASP	-	expression tag	UNP Q5SWA1
O	630	PRO	-	expression tag	UNP Q5SWA1
O	702	LEU	-	expression tag	UNP Q5SWA1
O	703	GLU	-	expression tag	UNP Q5SWA1
O	704	HIS	-	expression tag	UNP Q5SWA1
O	705	HIS	-	expression tag	UNP Q5SWA1
O	706	HIS	-	expression tag	UNP Q5SWA1
O	707	HIS	-	expression tag	UNP Q5SWA1
O	708	HIS	-	expression tag	UNP Q5SWA1
O	709	HIS	-	expression tag	UNP Q5SWA1

- Molecule 4 is LATRUNCULIN B (CCD ID: LAB) (formula: C₂₀H₂₉NO₅S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			27	20	1	5	1		
4	B	1	Total	C	N	O	S	0	0
			27	20	1	5	1		
4	C	1	Total	C	N	O	S	0	0
			27	20	1	5	1		
4	L	1	Total	C	N	O	S	0	0
			27	20	1	5	1		
4	M	1	Total	C	N	O	S	0	0
			27	20	1	5	1		

- Molecule 5 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	L	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
5	M	1	Total	C	N	O	P	0	0
			31	10	5	13	3		


- Molecule 6 is MANGANESE (II) ION (CCD ID: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	2	Total	Mn	0	0
			2	2		
6	F	2	Total	Mn	0	0
			2	2		
6	H	2	Total	Mn	0	0
			2	2		
6	J	2	Total	Mn	0	0
			2	2		
6	N	2	Total	Mn	0	0
			2	2		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE




- Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE




- Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





- Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





- Molecule 1: ACTIN, ALPHA SKELETAL MUSCLE





• Molecule 2: SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT






• Molecule 2: SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT



• Molecule 2: SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT




• Molecule 2: SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT




• Molecule 2: SERINE/THREONINE-PROTEIN PHOSPHATASE PP1-GAMMA CATALYTIC SUBUNIT

Chain N:  84% 6% 9%




• Molecule 3: PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B

Chain E:  20% 2% 76%




• Molecule 3: PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B

Chain G:  21% 2% 76%




• Molecule 3: PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B

Chain I:  21% 2% 76%



• Molecule 3: PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B

Chain K:  21% 2% 76%



• Molecule 3: PROTEIN PHOSPHATASE 1 REGULATORY SUBUNIT 15B

Chain 0:



LEU	GLN	GLY	LEU	GLU	HIS	HIS	HIS	HIS	HIS	HIS	ARG	GLY	ASP	MET	ALA	GLY	ARG	KG39	+	L644	E645	E646	+	RG58	LYS	GLY	PRO	TRP	GLU	GLU	PHE	ALA	ARG	ASP	GLY	CYS	ARG	PHE	GLN	LYS	ARG	ASP	GLU	THR	GLN	ILE	GLN	GLU	THR	GLU	ASP	ALA	ILE	GLY	TYR	CYS	LEU	THR	PHE	GLU	HIS	ARG	GLU	ARG	MET	ASN	ASP	ARG
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	---	------	------	------	---	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	103.91Å 149.93Å 318.72Å 90.00° 91.03° 90.00°	Depositor
Resolution (Å)	82.79 – 7.88 82.79 – 7.88	Depositor EDS
% Data completeness (in resolution range)	97.7 (82.79-7.88) 97.7 (82.79-7.88)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 8.41Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.370 , 0.400 0.356 , 0.381	Depositor DCC
R_{free} test set	290 reflections (5.37%)	wwPDB-VP
Wilson B-factor (Å ²)	356.7	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 507.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.43$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	0.058 for -h,-k,l	Xtriage
F_o, F_c correlation	0.68	EDS
Total number of atoms	27065	wwPDB-VP
Average B, all atoms (Å ²)	394.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MN, LAB, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.72	0/2896	0.82	0/3927
1	B	0.72	0/2896	0.82	0/3927
1	C	0.72	0/2896	0.82	0/3927
1	L	0.72	0/2896	0.82	0/3927
1	M	0.72	0/2896	0.83	0/3927
2	D	0.37	0/2404	0.69	1/3250 (0.0%)
2	F	0.38	0/2404	0.70	1/3250 (0.0%)
2	H	0.38	0/2404	0.69	1/3250 (0.0%)
2	J	0.38	0/2404	0.69	1/3250 (0.0%)
2	N	0.38	0/2404	0.70	1/3250 (0.0%)
3	E	0.39	0/169	0.66	0/226
3	G	0.37	0/169	0.65	0/226
3	I	0.37	0/169	0.65	0/226
3	K	0.36	0/169	0.65	0/226
3	O	0.36	0/169	0.65	0/226
All	All	0.59	0/27345	0.76	5/37015 (0.0%)

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	N	146	ILE	CB-CA-C	-8.55	100.59	112.14
2	F	146	ILE	CB-CA-C	-8.31	100.93	112.14
2	J	146	ILE	CB-CA-C	-7.77	101.66	112.14
2	H	146	ILE	CB-CA-C	-7.35	102.22	112.14
2	D	146	ILE	CB-CA-C	-7.24	102.37	112.14

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2835	0	2787	46	4
1	B	2835	0	2787	23	5
1	C	2835	0	2787	23	0
1	L	2835	0	2787	19	2
1	M	2835	0	2787	14	0
2	D	2351	0	2304	16	4
2	F	2351	0	2303	66	0
2	H	2351	0	2304	52	0
2	J	2351	0	2304	29	2
2	N	2351	0	2304	28	0
3	E	167	0	157	4	5
3	G	167	0	157	1	0
3	I	167	0	157	1	0
3	K	167	0	157	1	0
3	O	167	0	157	1	0
4	A	27	0	29	1	0
4	B	27	0	29	1	0
4	C	27	0	29	1	0
4	L	27	0	29	1	0
4	M	27	0	29	1	0
5	A	31	0	12	0	0
5	B	31	0	12	0	0
5	C	31	0	12	0	0
5	L	31	0	12	0	0
5	M	31	0	12	0	0
6	D	2	0	0	0	0
6	F	2	0	0	0	0
6	H	2	0	0	0	0
6	J	2	0	0	0	0
6	N	2	0	0	0	0
All	All	27065	0	26444	211	11

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (211) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:ASP:HB3	2:F:146:ILE:CG1	1.49	1.43
1:A:1:ASP:HB3	2:F:146:ILE:CD1	1.50	1.40
1:A:1:ASP:CB	2:F:146:ILE:CD1	2.02	1.35
1:A:1:ASP:CB	2:F:146:ILE:HD11	1.55	1.35
2:F:198:GLN:NE2	1:M:232:SER:O	1.61	1.33
2:J:142:ARG:NH1	1:L:197:GLY:HA2	1.47	1.28
1:C:1:ASP:CG	2:H:137:TYR:OH	1.74	1.27
1:C:232:SER:O	2:J:198:GLN:NE2	1.69	1.25
1:A:1:ASP:O	2:F:146:ILE:HG13	1.29	1.21
2:F:277:ASP:OD1	2:H:214:LEU:HB3	1.48	1.14
1:A:1:ASP:HB3	2:F:146:ILE:HG12	1.16	1.10
2:F:275:GLU:OE1	2:H:217:GLY:HA2	1.52	1.09
1:B:232:SER:O	2:H:198:GLN:NE2	1.87	1.08
1:C:1:ASP:HB3	2:H:146:ILE:HD11	1.37	1.06
1:A:1:ASP:HB2	2:F:146:ILE:HD11	1.32	1.05
1:A:1:ASP:O	2:F:146:ILE:CG1	2.05	1.04
1:M:1:ASP:OD2	2:N:137:TYR:OH	1.73	1.04
2:J:276:PHE:HA	2:N:212:ASP:O	1.60	1.00
1:C:1:ASP:CG	2:H:137:TYR:HH	1.65	0.99
2:J:142:ARG:CD	1:L:197:GLY:HA3	1.91	0.99
2:J:142:ARG:HD2	1:L:197:GLY:HA3	1.01	0.97
1:A:1:ASP:C	2:F:146:ILE:HD11	1.89	0.97
2:J:142:ARG:HH11	1:L:197:GLY:CA	1.80	0.95
2:J:142:ARG:HD2	1:L:197:GLY:CA	1.95	0.94
2:J:142:ARG:NH1	1:L:197:GLY:CA	2.32	0.93
1:A:1:ASP:CB	2:F:146:ILE:CG1	2.36	0.91
2:F:275:GLU:HB3	2:H:216:TRP:O	1.70	0.91
1:A:1:ASP:CA	2:F:146:ILE:HD11	2.02	0.90
1:A:1:ASP:CB	2:F:146:ILE:HG12	1.98	0.90
2:J:142:ARG:HH11	1:L:197:GLY:HA2	1.06	0.89
1:A:1:ASP:C	2:F:146:ILE:CD1	2.49	0.85
1:C:1:ASP:OD1	2:H:137:TYR:OH	1.95	0.84
1:M:1:ASP:CG	2:N:137:TYR:OH	2.18	0.84
2:J:271:ASN:ND2	2:J:276:PHE:O	2.12	0.82
1:A:3:ASP:CB	2:F:146:ILE:HD12	2.10	0.82
2:N:271:ASN:ND2	2:N:276:PHE:O	2.12	0.81
1:A:1:ASP:HB2	2:F:146:ILE:CD1	1.91	0.81
2:D:271:ASN:ND2	2:D:276:PHE:O	2.12	0.81
1:C:1:ASP:OD1	2:H:137:TYR:CE2	2.34	0.81
2:F:271:ASN:ND2	2:F:276:PHE:O	2.12	0.81
2:F:277:ASP:OD2	2:H:214:LEU:HD23	1.81	0.80
2:H:271:ASN:ND2	2:H:276:PHE:O	2.12	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:275:GLU:CD	2:N:217:GLY:HA2	2.09	0.77
1:A:1:ASP:HB3	2:F:146:ILE:HD13	1.64	0.77
1:A:3:ASP:OD2	2:F:146:ILE:HD13	1.84	0.77
2:F:275:GLU:OE1	2:H:217:GLY:CA	2.31	0.76
2:J:275:GLU:OE1	2:N:217:GLY:HA2	1.86	0.76
1:C:1:ASP:OD1	2:H:137:TYR:CZ	2.41	0.73
1:A:1:ASP:CB	2:F:146:ILE:HD13	2.15	0.72
1:A:3:ASP:HB3	2:F:146:ILE:HD12	1.72	0.72
1:A:56:ASP:CG	1:B:243:PRO:O	2.33	0.71
1:A:1:ASP:O	2:F:146:ILE:CD1	2.38	0.70
1:A:1:ASP:C	2:F:146:ILE:CG1	2.65	0.69
1:A:3:ASP:CG	2:F:146:ILE:CD1	2.67	0.68
2:F:252:GLU:HB3	2:H:212:ASP:OD1	1.94	0.67
2:D:297:LYS:HE2	3:E:651:TYR:OH	1.93	0.67
2:F:275:GLU:CB	2:H:216:TRP:O	2.41	0.67
2:F:277:ASP:OD1	2:H:214:LEU:CB	2.37	0.67
2:F:275:GLU:CD	2:H:217:GLY:HA2	2.19	0.66
1:A:3:ASP:OD2	2:F:146:ILE:HG21	1.96	0.66
1:A:3:ASP:N	2:F:146:ILE:HD12	2.13	0.64
1:A:1:ASP:C	2:F:146:ILE:HG13	2.19	0.64
1:C:1:ASP:CB	2:H:146:ILE:HD11	2.22	0.63
2:F:17:LEU:O	2:F:20:ARG:NH1	2.32	0.63
2:N:17:LEU:O	2:N:20:ARG:NH1	2.32	0.63
2:D:297:LYS:HD3	3:E:651:TYR:CZ	2.32	0.63
2:D:17:LEU:O	2:D:20:ARG:NH1	2.31	0.63
2:J:275:GLU:OE1	2:N:217:GLY:CA	2.46	0.63
2:H:17:LEU:O	2:H:20:ARG:NH1	2.32	0.63
2:F:276:PHE:HA	2:H:213:VAL:HA	1.81	0.63
1:C:3:ASP:HB3	2:H:146:ILE:HD12	1.81	0.62
2:J:17:LEU:O	2:J:20:ARG:NH1	2.32	0.62
2:F:277:ASP:CG	2:H:214:LEU:HD23	2.24	0.62
2:F:277:ASP:OD2	2:H:214:LEU:CD2	2.47	0.62
1:C:1:ASP:CG	2:H:137:TYR:CZ	2.77	0.61
1:M:1:ASP:OD1	2:N:137:TYR:OH	2.18	0.61
2:F:277:ASP:CG	2:H:214:LEU:HB3	2.23	0.61
2:D:17:LEU:HB3	2:D:20:ARG:NH1	2.18	0.59
1:A:3:ASP:CG	2:F:146:ILE:HD13	2.27	0.59
2:N:17:LEU:HB3	2:N:20:ARG:NH1	2.18	0.59
1:C:1:ASP:OD1	2:H:137:TYR:HE2	1.86	0.59
2:H:17:LEU:HB3	2:H:20:ARG:NH1	2.17	0.58
2:J:17:LEU:HB3	2:J:20:ARG:NH1	2.18	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:17:LEU:HB3	2:F:20:ARG:NH1	2.18	0.58
1:A:3:ASP:CG	2:F:146:ILE:HD12	2.28	0.58
2:F:275:GLU:OE1	2:H:218:GLU:N	2.37	0.58
1:C:1:ASP:HB3	2:H:146:ILE:CD1	2.24	0.58
2:F:20:ARG:HG2	2:F:73:LEU:HD13	1.86	0.58
2:N:20:ARG:HG2	2:N:73:LEU:HD13	1.86	0.58
2:J:20:ARG:HG2	2:J:73:LEU:HD13	1.86	0.57
2:D:20:ARG:HG2	2:D:73:LEU:HD13	1.86	0.57
1:C:30:VAL:O	1:M:241:GLU:OE2	2.23	0.57
2:J:218:GLU:N	2:N:275:GLU:OE1	2.36	0.57
1:A:1:ASP:CA	2:F:146:ILE:CG1	2.82	0.57
2:J:217:GLY:HA2	2:N:275:GLU:CD	2.30	0.56
1:B:1:ASP:OD2	2:D:146:ILE:HD11	2.05	0.56
2:H:20:ARG:HG2	2:H:73:LEU:HD13	1.86	0.56
2:F:277:ASP:CG	2:H:214:LEU:CD2	2.80	0.55
1:C:241:GLU:OE2	1:M:30:VAL:O	2.24	0.55
2:J:275:GLU:HB3	2:N:213:VAL:HG23	1.88	0.54
1:A:30:VAL:O	1:B:241:GLU:OE2	2.26	0.53
2:N:218:GLU:OE1	2:N:218:GLU:HA	2.08	0.53
1:B:228:ALA:CB	2:H:178:PRO:HB2	2.39	0.53
2:D:297:LYS:CE	3:E:651:TYR:OH	2.57	0.53
2:J:217:GLY:HA2	2:N:275:GLU:OE1	2.09	0.53
2:F:277:ASP:CG	2:H:214:LEU:CB	2.82	0.53
2:N:17:LEU:HB3	2:N:20:ARG:HH12	1.74	0.53
2:D:17:LEU:HB3	2:D:20:ARG:HH12	1.74	0.53
2:H:124:ASN:HD22	2:H:124:ASN:H	1.57	0.53
2:F:124:ASN:HD22	2:F:124:ASN:H	1.57	0.52
1:C:3:ASP:OD2	2:H:146:ILE:CD1	2.57	0.52
2:D:124:ASN:HD22	2:D:124:ASN:H	1.57	0.52
2:F:17:LEU:HB3	2:F:20:ARG:HH12	1.74	0.52
2:J:218:GLU:OE1	2:J:218:GLU:HA	2.09	0.52
1:L:232:SER:HB3	2:N:225:PHE:HZ	1.75	0.52
2:H:218:GLU:HA	2:H:218:GLU:OE1	2.10	0.52
2:N:124:ASN:HD22	2:N:124:ASN:H	1.57	0.51
2:H:17:LEU:HB3	2:H:20:ARG:HH12	1.74	0.51
2:F:275:GLU:HB3	2:H:217:GLY:HA2	1.91	0.51
2:J:124:ASN:H	2:J:124:ASN:HD22	1.57	0.51
2:F:218:GLU:HA	2:F:218:GLU:OE1	2.10	0.50
2:J:17:LEU:HB3	2:J:20:ARG:HH12	1.74	0.50
1:L:232:SER:CB	2:N:225:PHE:HZ	2.24	0.50
1:B:228:ALA:HB3	2:H:178:PRO:HB2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:218:GLU:HA	2:D:218:GLU:OE1	2.11	0.50
1:L:232:SER:HB3	2:N:225:PHE:CZ	2.48	0.48
1:A:56:ASP:HB3	1:B:243:PRO:O	2.13	0.48
1:A:30:VAL:O	1:B:241:GLU:CD	2.57	0.47
2:F:275:GLU:O	2:H:214:LEU:O	2.33	0.47
2:J:275:GLU:O	2:N:213:VAL:HA	2.14	0.47
3:I:644:LEU:HD22	3:I:646:GLU:H	1.80	0.47
1:A:56:ASP:CB	1:B:243:PRO:O	2.62	0.47
1:B:252:ASN:HD22	1:B:253:GLU:N	2.13	0.47
2:F:275:GLU:CB	2:H:217:GLY:HA2	2.45	0.47
1:L:252:ASN:HD22	1:L:253:GLU:N	2.13	0.47
1:B:218:TYR:O	1:B:255:PHE:HA	2.15	0.47
1:M:218:TYR:O	1:M:255:PHE:HA	2.15	0.47
1:A:252:ASN:HD22	1:A:253:GLU:N	2.13	0.46
1:C:252:ASN:HD22	1:C:253:GLU:N	2.13	0.46
1:L:218:TYR:O	1:L:255:PHE:HA	2.16	0.46
3:O:644:LEU:HD22	3:O:646:GLU:H	1.80	0.46
3:K:644:LEU:HD22	3:K:646:GLU:H	1.80	0.46
1:M:252:ASN:HD22	1:M:253:GLU:N	2.13	0.46
3:E:644:LEU:HD22	3:E:646:GLU:H	1.81	0.46
3:G:644:LEU:HD22	3:G:646:GLU:H	1.80	0.46
1:A:245:GLY:CA	1:B:30:VAL:O	2.64	0.46
2:J:213:VAL:HG23	2:N:275:GLU:O	2.16	0.46
1:C:218:TYR:O	1:C:255:PHE:HA	2.16	0.46
1:A:56:ASP:OD2	1:B:245:GLY:N	2.49	0.46
1:A:218:TYR:O	1:A:255:PHE:HA	2.15	0.45
2:F:275:GLU:CG	2:H:216:TRP:O	2.65	0.45
2:J:132:ARG:HA	2:J:137:TYR:HB2	1.99	0.45
2:N:146:ILE:HG21	2:N:146:ILE:HD13	1.74	0.45
1:A:245:GLY:HA2	1:B:30:VAL:O	2.17	0.45
1:L:206:ARG:HG2	4:L:1376:LAB:S1	2.57	0.44
1:A:314:GLN:OE1	1:A:329:ILE:HG12	2.18	0.44
2:J:132:ARG:NH2	2:J:133:ILE:HD11	2.33	0.44
1:L:314:GLN:OE1	1:L:329:ILE:HG12	2.18	0.44
2:N:132:ARG:HA	2:N:137:TYR:HB2	2.00	0.44
1:C:314:GLN:OE1	1:C:329:ILE:HG12	2.18	0.44
2:F:132:ARG:HA	2:F:137:TYR:HB2	1.99	0.44
2:H:132:ARG:NH2	2:H:133:ILE:HD11	2.33	0.44
1:B:233:SER:HB3	2:H:198:GLN:NE2	2.33	0.44
2:N:132:ARG:NH2	2:N:133:ILE:HD11	2.33	0.44
1:B:314:GLN:OE1	1:B:329:ILE:HG12	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:132:ARG:NH2	2:D:133:ILE:HD11	2.33	0.43
1:B:1:ASP:OD2	2:D:137:TYR:OH	2.36	0.43
2:F:275:GLU:OE1	2:H:217:GLY:C	2.62	0.43
1:B:131:ALA:HB1	1:B:356:TRP:HB3	2.01	0.43
2:F:146:ILE:HD13	2:F:146:ILE:HG21	1.74	0.43
2:H:132:ARG:HA	2:H:137:TYR:HB2	2.00	0.43
2:F:212:ASP:OD1	2:H:252:GLU:HB3	2.19	0.43
1:M:314:GLN:OE1	1:M:329:ILE:HG12	2.18	0.43
1:B:206:ARG:HG2	4:B:1376:LAB:S1	2.59	0.43
2:F:132:ARG:NH2	2:F:133:ILE:HD11	2.33	0.43
2:J:275:GLU:O	2:N:214:LEU:N	2.41	0.43
1:C:206:ARG:HG2	4:C:1376:LAB:S1	2.59	0.43
1:A:131:ALA:HB1	1:A:356:TRP:HB3	2.01	0.42
1:B:225:ASN:CG	2:H:178:PRO:O	2.63	0.42
2:H:146:ILE:HG21	2:H:146:ILE:HD13	1.76	0.42
1:L:131:ALA:HB1	1:L:356:TRP:HB3	2.01	0.42
1:C:131:ALA:HB1	1:C:356:TRP:HB3	2.00	0.42
2:F:252:GLU:CB	2:H:212:ASP:OD1	2.64	0.42
1:L:141:SER:HB3	1:L:300:SER:OG	2.20	0.42
1:A:3:ASP:CA	2:F:146:ILE:HD12	2.49	0.42
2:D:132:ARG:HA	2:D:137:TYR:HB2	2.00	0.42
2:D:146:ILE:HG21	2:D:146:ILE:HD13	1.76	0.42
1:M:206:ARG:HG2	4:M:1376:LAB:S1	2.59	0.42
1:C:106:THR:HB	1:C:137:GLN:HG3	2.02	0.42
1:A:206:ARG:HG2	4:A:1376:LAB:S1	2.60	0.42
1:M:141:SER:HB3	1:M:300:SER:OG	2.20	0.42
1:L:228:ALA:HB2	2:N:216:TRP:CD1	2.55	0.42
1:M:131:ALA:HB1	1:M:356:TRP:HB3	2.01	0.42
1:A:3:ASP:CB	2:F:146:ILE:CD1	2.90	0.41
1:B:106:THR:HB	1:B:137:GLN:HG3	2.02	0.41
2:H:94:VAL:O	2:H:95:ASP:HB2	2.21	0.41
1:L:252:ASN:ND2	1:L:256:ARG:HH11	2.19	0.41
1:C:252:ASN:ND2	1:C:256:ARG:HH11	2.19	0.41
1:A:3:ASP:HB3	2:F:146:ILE:CD1	2.47	0.41
1:B:252:ASN:ND2	1:B:256:ARG:HH11	2.19	0.41
2:D:177:SER:HB2	2:D:203:ASP:HB2	2.03	0.41
2:H:177:SER:HB2	2:H:203:ASP:HB2	2.03	0.41
2:J:94:VAL:O	2:J:95:ASP:HB2	2.21	0.41
1:A:106:THR:HB	1:A:137:GLN:HG3	2.02	0.41
2:F:94:VAL:O	2:F:95:ASP:HB2	2.21	0.41
1:L:106:THR:HB	1:L:137:GLN:HG3	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:M:106:THR:HB	1:M:137:GLN:HG3	2.02	0.41
1:M:252:ASN:ND2	1:M:256:ARG:HH11	2.19	0.41
1:C:141:SER:HB3	1:C:300:SER:OG	2.20	0.40
1:A:124:PHE:CZ	1:A:132:MET:HG3	2.57	0.40
1:B:124:PHE:CZ	1:B:132:MET:HG3	2.57	0.40

All (11) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:ASP:OD1	2:D:18:GLU:OE2[2_756]	1.24	0.96
2:J:137:TYR:OH	1:L:1:ASP:OD1[2_655]	1.30	0.90
1:B:72:GLU:OE2	3:E:646:GLU:OE1[4_756]	1.33	0.87
1:A:80:ASP:CG	2:D:18:GLU:OE2[2_756]	1.50	0.70
1:B:72:GLU:OE2	3:E:646:GLU:CD[4_756]	1.65	0.55
1:A:80:ASP:OD2	2:D:18:GLU:OE2[2_756]	1.68	0.52
2:J:146:ILE:CD1	1:L:1:ASP:CB[2_655]	1.69	0.51
1:A:80:ASP:OD1	2:D:18:GLU:CD[2_756]	2.00	0.20
1:B:118:LYS:NZ	3:E:651:TYR:CE1[4_756]	2.01	0.19
1:B:72:GLU:OE2	3:E:646:GLU:OE2[4_756]	2.02	0.18
1:B:118:LYS:NZ	3:E:651:TYR:CZ[4_756]	2.17	0.03

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	360/375 (96%)	353 (98%)	7 (2%)	0	100	100
1	B	360/375 (96%)	353 (98%)	7 (2%)	0	100	100
1	C	360/375 (96%)	353 (98%)	7 (2%)	0	100	100
1	L	360/375 (96%)	353 (98%)	7 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	M	360/375 (96%)	353 (98%)	7 (2%)	0	100	100
2	D	292/323 (90%)	281 (96%)	11 (4%)	0	100	100
2	F	292/323 (90%)	281 (96%)	11 (4%)	0	100	100
2	H	292/323 (90%)	281 (96%)	11 (4%)	0	100	100
2	J	292/323 (90%)	281 (96%)	11 (4%)	0	100	100
2	N	292/323 (90%)	281 (96%)	11 (4%)	0	100	100
3	E	18/84 (21%)	18 (100%)	0	0	100	100
3	G	18/84 (21%)	18 (100%)	0	0	100	100
3	I	18/84 (21%)	18 (100%)	0	0	100	100
3	K	18/84 (21%)	18 (100%)	0	0	100	100
3	O	18/84 (21%)	18 (100%)	0	0	100	100
All	All	3350/3910 (86%)	3260 (97%)	90 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	305/318 (96%)	304 (100%)	1 (0%)	86	86
1	B	305/318 (96%)	304 (100%)	1 (0%)	86	86
1	C	305/318 (96%)	304 (100%)	1 (0%)	86	86
1	L	305/318 (96%)	304 (100%)	1 (0%)	86	86
1	M	305/318 (96%)	304 (100%)	1 (0%)	86	86
2	D	255/285 (90%)	250 (98%)	5 (2%)	48	66
2	F	255/285 (90%)	249 (98%)	6 (2%)	43	64
2	H	255/285 (90%)	250 (98%)	5 (2%)	48	66
2	J	255/285 (90%)	250 (98%)	5 (2%)	48	66
2	N	255/285 (90%)	250 (98%)	5 (2%)	48	66

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	E	18/74 (24%)	17 (94%)	1 (6%)	19	40
3	G	18/74 (24%)	17 (94%)	1 (6%)	19	40
3	I	18/74 (24%)	17 (94%)	1 (6%)	19	40
3	K	18/74 (24%)	17 (94%)	1 (6%)	19	40
3	O	18/74 (24%)	17 (94%)	1 (6%)	19	40
All	All	2890/3385 (85%)	2854 (99%)	36 (1%)	63	75

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	252	ASN
1	B	252	ASN
1	C	252	ASN
2	D	30	LEU
2	D	84	GLU
2	D	96	ARG
2	D	124	ASN
2	D	246	ARG
3	E	644	LEU
2	F	30	LEU
2	F	84	GLU
2	F	96	ARG
2	F	124	ASN
2	F	246	ARG
2	F	277	ASP
3	G	644	LEU
2	H	30	LEU
2	H	84	GLU
2	H	96	ARG
2	H	124	ASN
2	H	246	ARG
3	I	644	LEU
2	J	30	LEU
2	J	84	GLU
2	J	96	ARG
2	J	124	ASN
2	J	246	ARG
3	K	644	LEU
1	L	252	ASN
1	M	252	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	N	30	LEU
2	N	84	GLU
2	N	96	ARG
2	N	124	ASN
2	N	246	ARG
3	O	644	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	59	GLN
1	A	88	HIS
1	A	252	ASN
1	B	59	GLN
1	B	88	HIS
1	B	252	ASN
1	C	59	GLN
1	C	88	HIS
1	C	252	ASN
1	C	280	ASN
2	D	86	ASN
2	D	117	ASN
2	D	262	GLN
2	F	86	ASN
2	F	117	ASN
2	F	262	GLN
2	H	86	ASN
2	H	117	ASN
2	H	262	GLN
2	J	86	ASN
2	J	117	ASN
2	J	262	GLN
1	L	59	GLN
1	L	88	HIS
1	L	252	ASN
1	L	280	ASN
1	M	59	GLN
1	M	88	HIS
1	M	252	ASN
2	N	86	ASN
2	N	117	ASN
2	N	262	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 20 ligands modelled in this entry, 10 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ATP	B	1377	-	32,33,33	1.72	5 (15%)	48,52,52	1.59	8 (16%)
5	ATP	A	1377	-	32,33,33	1.71	5 (15%)	48,52,52	1.59	8 (16%)
5	ATP	C	1377	-	32,33,33	1.71	5 (15%)	48,52,52	1.59	8 (16%)
4	LAB	C	1376	-	28,29,29	3.82	10 (35%)	29,41,41	2.06	8 (27%)
4	LAB	M	1376	-	28,29,29	3.82	10 (35%)	29,41,41	2.08	8 (27%)
4	LAB	L	1376	-	28,29,29	3.82	10 (35%)	29,41,41	2.07	8 (27%)
5	ATP	L	1377	-	32,33,33	1.72	5 (15%)	48,52,52	1.59	8 (16%)
5	ATP	M	1377	-	32,33,33	1.70	5 (15%)	48,52,52	1.59	8 (16%)
4	LAB	B	1376	-	28,29,29	3.82	10 (35%)	29,41,41	2.07	9 (31%)
4	LAB	A	1376	-	28,29,29	3.81	10 (35%)	29,41,41	2.07	8 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ATP	B	1377	-	-	1/22/38/38	0/3/3/3
5	ATP	A	1377	-	-	1/22/38/38	0/3/3/3
5	ATP	C	1377	-	-	1/22/38/38	0/3/3/3
4	LAB	C	1376	-	-	6/21/49/49	0/2/3/3
4	LAB	M	1376	-	-	6/21/49/49	0/2/3/3
4	LAB	L	1376	-	-	6/21/49/49	0/2/3/3
5	ATP	L	1377	-	-	1/22/38/38	0/3/3/3
5	ATP	M	1377	-	-	1/22/38/38	0/3/3/3
4	LAB	B	1376	-	-	6/21/49/49	0/2/3/3
4	LAB	A	1376	-	-	6/21/49/49	0/2/3/3

All (75) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	M	1376	LAB	C2-C3	11.41	1.54	1.33
4	C	1376	LAB	C2-C3	11.40	1.54	1.33
4	B	1376	LAB	C2-C3	11.38	1.54	1.33
4	L	1376	LAB	C2-C3	11.38	1.54	1.33
4	A	1376	LAB	C2-C3	11.36	1.53	1.33
4	C	1376	LAB	O5-C18	9.21	1.35	1.22
4	B	1376	LAB	O5-C18	9.18	1.35	1.22
4	A	1376	LAB	O5-C18	9.16	1.35	1.22
4	L	1376	LAB	O5-C18	9.14	1.35	1.22
4	M	1376	LAB	O5-C18	9.13	1.35	1.22
4	L	1376	LAB	C16-N1	7.95	1.56	1.46
4	M	1376	LAB	C16-N1	7.94	1.56	1.46
4	C	1376	LAB	C16-N1	7.91	1.56	1.46
4	A	1376	LAB	C16-N1	7.91	1.56	1.46
4	B	1376	LAB	C16-N1	7.90	1.56	1.46
4	B	1376	LAB	C17-S1	-7.15	1.64	1.81
4	C	1376	LAB	C17-S1	-7.12	1.64	1.81
4	M	1376	LAB	C17-S1	-7.09	1.64	1.81
4	A	1376	LAB	C17-S1	-7.09	1.64	1.81
4	L	1376	LAB	C17-S1	-7.07	1.64	1.81
4	B	1376	LAB	C14-C13	-5.10	1.40	1.51
4	A	1376	LAB	C14-C13	-5.08	1.40	1.51
4	L	1376	LAB	C14-C13	-5.06	1.40	1.51
4	C	1376	LAB	C14-C13	-5.04	1.40	1.51
4	M	1376	LAB	C14-C13	-5.01	1.40	1.51
5	C	1377	ATP	C6-N6	4.89	1.46	1.34
5	A	1377	ATP	C6-N6	4.89	1.46	1.34
5	L	1377	ATP	C6-N6	4.88	1.46	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1377	ATP	C6-N6	4.86	1.46	1.34
5	M	1377	ATP	C6-N6	4.83	1.46	1.34
4	A	1376	LAB	C18-S1	-4.23	1.68	1.77
4	B	1376	LAB	C18-S1	-4.20	1.68	1.77
5	B	1377	ATP	C2'-C3'	-4.19	1.42	1.53
4	M	1376	LAB	C18-S1	-4.19	1.69	1.77
5	C	1377	ATP	C2'-C3'	-4.19	1.42	1.53
5	L	1377	ATP	C2'-C3'	-4.19	1.42	1.53
4	L	1376	LAB	C18-S1	-4.19	1.69	1.77
5	A	1377	ATP	C2'-C3'	-4.17	1.42	1.53
4	C	1376	LAB	C18-S1	-4.16	1.69	1.77
5	M	1377	ATP	C2'-C3'	-4.16	1.42	1.53
5	L	1377	ATP	PB-O3A	3.71	1.63	1.59
5	C	1377	ATP	PB-O3A	3.57	1.63	1.59
5	B	1377	ATP	PB-O3A	3.56	1.63	1.59
5	A	1377	ATP	PB-O3A	3.55	1.63	1.59
5	M	1377	ATP	PB-O3A	3.52	1.63	1.59
5	A	1377	ATP	PB-O3B	-2.83	1.56	1.59
5	C	1377	ATP	PB-O3B	-2.80	1.56	1.59
5	B	1377	ATP	PB-O3B	-2.77	1.56	1.59
5	M	1377	ATP	PB-O3B	-2.77	1.56	1.59
5	L	1377	ATP	PB-O3B	-2.75	1.56	1.59
4	M	1376	LAB	C17-C16	2.68	1.59	1.52
4	C	1376	LAB	C17-C16	2.66	1.59	1.52
4	B	1376	LAB	C17-C16	2.66	1.59	1.52
4	A	1376	LAB	C17-C16	2.64	1.59	1.52
4	L	1376	LAB	C17-C16	2.63	1.59	1.52
5	M	1377	ATP	O4'-C4'	-2.12	1.40	1.45
5	B	1377	ATP	O4'-C4'	-2.10	1.40	1.45
5	C	1377	ATP	O4'-C4'	-2.10	1.40	1.45
4	L	1376	LAB	C12-C11	-2.10	1.47	1.52
5	L	1377	ATP	O4'-C4'	-2.10	1.40	1.45
4	C	1376	LAB	C12-C11	-2.09	1.47	1.52
4	B	1376	LAB	C12-C11	-2.08	1.47	1.52
4	A	1376	LAB	C12-C13	-2.08	1.47	1.52
5	A	1377	ATP	O4'-C4'	-2.08	1.40	1.45
4	M	1376	LAB	C12-C11	-2.07	1.47	1.52
4	L	1376	LAB	C7-C6	2.06	1.40	1.31
4	A	1376	LAB	C12-C11	-2.06	1.47	1.52
4	A	1376	LAB	C7-C6	2.06	1.40	1.31
4	L	1376	LAB	C12-C13	-2.05	1.47	1.52
4	B	1376	LAB	C7-C6	2.05	1.40	1.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1376	LAB	C12-C13	-2.04	1.47	1.52
4	B	1376	LAB	C12-C13	-2.04	1.47	1.52
4	M	1376	LAB	C7-C6	2.04	1.40	1.31
4	C	1376	LAB	C7-C6	2.04	1.40	1.31
4	M	1376	LAB	C12-C13	-2.04	1.47	1.52

All (81) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	1376	LAB	C17-S1-C18	6.68	95.91	92.04
4	A	1376	LAB	C17-S1-C18	6.61	95.87	92.04
4	B	1376	LAB	C17-S1-C18	6.59	95.86	92.04
4	L	1376	LAB	C17-S1-C18	6.58	95.85	92.04
4	C	1376	LAB	C17-S1-C18	6.55	95.83	92.04
4	M	1376	LAB	C19-C3-C2	-4.17	110.59	122.90
4	C	1376	LAB	C19-C3-C2	-4.17	110.59	122.90
4	L	1376	LAB	C19-C3-C2	-4.16	110.63	122.90
4	A	1376	LAB	C19-C3-C2	-4.15	110.65	122.90
4	B	1376	LAB	C19-C3-C2	-4.15	110.65	122.90
5	B	1377	ATP	N3-C2-N1	-4.15	122.31	128.58
5	M	1377	ATP	N3-C2-N1	-4.12	122.35	128.58
5	C	1377	ATP	N3-C2-N1	-4.11	122.36	128.58
5	A	1377	ATP	N3-C2-N1	-4.10	122.37	128.58
5	L	1377	ATP	N3-C2-N1	-4.10	122.37	128.58
5	C	1377	ATP	C5-C4-N3	-4.04	121.15	126.72
5	M	1377	ATP	C5-C4-N3	-4.04	121.15	126.72
5	B	1377	ATP	C5-C4-N3	-4.01	121.19	126.72
5	A	1377	ATP	C5-C4-N3	-4.00	121.21	126.72
5	L	1377	ATP	C5-C4-N3	-3.99	121.23	126.72
5	A	1377	ATP	N9-C8-N7	-3.58	108.85	113.94
5	L	1377	ATP	N9-C8-N7	-3.55	108.91	113.94
5	M	1377	ATP	N9-C8-N7	-3.55	108.91	113.94
5	C	1377	ATP	N9-C8-N7	-3.53	108.92	113.94
5	B	1377	ATP	N9-C8-N7	-3.53	108.93	113.94
4	M	1376	LAB	O2-C1-C2	3.49	119.28	111.20
4	L	1376	LAB	O2-C1-C2	3.47	119.25	111.20
4	B	1376	LAB	O2-C1-C2	3.47	119.24	111.20
4	C	1376	LAB	O2-C1-C2	3.46	119.22	111.20
4	A	1376	LAB	O2-C1-C2	3.45	119.21	111.20
5	A	1377	ATP	C4-N9-C8	3.05	108.94	105.74
5	C	1377	ATP	C4-N9-C8	3.00	108.88	105.74
5	M	1377	ATP	C4-N9-C8	2.97	108.85	105.74

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	1377	ATP	C4-N9-C8	2.96	108.85	105.74
5	C	1377	ATP	N3-C4-N9	2.94	132.17	127.17
5	L	1377	ATP	C5-N7-C8	2.93	108.06	103.45
5	A	1377	ATP	C5-N7-C8	2.93	108.06	103.45
5	A	1377	ATP	N3-C4-N9	2.93	132.15	127.17
5	M	1377	ATP	C5-N7-C8	2.92	108.05	103.45
5	C	1377	ATP	C5-N7-C8	2.92	108.05	103.45
5	B	1377	ATP	C5-N7-C8	2.92	108.04	103.45
5	B	1377	ATP	C4-N9-C8	2.92	108.80	105.74
5	M	1377	ATP	N3-C4-N9	2.90	132.10	127.17
5	L	1377	ATP	N3-C4-N9	2.90	132.09	127.17
5	B	1377	ATP	N3-C4-N9	2.87	132.05	127.17
4	A	1376	LAB	C10-C9-C8	2.83	118.87	114.11
4	L	1376	LAB	C10-C9-C8	2.82	118.85	114.11
4	B	1376	LAB	C10-C9-C8	2.82	118.85	114.11
4	M	1376	LAB	C10-C9-C8	2.81	118.84	114.11
4	C	1376	LAB	C10-C9-C8	2.79	118.80	114.11
5	M	1377	ATP	C4-C5-N7	-2.75	107.44	110.58
5	B	1377	ATP	C4-C5-N7	-2.74	107.45	110.58
5	C	1377	ATP	C4-C5-N7	-2.73	107.46	110.58
5	B	1377	ATP	C2-N3-C4	2.73	118.50	111.83
5	C	1377	ATP	C2-N3-C4	2.72	118.47	111.83
5	M	1377	ATP	C2-N3-C4	2.72	118.47	111.83
5	A	1377	ATP	C2-N3-C4	2.71	118.45	111.83
5	L	1377	ATP	C2-N3-C4	2.71	118.44	111.83
5	A	1377	ATP	C4-C5-N7	-2.70	107.50	110.58
5	L	1377	ATP	C4-C5-N7	-2.70	107.50	110.58
4	C	1376	LAB	C5-C4-C3	2.60	121.79	113.19
4	M	1376	LAB	C5-C4-C3	2.59	121.77	113.19
4	A	1376	LAB	C5-C4-C3	2.58	121.74	113.19
4	B	1376	LAB	C5-C4-C3	2.58	121.73	113.19
4	L	1376	LAB	C5-C4-C3	2.58	121.73	113.19
4	L	1376	LAB	O1-C1-C2	-2.37	120.32	126.23
4	M	1376	LAB	O1-C1-C2	-2.36	120.34	126.23
4	C	1376	LAB	O1-C1-C2	-2.35	120.37	126.23
4	A	1376	LAB	O1-C1-C2	-2.35	120.37	126.23
4	B	1376	LAB	O1-C1-C2	-2.35	120.37	126.23
4	M	1376	LAB	C13-O2-C1	2.15	122.81	117.35
4	L	1376	LAB	C13-O2-C1	2.15	122.81	117.35
4	B	1376	LAB	C13-O2-C1	2.13	122.78	117.35
4	A	1376	LAB	C13-O2-C1	2.13	122.77	117.35
4	C	1376	LAB	C13-O2-C1	2.12	122.75	117.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1376	LAB	C19-C3-C4	-2.10	111.58	115.23
4	C	1376	LAB	C19-C3-C4	-2.10	111.59	115.23
4	L	1376	LAB	C19-C3-C4	-2.09	111.60	115.23
4	A	1376	LAB	C19-C3-C4	-2.08	111.61	115.23
4	M	1376	LAB	C19-C3-C4	-2.08	111.62	115.23
4	B	1376	LAB	O5-C18-S1	-2.00	119.50	123.06

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1376	LAB	O3-C15-C16-C17
4	A	1376	LAB	C5-C6-C7-C8
4	A	1376	LAB	C1-C2-C3-C4
4	B	1376	LAB	O3-C15-C16-C17
4	B	1376	LAB	C5-C6-C7-C8
4	B	1376	LAB	C1-C2-C3-C4
4	C	1376	LAB	O3-C15-C16-C17
4	C	1376	LAB	C5-C6-C7-C8
4	C	1376	LAB	C1-C2-C3-C4
4	L	1376	LAB	O3-C15-C16-C17
4	L	1376	LAB	C5-C6-C7-C8
4	L	1376	LAB	C1-C2-C3-C4
4	M	1376	LAB	O3-C15-C16-C17
4	M	1376	LAB	C5-C6-C7-C8
4	M	1376	LAB	C1-C2-C3-C4
4	A	1376	LAB	C1-C2-C3-C19
4	B	1376	LAB	C1-C2-C3-C19
4	C	1376	LAB	C1-C2-C3-C19
4	L	1376	LAB	C1-C2-C3-C19
4	M	1376	LAB	C1-C2-C3-C19
4	A	1376	LAB	O2-C1-C2-C3
4	B	1376	LAB	O2-C1-C2-C3
4	C	1376	LAB	O2-C1-C2-C3
4	L	1376	LAB	O2-C1-C2-C3
4	M	1376	LAB	O2-C1-C2-C3
4	A	1376	LAB	O1-C1-C2-C3
4	B	1376	LAB	O1-C1-C2-C3
4	C	1376	LAB	O1-C1-C2-C3
4	L	1376	LAB	O1-C1-C2-C3
4	M	1376	LAB	O1-C1-C2-C3
5	A	1377	ATP	PG-O3B-PB-O1B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
5	B	1377	ATP	PG-O3B-PB-O1B
5	C	1377	ATP	PG-O3B-PB-O1B
5	L	1377	ATP	PG-O3B-PB-O1B
5	M	1377	ATP	PG-O3B-PB-O1B


There are no ring outliers.


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1376	LAB	1	0
4	M	1376	LAB	1	0
4	L	1376	LAB	1	0
4	B	1376	LAB	1	0
4	A	1376	LAB	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.












Ligand LAB M 1376




Bond lengths




Bond angles





Torsions





Rings











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2	OWAB(Å ²)	Q < 0.9
1	A	364/375 (97%)	-0.01	7 (1%) 66 56	237, 303, 352, 385	0
1	B	364/375 (97%)	-0.13	2 (0%) 87 78	252, 327, 380, 404	0
1	C	364/375 (97%)	-0.29	4 (1%) 78 67	356, 410, 453, 502	0
1	L	364/375 (97%)	-0.24	3 (0%) 82 72	403, 490, 565, 619	0
1	M	364/375 (97%)	-0.20	3 (0%) 82 72	454, 521, 589, 621	0
2	D	294/323 (91%)	-0.19	11 (3%) 45 43	232, 291, 334, 368	0
2	F	294/323 (91%)	-0.19	6 (2%) 65 56	303, 364, 419, 450	0
2	H	294/323 (91%)	-0.29	4 (1%) 73 62	311, 382, 436, 457	0
2	J	294/323 (91%)	-0.24	3 (1%) 79 68	303, 367, 432, 478	0
2	N	294/323 (91%)	-0.29	1 (0%) 90 82	285, 372, 419, 450	0
3	E	20/84 (23%)	0.03	2 (10%) 12 20	446, 573, 869, 969	0
3	G	20/84 (23%)	-0.17	0 100 100	497, 563, 717, 732	0
3	I	20/84 (23%)	-0.08	0 100 100	583, 761, 1000, 1000	0
3	K	20/84 (23%)	-0.08	0 100 100	471, 544, 652, 721	0
3	O	20/84 (23%)	0.05	0 100 100	644, 682, 763, 789	0
All	All	3390/3910 (86%)	-0.20	46 (1%) 73 62	232, 377, 559, 1000	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	H	104	ILE	5.9
2	D	172	CYS	4.6
1	A	346	LEU	4.5
1	C	10	CYS	3.9
2	D	186	ILE	3.8
1	M	337	TYR	3.8
1	A	143	TYR	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	146	GLY	3.7
2	F	171	CYS	3.5
2	F	105	CYS	3.4
2	D	170	PHE	3.2
2	N	220	ASP	3.0
2	H	93	TYR	2.8
1	B	346	LEU	2.7
1	B	317	ILE	2.6
1	L	303	THR	2.6
2	D	110	TYR	2.6
1	M	299	MET	2.5
2	H	220	ASP	2.5
1	L	108	ALA	2.5
2	F	162	ALA	2.4
1	C	64	ILE	2.4
1	A	343	GLY	2.4
2	F	104	ILE	2.4
1	C	261	LEU	2.4
2	D	108	LEU	2.4
2	J	35	ILE	2.4
2	D	183	MET	2.3
2	F	172	CYS	2.3
3	E	646	GLU	2.2
1	C	274	ILE	2.2
2	D	240	ASP	2.2
1	A	293	LEU	2.2
1	M	346	LEU	2.2
2	D	104	ILE	2.1
2	D	107	LEU	2.1
2	D	171	CYS	2.1
1	A	292	ASP	2.1
3	E	640	LYS	2.1
1	L	304	THR	2.1
2	F	186	ILE	2.1
2	J	98	LYS	2.1
2	J	193	THR	2.1
1	A	345	ILE	2.1
2	D	245	CYS	2.0
2	H	155	CYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	LAB	B	1376	27/27	0.74	0.12	165,173,181,186	0
4	LAB	C	1376	27/27	0.74	0.13	253,258,268,271	0
6	MN	J	1301	1/1	0.80	0.18	200,200,200,200	0
6	MN	N	1301	1/1	0.83	0.14	213,213,213,213	0
5	ATP	M	1377	31/31	0.84	0.08	334,341,360,361	0
4	LAB	L	1376	27/27	0.84	0.10	303,322,330,334	0
5	ATP	L	1377	31/31	0.84	0.08	290,306,327,332	0
6	MN	D	1301	1/1	0.85	0.12	166,166,166,166	0
4	LAB	M	1376	27/27	0.87	0.08	321,332,340,340	0
6	MN	F	1301	1/1	0.88	0.19	207,207,207,207	0
5	ATP	C	1377	31/31	0.90	0.07	242,246,249,250	0
5	ATP	B	1377	31/31	0.91	0.09	155,160,163,164	0
5	ATP	A	1377	31/31	0.91	0.07	135,137,142,143	0
4	LAB	A	1376	27/27	0.93	0.08	139,142,147,149	0
6	MN	H	1301	1/1	0.94	0.10	234,234,234,234	0
6	MN	N	1302	1/1	0.95	0.07	213,213,213,213	0
6	MN	D	1302	1/1	0.96	0.12	165,165,165,165	0
6	MN	J	1302	1/1	0.96	0.11	197,197,197,197	0
6	MN	F	1302	1/1	0.97	0.14	203,203,203,203	0
6	MN	H	1302	1/1	0.97	0.11	230,230,230,230	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around LAB B 1376:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around LAB C 1376:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP M 1377:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LAB L 1376:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP L 1377:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around LAB M 1376:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP C 1377:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP B 1377:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP A 1377:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around LAB A 1376:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.