



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 5, 2026 – 08:58 PM UTC

PDB ID : 5V0T / pdb_00005v0t
Title : Crystal structure of an alpha,alpha-trehalose-phosphate synthase (UDP-forming) from Burkholderia xenovorans in complex with glucose-6-phosphate
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2017-02-28
Resolution : 1.95 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3494 (1.96-1.96)
Clashscore	190562	3612 (1.96-1.96)
Ramachandran outliers	187476	3587 (1.96-1.96)
Sidechain outliers	187428	3587 (1.96-1.96)
RSRZ outliers	180081	3495 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	494	 87% 5% 8%
1	B	494	 85% 6% 8%
1	C	494	 87% . 9%
1	D	494	 87% 5% 9%
1	E	494	 86% 6% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	494	 87% 5% 8%
1	G	494	 85% 5% 8%
1	H	494	 87% 5% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	D	506	-	-	X	-
6	OXD	A	507	-	X	-	-
6	OXD	B	510	-	X	-	-
6	OXD	C	506	-	X	-	-
6	OXD	E	506[A]	-	X	-	-
6	OXD	E	506[B]	-	X	-	-
6	OXD	F	506	-	X	-	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 32349 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha,alpha-trehalose-phosphate synthase (UDP-forming).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	454	Total	C	N	O	S	0	9	0
			3619	2309	651	646	13			
1	B	453	Total	C	N	O	S	0	17	0
			3669	2341	659	656	13			
1	C	452	Total	C	N	O	S	0	3	0
			3588	2292	645	638	13			
1	D	452	Total	C	N	O	S	0	8	0
			3626	2317	657	639	13			
1	E	457	Total	C	N	O	S	0	12	0
			3664	2338	658	655	13			
1	F	455	Total	C	N	O	S	0	9	0
			3637	2321	658	645	13			
1	G	454	Total	C	N	O	S	0	12	0
			3567	2281	638	635	13			
1	H	451	Total	C	N	O	S	0	10	0
			3538	2261	632	632	13			

There are 64 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP Q13W28
A	2	ALA	-	expression tag	UNP Q13W28
A	3	HIS	-	expression tag	UNP Q13W28
A	4	HIS	-	expression tag	UNP Q13W28
A	5	HIS	-	expression tag	UNP Q13W28
A	6	HIS	-	expression tag	UNP Q13W28
A	7	HIS	-	expression tag	UNP Q13W28
A	8	HIS	-	expression tag	UNP Q13W28
B	1	MET	-	initiating methionine	UNP Q13W28
B	2	ALA	-	expression tag	UNP Q13W28
B	3	HIS	-	expression tag	UNP Q13W28
B	4	HIS	-	expression tag	UNP Q13W28
B	5	HIS	-	expression tag	UNP Q13W28

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	6	HIS	-	expression tag	UNP Q13W28
B	7	HIS	-	expression tag	UNP Q13W28
B	8	HIS	-	expression tag	UNP Q13W28
C	1	MET	-	initiating methionine	UNP Q13W28
C	2	ALA	-	expression tag	UNP Q13W28
C	3	HIS	-	expression tag	UNP Q13W28
C	4	HIS	-	expression tag	UNP Q13W28
C	5	HIS	-	expression tag	UNP Q13W28
C	6	HIS	-	expression tag	UNP Q13W28
C	7	HIS	-	expression tag	UNP Q13W28
C	8	HIS	-	expression tag	UNP Q13W28
D	1	MET	-	initiating methionine	UNP Q13W28
D	2	ALA	-	expression tag	UNP Q13W28
D	3	HIS	-	expression tag	UNP Q13W28
D	4	HIS	-	expression tag	UNP Q13W28
D	5	HIS	-	expression tag	UNP Q13W28
D	6	HIS	-	expression tag	UNP Q13W28
D	7	HIS	-	expression tag	UNP Q13W28
D	8	HIS	-	expression tag	UNP Q13W28
E	1	MET	-	initiating methionine	UNP Q13W28
E	2	ALA	-	expression tag	UNP Q13W28
E	3	HIS	-	expression tag	UNP Q13W28
E	4	HIS	-	expression tag	UNP Q13W28
E	5	HIS	-	expression tag	UNP Q13W28
E	6	HIS	-	expression tag	UNP Q13W28
E	7	HIS	-	expression tag	UNP Q13W28
E	8	HIS	-	expression tag	UNP Q13W28
F	1	MET	-	initiating methionine	UNP Q13W28
F	2	ALA	-	expression tag	UNP Q13W28
F	3	HIS	-	expression tag	UNP Q13W28
F	4	HIS	-	expression tag	UNP Q13W28
F	5	HIS	-	expression tag	UNP Q13W28
F	6	HIS	-	expression tag	UNP Q13W28
F	7	HIS	-	expression tag	UNP Q13W28
F	8	HIS	-	expression tag	UNP Q13W28
G	1	MET	-	initiating methionine	UNP Q13W28
G	2	ALA	-	expression tag	UNP Q13W28
G	3	HIS	-	expression tag	UNP Q13W28
G	4	HIS	-	expression tag	UNP Q13W28
G	5	HIS	-	expression tag	UNP Q13W28
G	6	HIS	-	expression tag	UNP Q13W28
G	7	HIS	-	expression tag	UNP Q13W28

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	8	HIS	-	expression tag	UNP Q13W28
H	1	MET	-	initiating methionine	UNP Q13W28
H	2	ALA	-	expression tag	UNP Q13W28
H	3	HIS	-	expression tag	UNP Q13W28
H	4	HIS	-	expression tag	UNP Q13W28
H	5	HIS	-	expression tag	UNP Q13W28
H	6	HIS	-	expression tag	UNP Q13W28
H	7	HIS	-	expression tag	UNP Q13W28
H	8	HIS	-	expression tag	UNP Q13W28

- Molecule 2 is URIDINE-5'-DIPHOSPHATE (CCD ID: UDP) (formula: $C_9H_{14}N_2O_{12}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	D	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	E	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	F	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	G	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is 6-O-phosphono-alpha-D-glucopyranose (CCD ID: G6P) (formula: $C_6H_{13}O_9P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	O	P		0	0
			16	6	9	1			
3	B	1	Total	C	O	P		0	0
			16	6	9	1			
3	C	1	Total	C	O	P		0	0
			16	6	9	1			
3	D	1	Total	C	O	P		0	0
			16	6	9	1			
3	E	1	Total	C	O	P		0	0
			16	6	9	1			
3	F	1	Total	C	O	P		0	0
			16	6	9	1			
3	G	1	Total	C	O	P		0	0
			16	6	9	1			
3	H	1	Total	C	O	P		0	0
			16	6	9	1			

- Molecule 4 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	E	1	Total	C	O	0	0
			4	2	2		
4	F	1	Total	C	O	0	0
			4	2	2		
4	G	1	Total	C	O	0	0
			4	2	2		
4	H	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is ACETATE ION (CCD ID: ACT) (formula: $C_2H_3O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is OXALIC ACID (CCD ID: OXD) (formula: $C_2H_2O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	2	4		
6	B	1	Total	C	O	0	0
			6	2	4		
6	C	1	Total	C	O	0	0
			6	2	4		
6	E	1	Total	C	O	0	1
			12	4	8		
6	F	1	Total	C	O	0	0
			6	2	4		

- Molecule 7 is FORMIC ACID (CCD ID: FMT) (formula: CH_2O_2).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	A	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	B	1	Total	C	O	0	0
			3	1	2		
7	C	1	Total	C	O	0	0
			3	1	2		
7	C	1	Total	C	O	0	0
			3	1	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	D	1	Total	C	O	0	0
			3	1	2		
7	D	1	Total	C	O	0	0
			3	1	2		
7	D	1	Total	C	O	0	0
			3	1	2		
7	D	1	Total	C	O	0	0
			3	1	2		
7	E	1	Total	C	O	0	0
			3	1	2		
7	E	1	Total	C	O	0	0
			3	1	2		
7	E	1	Total	C	O	0	0
			3	1	2		
7	E	1	Total	C	O	0	0
			3	1	2		
7	F	1	Total	C	O	0	0
			3	1	2		
7	F	1	Total	C	O	0	0
			3	1	2		
7	F	1	Total	C	O	0	0
			3	1	2		
7	H	1	Total	C	O	0	0
			3	1	2		
7	H	1	Total	C	O	0	0
			3	1	2		

- Molecule 8 is D(-)-TARTARIC ACID (CCD ID: TAR) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	E	1	Total	C	O	0	0
			10	4	6		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	423	Total	O	0	2
			425	425		
9	B	401	Total	O	0	4
			404	404		
9	C	413	Total	O	0	2
			415	415		
9	D	395	Total	O	0	2
			397	397		
9	E	383	Total	O	0	2
			385	385		
9	F	368	Total	O	0	2
			370	370		
9	G	253	Total	O	0	2
			255	255		
9	H	214	Total	O	0	1
			215	215		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)






- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)

Chain E: 86% 6% 7%




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)

Chain F: 87% 5% 8%




- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)

Chain G: 85% 5% 8%



- Molecule 1: Alpha,alpha-trehalose-phosphate synthase (UDP-forming)

Chain H: 87% 5% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	84.92Å 105.95Å 135.71Å 91.36° 90.37° 89.97°	Depositor
Resolution (Å)	50.00 – 1.95 50.00 – 1.95	Depositor EDS
% Data completeness (in resolution range)	95.7 (50.00-1.95) 94.0 (50.00-1.95)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.98 (at 1.95Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.155 , 0.178 0.156 , 0.178	Depositor DCC
R_{free} test set	1982 reflections (0.57%)	wwPDB-VP
Wilson B-factor (Å ²)	24.7	Xtriage
Anisotropy	0.293	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 37.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.408 for h,-k,-l 0.016 for -h,k,-l 0.016 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	32349	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OXD, FMT, EDO, TAR, UDP, ACT, G6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.32	0/3735	0.51	0/5076
1	B	0.31	0/3797	0.52	0/5156
1	C	0.31	0/3685	0.51	0/5005
1	D	0.30	0/3739	0.50	0/5075
1	E	0.31	0/3790	0.52	0/5149
1	F	0.30	0/3751	0.49	0/5094
1	G	0.26	0/3690	0.48	0/5022
1	H	0.25	0/3655	0.46	0/4977
All	All	0.29	0/29842	0.50	0/40554

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	409	LEU	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3619	0	3568	15	0
1	B	3669	0	3627	20	0
1	C	3588	0	3542	10	0
1	D	3626	0	3598	14	0
1	E	3664	0	3629	18	0
1	F	3637	0	3593	17	0
1	G	3567	0	3482	22	0
1	H	3538	0	3422	14	0
2	A	25	0	11	0	0
2	B	25	0	11	0	0
2	C	25	0	11	0	0
2	D	25	0	11	0	0
2	E	25	0	11	0	0
2	F	25	0	11	0	0
2	G	25	0	11	0	0
2	H	25	0	11	0	0
3	A	16	0	11	0	0
3	B	16	0	11	0	0
3	C	16	0	11	0	0
3	D	16	0	11	0	0
3	E	16	0	11	0	0
3	F	16	0	11	0	0
3	G	16	0	11	0	0
3	H	16	0	11	0	0
4	A	8	0	12	0	0
4	B	12	0	18	0	0
4	C	8	0	12	0	0
4	D	8	0	12	1	0
4	E	8	0	12	0	0
4	F	4	0	6	0	0
4	G	4	0	6	0	0
4	H	8	0	12	0	0
5	A	8	0	6	0	0
5	B	20	0	15	0	0
5	C	4	0	3	0	0
5	D	8	0	6	2	0
5	E	4	0	3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	8	0	6	0	0
5	G	4	0	3	0	0
5	H	4	0	3	0	0
6	A	6	0	0	0	0
6	B	6	0	0	0	0
6	C	6	0	0	0	0
6	E	12	0	0	0	0
6	F	6	0	0	1	0
7	A	18	0	6	1	0
7	B	18	0	6	2	0
7	C	6	0	2	0	0
7	D	12	0	4	0	0
7	E	12	0	4	1	0
7	F	9	0	3	0	0
7	H	6	0	2	0	0
8	E	10	0	4	1	0
9	A	425	0	0	4	0
9	B	404	0	0	4	0
9	C	415	0	0	1	0
9	D	397	0	0	5	0
9	E	385	0	0	3	0
9	F	370	0	0	4	0
9	G	255	0	0	1	0
9	H	215	0	0	0	0
All	All	32349	0	28803	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

The worst 5 of 125 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:27:PRO:O	1:B:353:GLN:NE2	2.10	0.84
1:B:356:ARG:NH2	9:B:601:HOH:O	2.05	0.82
1:B:230[A]:ARG:NH1	9:B:603:HOH:O	2.18	0.75
1:E:343:ASP:HA	1:H:265[B]:THR:HG21	1.69	0.74
1:A:356:ARG:NH2	9:A:601:HOH:O	2.15	0.71

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	460/494 (93%)	443 (96%)	14 (3%)	3 (1%)	18	10
1	B	466/494 (94%)	450 (97%)	13 (3%)	3 (1%)	21	12
1	C	449/494 (91%)	434 (97%)	12 (3%)	3 (1%)	18	10
1	D	454/494 (92%)	438 (96%)	14 (3%)	2 (0%)	30	21
1	E	467/494 (94%)	447 (96%)	17 (4%)	3 (1%)	21	12
1	F	460/494 (93%)	444 (96%)	12 (3%)	4 (1%)	14	6
1	G	462/494 (94%)	447 (97%)	13 (3%)	2 (0%)	30	21
1	H	457/494 (92%)	445 (97%)	10 (2%)	2 (0%)	30	21
All	All	3675/3952 (93%)	3548 (96%)	105 (3%)	22 (1%)	21	12

5 of 22 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	21	PRO
1	A	379	ASN
1	B	267	HIS
1	B	379	ASN
1	C	267	HIS

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/393 (94%)	369 (100%)	1 (0%)	86	87

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	377/393 (96%)	376 (100%)	1 (0%)	86	87
1	C	366/393 (93%)	363 (99%)	3 (1%)	73	74
1	D	371/393 (94%)	368 (99%)	3 (1%)	73	74
1	E	377/393 (96%)	377 (100%)	0	100	100
1	F	371/393 (94%)	371 (100%)	0	100	100
1	G	356/393 (91%)	350 (98%)	6 (2%)	53	49
1	H	350/393 (89%)	348 (99%)	2 (1%)	78	79
All	All	2938/3144 (93%)	2922 (100%)	16 (0%)	78	82

5 of 16 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	216	ASP
1	G	230	ARG
1	G	40	LEU
1	G	212	ASN
1	D	455	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 28 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	125	GLN
1	H	448	GLN
1	F	297	HIS
1	H	91	ASN
1	F	124	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

80 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	OXD	E	506[B]	-	5,5,5	2.57	1 (20%)	6,6,6	1.84	2 (33%)
5	ACT	H	505	-	3,3,3	1.42	1 (33%)	3,3,3	1.56	0
7	FMT	E	507	-	2,2,2	0.72	0	1,1,1	0.20	0
4	EDO	F	503	-	3,3,3	0.43	0	2,2,2	0.30	0
7	FMT	F	508	-	2,2,2	0.72	0	1,1,1	0.28	0
7	FMT	D	507	-	2,2,2	0.71	0	1,1,1	0.21	0
3	G6P	C	502	-	16,16,16	0.70	0	23,24,24	1.02	1 (4%)
5	ACT	A	506	-	3,3,3	1.42	1 (33%)	3,3,3	1.36	0
7	FMT	B	512	-	2,2,2	0.70	0	1,1,1	0.10	0
4	EDO	D	503	-	3,3,3	0.44	0	2,2,2	0.34	0
8	TAR	E	503	-	9,9,9	1.13	0	12,12,12	1.20	1 (8%)
4	EDO	A	503	-	3,3,3	0.48	0	2,2,2	0.42	0
7	FMT	F	507	-	2,2,2	0.70	0	1,1,1	0.19	0
2	UDP	G	501	-	25,26,26	0.54	0	38,40,40	0.67	1 (2%)
4	EDO	B	517	-	3,3,3	0.48	0	2,2,2	0.28	0
3	G6P	G	502	-	16,16,16	0.61	0	23,24,24	0.84	1 (4%)
7	FMT	E	510	-	2,2,2	0.68	0	1,1,1	0.20	0
5	ACT	A	505	-	3,3,3	1.42	0	3,3,3	1.47	0
4	EDO	B	503	-	3,3,3	0.45	0	2,2,2	0.33	0
7	FMT	D	510	-	2,2,2	0.65	0	1,1,1	0.11	0
7	FMT	B	513	-	2,2,2	0.70	0	1,1,1	0.21	0
7	FMT	H	507	-	2,2,2	0.68	0	1,1,1	0.24	0
4	EDO	E	511	-	3,3,3	0.47	0	2,2,2	0.48	0
6	OXD	E	506[A]	-	5,5,5	2.62	1 (20%)	6,6,6	1.87	2 (33%)
3	G6P	E	502	-	16,16,16	0.62	0	23,24,24	0.73	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	FMT	B	514	-	2,2,2	0.70	0	1,1,1	0.19	0
7	FMT	A	508	-	2,2,2	0.69	0	1,1,1	0.20	0
7	FMT	E	508	-	2,2,2	0.72	0	1,1,1	0.22	0
3	G6P	D	502	-	16,16,16	0.61	0	23,24,24	1.10	2 (8%)
3	G6P	B	502	-	16,16,16	0.59	0	23,24,24	0.64	0
3	G6P	A	502	-	16,16,16	0.59	0	23,24,24	0.84	1 (4%)
2	UDP	H	501	-	25,26,26	0.61	0	38,40,40	0.66	1 (2%)
7	FMT	C	507	-	2,2,2	0.70	0	1,1,1	0.30	0
7	FMT	D	508	-	2,2,2	0.71	0	1,1,1	0.26	0
7	FMT	C	508	-	2,2,2	0.64	0	1,1,1	0.09	0
4	EDO	H	503	-	3,3,3	0.45	0	2,2,2	0.32	0
2	UDP	B	501	-	25,26,26	0.43	0	38,40,40	0.61	1 (2%)
7	FMT	F	509	-	2,2,2	0.69	0	1,1,1	0.25	0
5	ACT	D	506	-	3,3,3	1.24	0	3,3,3	1.41	0
5	ACT	B	507	-	3,3,3	1.49	1 (33%)	3,3,3	1.50	0
5	ACT	G	504	-	3,3,3	1.61	1 (33%)	3,3,3	1.23	0
5	ACT	B	509	-	3,3,3	1.50	1 (33%)	3,3,3	1.32	0
7	FMT	E	509	-	2,2,2	0.69	0	1,1,1	0.19	0
7	FMT	D	509	-	2,2,2	0.66	0	1,1,1	0.14	0
7	FMT	A	512	-	2,2,2	0.66	0	1,1,1	0.23	0
4	EDO	G	503	-	3,3,3	0.46	0	2,2,2	0.30	0
4	EDO	C	504	-	3,3,3	0.52	0	2,2,2	0.27	0
5	ACT	C	505	-	3,3,3	1.47	1 (33%)	3,3,3	1.43	0
2	UDP	D	501	-	25,26,26	0.55	0	38,40,40	0.56	0
7	FMT	B	515	-	2,2,2	0.73	0	1,1,1	0.23	0
4	EDO	B	504	-	3,3,3	0.49	0	2,2,2	0.24	0
7	FMT	B	511	-	2,2,2	0.71	0	1,1,1	0.33	0
7	FMT	A	511	-	2,2,2	0.72	0	1,1,1	0.25	0
3	G6P	H	502	-	16,16,16	0.61	0	23,24,24	0.88	1 (4%)
5	ACT	B	505	-	3,3,3	1.41	1 (33%)	3,3,3	1.56	0
5	ACT	D	505	-	3,3,3	1.33	0	3,3,3	1.44	0
7	FMT	A	513	-	2,2,2	0.65	0	1,1,1	0.14	0
2	UDP	C	501	-	25,26,26	0.53	0	38,40,40	0.66	1 (2%)
6	OXD	A	507	-	5,5,5	2.58	2 (40%)	6,6,6	1.87	2 (33%)
4	EDO	C	503	-	3,3,3	0.46	0	2,2,2	0.33	0
5	ACT	F	504	-	3,3,3	1.57	1 (33%)	3,3,3	1.44	0
4	EDO	D	504	-	3,3,3	0.47	0	2,2,2	0.37	0
5	ACT	B	508	-	3,3,3	1.71	1 (33%)	3,3,3	1.50	0
4	EDO	H	504	-	3,3,3	0.54	0	2,2,2	0.20	0
7	FMT	A	510	-	2,2,2	0.72	0	1,1,1	0.21	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	FMT	B	516	-	2,2,2	0.68	0	1,1,1	0.20	0
3	G6P	F	502	-	16,16,16	0.53	0	23,24,24	0.68	0
2	UDP	E	501	-	25,26,26	0.46	0	38,40,40	0.62	1 (2%)
5	ACT	F	505	-	3,3,3	1.41	1 (33%)	3,3,3	1.40	0
5	ACT	B	506	-	3,3,3	1.56	1 (33%)	3,3,3	1.51	0
2	UDP	A	501	-	25,26,26	0.56	0	38,40,40	0.67	1 (2%)
5	ACT	E	505	-	3,3,3	1.49	1 (33%)	3,3,3	1.39	0
2	UDP	F	501	-	25,26,26	0.53	0	38,40,40	0.48	0
6	OXD	B	510	-	5,5,5	2.56	1 (20%)	6,6,6	1.90	2 (33%)
6	OXD	F	506	-	5,5,5	2.52	1 (20%)	6,6,6	1.92	2 (33%)
7	FMT	H	506	-	2,2,2	0.71	0	1,1,1	0.14	0
4	EDO	E	504	-	3,3,3	0.41	0	2,2,2	0.45	0
7	FMT	A	509	-	2,2,2	0.69	0	1,1,1	0.16	0
6	OXD	C	506	-	5,5,5	2.37	1 (20%)	6,6,6	2.18	2 (33%)
4	EDO	A	504	-	3,3,3	0.55	0	2,2,2	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	OXD	E	506[B]	-	-	4/4/4/4	-
3	G6P	G	502	-	-	2/6/26/26	0/1/1/1
4	EDO	C	503	-	-	0/1/1/1	-
4	EDO	B	503	-	-	0/1/1/1	-
4	EDO	D	504	-	-	1/1/1/1	-
4	EDO	E	511	-	-	1/1/1/1	-
4	EDO	F	503	-	-	0/1/1/1	-
4	EDO	H	504	-	-	1/1/1/1	-
3	G6P	F	502	-	-	2/6/26/26	0/1/1/1
6	OXD	E	506[A]	-	-	4/4/4/4	-
3	G6P	E	502	-	-	1/6/26/26	0/1/1/1
2	UDP	E	501	-	-	3/16/32/32	0/2/2/2
3	G6P	C	502	-	-	0/6/26/26	0/1/1/1
2	UDP	A	501	-	-	3/16/32/32	0/2/2/2
3	G6P	D	502	-	-	0/6/26/26	0/1/1/1
3	G6P	B	502	-	-	0/6/26/26	0/1/1/1
4	EDO	G	503	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	G6P	A	502	-	-	0/6/26/26	0/1/1/1
2	UDP	F	501	-	-	3/16/32/32	0/2/2/2
6	OXD	B	510	-	-	4/4/4/4	-
6	OXD	F	506	-	-	4/4/4/4	-
4	EDO	D	503	-	-	0/1/1/1	-
4	EDO	E	504	-	-	0/1/1/1	-
4	EDO	A	503	-	-	0/1/1/1	-
4	EDO	C	504	-	-	1/1/1/1	-
2	UDP	D	501	-	-	2/16/32/32	0/2/2/2
8	TAR	E	503	-	-	12/12/12/12	-
4	EDO	B	504	-	-	0/1/1/1	-
2	UDP	H	501	-	-	4/16/32/32	0/2/2/2
6	OXD	C	506	-	-	4/4/4/4	-
2	UDP	G	501	-	-	3/16/32/32	0/2/2/2
4	EDO	A	504	-	-	1/1/1/1	-
4	EDO	H	503	-	-	0/1/1/1	-
2	UDP	B	501	-	-	4/16/32/32	0/2/2/2
4	EDO	B	517	-	-	0/1/1/1	-
3	G6P	H	502	-	-	1/6/26/26	0/1/1/1
2	UDP	C	501	-	-	3/16/32/32	0/2/2/2
6	OXD	A	507	-	-	4/4/4/4	-

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	E	506[A]	OXD	C2-C1	-4.92	1.46	1.54
6	E	506[B]	OXD	C2-C1	-4.81	1.46	1.54
6	A	507	OXD	C2-C1	-4.78	1.46	1.54
6	B	510	OXD	C2-C1	-4.76	1.46	1.54
6	F	506	OXD	C2-C1	-4.60	1.46	1.54

The worst 5 of 25 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	C	506	OXD	O5-C1-C2	3.60	119.81	112.83
6	C	506	OXD	O6-C2-C1	3.45	119.52	112.83
6	F	506	OXD	O5-C1-C2	3.28	119.20	112.83
6	A	507	OXD	O6-C2-C1	3.16	118.95	112.83
6	B	510	OXD	O5-C1-C2	3.13	118.91	112.83

There are no chirality outliers.

5 of 72 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	507	OXD	O3-C1-C2-O4
6	A	507	OXD	O3-C1-C2-O6
6	A	507	OXD	O5-C1-C2-O4
6	A	507	OXD	O5-C1-C2-O6
8	E	503	TAR	C1-C2-C3-C4


There are no ring outliers.

8 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	E	503	TAR	1	0
7	B	513	FMT	1	0
7	A	508	FMT	1	0
5	D	506	ACT	2	0
7	E	509	FMT	1	0
4	D	504	EDO	1	0
7	B	516	FMT	1	0
6	F	506	OXD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand G6P C 502




Ligand UDP G 501




Ligand G6P G 502




Ligand G6P E 502




Ligand G6P D 502





Ligand G6P A 502




Ligand UDP H 501







Ligand G6P H 502




Ligand UDP C 501




Ligand G6P F 502



Ligand UDP E 501





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	454/494 (91%)	-1.51	0 100 100	12, 24, 46, 76	9 (1%)
1	B	453/494 (91%)	-1.49	0 100 100	10, 25, 45, 82	17 (3%)
1	C	452/494 (91%)	-1.49	0 100 100	11, 26, 47, 91	3 (0%)
1	D	452/494 (91%)	-1.47	0 100 100	12, 27, 48, 95	8 (1%)
1	E	457/494 (92%)	-1.43	0 100 100	13, 27, 56, 95	12 (2%)
1	F	455/494 (92%)	-1.40	0 100 100	13, 28, 56, 76	9 (1%)
1	G	454/494 (91%)	-1.18	0 100 100	14, 38, 72, 106	12 (2%)
1	H	451/494 (91%)	-1.12	0 100 100	12, 41, 76, 97	10 (2%)
All	All	3628/3952 (91%)	-1.39	0 100 100	10, 28, 61, 106	80 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACT	B	509	4/4	0.96	0.08	66,68,70,70	0
5	ACT	B	508	4/4	0.97	0.07	51,57,61,64	0
5	ACT	E	505	4/4	0.97	0.07	68,68,68,71	0
7	FMT	A	510	3/3	0.97	0.05	63,63,65,67	0
5	ACT	B	506	4/4	0.98	0.06	48,48,58,59	0
5	ACT	B	507	4/4	0.98	0.07	62,71,72,74	0
4	EDO	D	504	4/4	0.98	0.06	51,55,55,59	0
4	EDO	H	504	4/4	0.98	0.09	48,49,50,51	0
5	ACT	D	505	4/4	0.98	0.06	35,40,43,45	0
5	ACT	A	506	4/4	0.98	0.06	57,65,67,69	0
5	ACT	F	504	4/4	0.98	0.07	40,44,50,53	0
5	ACT	F	505	4/4	0.98	0.07	58,59,61,61	0
5	ACT	G	504	4/4	0.98	0.06	36,47,49,49	0
5	ACT	H	505	4/4	0.98	0.06	38,49,51,53	0
6	OXD	E	506[A]	6/6	0.98	0.08	57,57,58,58	6
6	OXD	E	506[B]	6/6	0.98	0.08	56,57,58,59	6
7	FMT	A	509	3/3	0.98	0.05	52,52,54,58	0
5	ACT	B	505	4/4	0.98	0.07	37,45,51,52	0
7	FMT	A	511	3/3	0.98	0.05	73,73,73,75	0
7	FMT	B	515	3/3	0.98	0.06	70,70,70,71	0
7	FMT	E	508	3/3	0.98	0.04	69,69,70,71	0
7	FMT	E	510	3/3	0.98	0.09	64,64,66,68	0
7	FMT	F	507	3/3	0.98	0.06	54,54,58,59	0
7	FMT	H	506	3/3	0.98	0.06	49,49,49,51	0
7	FMT	H	507	3/3	0.98	0.06	66,66,66,68	0
8	TAR	E	503	10/10	0.98	0.05	71,75,81,84	0
4	EDO	B	504	4/4	0.99	0.04	49,50,50,52	0
6	OXD	A	507	6/6	0.99	0.03	63,64,70,74	0
6	OXD	B	510	6/6	0.99	0.04	71,71,74,78	0
6	OXD	C	506	6/6	0.99	0.05	70,75,76,77	0
4	EDO	B	517	4/4	0.99	0.04	40,55,62,63	0
4	EDO	C	503	4/4	0.99	0.03	29,37,38,43	0
6	OXD	F	506	6/6	0.99	0.04	67,68,70,71	0
7	FMT	A	508	3/3	0.99	0.04	45,45,45,46	0
4	EDO	C	504	4/4	0.99	0.06	42,44,45,45	0
4	EDO	D	503	4/4	0.99	0.04	27,30,33,36	0
3	G6P	G	502	16/16	0.99	0.03	28,32,35,36	0
7	FMT	A	512	3/3	0.99	0.05	58,58,65,65	0
7	FMT	A	513	3/3	0.99	0.06	45,45,54,56	0
7	FMT	B	511	3/3	0.99	0.04	40,40,43,43	0
7	FMT	B	512	3/3	0.99	0.13	53,53,57,59	0
7	FMT	B	513	3/3	0.99	0.05	48,48,55,56	0
7	FMT	B	514	3/3	0.99	0.10	64,64,65,69	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	ACT	C	505	4/4	0.99	0.05	35,39,45,45	0
7	FMT	B	516	3/3	0.99	0.04	73,73,73,75	0
7	FMT	C	507	3/3	0.99	0.04	43,43,47,48	0
7	FMT	D	507	3/3	0.99	0.05	61,61,62,64	0
7	FMT	D	508	3/3	0.99	0.04	47,47,49,50	0
7	FMT	D	509	3/3	0.99	0.04	46,46,51,54	0
7	FMT	D	510	3/3	0.99	0.04	55,55,55,60	0
7	FMT	E	507	3/3	0.99	0.05	67,67,68,69	0
4	EDO	E	504	4/4	0.99	0.03	33,34,37,38	0
7	FMT	E	509	3/3	0.99	0.06	63,63,65,67	0
5	ACT	D	506	4/4	0.99	0.04	28,54,60,62	0
4	EDO	E	511	4/4	0.99	0.04	59,59,61,62	0
7	FMT	F	508	3/3	0.99	0.04	47,47,49,52	0
7	FMT	F	509	3/3	0.99	0.06	79,79,79,81	0
4	EDO	G	503	4/4	0.99	0.03	34,37,47,51	0
4	EDO	A	504	4/4	0.99	0.04	48,49,50,51	0
5	ACT	A	505	4/4	0.99	0.07	39,51,53,53	0
2	UDP	F	501	25/25	1.00	0.02	16,21,23,24	0
2	UDP	G	501	25/25	1.00	0.02	22,27,32,34	0
2	UDP	H	501	25/25	1.00	0.02	23,29,33,37	0
3	G6P	A	502	16/16	1.00	0.01	13,18,19,21	0
3	G6P	B	502	16/16	1.00	0.01	13,19,21,23	0
7	FMT	C	508	3/3	1.00	0.04	38,38,44,47	0
4	EDO	F	503	4/4	1.00	0.04	36,38,41,41	0
3	G6P	C	502	16/16	1.00	0.01	15,19,21,21	0
4	EDO	H	503	4/4	1.00	0.03	34,42,49,51	0
3	G6P	D	502	16/16	1.00	0.01	14,19,22,25	0
3	G6P	E	502	16/16	1.00	0.02	19,23,25,26	0
3	G6P	F	502	16/16	1.00	0.02	19,24,30,30	0
2	UDP	A	501	25/25	1.00	0.01	14,18,23,23	0
3	G6P	H	502	16/16	1.00	0.02	31,34,41,43	0
4	EDO	A	503	4/4	1.00	0.03	30,35,38,38	0
2	UDP	B	501	25/25	1.00	0.01	15,18,22,25	0
4	EDO	B	503	4/4	1.00	0.03	27,32,35,41	0
2	UDP	C	501	25/25	1.00	0.02	14,18,21,21	0
2	UDP	D	501	25/25	1.00	0.01	15,18,21,22	0
2	UDP	E	501	25/25	1.00	0.02	15,19,21,23	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around G6P G 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP F 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP G 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP H 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P A 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around G6P C 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P D 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around G6P E 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P F 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around UDP A 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around G6P H 502:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP B 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around UDP C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around UDP D 501:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.