



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 04:50 AM UTC

PDB ID : 4V1T / pdb_00004v1t
Title : Heterocyclase in complex with substrate and Cofactor
Authors : Koehnke, J.; Naismith, J.H.
Deposited on : 2014-10-02
Resolution : 2.14 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.14 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	3689 (2.16-2.12)
Clashscore	190562	3812 (2.16-2.12)
Ramachandran outliers	187476	3773 (2.16-2.12)
Sidechain outliers	187428	3772 (2.16-2.12)
RSRZ outliers	180081	3691 (2.16-2.12)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	775	6% 86% 10% .
1	B	775	7% 82% 14% ..
2	C	64	3% 22% 77% .
2	D	64	8% 19% 78% .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 12653 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called LYND.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	748	Total	C	N	O	S	0	0	0
			5880	3743	1017	1104	16			
1	B	753	Total	C	N	O	S	0	0	0
			5914	3765	1020	1113	16			


- Molecule 2 is a protein called PATE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	15	Total	C	N	O	0	0	0
			109	66	17	26			
2	D	14	Total	C	N	O	0	0	0
			105	64	16	25			

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		
3	B	1	Total	Zn	0	0
			1	1		

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 27	C 10	N 5	O 10	P 2	0	0
4	B	1	Total 27	C 10	N 5	O 10	P 2	0	0

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	3	Total Mg 3 3	0	0
5	B	3	Total Mg 3 3	0	0

- Molecule 6 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	P	0	0
			5	4	1		
6	B	1	Total	O	P	0	0
			5	4	1		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	322	Total	O	0	0
			322	322		
7	B	245	Total	O	0	0
			245	245		
7	C	4	Total	O	0	0
			4	4		
7	D	2	Total	O	0	0
			2	2		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: LYND




• Molecule 1: LYND



● Molecule 2: PATE



● Molecule 2: PATE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.76Å 116.15Å 183.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.35 – 2.14 47.35 – 2.14	Depositor EDS
% Data completeness (in resolution range)	98.5 (47.35-2.14) 98.5 (47.35-2.14)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 2.14Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.198 , 0.244 0.202 , 0.248	Depositor DCC
R_{free} test set	4791 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	37.6	Xtriage
Anisotropy	0.220	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 50.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12653	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.45% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PO4, ADP, ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/6021	0.75	12/8213 (0.1%)
1	B	0.51	0/6059	0.73	5/8271 (0.1%)
2	C	0.51	0/108	0.57	0/144
2	D	0.68	0/104	0.69	0/139
All	All	0.51	0/12292	0.74	17/16767 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	1
All	All	0	5

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	645	GLY	N-CA-C	8.23	123.31	112.77
1	A	19	GLU	CA-C-N	-7.72	110.94	118.97
1	A	19	GLU	C-N-CA	-7.72	110.94	118.97
1	B	19	GLU	CA-C-N	-7.57	110.38	119.84
1	B	19	GLU	C-N-CA	-7.57	110.38	119.84
1	B	243	PRO	CA-N-CD	-6.82	102.45	112.00
1	A	386	GLY	N-CA-C	6.06	119.53	112.50
1	B	242	LEU	N-CA-C	5.84	119.89	107.91
1	A	475	THR	N-CA-C	-5.78	106.86	114.31
1	A	277	ALA	CA-C-N	-5.56	114.03	119.76

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	ALA	C-N-CA	-5.56	114.03	119.76
1	A	377	ASN	CA-C-N	-5.51	114.33	120.45
1	A	377	ASN	C-N-CA	-5.51	114.33	120.45
1	A	55	ILE	CB-CA-C	5.43	120.20	111.29
1	B	243	PRO	N-CA-C	5.32	123.43	112.47
1	A	401	THR	N-CA-C	-5.19	103.68	110.53
1	A	387	HIS	N-CA-C	5.05	117.47	109.24

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	18	ILE	Peptide
1	A	385	ALA	Peptide
1	A	386	GLY	Peptide
1	A	390	GLY	Peptide
1	B	18	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5880	0	5834	75	0
1	B	5914	0	5870	115	0
2	C	109	0	105	1	0
2	D	105	0	102	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	27	0	12	0	0
4	B	27	0	12	0	0
5	A	3	0	0	0	0
5	B	3	0	0	0	0
6	A	5	0	0	0	0
6	B	5	0	0	0	0
7	A	322	0	0	15	0
7	B	245	0	0	9	0
7	C	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	D	2	0	0	0	0
All	All	12653	0	11935	184	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (184) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:THR:OG1	1:A:387:HIS:HB2	1.25	1.28
1:A:367:THR:OG1	1:A:387:HIS:CB	1.83	1.27
1:A:124:GLU:HG2	7:A:2035:HOH:O	1.37	1.21
1:B:23:VAL:HG11	1:B:43:LEU:HD22	1.32	1.05
1:B:223:ARG:NH1	1:B:391:SER:HA	1.72	1.03
1:B:111:ARG:HH11	1:B:111:ARG:HG2	1.20	1.03
1:B:372:ILE:CD1	1:B:384:ARG:HH11	1.71	1.03
1:B:372:ILE:HG12	1:B:384:ARG:NH1	1.75	1.02
1:A:367:THR:CB	1:A:387:HIS:HB2	1.89	1.01
1:B:23:VAL:HG11	1:B:43:LEU:CD2	1.90	1.01
1:B:399:ARG:O	1:B:403:LYS:HG3	1.61	1.00
1:B:39:TYR:O	1:B:43:LEU:HD13	1.62	0.99
1:A:399:ARG:O	1:A:403:LYS:HG3	1.65	0.96
1:A:51:THR:HG22	1:A:53:GLU:H	1.28	0.96
1:A:738:ARG:NH2	1:A:745:GLY:O	2.02	0.93
1:B:372:ILE:HD11	1:B:384:ARG:HH11	1.35	0.90
1:B:23:VAL:HG21	1:B:43:LEU:CD2	2.03	0.88
1:B:372:ILE:HD11	1:B:384:ARG:HD3	1.55	0.87
1:B:372:ILE:CG1	1:B:384:ARG:HH11	1.88	0.85
1:A:124:GLU:CG	7:A:2035:HOH:O	2.06	0.85
1:B:371:ARG:NH2	1:B:375:PRO:HA	1.92	0.85
1:A:367:THR:OG1	1:A:387:HIS:HB3	1.76	0.84
1:B:496:VAL:HG21	1:B:716:LEU:HD13	1.56	0.84
1:A:300:LEU:HB2	1:B:300:LEU:HD13	1.58	0.84
1:B:23:VAL:CG1	1:B:43:LEU:HD22	2.08	0.82
1:B:552:ARG:NH2	7:B:2189:HOH:O	2.11	0.82
1:B:371:ARG:CZ	1:B:375:PRO:HA	2.10	0.81
1:B:111:ARG:HH11	1:B:111:ARG:CG	1.93	0.81
1:B:589:ASP:OD2	1:B:612:ARG:NH1	2.16	0.79
1:B:372:ILE:CG1	1:B:384:ARG:NH1	2.43	0.79
1:B:372:ILE:HD11	1:B:384:ARG:CD	2.16	0.76
1:A:395:LEU:HD22	1:B:22:GLN:NE2	2.01	0.76

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:VAL:HG21	1:B:43:LEU:HD22	1.66	0.76
1:B:242:LEU:O	1:B:242:LEU:HD12	1.87	0.75
1:A:223:ARG:NH1	7:A:2085:HOH:O	2.18	0.75
1:B:39:TYR:C	1:B:43:LEU:HD13	2.12	0.75
1:B:23:VAL:HG21	1:B:43:LEU:HD23	1.69	0.74
1:B:399:ARG:NH1	2:C:32:GLU:OE2	2.21	0.74
1:A:399:ARG:O	1:A:403:LYS:CG	2.35	0.73
1:A:6:LEU:CD2	1:A:51:THR:OG1	2.38	0.72
1:A:125:VAL:O	7:A:2038:HOH:O	2.08	0.71
1:A:254:GLN:OE1	7:A:2101:HOH:O	2.09	0.71
1:A:395:LEU:HD22	1:B:22:GLN:HE22	1.56	0.70
1:B:223:ARG:HH11	1:B:391:SER:HA	1.57	0.69
1:B:372:ILE:HG12	1:B:384:ARG:HH12	1.53	0.69
1:B:387:HIS:HA	7:B:2135:HOH:O	1.93	0.69
1:B:411:LYS:NZ	1:B:575:GLU:OE2	2.26	0.68
1:A:279:GLY:O	1:A:280:THR:OG1	2.11	0.68
1:B:23:VAL:CG1	1:B:43:LEU:CD2	2.67	0.67
1:A:738:ARG:NH1	7:A:2313:HOH:O	2.26	0.67
1:B:434:GLY:O	1:B:438:ARG:NH2	2.28	0.66
1:B:367:THR:OG1	7:B:2086:HOH:O	2.14	0.65
1:B:322:HIS:NE2	1:B:326:GLU:OE2	2.30	0.64
1:B:223:ARG:HH12	1:B:391:SER:HA	1.59	0.63
1:A:434:GLY:O	1:A:438:ARG:NH2	2.32	0.63
1:A:399:ARG:O	1:A:403:LYS:CD	2.47	0.63
1:B:451:ILE:CD1	1:B:716:LEU:HD11	2.28	0.63
1:A:300:LEU:CB	1:B:300:LEU:HD13	2.29	0.62
1:B:39:TYR:O	1:B:43:LEU:CD1	2.42	0.62
1:A:719:ASP:OD2	7:A:2308:HOH:O	2.15	0.62
1:A:51:THR:HG22	1:A:52:LEU:N	2.15	0.62
1:A:59:LEU:HD11	1:A:68:ILE:HD11	1.82	0.61
1:A:567:ALA:HB2	1:A:677:PRO:HB3	1.81	0.61
1:B:23:VAL:CG2	1:B:43:LEU:HD22	2.31	0.61
1:B:34:LEU:HD12	1:B:43:LEU:HD21	1.83	0.60
1:A:124:GLU:CD	7:A:2036:HOH:O	2.45	0.59
1:B:619:ARG:NH1	1:B:656:LEU:HD11	2.17	0.59
1:B:23:VAL:CG2	1:B:43:LEU:CD2	2.77	0.59
1:A:367:THR:HB	1:A:387:HIS:HB2	1.82	0.59
1:B:23:VAL:HG11	1:B:43:LEU:HD21	1.80	0.59
1:A:399:ARG:O	1:A:403:LYS:HE3	2.02	0.59
1:B:372:ILE:CD1	1:B:384:ARG:NH1	2.55	0.59
1:B:619:ARG:NH2	1:B:651:VAL:O	2.37	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:111:ARG:CG	1:B:111:ARG:NH1	2.58	0.58
1:B:270:LYS:HG3	1:B:281:VAL:HG11	1.86	0.58
1:B:550:VAL:HG22	1:B:737:MET:HE1	1.84	0.58
1:B:372:ILE:HD11	1:B:384:ARG:CG	2.34	0.57
1:B:248:THR:O	7:B:2088:HOH:O	2.17	0.57
1:B:613:LYS:O	1:B:614:THR:OG1	2.10	0.57
1:B:619:ARG:HH11	1:B:656:LEU:HD11	1.70	0.57
1:A:19:GLU:O	1:A:20:PRO:C	2.45	0.55
1:A:484:ARG:NH1	7:A:2205:HOH:O	2.26	0.55
1:A:51:THR:CG2	1:A:53:GLU:H	2.12	0.55
1:B:589:ASP:OD2	1:B:614:THR:OG1	2.25	0.55
1:A:403:LYS:HG3	7:A:2168:HOH:O	2.05	0.55
1:B:659:ASP:O	1:B:660:ALA:HB3	2.07	0.54
1:A:34:LEU:HD12	1:A:43:LEU:HD21	1.90	0.54
1:B:111:ARG:HG2	1:B:111:ARG:NH1	2.02	0.54
1:A:438:ARG:NH1	7:A:2189:HOH:O	2.41	0.54
1:B:622:LEU:HD13	1:B:624:PHE:CZ	2.43	0.54
1:A:124:GLU:OE1	7:A:2036:HOH:O	2.18	0.53
1:A:384:ARG:HD3	1:A:405:LYS:HD3	1.90	0.53
1:B:498:SER:HA	1:B:716:LEU:HD23	1.90	0.53
1:A:399:ARG:NH2	2:D:32:GLU:OE2	2.42	0.53
1:A:65:PRO:HA	1:A:68:ILE:HD12	1.91	0.53
1:B:479:ASP:O	7:B:2168:HOH:O	2.19	0.53
1:B:496:VAL:CG2	1:B:716:LEU:HD13	2.34	0.52
1:A:20:PRO:O	1:A:37:GLN:NE2	2.42	0.52
1:B:621:ILE:HD13	1:B:645:GLY:CA	2.40	0.52
1:B:661:THR:O	1:B:665:ILE:HG22	2.08	0.52
1:B:295:HIS:ND1	7:B:2099:HOH:O	2.34	0.52
1:B:387:HIS:NE2	1:B:402:LEU:O	2.43	0.52
1:B:657:LYS:O	1:B:658:SER:OG	2.25	0.51
1:B:244:THR:O	1:B:244:THR:HG23	2.10	0.51
1:B:23:VAL:CB	1:B:43:LEU:HD22	2.40	0.51
1:B:544:GLN:NE2	7:B:2197:HOH:O	2.37	0.51
1:B:702:MET:O	1:B:706:ASN:ND2	2.43	0.51
1:B:387:HIS:HB3	1:B:405:LYS:HA	1.93	0.51
1:B:4:THR:N	1:B:5:PRO:CD	2.74	0.50
1:B:552:ARG:HD2	1:B:740:PHE:CE2	2.47	0.50
1:B:621:ILE:HD13	1:B:645:GLY:HA2	1.93	0.50
1:B:352:VAL:O	1:B:356:GLN:HG3	2.11	0.50
1:B:41:GLN:NE2	1:B:62:GLU:OE1	2.44	0.49
1:B:507:LEU:HD11	1:B:716:LEU:CD1	2.43	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:403:LYS:CG	7:A:2168:HOH:O	2.60	0.49
1:B:372:ILE:CD1	1:B:384:ARG:HD3	2.36	0.49
1:B:333:ARG:HG3	1:B:539:GLU:CG	2.43	0.48
1:B:548:GLU:O	1:B:552:ARG:HG2	2.13	0.48
1:B:322:HIS:CD2	1:B:326:GLU:OE2	2.66	0.48
1:A:51:THR:HB	1:A:54:GLN:H	1.79	0.48
1:A:399:ARG:O	1:A:403:LYS:CE	2.62	0.48
1:A:276:THR:HG22	1:A:277:ALA:N	2.29	0.47
1:B:398:LEU:O	1:B:402:LEU:N	2.48	0.47
1:A:367:THR:HG21	1:A:387:HIS:HD2	1.80	0.47
1:B:243:PRO:O	1:B:244:THR:HB	2.14	0.47
1:A:576:PRO:O	1:A:580:GLN:HG3	2.14	0.46
1:B:220:SER:N	1:B:223:ARG:HH21	2.13	0.46
1:B:702:MET:HA	1:B:705:VAL:HG12	1.97	0.46
1:A:51:THR:CG2	1:A:52:LEU:N	2.77	0.46
1:A:352:VAL:O	1:A:356:GLN:HG3	2.16	0.46
1:B:359:ILE:HA	1:B:366:VAL:HG22	1.95	0.46
1:B:583:GLN:OE1	1:B:586:ARG:NH1	2.49	0.46
1:A:115:THR:HG23	1:A:151:THR:HG21	1.97	0.46
1:A:124:GLU:OE2	7:A:2036:HOH:O	2.19	0.46
1:A:298:LEU:HD21	1:B:291:ILE:HG13	1.97	0.46
1:A:72:LEU:O	1:A:81:LEU:HD11	2.17	0.45
1:A:275:ALA:O	1:A:276:THR:CB	2.64	0.45
1:B:552:ARG:HD2	1:B:740:PHE:CD2	2.52	0.45
1:A:51:THR:HG21	1:A:53:GLU:CD	2.42	0.45
1:B:213:GLY:HA3	1:B:389:PHE:CE2	2.52	0.45
1:B:485:PHE:CE1	1:B:491:ILE:HD13	2.52	0.45
1:B:274:ASN:HD21	1:B:281:VAL:HG12	1.82	0.44
1:B:289:LYS:NZ	7:B:2097:HOH:O	2.50	0.44
1:A:6:LEU:HD21	1:A:51:THR:OG1	2.16	0.44
1:A:702:MET:HA	1:A:705:VAL:HG12	1.99	0.44
1:B:23:VAL:CG2	1:B:43:LEU:HD23	2.44	0.44
1:B:205:ASP:OD2	1:B:313:THR:OG1	2.35	0.43
1:A:274:ASN:O	1:A:278:PRO:HG3	2.18	0.43
1:B:303:HIS:HB3	1:B:363:THR:HG22	2.00	0.43
1:B:654:GLU:OE1	1:B:654:GLU:N	2.49	0.43
1:A:110:LEU:O	7:A:2027:HOH:O	2.21	0.42
1:A:275:ALA:O	1:A:276:THR:HB	2.18	0.42
1:B:335:LYS:NZ	1:B:694:SER:O	2.52	0.42
1:B:491:ILE:HD11	1:B:493:TRP:CZ2	2.54	0.42
1:A:183:VAL:HG22	1:A:192:LEU:HD12	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:51:THR:HG22	1:B:52:LEU:N	2.35	0.42
1:B:663:TRP:CE3	1:B:667:GLU:HG3	2.53	0.42
1:A:51:THR:HG22	1:A:53:GLU:N	2.12	0.42
1:A:299:ASP:OD1	1:A:300:LEU:N	2.52	0.42
1:B:353:GLN:HA	1:B:356:GLN:HG3	2.02	0.42
1:A:597:LEU:HD11	1:A:607:ALA:HB2	2.01	0.42
1:A:476:VAL:HG11	1:A:478:HIS:CE1	2.54	0.41
1:A:491:ILE:HD12	1:A:508:PRO:HB3	2.02	0.41
1:B:585:TYR:OH	1:B:641:VAL:HG23	2.20	0.41
1:A:76:ALA:HB2	1:A:81:LEU:HD12	2.02	0.41
1:A:6:LEU:HD23	1:A:51:THR:OG1	2.19	0.41
1:B:32:HIS:CD2	2:D:33:ALA:HA	2.55	0.41
1:A:26:LEU:CD1	1:B:242:LEU:HD11	2.50	0.41
1:B:39:TYR:CA	1:B:43:LEU:HD13	2.51	0.41
1:B:584:PHE:CZ	1:B:588:ASN:ND2	2.89	0.41
1:B:530:ASN:OD1	1:B:552:ARG:HG3	2.21	0.41
1:A:297:ILE:HD11	1:A:299:ASP:HB3	2.03	0.41
1:A:467:ARG:HD2	1:A:483:GLN:HA	2.01	0.41
1:A:55:ILE:O	1:A:56:VAL:C	2.64	0.41
1:A:500:THR:HG22	1:A:705:VAL:CG2	2.51	0.41
1:B:372:ILE:HD11	1:B:384:ARG:NH1	2.18	0.41
1:B:31:ASN:OD1	7:B:2012:HOH:O	2.22	0.40
1:A:373:THR:HG21	1:A:380:VAL:HG12	2.03	0.40
1:B:23:VAL:HG13	1:B:34:LEU:HB2	2.03	0.40
1:B:274:ASN:ND2	1:B:281:VAL:HG12	2.37	0.40
1:B:387:HIS:CE1	1:B:402:LEU:HA	2.57	0.40
1:A:55:ILE:CG2	1:A:56:VAL:N	2.85	0.40
1:A:367:THR:OG1	1:A:387:HIS:CG	2.68	0.40
1:B:297:ILE:HG13	1:B:298:LEU:N	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	740/775 (96%)	713 (96%)	26 (4%)	1 (0%)	48	49
1	B	747/775 (96%)	723 (97%)	22 (3%)	2 (0%)	36	33
2	C	13/64 (20%)	13 (100%)	0	0	100	100
2	D	12/64 (19%)	12 (100%)	0	0	100	100
All	All	1512/1678 (90%)	1461 (97%)	48 (3%)	3 (0%)	43	42

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	276	THR
1	B	243	PRO
1	B	244	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	638/661 (96%)	630 (99%)	8 (1%)	61	67
1	B	644/661 (97%)	628 (98%)	16 (2%)	42	44
2	C	12/51 (24%)	12 (100%)	0	100	100
2	D	12/51 (24%)	12 (100%)	0	100	100
All	All	1306/1424 (92%)	1282 (98%)	24 (2%)	51	57

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	GLU
1	A	217	VAL
1	A	276	THR
1	A	365	VAL
1	A	387	HIS
1	A	539	GLU
1	A	740	PHE
1	A	773	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	74	ARG
1	B	87	GLU
1	B	111	ARG
1	B	114	VAL
1	B	226	GLN
1	B	244	THR
1	B	289	LYS
1	B	328	LEU
1	B	366	VAL
1	B	391	SER
1	B	539	GLU
1	B	586	ARG
1	B	597	LEU
1	B	613	LYS
1	B	641	VAL
1	B	754	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	ASN
1	A	258	GLN
1	A	295	HIS
1	A	381	HIS
1	A	387	HIS
1	A	478	HIS
1	A	504	HIS
1	A	515	HIS
1	B	12	HIS
1	B	22	GLN
1	B	32	HIS
1	B	49	GLN
1	B	209	HIS
1	B	224	GLN
1	B	356	GLN
1	B	473	GLN
1	B	504	HIS
1	B	522	HIS
1	B	588	ASN
1	B	655	ASN
1	B	728	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	PO4	A	1779	5	4,4,4	0.70	0	6,6,6	0.56	0
6	PO4	B	1779	5	4,4,4	0.99	0	6,6,6	0.73	0
4	ADP	A	780	5	28,29,29	1.42	4 (14%)	43,45,45	1.81	10 (23%)
4	ADP	B	780	5	28,29,29	1.46	6 (21%)	43,45,45	1.89	8 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	A	780	5	-	0/16/32/32	0/3/3/3
4	ADP	B	780	5	-	3/16/32/32	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	780	ADP	C5-C4	4.61	1.47	1.39
4	B	780	ADP	C5-C4	4.56	1.47	1.39
4	B	780	ADP	PA-O3A	2.66	1.62	1.59
4	B	780	ADP	C5-C6	2.55	1.48	1.41
4	B	780	ADP	C5-N7	-2.50	1.34	1.39
4	A	780	ADP	C5-C6	2.47	1.47	1.41
4	A	780	ADP	C8-N7	2.43	1.36	1.31
4	B	780	ADP	C8-N7	2.24	1.36	1.31
4	A	780	ADP	C4-N9	-2.10	1.33	1.37
4	B	780	ADP	C4-N9	-2.02	1.33	1.37

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	780	ADP	C5-C4-N3	-5.73	118.82	126.72
4	A	780	ADP	C5-C4-N3	-5.10	119.69	126.72
4	B	780	ADP	N3-C4-N9	4.88	135.46	127.17
4	A	780	ADP	N3-C4-N9	4.34	134.55	127.17
4	A	780	ADP	N3-C2-N1	-3.85	122.75	128.58
4	B	780	ADP	C2-N3-C4	3.82	121.16	111.83
4	A	780	ADP	C4-N9-C8	3.74	109.67	105.74
4	B	780	ADP	N3-C2-N1	-3.73	122.93	128.58
4	A	780	ADP	C2-N3-C4	3.57	120.54	111.83
4	A	780	ADP	C4-C5-N7	-3.32	106.78	110.58
4	B	780	ADP	C4-N9-C8	3.20	109.10	105.74
4	B	780	ADP	C4-C5-N7	-2.99	107.17	110.58
4	A	780	ADP	C2-N1-C6	2.60	123.00	118.73
4	A	780	ADP	C5-N7-C8	2.59	107.52	103.45
4	A	780	ADP	N9-C8-N7	-2.58	110.28	113.94
4	B	780	ADP	C5-N7-C8	2.57	107.49	103.45
4	B	780	ADP	N9-C8-N7	-2.40	110.53	113.94
4	A	780	ADP	C6-C5-N7	2.32	136.56	132.09

There are no chirality outliers.


All (3) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	B	780	ADP	PB-O3A-PA-O1A
4	B	780	ADP	PA-O3A-PB-O1B
4	B	780	ADP	PB-O3A-PA-O2A

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	748/775 (96%)	0.48	46 (6%) 27 31	31, 52, 97, 145	0
1	B	753/775 (97%)	0.55	58 (7%) 19 22	34, 56, 86, 108	0
2	C	15/64 (23%)	1.36	2 (13%) 7 8	80, 88, 108, 119	0
2	D	14/64 (21%)	1.14	5 (35%) 1 1	57, 66, 88, 105	0
All	All	1530/1678 (91%)	0.53	111 (7%) 21 24	31, 54, 92, 145	0

All (111) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	474	ALA	4.9
1	B	388	SER	4.8
1	A	475	THR	4.5
2	C	22	LEU	4.5
1	B	387	HIS	4.1
1	A	387	HIS	3.9
1	A	500	THR	3.8
1	A	342	GLY	3.7
1	B	389	PHE	3.7
1	B	282	PHE	3.6
1	B	62	GLU	3.6
1	A	101	ILE	3.5
1	B	297	ILE	3.5
1	A	297	ILE	3.4
1	B	371	ARG	3.3
1	A	55	ILE	3.3
1	B	404	HIS	3.3
1	B	20	PRO	3.3
2	D	22	LEU	3.3
1	A	336	GLN	3.3
1	B	244	THR	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	656	LEU	3.2
2	C	35	GLY	3.2
1	B	243	PRO	3.2
1	A	56	VAL	3.1
1	A	298	LEU	3.1
1	A	402	LEU	3.1
1	A	644	ILE	3.1
1	B	386	GLY	3.0
1	B	500	THR	3.0
1	B	402	LEU	3.0
1	A	72	LEU	3.0
1	B	281	VAL	3.0
1	B	242	LEU	3.0
1	A	676	LEU	2.9
1	B	676	LEU	2.9
1	B	705	VAL	2.9
2	D	26	LEU	2.9
1	A	20	PRO	2.9
1	B	646	LEU	2.8
1	B	384	ARG	2.8
1	B	143	THR	2.8
1	B	365	VAL	2.8
1	B	491	ILE	2.8
1	A	311	CYS	2.7
1	B	665	ILE	2.7
1	B	544	GLN	2.7
1	B	651	VAL	2.7
1	A	282	PHE	2.7
1	B	647	GLU	2.7
1	B	43	LEU	2.6
1	A	50	TYR	2.6
2	D	21	GLN	2.6
1	B	147	ALA	2.6
1	B	401	THR	2.6
1	A	651	VAL	2.6
1	A	6	LEU	2.6
1	B	403	LYS	2.6
1	B	579	VAL	2.5
1	A	71	VAL	2.5
1	A	34	LEU	2.5
1	B	240	GLY	2.5
1	A	647	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	318	LYS	2.4
1	A	404	HIS	2.4
1	B	622	LEU	2.4
1	A	389	PHE	2.4
1	B	644	ILE	2.4
1	A	58	LYS	2.4
1	A	9	ILE	2.4
1	B	168	LYS	2.4
1	A	276	THR	2.4
1	A	13	PHE	2.3
1	B	119	VAL	2.3
1	B	379	LEU	2.3
1	B	398	LEU	2.3
1	B	391	SER	2.3
1	A	512	CYS	2.3
1	B	298	LEU	2.3
1	A	322	HIS	2.3
1	A	403	LYS	2.3
1	A	646	LEU	2.3
1	B	648	LEU	2.3
2	D	34	LEU	2.3
2	D	25	GLN	2.2
1	B	740	PHE	2.2
1	B	372	ILE	2.2
1	B	366	VAL	2.2
1	B	550	VAL	2.2
1	B	448	ASP	2.2
1	B	390	GLY	2.2
1	B	216	GLU	2.2
1	A	363	THR	2.2
1	A	422	CYS	2.2
1	A	229	GLN	2.2
1	A	680	THR	2.2
1	B	576	PRO	2.2
1	B	392	ALA	2.2
1	A	365	VAL	2.1
1	B	61	GLY	2.1
1	A	7	LEU	2.1
1	B	685	THR	2.1
1	A	376	ALA	2.1
1	A	45	LEU	2.1
1	A	61	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	63	VAL	2.1
1	A	401	THR	2.1
1	B	443	LEU	2.0
1	B	620	LEU	2.0
1	B	23	VAL	2.0
1	B	502	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ZN	B	776	1/1	0.93	0.23	138,138,138,138	0
5	MG	A	1778	1/1	0.94	0.09	42,42,42,42	0
6	PO4	B	1779	5/5	0.94	0.08	53,57,62,73	0
4	ADP	B	780	27/27	0.96	0.08	46,56,65,66	0
6	PO4	A	1779	5/5	0.97	0.10	52,52,55,59	0
4	ADP	A	780	27/27	0.97	0.07	32,43,53,57	0
5	MG	B	1776	1/1	0.98	0.06	55,55,55,55	0
5	MG	B	1777	1/1	0.99	0.03	56,56,56,56	0
5	MG	B	1778	1/1	0.99	0.03	42,42,42,42	0
3	ZN	A	776	1/1	0.99	0.06	54,54,54,54	0
5	MG	A	1777	1/1	0.99	0.02	40,40,40,40	0
5	MG	A	1776	1/1	1.00	0.03	40,40,40,40	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP B 780:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP A 780:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.