



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 02:23 PM UTC

PDB ID : 6V24 / pdb_00006v24
Title : Complex of mutant (K162M) of E. coli L-asparaginase II with L-Asp. Covalent acyl-enzyme intermediate.
Authors : Lubkowski, J.; Wlodawer, A.
Deposited on : 2019-11-22
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	334	% 84% 12% ..
1	D	334	2% 82% 13% ...
2	B	333	% 83% 14% ..
2	C	333	83% 14% ..

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 10844 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-asparaginase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	327	Total	C	N	O	S	0	0	0
			2435	1519	415	492	9			
1	D	327	Total	C	N	O	S	0	2	0
			2462	1535	421	497	9			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP P00805
A	-5	HIS	-	expression tag	UNP P00805
A	-4	HIS	-	expression tag	UNP P00805
A	-3	HIS	-	expression tag	UNP P00805
A	-2	HIS	-	expression tag	UNP P00805
A	-1	HIS	-	expression tag	UNP P00805
A	0	HIS	-	expression tag	UNP P00805
A	162	MET	LYS	engineered mutation	UNP P00805
D	-6	MET	-	expression tag	UNP P00805
D	-5	HIS	-	expression tag	UNP P00805
D	-4	HIS	-	expression tag	UNP P00805
D	-3	HIS	-	expression tag	UNP P00805
D	-2	HIS	-	expression tag	UNP P00805
D	-1	HIS	-	expression tag	UNP P00805
D	0	HIS	-	expression tag	UNP P00805
D	162	MET	LYS	engineered mutation	UNP P00805


- Molecule 2 is a protein called L-asparaginase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	327	Total	C	N	O	S	0	0	0
			2448	1526	418	495	9			
2	C	327	Total	C	N	O	S	0	1	0
			2455	1531	420	495	9			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-6	MET	-	expression tag	UNP P00805
B	-5	HIS	-	expression tag	UNP P00805
B	-4	HIS	-	expression tag	UNP P00805
B	-3	HIS	-	expression tag	UNP P00805
B	-2	HIS	-	expression tag	UNP P00805
B	-1	HIS	-	expression tag	UNP P00805
B	0	HIS	-	expression tag	UNP P00805
B	12	AEI	THR	conflict	UNP P00805
B	162	MET	LYS	engineered mutation	UNP P00805
C	-6	MET	-	expression tag	UNP P00805
C	-5	HIS	-	expression tag	UNP P00805
C	-4	HIS	-	expression tag	UNP P00805
C	-3	HIS	-	expression tag	UNP P00805
C	-2	HIS	-	expression tag	UNP P00805
C	-1	HIS	-	expression tag	UNP P00805
C	0	HIS	-	expression tag	UNP P00805
C	12	AEI	THR	conflict	UNP P00805
C	162	MET	LYS	engineered mutation	UNP P00805

- Molecule 3 is ASPARTIC ACID (CCD ID: ASP) (formula: $C_4H_7NO_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			9	4	1	4		
3	D	1	Total	C	N	O	0	0
			9	4	1	4		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	258	Total 260	O 260	0	2
4	B	255	Total 260	O 260	0	5
4	C	252	Total 258	O 258	0	6
4	D	246	Total 248	O 248	0	2


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: L-asparaginase 2




• Molecule 1: L-asparaginase 2



• Molecule 2: L-asparaginase 2



• Molecule 2: L-asparaginase 2





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	62.33Å 126.12Å 76.19Å 90.00° 96.32° 90.00°	Depositor
Resolution (Å)	39.58 – 1.90 39.58 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.6 (39.58-1.90) 97.6 (39.58-1.90)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
R, R_{free}	0.143 , 0.190 0.155 , 0.199	Depositor DCC
R_{free} test set	4455 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	21.6	Xtriage
Anisotropy	0.038	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 43.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10844	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AEI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.37	14/2472 (0.6%)	1.44	9/3367 (0.3%)
1	D	1.33	10/2488 (0.4%)	1.46	11/3387 (0.3%)
2	B	1.33	8/2470 (0.3%)	1.48	17/3362 (0.5%)
2	C	1.35	10/2481 (0.4%)	1.43	13/3377 (0.4%)
All	All	1.35	42/9911 (0.4%)	1.45	50/13493 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (42) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	268	VAL	C-O	7.46	1.32	1.24
1	A	197	HIS	CE1-NE2	7.07	1.39	1.32
1	D	199	SER	C-O	-6.75	1.15	1.24
2	C	202	PRO	C-O	-6.48	1.16	1.24
2	B	183	HIS	CE1-NE2	6.41	1.39	1.32
2	B	320	GLN	C-O	6.37	1.31	1.24
1	D	180	GLY	C-O	6.03	1.30	1.23
1	A	38	ALA	C-O	-5.99	1.16	1.24
1	A	15	GLY	C-O	5.95	1.31	1.23
1	D	271	SER	C-O	5.87	1.30	1.23
1	A	258	ALA	C-O	5.85	1.30	1.24
2	B	202	PRO	C-O	-5.82	1.17	1.24
1	D	74	ASN	C-O	-5.74	1.17	1.24
2	B	146	VAL	C-O	5.72	1.30	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	20	ALA	C-O	5.70	1.31	1.24
2	B	148	VAL	C-O	5.68	1.30	1.24
2	C	173	SER	CA-CB	-5.65	1.45	1.52
2	B	150	MET	C-O	5.62	1.30	1.23
1	D	193	PRO	C-O	-5.60	1.17	1.23
1	A	304	VAL	C-O	5.49	1.30	1.24
2	C	227	PRO	C-O	-5.46	1.16	1.24
2	C	129	LEU	C-O	-5.46	1.17	1.24
1	A	260	ALA	C-O	5.44	1.30	1.24
1	A	178	PRO	C-O	5.42	1.30	1.23
2	C	45	ILE	N-CA	5.33	1.51	1.46
2	C	220	TYR	C-O	5.30	1.29	1.24
1	D	132	ALA	C-O	5.25	1.30	1.24
1	A	183	HIS	CE1-NE2	5.25	1.37	1.32
2	C	295	GLY	C-O	5.25	1.31	1.24
1	A	58	SER	C-O	5.25	1.30	1.24
2	C	96	ALA	C-O	5.24	1.30	1.24
1	A	184	ASN	C-O	5.24	1.30	1.23
1	D	178	PRO	C-O	5.20	1.29	1.23
2	B	9	THR	C-O	-5.19	1.17	1.24
2	C	241	SER	CA-CB	-5.19	1.46	1.53
1	A	84	VAL	C-O	5.14	1.29	1.24
1	A	111	MET	C-O	5.13	1.29	1.23
1	D	117	PRO	C-O	5.12	1.29	1.23
1	A	104	LYS	C-O	-5.09	1.17	1.24
1	D	0	HIS	N-CA	5.06	1.55	1.46
2	B	238	GLY	C-O	-5.06	1.18	1.24
2	C	71	LYS	C-O	5.06	1.30	1.24

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	68	THR	CA-CB-OG1	-10.12	94.43	109.60
2	C	315	ASP	CA-CB-CG	-8.29	104.31	112.60
2	C	242	ALA	CA-C-N	7.91	129.06	120.44
2	C	242	ALA	C-N-CA	7.91	129.06	120.44
2	C	314	LYS	N-CA-C	-6.96	103.12	112.94
1	D	87	HIS	CA-CB-CG	6.95	120.75	113.80
1	A	112	VAL	CB-CA-C	-6.69	99.14	111.18
2	B	18	ASP	CB-CA-C	-6.63	96.13	109.99
1	D	281	ASP	CA-CB-CG	6.51	119.11	112.60
1	A	242	ALA	CA-C-N	6.46	127.83	120.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	242	ALA	C-N-CA	6.46	127.83	120.53
1	D	100	ASP	CA-CB-CG	6.40	119.00	112.60
2	B	78	ASP	CB-CA-C	6.36	122.19	110.11
2	C	63	ASP	CA-CB-CG	6.32	118.92	112.60
2	B	44	ASP	CA-CB-CG	6.29	118.89	112.60
2	B	22	LYS	N-CA-CB	-6.28	100.75	110.29
2	C	75	THR	CA-CB-OG1	-6.25	100.23	109.60
2	B	253	VAL	N-CA-C	-6.17	104.28	111.00
2	B	50	GLY	CA-C-O	-6.06	115.64	120.91
2	B	256	THR	CA-CB-OG1	-6.02	100.58	109.60
1	D	62	ASN	CA-C-N	5.91	128.19	120.28
1	D	62	ASN	C-N-CA	5.91	128.19	120.28
1	A	87	HIS	CA-CB-CG	5.90	119.70	113.80
2	C	27	VAL	CA-C-O	-5.79	115.70	122.13
1	D	319	ILE	CA-C-O	-5.73	114.99	120.95
2	B	143	ASN	CA-CB-CG	-5.72	106.88	112.60
1	D	167	ASP	CA-CB-CG	5.72	118.32	112.60
2	B	26	THR	CA-CB-OG1	-5.68	101.07	109.60
2	B	167	ASP	CA-CB-CG	5.65	118.25	112.60
2	B	242	ALA	CA-C-N	5.47	128.78	121.01
2	B	242	ALA	C-N-CA	5.47	128.78	121.01
1	D	21	THR	CA-CB-OG1	-5.47	101.39	109.60
2	B	291	PHE	CA-CB-CG	5.47	119.27	113.80
1	A	63	ASP	CA-CB-CG	5.43	118.03	112.60
2	C	289	TYR	CA-C-O	-5.37	112.79	119.18
1	A	254	PHE	CA-C-O	5.36	126.63	120.90
2	C	236	TYR	CB-CA-C	5.36	118.61	109.72
1	D	261	ALA	CA-C-O	-5.33	114.90	120.55
2	C	264	GLY	CA-C-O	-5.32	115.31	119.83
2	C	167	ASP	CA-CB-CG	5.28	117.88	112.60
2	C	189	TYR	CA-C-O	-5.28	114.36	120.49
1	A	300	GLN	CB-CG-CD	5.26	121.54	112.60
1	D	165	THR	CA-C-O	-5.24	113.95	119.97
2	C	168	VAL	CA-C-O	-5.21	115.00	120.57
2	B	100	ASP	CA-CB-CG	5.18	117.78	112.60
1	A	162	MET	CA-C-O	-5.16	114.65	120.43
2	B	27	VAL	CA-C-O	-5.08	115.97	121.92
1	A	124	ASP	CA-CB-CG	5.08	117.68	112.60
2	B	304	VAL	CA-C-O	-5.07	116.00	121.27
2	B	75	THR	CA-CB-OG1	-5.01	102.09	109.60

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	12[B]	AEI	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2435	0	2422	11	0
1	D	2462	0	2441	24	0
2	B	2448	0	2430	15	0
2	C	2455	0	2437	17	0
3	A	9	0	3	2	0
3	D	9	0	3	1	0
4	A	260	0	0	0	0
4	B	260	0	0	3	0
4	C	258	0	0	3	0
4	D	248	0	0	5	0
All	All	10844	0	9736	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:12[A]:THR:C	1:D:13:ILE:N	1.99	1.19
1:A:12:THR:OG1	3:A:401:ASP:CG	2.22	0.82
2:C:12:AEI:CD	4:C:444:HOH:O	2.33	0.75
2:C:76:ASP:OD1	2:C:79:LYS:HE2	1.89	0.73
4:C:523:HOH:O	1:D:21:THR:HG21	1.90	0.71
2:C:300:GLN:H	2:C:300:GLN:HE21	1.40	0.68
2:B:12:AEI:CD	4:B:468:HOH:O	2.42	0.68
1:D:27:VAL:HG21	1:D:57:GLY:HA2	1.75	0.68
1:D:12[A]:THR:HG22	1:D:12[A]:THR:O	1.95	0.65
1:D:12[A]:THR:C	1:D:15:GLY:H	2.06	0.64
1:D:313:THR:OG1	1:D:318:GLN:NE2	2.33	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:183[B]:HIS:CE1	4:D:634:HOH:O	2.55	0.59
2:C:72:LYS:HE2	4:C:546:HOH:O	2.02	0.58
2:C:300:GLN:H	2:C:300:GLN:NE2	2.02	0.57
1:D:149:VAL:HG12	4:D:533:HOH:O	2.03	0.57
2:C:103:VAL:O	2:C:198:THR:HA	2.06	0.56
1:D:12[A]:THR:O	1:D:12[A]:THR:CG2	2.53	0.56
2:C:21:THR:HG22	2:C:121:MET:CE	2.37	0.54
2:C:285:ASP:OD2	2:C:288:LYS:HB2	2.07	0.54
1:A:21:THR:CG2	1:A:121:MET:CE	2.86	0.54
1:D:25:TYR:CD2	1:D:117:PRO:HG3	2.43	0.54
1:D:30:VAL:HG13	1:D:34:ASN:HB2	1.90	0.53
2:B:248:ASN:C	2:B:249:LEU:HD12	2.34	0.53
1:D:38:ALA:C	1:D:40:PRO:HD3	2.34	0.53
1:D:103:VAL:O	1:D:198:THR:HA	2.08	0.53
1:A:23:SER:OG	2:B:184:ASN:HB2	2.10	0.51
1:A:22:LYS:HE2	2:B:184:ASN:HD21	1.75	0.51
1:A:103:VAL:O	1:A:198:THR:HA	2.11	0.50
1:D:262:LYS:HE3	4:D:531:HOH:O	2.10	0.50
2:C:76:ASP:CG	2:C:79:LYS:HE2	2.37	0.50
1:D:12[A]:THR:N	1:D:13:ILE:N	2.60	0.50
2:B:283:GLU:OE2	3:D:401:ASP:N	2.44	0.49
2:B:227:PRO:HB3	1:D:227:PRO:HB3	1.95	0.48
2:B:27:VAL:HG12	2:B:28:GLY:N	2.28	0.48
1:A:27:VAL:HG11	1:A:57:GLY:HA3	1.95	0.48
2:B:325:GLN:NE2	4:B:408:HOH:O	2.46	0.48
1:D:58:SER:HB3	1:D:88:GLY:HA3	1.96	0.48
1:D:8:ALA:HA	1:D:86:THR:OG1	2.14	0.46
1:A:84:VAL:HA	1:A:110:VAL:O	2.16	0.46
3:A:401:ASP:N	2:C:283:GLU:OE2	2.49	0.46
1:D:20:ALA:HA	1:D:120:SER:HA	1.96	0.46
1:D:34:ASN:OD1	4:D:501:HOH:O	2.20	0.46
2:C:51:GLU:OE1	2:C:72:LYS:CE	2.64	0.45
1:D:262:LYS:CE	4:D:531:HOH:O	2.64	0.45
2:B:103:VAL:O	2:B:198:THR:HA	2.16	0.45
1:D:2:PRO:HG2	1:D:137:ALA:HB1	1.98	0.45
2:C:73:ILE:HD11	2:C:85:ILE:HD11	1.99	0.44
2:C:226:LEU:HB2	2:C:227:PRO:HD3	2.00	0.44
2:B:26:THR:HB	2:B:29:LYS:HE3	1.99	0.44
2:B:64:ASN:ND2	4:B:411:HOH:O	2.49	0.44
2:B:8:ALA:HA	2:B:86:THR:OG1	2.18	0.43
1:D:12[A]:THR:C	1:D:15:GLY:N	2.75	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:11:GLY:C	1:D:27:VAL:HG23	2.42	0.43
2:B:226:LEU:HB2	2:B:227:PRO:HD3	2.01	0.43
1:A:21:THR:HG22	1:A:121:MET:CE	2.48	0.42
1:A:61:MET:HE3	1:A:87:HIS:NE2	2.34	0.42
2:B:66:TRP:HB3	2:B:98:PHE:CE2	2.53	0.42
2:B:61:MET:HE3	2:B:87:HIS:NE2	2.35	0.42
2:C:8:ALA:HA	2:C:86:THR:OG1	2.20	0.42
1:A:21:THR:HG22	1:A:121:MET:HE3	2.01	0.42
2:C:84:VAL:HA	2:C:110:VAL:O	2.19	0.42
2:C:6:ILE:HA	2:C:84:VAL:O	2.19	0.41
2:C:21:THR:CG2	2:C:121:MET:CE	2.98	0.41
1:A:214:VAL:HA	1:A:238:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/334 (97%)	318 (98%)	7 (2%)	0	100	100
1	D	325/334 (97%)	316 (97%)	9 (3%)	0	100	100
2	B	324/333 (97%)	320 (99%)	4 (1%)	0	100	100
2	C	325/333 (98%)	317 (98%)	8 (2%)	0	100	100
All	All	1299/1334 (97%)	1271 (98%)	28 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	266/273 (97%)	252 (95%)	14 (5%)	20	12
1	D	268/273 (98%)	258 (96%)	10 (4%)	30	22
2	B	266/272 (98%)	258 (97%)	8 (3%)	36	30
2	C	267/272 (98%)	257 (96%)	10 (4%)	30	22
All	All	1067/1090 (98%)	1025 (96%)	42 (4%)	28	21

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	22	LYS
1	A	24	ASN
1	A	29	LYS
1	A	33	GLU
1	A	112	VAL
1	A	162	MET
1	A	201	THR
1	A	213	LYS
1	A	222	ASN
1	A	251	LYS
1	A	262	LYS
1	A	299	PRO
1	A	300	GLN
1	A	312	GLN
2	B	0	HIS
2	B	29	LYS
2	B	49	LYS
2	B	139	LYS
2	B	201	THR
2	B	222	ASN
2	B	229	LYS
2	B	312	GLN
2	C	35	LEU
2	C	49	LYS
2	C	139	LYS
2	C	186	LYS
2	C	201	THR
2	C	222	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	288	LYS
2	C	300	GLN
2	C	310	LEU
2	C	314	LYS
1	D	21	THR
1	D	26	THR
1	D	27	VAL
1	D	30	VAL
1	D	35	LEU
1	D	222	ASN
1	D	262	LYS
1	D	312	GLN
1	D	314	LYS
1	D	317	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	ASN
1	A	64	ASN
1	A	190	GLN
1	A	300	GLN
1	A	312	GLN
1	A	317	GLN
2	B	64	ASN
2	B	248	ASN
2	B	312	GLN
2	B	318	GLN
2	C	34	ASN
2	C	64	ASN
2	C	209	ASN
2	C	248	ASN
2	C	300	GLN
2	C	307	GLN
2	C	321	GLN
1	D	34	ASN
1	D	64	ASN
1	D	209	ASN
1	D	312	GLN
1	D	317	GLN
1	D	318	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	AEI	B	12	2	12,14,15	2.05	2 (16%)	12,18,20	2.48	5 (41%)
1	AEI	D	12[B]	1	12,14,15	1.74	1 (8%)	12,18,20	2.34	5 (41%)
2	AEI	C	12	2	12,14,15	1.69	2 (16%)	12,18,20	1.63	3 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AEI	B	12	2	-	5/16/18/20	-
1	AEI	D	12[B]	1	-	4/16/18/20	-
2	AEI	C	12	2	-	5/16/18/20	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	12	AEI	OG1-CD	6.08	1.51	1.34
1	D	12[B]	AEI	OG1-CD	5.32	1.49	1.34
2	C	12	AEI	OG1-CD	4.17	1.46	1.34
2	B	12	AEI	OG1-CB	-2.19	1.43	1.46
2	C	12	AEI	CG2-CB	2.14	1.56	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	12	AEI	CZ-CE2-CD	-4.94	102.00	112.77
2	B	12	AEI	OE1-CD-CE2	-4.22	114.83	124.65
1	D	12[B]	AEI	OG1-CB-CA	4.07	114.74	105.80
1	D	12[B]	AEI	OG1-CD-CE2	4.04	118.66	111.43
1	D	12[B]	AEI	CG2-CB-CA	-3.76	105.93	113.26
2	B	12	AEI	CB-OG1-CD	-3.26	112.53	118.36
2	C	12	AEI	CZ-CE2-CD	-3.26	105.67	112.77
2	C	12	AEI	CG2-CB-CA	-3.06	107.29	113.26
2	B	12	AEI	OG1-CD-CE2	2.93	116.68	111.43
1	D	12[B]	AEI	CZ-CE2-CD	-2.24	107.88	112.77
1	D	12[B]	AEI	OG1-CB-CG2	2.07	112.33	108.20
2	B	12	AEI	OG1-CD-OE1	2.04	128.48	123.70
2	C	12	AEI	OG1-CB-CA	2.02	110.25	105.80

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	12	AEI	O-C-CA-CB
2	C	12	AEI	O-C-CA-CB
1	D	12[B]	AEI	OT2-CH2-CZ-NH1
2	C	12	AEI	OT2-CH2-CZ-NH1
2	B	12	AEI	OT2-CH2-CZ-NH1
2	B	12	AEI	OT1-CH2-CZ-NH1
1	D	12[B]	AEI	OE1-CD-CE2-CZ
2	C	12	AEI	OE1-CD-CE2-CZ
1	D	12[B]	AEI	OG1-CD-CE2-CZ
2	C	12	AEI	OG1-CD-CE2-CZ
2	B	12	AEI	OE1-CD-CE2-CZ
2	B	12	AEI	OG1-CD-CE2-CZ
1	D	12[B]	AEI	OT1-CH2-CZ-NH1
2	C	12	AEI	OT1-CH2-CZ-NH1

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	12	AEI	1	0
2	C	12	AEI	1	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	ASP	D	401	-	7,8,8	1.09	1 (14%)	6,10,10	1.72	1 (16%)
3	ASP	A	401	-	7,8,8	2.70	2 (28%)	6,10,10	1.25	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ASP	D	401	-	-	2/8/8/8	-
3	ASP	A	401	-	-	4/8/8/8	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	401	ASP	OD1-CG	6.29	1.42	1.22
3	A	401	ASP	OD2-CG	-2.03	1.24	1.30
3	D	401	ASP	OXT-C	-2.02	1.24	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	ASP	OXT-C-O	-3.43	116.31	124.08
3	A	401	ASP	OD1-CG-CB	-2.11	116.35	122.84

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	D	401	ASP	O-C-CA-N
3	A	401	ASP	OXT-C-CA-N
3	D	401	ASP	OXT-C-CA-N
3	A	401	ASP	O-C-CA-N
3	A	401	ASP	O-C-CA-CB
3	A	401	ASP	OXT-C-CA-CB

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	401	ASP	1	0
3	A	401	ASP	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	D	12[A]:THR	C	13:ILE	N	1.99

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/334 (98%)	-0.44	2 (0%) 85 87	13, 20, 42, 79	0
1	D	326/334 (97%)	-0.28	7 (2%) 63 67	9, 22, 50, 86	1 (0%)
2	B	326/333 (97%)	-0.44	2 (0%) 85 87	13, 20, 38, 56	0
2	C	326/333 (97%)	-0.48	0 100 100	10, 20, 38, 57	1 (0%)
All	All	1306/1334 (97%)	-0.41	11 (0%) 82 85	9, 20, 42, 86	2 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	28	GLY	3.8
1	D	21	THR	3.5
1	D	26	THR	3.1
1	D	27	VAL	2.8
2	B	0	HIS	2.5
1	A	0	HIS	2.4
1	D	15	GLY	2.3
2	B	29	LYS	2.3
1	A	19	SER	2.2
1	D	29	LYS	2.2
1	D	16	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	AEI	D	12[B]	15/16	-	-	16,19,24,24	15

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	AEI	B	12	15/16	0.97	0.05	14,16,18,18	0
2	AEI	C	12	15/16	0.98	0.05	17,21,26,27	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	ASP	A	401	9/9	0.95	0.07	16,16,19,24	0
3	ASP	D	401	9/9	0.96	0.06	11,15,17,17	9

6.5 Other polymers [i](#)

There are no such residues in this entry.