



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:08 AM UTC

PDB ID : 7V3Z / pdb_00007v3z
Title : Structure of cannabinoid receptor type 1(CB1)
Authors : Liu, Z.J.; Shen, L.; Hua, T.; Yao, D.Q.; Wu, L.J.
Deposited on : 2021-08-12
Resolution : 3.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1169 (3.32-3.28)
Clashscore	190562	1209 (3.32-3.28)
Ramachandran outliers	187476	1188 (3.32-3.28)
Sidechain outliers	187428	1187 (3.32-3.28)
RSRZ outliers	180081	1169 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	438	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3398 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called fusion protein of Cannabinoid receptor 1 and Flavodoxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	431	3312	2163	533	594	22	0	0	0

There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	99	GLY	-	expression tag	UNP P21554
A	100	GLU	-	expression tag	UNP P21554
A	101	ASN	-	expression tag	UNP P21554
A	154	LEU	HIS	engineered mutation	UNP P21554
A	210	ALA	THR	engineered mutation	UNP P21554
A	273	LYS	GLU	engineered mutation	UNP P21554
A	283	VAL	THR	engineered mutation	UNP P21554
A	307	ALA	-	linker	UNP P21554
A	403	TRP	TYR	engineered mutation	UNP P00323
A	?	PRO	-	linker	UNP P00323
A	?	ASP	-	linker	UNP P00323
A	?	GLN	-	linker	UNP P00323
A	?	ALA	-	linker	UNP P00323
A	462	GLU	ARG	engineered mutation	UNP P21554

- Molecule 2 is 2-[(1R,2R,5R)-5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methylot-2-yl)phenol (CCD ID: 9GF) (formula: C₂₄H₄₀O₃) (labeled as "Ligand of Interest" by depositor).



- # CLR
-
- The chemical structure of CLR is a complex polycyclic molecule. It features a central bicyclic core with several fused rings. The stereochemistry is indicated by wedged and dashed bonds. Key features include a hydroxyl group (HO) attached to C1, a methyl group (C19) attached to C10(R), and a long side chain (C20(R) to C27) attached to C17(R). The structure is labeled with atom numbers (C1 to C27) and stereochemical configurations (R, S, H).
- Chemical structure of CLR (Clerodane-type bicyclic compound) showing stereochemistry and atom numbering.
- CC(C)CC(C)C[C@H]1[C@H]2[C@@H]3[C@H]1[C@H](C)[C@H](C)[C@@H]2[C@H](C)[C@H]3O

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			28	27	1		


- Molecule 4 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula: $\text{C}_{17}\text{H}_{21}\text{N}_4\text{O}_9\text{P}$) (labeled as "Ligand of Interest" by depositor).



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: fusion protein of Cannabinoid receptor 1 and Flavodoxin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 2 21	Depositor
Cell constants a, b, c, α , β , γ	65.81Å 75.35Å 138.95Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	24.78 – 3.29 24.78 – 3.29	Depositor EDS
% Data completeness (in resolution range)	100.0 (24.78-3.29) 99.6 (24.78-3.29)	Depositor EDS
R_{merge}	0.54	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.24 (at 3.30Å)	Xtriage
Refinement program	BUSTER 2.10.3	Depositor
R, R_{free}	0.215 , 0.276 0.246 , 0.300	Depositor DCC
R_{free} test set	539 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å ²)	133.2	Xtriage
Anisotropy	0.364	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 105.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3398	wwPDB-VP
Average B, all atoms (Å ²)	142.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 9GF, CLR, FMN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.88	1/3386 (0.0%)	1.52	31/4609 (0.7%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	377	ILE	CA-CB	5.80	1.57	1.54

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	155	PHE	CA-CB-CG	8.59	122.39	113.80
1	A	327	ILE	N-CA-C	-7.24	103.11	111.00
1	A	460	ASP	CA-C-N	6.57	129.79	120.53
1	A	460	ASP	C-N-CA	6.57	129.79	120.53
1	A	424	ILE	CA-C-N	6.38	128.83	120.60
1	A	424	ILE	C-N-CA	6.38	128.83	120.60
1	A	374	ASP	CA-CB-CG	6.23	118.83	112.60
1	A	450	ARG	N-CA-C	-6.08	104.58	112.23
1	A	435	PRO	CA-C-N	6.00	128.59	120.38
1	A	435	PRO	C-N-CA	6.00	128.59	120.38
1	A	450	ARG	CA-C-N	5.40	126.89	120.14
1	A	450	ARG	C-N-CA	5.40	126.89	120.14
1	A	161	VAL	CA-C-N	5.37	127.74	120.38
1	A	161	VAL	C-N-CA	5.37	127.74	120.38
1	A	173	SER	CA-C-N	5.23	128.06	120.79
1	A	173	SER	C-N-CA	5.23	128.06	120.79
1	A	172	TYR	CA-C-N	5.21	127.22	120.44
1	A	172	TYR	C-N-CA	5.21	127.22	120.44
1	A	438	ALA	CA-C-N	5.20	127.56	120.54
1	A	438	ALA	C-N-CA	5.20	127.56	120.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	524	LYS	CA-C-N	5.19	127.19	120.44
1	A	524	LYS	C-N-CA	5.19	127.19	120.44
1	A	465	LYS	CA-C-N	5.18	127.22	120.28
1	A	465	LYS	C-N-CA	5.18	127.22	120.28
1	A	299	TRP	CA-C-N	5.13	127.87	120.38
1	A	299	TRP	C-N-CA	5.13	127.87	120.38
1	A	272	ASP	CA-CB-CG	5.08	117.68	112.60
1	A	531	ARG	CA-C-N	5.03	127.02	120.28
1	A	531	ARG	C-N-CA	5.03	127.02	120.28
1	A	194	GLY	CA-C-N	5.02	125.52	120.00
1	A	194	GLY	C-N-CA	5.02	125.52	120.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3312	0	3300	76	0
2	A	27	0	0	0	0
3	A	28	0	46	0	0
4	A	31	0	19	1	0
All	All	3398	0	3365	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:PHE:CE2	1:A:386:THR:HG21	1.39	1.51
1:A:352:PHE:CE2	1:A:386:THR:CG2	2.23	1.20
1:A:352:PHE:CD2	1:A:386:THR:CG2	2.29	1.17
1:A:105:ILE:HG22	1:A:109:MET:HE3	1.43	0.99
1:A:352:PHE:HE2	1:A:386:THR:HG21	1.25	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352:PHE:CD2	1:A:386:THR:HG21	1.97	0.95
1:A:407:CYS:HB2	1:A:430:ARG:HD2	1.48	0.91
1:A:422:ALA:HB1	1:A:424:ILE:HD12	1.58	0.85
1:A:359:LEU:C	1:A:360:LEU:HD23	2.02	0.84
1:A:352:PHE:CD2	1:A:386:THR:HG22	2.13	0.82
1:A:360:LEU:HD23	1:A:360:LEU:N	2.01	0.74
1:A:105:ILE:CG2	1:A:109:MET:HE3	2.17	0.74
1:A:400:ASP:HB3	1:A:403:TRP:HD1	1.53	0.73
1:A:429:LEU:HD21	1:A:442:ILE:HG22	1.73	0.70
1:A:190:LEU:O	1:A:252:LEU:HD11	1.93	0.69
1:A:504:CYS:O	1:A:507:LEU:HB2	1.92	0.69
1:A:209:LEU:HD12	1:A:240:MET:SD	2.33	0.68
1:A:387:GLY:O	1:A:389:GLN:N	2.29	0.65
1:A:407:CYS:HB2	1:A:430:ARG:CD	2.25	0.64
1:A:386:THR:HG22	1:A:387:GLY:N	2.14	0.63
1:A:314:GLY:C	1:A:373:GLN:HG2	2.24	0.63
1:A:209:LEU:CD1	1:A:240:MET:SD	2.88	0.61
1:A:352:PHE:HD2	1:A:386:THR:HG22	1.63	0.57
1:A:418:LYS:HA	1:A:422:ALA:HB2	1.85	0.57
1:A:276:LEU:O	1:A:280:ILE:HG12	2.06	0.55
1:A:400:ASP:HB3	1:A:403:TRP:CD1	2.37	0.54
1:A:111:LEU:HD22	1:A:115:GLN:HB3	1.90	0.54
1:A:422:ALA:HB1	1:A:424:ILE:CD1	2.36	0.54
1:A:219:HIS:HD2	1:A:220:ARG:HG3	1.73	0.54
1:A:488:ASP:HB2	1:A:493:MET:HE3	1.89	0.54
1:A:186:ARG:HH22	1:A:259:LYS:HE3	1.73	0.53
1:A:313:TYR:HA	1:A:361:GLY:O	2.09	0.53
1:A:323:THR:O	1:A:327:ILE:HG12	2.09	0.52
1:A:370:ILE:HD11	1:A:408:GLY:HA3	1.91	0.52
1:A:326:THR:HA	1:A:329:ARG:HB2	1.92	0.51
1:A:291:VAL:O	1:A:295:MET:HG2	2.10	0.51
1:A:360:LEU:N	1:A:360:LEU:CD2	2.73	0.51
1:A:204:VAL:HA	1:A:207:LEU:HD12	1.93	0.51
1:A:399:GLY:HA2	4:A:1203:FMN:O2'	2.10	0.51
1:A:237:PHE:HD1	1:A:240:MET:HE1	1.76	0.50
1:A:246:VAL:O	1:A:249:VAL:HG12	2.13	0.49
1:A:387:GLY:O	1:A:388:ALA:C	2.56	0.49
1:A:220:ARG:HB3	1:A:223:ALA:HB3	1.94	0.48
1:A:191:PHE:HD1	1:A:252:LEU:HD21	1.78	0.48
1:A:358:VAL:HG12	1:A:360:LEU:HD21	1.94	0.48
1:A:387:GLY:C	1:A:389:GLN:N	2.70	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:MET:HE2	1:A:489:VAL:HG13	1.97	0.47
1:A:190:LEU:C	1:A:252:LEU:HD11	2.39	0.47
1:A:126:LEU:HD23	1:A:509:LEU:HB3	1.96	0.47
1:A:387:GLY:O	1:A:389:GLN:HG3	2.15	0.46
1:A:387:GLY:C	1:A:389:GLN:H	2.23	0.46
1:A:390:GLY:H	1:A:421:GLY:HA3	1.81	0.46
1:A:484:ILE:HG21	1:A:501:PHE:HB2	1.99	0.45
1:A:209:LEU:HD11	1:A:240:MET:SD	2.57	0.45
1:A:186:ARG:HA	1:A:270:HIS:CD2	2.52	0.45
1:A:123:SER:HB2	1:A:175:ILE:HD11	1.99	0.45
1:A:386:THR:CG2	1:A:387:GLY:N	2.78	0.45
1:A:237:PHE:HD1	1:A:240:MET:CE	2.32	0.42
1:A:133:GLU:HB3	1:A:516:PRO:HG3	2.00	0.42
1:A:364:THR:OG1	1:A:407:CYS:HA	2.20	0.42
1:A:478:TRP:HB3	1:A:482:LEU:HD12	2.02	0.41
1:A:256:ASN:HB2	1:A:270:HIS:O	2.20	0.41
1:A:237:PHE:CD1	1:A:240:MET:HE1	2.56	0.41
1:A:369:SER:OG	1:A:371:GLU:OE1	2.36	0.41
1:A:122:LEU:O	1:A:126:LEU:HB2	2.21	0.41
1:A:205:GLY:C	1:A:240:MET:SD	3.04	0.41
1:A:386:THR:HG22	1:A:387:GLY:H	1.85	0.41
1:A:362:CYS:SG	1:A:363:SER:N	2.94	0.41
1:A:287:LEU:HD11	1:A:474:LEU:HD22	2.03	0.40
1:A:263:VAL:HB	1:A:273:LYS:HD3	2.02	0.40
1:A:326:THR:HG21	1:A:439:ARG:CZ	2.52	0.40
1:A:383:LEU:O	1:A:386:THR:HB	2.20	0.40
1:A:431:ILE:HD12	1:A:438:ALA:HB1	2.03	0.40
1:A:122:LEU:HD13	1:A:506:MET:HG3	2.03	0.40
1:A:171:VAL:HG22	1:A:509:LEU:HD21	2.02	0.40
1:A:506:MET:HA	1:A:506:MET:HE3	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	427/438 (98%)	392 (92%)	33 (8%)	2 (0%)	24	55

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	388	ALA
1	A	261	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	351/369 (95%)	326 (93%)	25 (7%)	13	40

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	135	LEU
1	A	147	LEU
1	A	196	VAL
1	A	197	THR
1	A	212	ILE
1	A	249	VAL
1	A	253	LEU
1	A	270	HIS
1	A	285	VAL
1	A	298	LEU
1	A	326	THR
1	A	337	GLU
1	A	353	GLU
1	A	360	LEU
1	A	370	ILE
1	A	377	ILE
1	A	416	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	419	ASN
1	A	463	LEU
1	A	469	LEU
1	A	489	VAL
1	A	494	ASN
1	A	496	LEU
1	A	507	LEU
1	A	509	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	426	GLN
1	A	494	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	9GF	A	1201	-	28,28,28	1.89	2 (7%)	37,38,38	0.86	1 (2%)
3	CLR	A	1202	-	31,31,31	0.80	0	48,48,48	1.48	6 (12%)
4	FMN	A	1203	-	33,33,33	1.45	4 (12%)	48,50,50	1.21	6 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	9GF	A	1201	-	-	6/21/34/34	0/2/2/2
3	CLR	A	1202	-	-	3/10/68/68	0/4/4/4
4	FMN	A	1203	-	-	8/18/18/18	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	9GF	CAG-CAJ	-8.11	1.41	1.53
2	A	1201	9GF	CAM-CAN	-5.46	1.41	1.52
4	A	1203	FMN	C9A-C5A	5.25	1.49	1.41
4	A	1203	FMN	C8-C7	3.39	1.49	1.40
4	A	1203	FMN	C4-N3	-2.44	1.34	1.38
4	A	1203	FMN	C4A-N5	2.25	1.35	1.30

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1202	CLR	C4-C5-C6	-4.18	114.90	120.57
3	A	1202	CLR	C4-C5-C10	4.12	121.69	116.42
3	A	1202	CLR	C16-C15-C14	-3.95	97.41	105.14
3	A	1202	CLR	C17-C13-C14	-3.54	96.04	100.10
4	A	1203	FMN	C4-C4A-N5	2.85	122.15	118.21
3	A	1202	CLR	C21-C20-C17	2.70	116.93	112.88
4	A	1203	FMN	C4A-C10-N1	-2.42	118.66	124.59
3	A	1202	CLR	C18-C13-C17	2.21	115.69	111.68
4	A	1203	FMN	O4-C4-C4A	-2.17	120.81	126.53
2	A	1201	9GF	CAE-CAF-CAG	-2.16	112.80	117.01
4	A	1203	FMN	C10-N1-C2	2.09	121.36	116.85
4	A	1203	FMN	C4A-C10-N10	2.06	119.43	116.48
4	A	1203	FMN	C4A-C4-N3	2.04	118.44	113.25

There are no chirality outliers.

All (17) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	1201	9GF	CAE-CAF-CAG-CAH
2	A	1201	9GF	CAE-CAF-CAG-CAJ
4	A	1203	FMN	C1'-C2'-C3'-O3'
4	A	1203	FMN	C1'-C2'-C3'-C4'
4	A	1203	FMN	O2'-C2'-C3'-C4'
4	A	1203	FMN	O2'-C2'-C3'-O3'
3	A	1202	CLR	C22-C23-C24-C25
4	A	1203	FMN	C2'-C3'-C4'-C5'
4	A	1203	FMN	O3'-C3'-C4'-O4'
3	A	1202	CLR	C23-C24-C25-C27
2	A	1201	9GF	CAD-CAE-CAF-CAG
2	A	1201	9GF	CAC-CAD-CAE-CAF
3	A	1202	CLR	C23-C24-C25-C26
4	A	1203	FMN	O3'-C3'-C4'-C5'
4	A	1203	FMN	C2'-C3'-C4'-O4'
2	A	1201	9GF	CAE-CAF-CAG-CAI
2	A	1201	9GF	CAT-CAU-CAV-CAW


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1203	FMN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	431/438 (98%)	-0.21	2 (0%) 87 76	102, 141, 187, 202	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	155	PHE	2.9
1	A	357	LEU	2.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FMN	A	1203	31/31	0.88	0.10	128,131,140,140	0
3	CLR	A	1202	28/28	0.94	0.10	103,108,114,114	0
2	9GF	A	1201	27/27	0.94	0.15	113,117,118,120	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around FMN A 1203:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around CLR A 1202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 9GF A 1201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.