



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 20, 2026 – 05:49 AM UTC

PDB ID : 2V4O / pdb_00002v4o
Title : Crystal structure of Salmonella typhimurium SurE at 2.75 angstrom resolution in monoclinic form
Authors : Anju, P.; Savithri, H.S.; Murthy, M.R.N.
Deposited on : 2008-09-26
Resolution : 2.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	4665 (2.74-2.70)
Ramachandran outliers	187476	4584 (2.74-2.70)
Sidechain outliers	187428	4585 (2.74-2.70)
RSRZ outliers	180081	4348 (2.74-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	267	2% 66% 22% 7% 5%
1	B	267	6% 62% 27% 6% 5%
1	C	267	2% 70% 20% • 5%
1	D	267	72% 18% 6% • •

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	D	1256	-	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 7636 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called MULTIFUNCTIONAL PROTEIN SUR E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C	N	O	S	0	0	0
			1883	1171	335	370	7			
1	B	254	Total	C	N	O	S	0	0	0
			1864	1159	329	369	7			
1	C	254	Total	C	N	O	S	0	0	0
			1885	1172	337	369	7			
1	D	258	Total	C	N	O	S	0	0	0
			1910	1187	342	373	8			

- Molecule 2 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		
2	B	1	Total	Mg	0	0
			1	1		
2	C	1	Total	Mg	0	0
			1	1		
2	D	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHATE ION (CCD ID: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	D	1	Total	O	P	0	0
			5	4	1		


- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	14	Total 14	O 14	0	0
5	B	11	Total 11	O 11	0	0
5	C	22	Total 22	O 22	0	0
5	D	27	Total 27	O 27	0	0



● Molecule 1: MULTIFUNCTIONAL PROTEIN SUR E

Chain D: 72% 18% 6% . .



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	161.08Å 95.30Å 94.57Å 90.00° 98.93° 90.00°	Depositor
Resolution (Å)	93.25 – 2.71 93.25 – 2.71	Depositor EDS
% Data completeness (in resolution range)	97.7 (93.25-2.71) 94.0 (93.25-2.71)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.96 (at 2.73Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.190 , 0.254 0.196 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	50.9	Xtriage
Anisotropy	0.300	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 54.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	7636	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.09% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, GOL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	4/1924 (0.2%)	1.18	10/2637 (0.4%)
1	B	0.95	2/1905 (0.1%)	1.20	10/2614 (0.4%)
1	C	0.97	0/1926	1.12	11/2638 (0.4%)
1	D	1.04	1/1952 (0.1%)	1.25	14/2673 (0.5%)
All	All	0.98	7/7707 (0.1%)	1.19	45/10562 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	D	0	1
All	All	0	2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	90	GLY	N-CA	6.52	1.54	1.45
1	A	253	TRP	NE1-CE2	6.36	1.44	1.37
1	A	253	TRP	CZ2-CH2	6.22	1.49	1.37
1	B	249	VAL	CA-CB	6.04	1.61	1.54
1	A	253	TRP	CD2-CE3	5.68	1.49	1.40
1	B	90	GLY	N-CA	5.24	1.51	1.45
1	A	90	GLY	N-CA	5.05	1.52	1.45

All (45) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	89	SER	CA-C-N	8.06	129.23	120.44
1	B	89	SER	C-N-CA	8.06	129.23	120.44
1	A	180	HIS	CA-C-N	-7.31	112.44	119.89
1	A	180	HIS	C-N-CA	-7.31	112.44	119.89
1	A	130	HIS	N-CA-C	6.98	119.45	110.65
1	B	94	GLY	CA-C-N	6.93	128.50	119.84
1	B	94	GLY	C-N-CA	6.93	128.50	119.84
1	D	114	ARG	N-CA-C	6.79	121.02	112.87
1	C	163	LEU	CA-C-N	-6.66	113.43	120.03
1	C	163	LEU	C-N-CA	-6.66	113.43	120.03
1	D	163	LEU	CA-C-N	-6.54	113.04	119.78
1	D	163	LEU	C-N-CA	-6.54	113.04	119.78
1	D	186	ILE	N-CA-C	6.38	113.87	107.55
1	A	209	GLY	CA-C-N	6.36	127.79	119.84
1	A	209	GLY	C-N-CA	6.36	127.79	119.84
1	D	89	SER	CA-C-N	6.29	129.23	121.06
1	D	89	SER	C-N-CA	6.29	129.23	121.06
1	D	8	ASP	N-CA-C	-6.27	104.84	113.18
1	D	229	VAL	N-CA-CB	-6.20	103.88	111.94
1	C	104	SER	N-CA-C	6.19	118.26	108.67
1	C	213	ASP	N-CA-C	5.88	117.69	111.28
1	C	130	HIS	N-CA-C	5.84	118.01	110.65
1	D	211	ASP	N-CA-CB	-5.82	100.20	110.39
1	A	200	GLY	CA-C-N	-5.70	114.51	120.38
1	A	200	GLY	C-N-CA	-5.70	114.51	120.38
1	B	32	VAL	CB-CA-C	5.63	117.34	111.09
1	A	143	ARG	N-CA-C	-5.62	103.11	110.53
1	C	3	ILE	N-CA-C	5.55	115.95	108.17
1	D	90	GLY	CA-C-O	-5.51	115.71	122.82
1	C	209	GLY	CA-C-N	5.50	126.72	119.84
1	C	209	GLY	C-N-CA	5.50	126.72	119.84
1	C	229	VAL	N-CA-CB	-5.45	105.08	112.16
1	B	3	ILE	N-CA-C	5.42	115.67	107.80
1	D	133	THR	N-CA-C	5.41	116.86	111.07
1	D	148	GLU	CA-C-N	5.41	125.32	119.85
1	D	148	GLU	C-N-CA	5.41	125.32	119.85
1	D	132	ASP	N-CA-C	-5.35	105.44	111.28
1	B	143	ARG	N-CA-C	-5.32	104.89	111.33
1	A	251	THR	CA-C-N	-5.25	113.17	122.26
1	A	251	THR	C-N-CA	-5.25	113.17	122.26
1	C	112	GLU	N-CA-C	-5.14	107.00	113.28
1	B	123	VAL	N-CA-C	5.10	115.19	107.75
1	B	157	ASN	CA-C-N	-5.02	115.74	122.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	157	ASN	C-N-CA	-5.02	115.74	122.91
1	C	225	THR	CB-CA-C	5.00	116.83	110.13

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	200	GLY	Peptide
1	D	89	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1883	0	1784	44	0
1	B	1864	0	1749	53	0
1	C	1885	0	1799	33	0
1	D	1910	0	1816	41	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	5	0	0	0	0
3	D	5	0	0	2	0
4	D	6	0	8	0	0
5	A	14	0	0	1	0
5	B	11	0	0	0	0
5	C	22	0	0	1	0
5	D	27	0	0	0	0
All	All	7636	0	7156	153	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (153) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:188:GLN:OE1	1:A:198:TRP:HZ3	1.31	1.11
1:D:130:HIS:HB3	1:D:133:THR:HG23	1.39	1.04
1:B:38:ARG:HH21	1:B:38:ARG:HG3	1.23	1.01
1:D:133:THR:HG21	1:D:163:LEU:O	1.63	0.98
1:A:188:GLN:OE1	1:A:198:TRP:CZ3	2.21	0.93
1:C:81:ARG:H	1:C:81:ARG:HH11	1.18	0.91
1:D:130:HIS:HB3	1:D:133:THR:CG2	2.03	0.89
1:A:14:PRO:O	1:A:18:THR:HG23	1.73	0.88
1:A:14:PRO:O	1:A:18:THR:CG2	2.23	0.87
1:D:209:GLY:O	1:D:212:THR:HB	1.74	0.86
1:A:243:TRP:CZ2	1:B:145:LEU:HD13	2.13	0.83
1:C:96:ASN:H	1:C:159:ASN:HD21	1.28	0.81
1:C:243:TRP:CZ2	1:D:145:LEU:HD13	2.16	0.80
1:D:54:PHE:HB2	1:D:64:GLN:HE22	1.48	0.79
1:B:171:ILE:HB	1:B:222:VAL:HB	1.67	0.76
1:C:81:ARG:H	1:C:81:ARG:NH1	1.85	0.74
1:C:209:GLY:O	1:C:212:THR:HB	1.88	0.74
1:A:243:TRP:O	1:A:247:VAL:HG22	1.89	0.71
1:D:208:ALA:HA	1:D:212:THR:HG21	1.73	0.70
1:D:212:THR:HG22	1:D:215:ALA:H	1.57	0.70
1:C:208:ALA:HA	1:C:212:THR:HG21	1.73	0.69
1:B:38:ARG:HG3	1:B:38:ARG:NH2	2.02	0.69
1:B:188:GLN:HG2	1:D:188:GLN:NE2	2.08	0.69
1:D:44:SER:HB3	1:D:67:THR:HG21	1.76	0.68
1:C:8:ASP:OD1	1:C:106:THR:HG22	1.94	0.67
1:B:38:ARG:HH21	1:B:38:ARG:CG	2.05	0.66
1:A:144:GLY:HA2	1:A:147:ARG:HB2	1.78	0.66
1:A:249:VAL:HG21	1:B:141:LEU:HD12	1.76	0.66
1:D:106:THR:CG2	3:D:1256:PO4:O1	2.45	0.65
1:A:14:PRO:O	1:A:18:THR:HG22	1.97	0.64
1:A:145:LEU:HD13	1:B:243:TRP:CZ2	2.34	0.63
1:C:111:MET:HE2	1:C:229:VAL:HG23	1.80	0.62
1:B:42:SER:H	1:B:44:SER:HB2	1.66	0.61
1:C:52:ARG:HD2	1:C:64:GLN:OE1	2.01	0.61
1:B:33:ALA:O	1:B:62:ALA:HA	2.00	0.61
1:B:111:MET:HE2	1:B:229:VAL:HG23	1.83	0.61
1:A:129:GLN:HB3	1:A:130:HIS:CD2	2.36	0.60
1:D:5:LEU:O	1:D:31:VAL:HA	2.01	0.60
1:D:96:ASN:ND2	1:D:104:SER:HB2	2.17	0.60
1:B:67:THR:O	1:B:70:ASP:HB2	2.03	0.59
1:A:101:VAL:HG12	1:B:231:LEU:HD23	1.83	0.59
1:D:14:PRO:O	1:D:18:THR:HG23	2.03	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:95:PRO:HG3	1:D:126:ASN:OD1	2.02	0.59
1:B:24:ARG:HG3	1:B:29:VAL:HG13	1.84	0.59
1:C:212:THR:HG22	1:C:215:ALA:H	1.67	0.59
1:B:97:LEU:O	1:B:100:ASP:HB2	2.04	0.58
1:C:67:THR:O	1:C:70:ASP:HB2	2.02	0.58
1:B:124:SER:HB2	1:B:159:ASN:OD1	2.02	0.58
1:C:81:ARG:O	1:C:81:ARG:HD2	2.04	0.58
1:A:45:LEU:HG	1:A:47:LEU:HD13	1.86	0.58
1:A:141:LEU:HD13	1:B:249:VAL:HG21	1.84	0.58
1:C:19:LEU:HG	1:C:23:LEU:HD22	1.86	0.57
1:D:58:ASN:C	1:D:58:ASN:OD1	2.48	0.56
1:B:42:SER:C	1:B:44:SER:H	2.13	0.56
1:D:6:SER:O	1:D:90:GLY:N	2.36	0.56
1:C:6:SER:O	1:C:89:SER:HA	2.07	0.55
1:D:243:TRP:CZ3	1:D:244:LEU:HD13	2.41	0.55
1:B:114:ARG:O	1:B:154:ARG:HD3	2.06	0.55
1:C:9:ASP:HA	1:C:37:ASN:ND2	2.22	0.55
1:D:106:THR:HG22	3:D:1256:PO4:O1	2.07	0.55
1:B:72:VAL:CG2	1:B:112:GLU:HB3	2.37	0.54
1:A:19:LEU:HD22	1:A:91:ILE:CG1	2.38	0.54
1:B:81:ARG:HA	1:B:82:PRO:C	2.33	0.53
1:C:81:ARG:HH11	1:C:81:ARG:N	1.99	0.53
1:A:97:LEU:HB3	1:A:214:PHE:CE1	2.44	0.53
1:D:243:TRP:CE3	1:D:244:LEU:HD13	2.44	0.53
1:A:4:LEU:HD11	1:A:75:GLY:HA3	1.91	0.52
1:A:157:ASN:HB2	1:A:227:LEU:HD22	1.93	0.51
1:B:111:MET:CE	1:B:229:VAL:HG23	2.40	0.51
1:A:150:LEU:HD21	1:B:240:VAL:HG22	1.92	0.51
1:C:190:ASP:HB2	1:C:191:PRO:CD	2.40	0.51
1:B:74:LEU:HB3	1:B:79:LEU:HD22	1.93	0.51
1:C:15:GLY:HA3	1:C:91:ILE:O	2.12	0.50
1:C:107:VAL:O	1:C:110:ALA:HB3	2.12	0.50
1:A:37:ASN:HD22	1:A:37:ASN:C	2.20	0.49
1:C:4:LEU:HD11	1:C:75:GLY:HA3	1.92	0.49
1:A:6:SER:O	1:A:90:GLY:N	2.38	0.49
1:B:88:VAL:HG22	1:B:121:LEU:HD12	1.95	0.49
1:B:190:ASP:HB2	1:B:191:PRO:HD2	1.94	0.49
5:A:2003:HOH:O	1:B:48:GLU:HB2	2.13	0.48
1:A:4:LEU:HD23	1:A:4:LEU:C	2.38	0.48
1:A:26:PHE:HE1	1:A:139:CYS:HG	1.61	0.48
1:B:58:ASN:HD22	1:B:60:ASP:H	1.61	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:250:GLY:HA3	1:D:171:ILE:CG2	2.43	0.48
1:A:145:LEU:HA	1:B:243:TRP:HZ2	1.78	0.48
1:A:7:ASN:OD1	1:A:7:ASN:C	2.56	0.48
1:C:250:GLY:HA3	1:D:171:ILE:HG22	1.94	0.48
1:B:95:PRO:HD3	1:B:126:ASN:HA	1.94	0.48
1:B:188:GLN:CD	1:B:198:TRP:CZ3	2.92	0.47
1:C:101:VAL:HG12	1:D:231:LEU:HD12	1.96	0.47
1:A:247:VAL:HG23	1:A:249:VAL:HG13	1.96	0.47
1:B:72:VAL:HG22	1:B:112:GLU:HB3	1.96	0.47
1:C:49:SER:HA	5:C:2003:HOH:O	2.14	0.47
1:D:190:ASP:HB2	1:D:191:PRO:CD	2.45	0.47
1:A:228:HIS:C	1:A:228:HIS:CD2	2.92	0.47
1:B:87:VAL:HG13	1:B:113:GLY:HA3	1.97	0.47
1:A:163:LEU:HD22	1:A:167:GLN:HE21	1.80	0.47
1:B:147:ARG:HE	1:B:147:ARG:HB3	1.35	0.46
1:A:125:LEU:HD23	1:A:128:TYR:HA	1.96	0.46
1:A:37:ASN:ND2	1:A:39:SER:H	2.14	0.46
1:A:158:VAL:HG22	1:A:224:VAL:HG22	1.97	0.46
1:A:74:LEU:HB3	1:A:79:LEU:HD22	1.98	0.46
1:A:141:LEU:O	1:A:145:LEU:HB2	2.17	0.45
1:C:196:LEU:HD12	1:D:52:ARG:HB2	1.98	0.45
1:D:75:GLY:HA2	1:D:79:LEU:HB2	1.97	0.45
1:D:8:ASP:HB2	1:D:106:THR:HB	1.98	0.45
1:B:4:LEU:HD11	1:B:32:VAL:HG13	1.98	0.44
1:C:116:LEU:O	1:C:154:ARG:NH2	2.47	0.44
1:A:37:ASN:C	1:A:37:ASN:ND2	2.75	0.44
1:C:124:SER:HB2	1:C:159:ASN:ND2	2.32	0.44
1:D:43:ASN:OD1	1:D:111:MET:HE2	2.17	0.44
1:D:138:THR:O	1:D:142:LEU:HD22	2.17	0.44
1:C:172:ARG:NH2	1:C:219:GLU:OE1	2.40	0.44
1:D:45:LEU:HD13	1:D:69:THR:CG2	2.48	0.43
1:B:95:PRO:HD3	1:B:126:ASN:HD22	1.83	0.43
1:D:111:MET:HE3	1:D:229:VAL:HG22	1.99	0.43
1:A:72:VAL:O	1:A:76:VAL:HG13	2.18	0.43
1:B:92:ASN:CG	1:B:106:THR:HG21	2.43	0.43
1:A:231:LEU:CD1	1:B:231:LEU:HD11	2.49	0.43
1:B:148:GLU:HA	1:B:149:PRO:HD3	1.82	0.42
1:A:228:HIS:CD2	1:A:230:ASP:H	2.38	0.42
1:C:185:VAL:O	1:C:187:PRO:HD3	2.19	0.42
1:D:99:ASP:OD2	1:D:99:ASP:N	2.45	0.42
1:B:72:VAL:HG21	1:B:112:GLU:HB3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:14:PRO:O	1:D:18:THR:CG2	2.68	0.42
1:B:100:ASP:O	1:B:101:VAL:C	2.62	0.42
1:D:132:ASP:OD2	1:D:132:ASP:N	2.52	0.42
1:A:96:ASN:OD1	1:A:104:SER:HB2	2.20	0.42
1:B:42:SER:C	1:B:44:SER:N	2.78	0.42
1:B:55:THR:HG22	1:B:61:ILE:CG1	2.50	0.42
1:A:152:THR:HB	1:B:239:VAL:HG11	2.00	0.42
1:C:5:LEU:HD13	1:C:88:VAL:HG22	2.02	0.42
1:D:45:LEU:HD13	1:D:69:THR:HG22	2.00	0.41
1:B:17:GLN:NE2	1:B:17:GLN:HA	2.34	0.41
1:D:45:LEU:HD12	1:D:70:ASP:OD1	2.20	0.41
1:A:152:THR:HG22	1:A:153:GLY:N	2.36	0.41
1:B:38:ARG:HH11	1:B:65:MET:HE3	1.84	0.41
1:D:190:ASP:HB2	1:D:191:PRO:HD2	2.02	0.41
1:B:90:GLY:O	1:B:91:ILE:C	2.63	0.41
1:C:68:PRO:O	1:C:71:CYS:N	2.53	0.41
1:C:171:ILE:HG22	1:C:172:ARG:N	2.35	0.41
1:D:243:TRP:CZ3	1:D:244:LEU:CD1	3.04	0.41
1:A:145:LEU:HD13	1:B:243:TRP:CH2	2.55	0.41
1:A:68:PRO:O	1:A:71:CYS:HB2	2.21	0.40
1:A:201:PRO:HA	1:A:202:PRO:HD2	1.91	0.40
1:B:99:ASP:O	1:B:100:ASP:C	2.63	0.40
1:D:19:LEU:HD23	1:D:90:GLY:HA2	2.02	0.40
1:A:145:LEU:CA	1:B:243:TRP:HZ2	2.34	0.40
1:B:36:ARG:O	1:B:37:ASN:C	2.65	0.40
1:C:240:VAL:HG22	1:D:150:LEU:HD21	2.03	0.40
1:B:30:GLN:HG2	1:B:80:MET:HG3	2.04	0.40
1:B:122:ALA:HB3	1:B:157:ASN:HD22	1.86	0.40
1:D:96:ASN:HD22	1:D:104:SER:HB2	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	252/267 (94%)	233 (92%)	14 (6%)	5 (2%)	6	14
1	B	252/267 (94%)	228 (90%)	20 (8%)	4 (2%)	7	18
1	C	252/267 (94%)	238 (94%)	12 (5%)	2 (1%)	16	35
1	D	256/267 (96%)	240 (94%)	15 (6%)	1 (0%)	30	52
All	All	1012/1068 (95%)	939 (93%)	61 (6%)	12 (1%)	10	25

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	128	TYR
1	B	58	ASN
1	B	100	ASP
1	A	43	ASN
1	A	114	ARG
1	D	131	TYR
1	A	202	PRO
1	B	237	HIS
1	C	210	PRO
1	C	83	ARG
1	A	210	PRO
1	B	59	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	191/215 (89%)	162 (85%)	29 (15%)	3	6
1	B	188/215 (87%)	158 (84%)	30 (16%)	2	6
1	C	193/215 (90%)	172 (89%)	21 (11%)	6	15
1	D	194/215 (90%)	168 (87%)	26 (13%)	4	9
All	All	766/860 (89%)	660 (86%)	106 (14%)	3	8

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	THR
1	A	23	LEU
1	A	28	ASP
1	A	37	ASN
1	A	47	LEU
1	A	57	ASP
1	A	65	MET
1	A	74	LEU
1	A	76	VAL
1	A	79	LEU
1	A	97	LEU
1	A	99	ASP
1	A	107	VAL
1	A	116	LEU
1	A	121	LEU
1	A	129	GLN
1	A	141	LEU
1	A	154	ARG
1	A	168	VAL
1	A	189	GLU
1	A	192	ARG
1	A	198	TRP
1	A	211	ASP
1	A	227	LEU
1	A	229	VAL
1	A	231	LEU
1	A	244	LEU
1	A	249	VAL
1	A	251	THR
1	B	7	ASN
1	B	21	LYS
1	B	29	VAL
1	B	32	VAL
1	B	38	ARG
1	B	39	SER
1	B	47	LEU
1	B	49	SER
1	B	51	LEU
1	B	53	THR
1	B	57	ASP
1	B	58	ASN
1	B	72	VAL
1	B	74	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	79	LEU
1	B	87	VAL
1	B	106	THR
1	B	132	ASP
1	B	141	LEU
1	B	145	LEU
1	B	146	SER
1	B	147	ARG
1	B	158	VAL
1	B	168	VAL
1	B	207	ASP
1	B	229	VAL
1	B	231	LEU
1	B	241	SER
1	B	244	LEU
1	B	249	VAL
1	C	4	LEU
1	C	23	LEU
1	C	43	ASN
1	C	47	LEU
1	C	48	GLU
1	C	79	LEU
1	C	81	ARG
1	C	88	VAL
1	C	101	VAL
1	C	106	THR
1	C	121	LEU
1	C	146	SER
1	C	152	THR
1	C	163	LEU
1	C	165	LEU
1	C	196	LEU
1	C	212	THR
1	C	225	THR
1	C	228	HIS
1	C	229	VAL
1	C	244	LEU
1	D	-4	HIS
1	D	4	LEU
1	D	18	THR
1	D	31	VAL
1	D	44	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	49	SER
1	D	52	ARG
1	D	64	GLN
1	D	65	MET
1	D	99	ASP
1	D	106	THR
1	D	112	GLU
1	D	133	THR
1	D	141	LEU
1	D	142	LEU
1	D	145	LEU
1	D	167	GLN
1	D	185	VAL
1	D	195	THR
1	D	212	THR
1	D	224	VAL
1	D	229	VAL
1	D	239	VAL
1	D	240	VAL
1	D	244	LEU
1	D	251	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	12	HIS
1	A	37	ASN
1	A	167	GLN
1	A	194	ASN
1	A	228	HIS
1	A	252	GLN
1	B	7	ASN
1	B	17	GLN
1	B	58	ASN
1	B	126	ASN
1	B	157	ASN
1	B	228	HIS
1	B	237	HIS
1	C	30	GLN
1	C	43	ASN
1	C	126	ASN
1	C	159	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	188	GLN
1	C	194	ASN
1	C	234	HIS
1	C	252	GLN
1	D	64	GLN
1	D	96	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	PO4	D	1256	2	4,4,4	0.48	0	6,6,6	0.95	0
3	PO4	A	1255	2	4,4,4	0.76	0	6,6,6	0.81	0
4	GOL	D	1255	-	5,5,5	0.61	0	5,5,5	1.47	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	1255	-	-	1/4/4/4	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	1255	GOL	O3-C3-C2	2.08	119.76	110.38

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	1255	GOL	C1-C2-C3-O3

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	1256	PO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	254/267 (95%)	0.27	5 (1%) 65 62	22, 47, 58, 65	1 (0%)
1	B	254/267 (95%)	0.63	16 (6%) 26 23	30, 53, 66, 75	0
1	C	254/267 (95%)	0.23	5 (1%) 65 62	34, 44, 55, 61	0
1	D	258/267 (96%)	-0.10	1 (0%) 88 88	34, 40, 49, 58	0
All	All	1020/1068 (95%)	0.25	27 (2%) 57 54	22, 46, 61, 75	1 (0%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	41	ALA	3.7
1	A	90	GLY	3.7
1	B	90	GLY	3.2
1	B	198	TRP	3.1
1	B	57	ASP	2.6
1	B	128	TYR	2.6
1	A	223	SER	2.6
1	A	128	TYR	2.5
1	A	198	TRP	2.5
1	B	53	THR	2.4
1	C	131	TYR	2.3
1	C	253	TRP	2.3
1	B	42	SER	2.2
1	B	132	ASP	2.1
1	C	99	ASP	2.1
1	B	55	THR	2.1
1	B	106	THR	2.1
1	B	210	PRO	2.1
1	C	25	GLU	2.1
1	A	199	ILE	2.1
1	C	102	ILE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	253	TRP	2.0
1	B	251	THR	2.0
1	B	177	GLY	2.0
1	B	203	GLY	2.0
1	B	64	GLN	2.0
1	B	131	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MG	B	1254	1/1	0.81	0.13	59,59,59,59	0
3	PO4	A	1255	5/5	0.90	0.23	37,37,41,41	5
2	MG	C	1254	1/1	0.91	0.07	44,44,44,44	0
3	PO4	D	1256	5/5	0.91	0.19	31,32,35,36	5
4	GOL	D	1255	6/6	0.95	0.11	49,54,55,57	0
2	MG	A	1254	1/1	0.98	0.08	35,35,35,35	0
2	MG	D	1254	1/1	0.99	0.05	29,29,29,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.