



wwPDB EM Validation Summary Report ⓘ

Mar 28, 2026 – 07:49 PM UTC

PDB ID : 4V4V / pdb_00004v4v
EMDB ID : EMD-1056
Title : Structure of a pre-translocational E. coli ribosome obtained by fitting atomic models for RNA and protein components into cryo-EM map EMD-1056
Authors : Mitra, K.; Frank, J.
Deposited on : 2006-05-09
Resolution : 15.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	257 (8.50 - 9.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1488	41% 39% 43% 16% .
2	AU	76	53% 41% 36% 24%
2	AV	76	63% 34% 46% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	AW	76	
3	AB	236	
4	AC	206	
5	AD	204	
6	AE	148	
7	AF	95	
8	AG	137	
9	AH	127	
10	AI	126	
11	AJ	96	
12	AK	116	
13	AL	101	
14	AM	115	
15	AN	61	
16	AO	86	
17	AP	78	
18	AQ	79	
19	AR	69	
20	AS	87	
21	AT	83	
22	B0	2740	
23	B9	108	
24	B2	222	
25	B3	119	
25	B5	119	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
26	BA	227	
27	BB	209	
28	BC	198	
29	BD	177	
30	BE	167	
31	BF	149	
32	BG	139	
33	BH	142	
34	BI	122	
35	BJ	140	
36	BK	131	
37	BL	114	
38	BM	113	
39	BN	114	
40	BO	115	
41	BQ	106	
42	BR	92	
43	BS	99	
44	BT	94	
45	BU	84	
46	BW	60	
47	BX	56	
48	BZ	29	
49	B1	52	

2 Entry composition

There are 49 unique types of molecules in this entry. The entry contains 141668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1488	Total	C	N	O	P	0	0
			31924	14238	5854	10345	1487		

- Molecule 2 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AU	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		
2	AV	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		
2	AW	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		

- Molecule 3 is a protein called 30S ribosomal subunit protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AB	236	Total	C	N	O	S	0	0
			1847	1165	328	346	8		

- Molecule 4 is a protein called 30S ribosomal subunit protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AC	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 5 is a protein called 30S ribosomal subunit protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AD	204	Total	C	N	O	S	0	0
			1638	1023	314	297	4		

- Molecule 6 is a protein called 30S ribosomal subunit protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AE	148	Total	C	N	O	S	0	0
			1093	679	208	200	6		

- Molecule 7 is a protein called 30S ribosomal subunit protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AF	95	Total	C	N	O	S	0	0
			784	495	143	140	6		

- Molecule 8 is a protein called 30S ribosomal subunit protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AG	137	Total	C	N	O	S	0	0
			1079	671	204	200	4		

- Molecule 9 is a protein called 30S ribosomal subunit protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AH	127	Total	C	N	O	S	0	0
			968	610	171	181	6		

- Molecule 10 is a protein called 30S ribosomal subunit protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AI	126	Total	C	N	O	S	0	0
			1014	630	204	177	3		

- Molecule 11 is a protein called 30S ribosomal subunit protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AJ	96	Total	C	N	O	S	0	0
			773	484	148	140	1		

- Molecule 12 is a protein called 30S ribosomal subunit protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AK	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 13 is a protein called 30S ribosomal subunit protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AL	101	Total	C	N	O	S	0	0
			787	486	159	138	4		

- Molecule 14 is a protein called 30S ribosomal subunit protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AM	115	Total	C	N	O	S	0	0
			892	552	179	158	3		

- Molecule 15 is a protein called 30S ribosomal subunit protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AN	61	Total	C	N	O	S	0	0
			500	310	108	80	2		

- Molecule 16 is a protein called 30S ribosomal subunit protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AO	86	Total	C	N	O	S	0	0
			697	430	139	127	1		

- Molecule 17 is a protein called 30S ribosomal subunit protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AP	78	Total	C	N	O	S	0	0
			622	390	122	109	1		

- Molecule 18 is a protein called 30S ribosomal subunit protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AQ	79	Total	C	N	O	S	0	0
			640	405	119	113	3		

- Molecule 19 is a protein called 30S ribosomal subunit protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AR	69	Total	C	N	O	S	0	0
			576	362	112	101	1		

- Molecule 20 is a protein called 30S ribosomal subunit protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AS	87	Total	C	N	O	S	0	0
			695	443	132	118	2		

- Molecule 21 is a protein called 30S ribosomal subunit protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AT	83	Total	C	N	O	S	0	0
			649	401	134	111	3		

- Molecule 22 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	B0	2740	Total	C	N	O	P	0	0
			58824	26239	10826	19019	2740		

- Molecule 23 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	B9	108	Total	C	N	O	P	0	0
			2310	1030	423	750	107		

- Molecule 24 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	B2	222	Total	C	N	O	S	0	0
			1652	1031	301	314	6		

- Molecule 25 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	B3	119	Total	C	N	O	S	0	0
			845	531	137	174	3		
25	B5	119	Total	C	N	O	S	0	0
			845	531	137	174	3		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BA	227	Total	C	N	O	S	0	0
			1733	1064	352	311	6		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BB	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BC	198	Total	C	N	O	S	0	0
			1531	960	280	287	4		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BD	177	Total	C	N	O	S	0	0
			1415	902	250	257	6		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BE	167	Total	C	N	O	S	0	0
			1253	789	228	234	2		

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BF	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BG	139	Total	C	N	O	S	0	0
			1019	644	177	192	6		

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BH	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BI	122	Total	C	N	O	S	0	0
			939	588	180	166	5		

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BJ	140	Total	C	N	O	S	0	0
			1017	632	200	184	1		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BK	131	Total	C	N	O	S	0	0
			1036	661	200	171	4		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BL	114	Total	C	N	O	S	0	0
			908	564	184	156	4		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BM	113	Total	C	N	O		0	0
			864	534	174	156			

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BN	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 40 is a protein called 50S RIBOSOMAL PROTEIN L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BO	115	Total	C	N	O		0	0
			937	598	190	149			

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	106	Total	C	N	O	S	0	0
			825	512	162	149	2		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	92	Total	C	N	O	S	0	0
			717	455	132	129	1		

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	99	Total	C	N	O	S	0	0
			762	480	143	139			

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BW	60	Total	C	N	O	S	0	0
			495	305	96	92	2		

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BX	56	Total	C	N	O	S	0	0
			435	272	84	77	2		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	BZ	29	Total	C	N	O	0	0
			234	145	47	42		


- Molecule 49 is a protein called 50S ribosomal protein L33.


Mol	Chain	Residues	Atoms				AltConf	Trace
49	B1	52	Total	C	N	O	0	0
			424	272	78	74		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 16S ribosomal RNA









• Molecule 2: tRNA




• Molecule 2: tRNA



• Molecule 2: tRNA





• Molecule 3: 30S ribosomal subunit protein S2



- Molecule 4: 30S ribosomal subunit protein S3




- Molecule 5: 30S ribosomal subunit protein S4




- Molecule 6: 30S ribosomal subunit protein S5







• Molecule 7: 30S ribosomal subunit protein S6



• Molecule 8: 30S ribosomal subunit protein S7



• Molecule 9: 30S ribosomal subunit protein S8



• Molecule 10: 30S ribosomal subunit protein S9









• Molecule 11: 30S ribosomal subunit protein S10




• Molecule 12: 30S ribosomal subunit protein S11




• Molecule 13: 30S ribosomal subunit protein S12




• Molecule 14: 30S ribosomal subunit protein S13







- Molecule 15: 30S ribosomal subunit protein S14





- Molecule 16: 30S ribosomal subunit protein S15




- Molecule 17: 30S ribosomal subunit protein S16



- Molecule 18: 30S ribosomal subunit protein S17




- Molecule 19: 30S ribosomal subunit protein S18




G1949	G1950	U1951	A1952	A1953	G1954	U1955	A1956	G1957	C1958	G1959	A1960	C1961	G1964	C1965	A1966	C1967	G1968	A1969	A1970	U1971	G1972	G1975	U1976	A1977	A1978	U1979	G1980	A1981	U1982	G1983	G1984	C1985	C1986	A1987	G1988	G1989	C1990	U1991	G1992	U1993	C1994	U1995	C1996	C1997	A1998	C1999	C2000	C2001	U1940	A2003	G2004	A2005	C2006	U2007	C2008	G2010																						
U1882	C1887	G1888	A1889	A1890	G1891	C1892	C1893	C1894	C1895	G1896	C1897	U1898	A1899	A1900	A1901	G1905	G1906	C1907	C1908	C1909	G1910	U1911	A1912	A1913	A1916	U1917	U1918	A1919	C1920	G1921	G1922	U1923	C1924	G1925	U1926	A1927	A1928	G1929	G1930	U1931	A1932	G1933	C1934	G1935	A1936	A1937	A1938	U1939	C2002	A2003	G2004	A2005	C2006	U2007	C2008	G2010																						
G1811	U1812	G1813	A1814	C1815	G1816	G1817	U1818	A1819	U1820	A1821	C1822	G1823	G1824	U1825	G1826	C1827	G1828	A1829	C1830	G1831	C1832	C1833	U1834	G1835	C1836	C1837	C1838	G1839	G1840	U1841	G1842	C1843	C1844	G1845	G1846	A1847	A1848	G1849	G1850	U1851	U1852	A1853	A1854	U1859	G1860	G1861	G1862	G1863	U1864	U1865	G1869	C1870	A1871	A1872	A1873	U1877	G1878	C1879	U1880	C1881																		
G1750	U1751	C1752	G1753	A1754	A1755	G1756	A1757	U1758	A1759	C1760	C1761	A1762	G1763	C1764	U1765	G1766	G1767	C1768	U1769	G1770	C1771	A1772	U1773	U1775	G1776	U1777	U1778	U1779	A1780	U1781	U1782	A1783	G1784	A1785	A1786	A1787	C1788	A1789	C1790	A1791	G1792	C1793	A1794	C1795	U1796	G1797	U1798	G1799	C1800	A1801	C1802	A1803	C1804	A1805	C1806	U1809	A1810																					
A1668	A1669	C1670	U1671	A1672	G1673	G1674	C1675	A1676	A1677	A1678	U1679	U1680	G1681	G1682	U1683	G1684	C1685	C1686	G1687	U1688	A1689	A1690	C1691	U1692	C1693	A1694	G1695	G1696	U1697	U1698	A1699	C1700	A1701	G1702	C1703	A1704	A1705	C1706	G1707	C1708	U1709	G1710	A1711	U1712	U1716	A1717	G1718	C1719	U1720	G1721	C1722	G1723	U1724	G1725	A1726	U1727	A1728	U1729	G1730	G1731	C1732	C1733	G1734	A1735	U1736	A1737	U1738	A1739	U1740	U1741	U1742	A1743	A1744	U1745	U1746	U1747	C1748	A1749
C1604	C1605	C1606	C1607	A1608	A1609	A1610	C1611	G1612	A1613	C1614	C1615	A1616	C1617	A1618	G1619	G1620	U1621	G1622	G1623	U1624	C1625	A1626	G1627	A1630	G1631	A1632	G1633	A1634	A1635	U1636	A1637	G1638	C1639	G1643	C1644	G1645	C1646	U1647	U1648	G1649	A1650	G1651	A1652	G1653	A1654	A1655	C1656	U1657	C1658	G1659	A1660	G1661	U1662	A1665	G1666	G1667																						
A1540	G1541	C1542	G1543	A1544	A1545	A1548	A1549	C1550	A1551	A1552	A1553	G1555	C1556	C1557	C1558	U1559	C1561	U1562	U1563	C1564	A1565	A1566	G1567	G1568	A1569	A1570	A1571	U1572	G1573	C1574	U1575	U1576	C1577	C1578	A1579	A1580	A1581	C1582	G1583	U1584	A1587	A1588	A1589	C1590	A1591	U1592	G1593	U1594	C1595	A1596	A1597	A1598	U1599	C1600	G1601	U1602	A1603																					
U1474	C1475	A1476	A1477	G1478	G1479	G1480	C1481	G1482	A1483	U1484	C1485	G1486	G1487	G1488	U1489	C1490	A1491	G1492	A1493	A1494	A1495	U1496	U1497	U1498	U1499	A1500	C1501	G1502	G1503	G1504	U1505	C1506	A1507	C1508	A1509	U1510	G1511	C1512	C1513	U1514	C1515	A1516	G1517	A1518	C1519	G1524	G1525	G1526	G1527	A1528	G1529	C1530	U1531	C1532	U1533	G1534	G1535	G1536	G1537	G1538	A1539																	
U1413	G1414	G1415	G1416	U1417	G1418	A1419	U1420	G1421	G1422	A1423	G1424	G1425	G1426	A1427	C1428	G1429	G1430	A1431	A1432	A1433	A1434	G1435	C1436	C1437	U1438	A1439	U1440	G1441	U1442	U1443	A1444	U1445	G1446	A1449	A1450	G1451	C1452	U1453	A1454	U1455	G1456	G1457	C1458	U1459	G1460	C1461	U1462	G1463	A1464	U1465	U1466	G1467	U1468	U1469	A1470	C1471	G1472	C1473																				
C1351	U1352	A1353	A1354	G1355	G1356	C1357	G1358	A1359	G1360	G1361	C1362	C1363	G1364	A1366	A1367	G1368	G1369	C1370	G1371	U1372	C1373	G1374	U1375	C1376	G1377	A1378	U1379	G1380	G1381	G1382	A1383	A1384	A1385	C1386	A1387	G1388	G1389	U1390	U1394	A1395	U1396	U1397	C1398	G1401	U1402	A1403	C1404	U1405	U1406	G1407	U1408	U1409	G1410	U1411	G1412																							
G1288	C1289	C1290	C1291	C1292	C1293	U1294	C1295	G1296	C1297	G1298	G1299	G1300	A1301	A1302	G1303	A1304	C1305	A1306	A1307	A1308	G1309	G1310	G1311	U1312	U1313	C1314	C1315	U1316	G1317	U1318	C1319	C1320	A1321	A1322	C1323	G1324	U1325	U1326	A1327	A1328	U1329	C1330	G1331	G1332	G1333	G1334	C1335	A1336	G1337	G1338	G1339	U1340	G1341	A1342	U1343	U1344	C1345	G1346	A1347																			
A1226	G1227	G1228	A1229	C1230	U1231	G1232	G1235	G1236	A1237	G1238	U1239	U1240	A1241	U1242	C1243	A1244	G1245	A1246	A1247	G1248	G1249	G1250	C1251	G1252	A1253	A1254	U1255	C1256	G1257	U1258	G1259	A1260	U1263	A1264	A1265	G1266	U1267	A1268	A1269	C1270	G1271	A1272	U1273	A1274	A1275	A1276	G1277	G1278	G1279	G1280	G1281	U1282	G1283	A1284	A1285	A1286	A1287																					
G1160	C1161	G1162	G1163	C1164	A1165	G1166	G1167	G1168	A1169	C1170	G1171	U1173	U1174	A1175	U1176	G1177	C1178	G1179	U1180	U1181	G1182	U1183	U1184	G1185	G1186	G1187	G1193	A1194	G1195	C1196	G1197	U1198	U1199	C1200	G1201	U1201	G1202	U1203	A1204	G1206	C1207	C1208	U1209	G1210	C1211	G1212	A1213	A1214	G1215	G1216	U1217	G1218	U1219	G1220	U1221	U1222	G1223	U1224	G1225																			


C2830	U2743	A2875	C2831	G2744	C2876	C2832	G2877	C2833	U2878	C2879	U2834	A2881	U2680	C2881	A2882	C2834	G2747	A2748	U2749	U2750	C2837	G2751	C2838	U2839	C2752	G2885	U2686	A2753	U2754	U2755	G2886	U2835	C2836	G2887	U2756	C2837	U2838	A2757	G2888	U2839	C2839	U2840	C2841	G2842	U2843	C2844	U2845	G2846	U2847	U2848	C2849	U2850	C2851	U2852	C2853	G2854	C2855	A2856	U2857	C2858	U2859	C2860	A2861	U2862	C2863	U2864	C2865	U2866	G2867	A2868	U2869	C2870	U2871	C2872	U2873	C2874	U2875	C2876	U2877	C2878	U2879	C2880	U2881	C2882	U2883	C2884	U2885	C2886	U2887	C2888	U2889	C2890																																										
C2072	A2134	U2272	C2073	A2135	C2275	U2342	U2343	U2344	G2345	A2346	C2347	U2348	C2349	C2350	G2351	A2352	C2353	U2354	C2355	A2356	U2357	C2358	U2359	C2360	G2361	C2362	U2363	G2364	C2365	A2366	U2296	A2297	U2298	C2299	C2300	C2301	U2302	G2303	U2304	C2305	A2306	U2307	C2308	U2309	C2310	A2311	U2312	C2313	A2314	U2113	C2251	C2254	G2255	U2256	U2257	C2258	A2327	U2328	U2329	C2330	U2331	C2332	A2333	U2334	A2335	U2336	G2400	U2401	C2403	G2404	A2469	C2467	U2468	A2469	C2538	U2539	A2540	C2541	U2542	C2543	U2544	U2545	C2546	U2547	C2548	U2549	C2550	U2551	C2552	U2553	C2554	U2555	C2556	U2557	C2558	U2559	C2560	U2561	C2562	U2563	U2564	C2565	U2566	C2567	U2568	C2569	U2570	C2571	A2572	U2573	C2574	U2575	C2576	U2577	C2578	U2579	C2580	U2581	C2582	U2583	C2584	U2585	C2586	U2587	A2590	C2591	U2592	C2593	U2594	C2595	U2596	C2597	U2598	A2599
G2072	A2134	U2272	C2073	A2135	C2275	U2342	U2343	U2344	G2345	A2346	C2347	U2348	C2349	C2350	G2351	A2352	C2353	U2354	C2355	A2356	U2357	C2358	U2359	C2360	G2361	C2362	U2363	G2364	C2365	A2366	U2296	A2297	U2298	C2299	C2300	C2301	U2302	G2303	U2304	C2305	A2306	U2307	C2308	U2309	C2310	A2311	U2312	C2313	A2314	U2113	C2251	C2254	G2255	U2256	U2257	C2258	A2327	U2328	U2329	C2330	U2331	C2332	A2333	U2334	A2335	U2336	G2400	U2401	C2403	G2404	A2469	C2467	U2468	A2469	C2538	U2539	A2540	C2541	U2542	C2543	U2544	U2545	C2546	U2547	C2548	U2549	C2550	U2551	C2552	U2553	C2554	U2555	C2556	U2557	C2558	U2559	C2560	U2561	C2562	U2563	U2564	C2565	U2566	C2567	U2568	C2569	U2570	C2571	A2572	U2573	C2574	U2575	C2576	U2577	C2578	U2579	C2580	U2581	C2582	U2583	C2584	U2585	C2586	U2587	A2590	C2591	U2592	C2593	U2594	C2595	U2596	C2597	U2598	A2599
U2011	G2012	A2013	U2014	U2015	U2016	U2017	U2018	A2019	A2020	C2021	U2022	C2023	G2024	C2025	U2026	U2027	U2028	U2029	U2030	U2031	U2032	U2033	U2034	U2035	U2036	U2037	U2038	U2039	U2040	U2041	U2042	U2043	U2044	U2045	U2046	U2047	U2048	U2049	U2050	U2051	U2052	U2053	U2054	U2055	U2056	U2057	U2058	U2059	U2060	U2061	U2062	U2063	U2064	U2065	U2066	U2067	U2068	U2069	A2070	U2071																																																																										



• Molecule 26: 50S ribosomal protein L2




• Molecule 27: 50S ribosomal protein L3




• Molecule 28: 50S ribosomal protein L4








• Molecule 29: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L6





• Molecule 31: 50S ribosomal protein L9









• Molecule 32: 50S ribosomal protein L11




• Molecule 33: 50S ribosomal protein L13




• Molecule 34: 50S ribosomal protein L14




• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16




• Molecule 37: 50S ribosomal protein L17




• Molecule 38: 50S ribosomal protein L18




• Molecule 39: 50S ribosomal protein L19




• Molecule 40: 50S RIBOSOMAL PROTEIN L20




• Molecule 41: 50S ribosomal protein L22




• Molecule 42: 50S ribosomal protein L23




• Molecule 43: 50S ribosomal protein L24






• Molecule 44: 50S ribosomal protein L25




• Molecule 45: 50S ribosomal protein L27



• Molecule 46: 50S ribosomal protein L29




• Molecule 47: 50S ribosomal protein L30





• Molecule 48: 50S ribosomal protein L32





• Molecule 49: 50S ribosomal protein L33



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	52181	Depositor
Resolution determination method	Not provided	
CTF correction method	CTF correction of 3D-maps by Wiener filtration	Depositor
Microscope	FEI TECNAI F20	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	1.1	Depositor
Maximum defocus (nm)	3.8	Depositor
Magnification	49696	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	250.773	Depositor
Minimum map value	-142.587	Depositor
Average map value	1.513	Depositor
Map value standard deviation	24.331	Depositor
Recommended contour level	43.4	Depositor
Map size ($\text{\AA}$)	366.6, 366.6, 366.6	wwPDB
Map dimensions	130, 130, 130	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing ($\text{\AA}$)	2.82, 2.82, 2.82	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.34	11/35745 (0.0%)	0.59	31/55764 (0.1%)
2	AU	0.65	6/1814 (0.3%)	0.73	8/2827 (0.3%)
2	AV	0.26	0/1814	0.58	0/2827
2	AW	0.26	0/1814	0.58	0/2827
3	AB	0.27	0/1877	0.71	0/2523
4	AC	0.28	0/1652	0.71	2/2225 (0.1%)
5	AD	0.26	0/1660	0.69	0/2220
6	AE	0.28	0/1106	0.74	1/1488 (0.1%)
7	AF	0.32	0/802	0.90	4/1081 (0.4%)
8	AG	0.27	0/1093	0.78	2/1467 (0.1%)
9	AH	0.28	0/978	0.71	0/1311
10	AI	0.28	0/1026	0.78	1/1364 (0.1%)
11	AJ	0.30	0/783	0.81	0/1058
12	AK	0.34	0/886	0.85	2/1195 (0.2%)
13	AL	0.26	0/799	0.77	0/1070
14	AM	0.29	0/900	0.79	1/1201 (0.1%)
15	AN	0.28	0/510	0.73	0/679
16	AO	0.26	0/705	0.68	0/942
17	AP	0.29	0/632	0.89	2/848 (0.2%)
18	AQ	0.27	0/649	0.74	1/870 (0.1%)
19	AR	0.30	0/585	0.68	0/782
20	AS	0.28	0/712	0.78	1/955 (0.1%)
21	AT	0.30	0/655	0.74	0/866
22	B0	0.34	19/65882 (0.0%)	0.65	94/102783 (0.1%)
23	B9	0.29	0/2583	0.62	1/4028 (0.0%)
24	B2	0.70	2/1665 (0.1%)	0.94	7/2240 (0.3%)
25	B3	0.69	4/846 (0.5%)	1.08	9/1135 (0.8%)
25	B5	0.29	0/845	0.90	4/1132 (0.4%)
26	BA	0.75	3/1759 (0.2%)	1.28	31/2356 (1.3%)
27	BB	0.30	0/1582	0.82	2/2122 (0.1%)
28	BC	0.35	0/1549	0.93	8/2082 (0.4%)
29	BD	0.28	0/1438	0.85	8/1927 (0.4%)
30	BE	0.28	0/1273	0.76	0/1725
31	BF	0.28	0/1120	0.74	1/1509 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BG	0.34	0/1032	1.18	18/1388 (1.3%)
33	BH	0.50	0/1152	1.14	19/1551 (1.2%)
34	BI	0.29	0/948	0.83	2/1269 (0.2%)
35	BJ	0.33	0/1025	0.99	10/1363 (0.7%)
36	BK	0.30	0/1055	0.84	4/1409 (0.3%)
37	BL	0.30	0/920	1.20	16/1229 (1.3%)
38	BM	0.26	0/873	0.72	0/1170
39	BN	0.32	0/929	0.87	4/1242 (0.3%)
40	BO	0.92	6/949 (0.6%)	2.96	36/1261 (2.9%)
41	BQ	0.28	0/832	1.12	13/1113 (1.2%)
42	BR	0.29	0/723	0.94	5/965 (0.5%)
43	BS	0.29	0/769	0.83	2/1023 (0.2%)
44	BT	0.28	0/766	0.75	0/1025
45	BU	0.29	0/642	0.90	3/848 (0.4%)
46	BW	0.27	0/496	0.75	1/658 (0.2%)
47	BX	0.28	0/439	0.83	1/587 (0.2%)
48	BZ	0.28	0/238	0.76	0/316
49	B1	0.29	0/431	0.70	0/572
All	All	0.36	51/153958 (0.0%)	0.73	355/230418 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	3	0
2	AU	0	1
22	B0	5	12
23	B9	0	1
26	BA	0	1
40	BO	0	1
All	All	8	16

The worst 5 of 51 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	B2	33	ALA	N-CA	23.04	1.75	1.46
22	B0	2137	U	O5'-C5'	21.04	1.74	1.42
26	BA	155	ARG	CD-NE	15.57	1.68	1.46
1	AA	372	C	O3'-P	15.00	1.83	1.61
1	AA	518	C	O3'-P	-14.76	1.39	1.61

The worst 5 of 355 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BO	100	PHE	CE1-CZ-CE2	-53.38	23.91	120.00
40	BO	100	PHE	CZ-CE2-CD2	-46.98	35.44	120.00
40	BO	100	PHE	CD1-CE1-CZ	-45.56	37.99	120.00
40	BO	100	PHE	CG-CD2-CE2	-21.52	84.12	120.70
40	BO	100	PHE	CG-CD1-CE1	-21.02	84.97	120.70

5 of 8 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AA	190	A	C1'
1	AA	1502	A	C1'
1	AA	1503	A	C1'
22	B0	301	G	C1'
22	B0	1593	G	C1'

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	AU	39	U	Sidechain
22	B0	1417	U	Sidechain
22	B0	1418	G	Sidechain
22	B0	611	C	Sidechain
22	B0	884	U	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	31924	0	16068	1363	0
2	AU	1622	0	820	98	0
2	AV	1622	0	821	64	0
2	AW	1622	0	821	61	0
3	AB	1847	0	1855	116	0
4	AC	1625	0	1699	168	0
5	AD	1638	0	1702	155	0
6	AE	1093	0	1132	97	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	AF	784	0	776	104	0
8	AG	1079	0	1108	49	0
9	AH	968	0	1021	106	0
10	AI	1014	0	1064	155	0
11	AJ	773	0	812	140	0
12	AK	870	0	878	121	0
13	AL	787	0	825	88	0
14	AM	892	0	954	69	0
15	AN	500	0	526	56	0
16	AO	697	0	716	52	0
17	AP	622	0	637	76	0
18	AQ	640	0	678	55	0
19	AR	576	0	599	56	0
20	AS	695	0	725	112	0
21	AT	649	0	697	81	0
22	B0	58824	0	29589	4593	0
23	B9	2310	0	1173	65	0
24	B2	1652	0	1729	259	0
25	B3	845	0	880	427	0
25	B5	845	0	879	172	0
26	BA	1733	0	1766	980	0
27	BB	1565	0	1612	304	0
28	BC	1531	0	1593	475	0
29	BD	1415	0	1451	201	0
30	BE	1253	0	1289	82	0
31	BF	1111	0	1146	41	0
32	BG	1019	0	1076	178	0
33	BH	1129	0	1162	337	0
34	BI	939	0	1011	82	0
35	BJ	1017	0	1086	339	0
36	BK	1036	0	1109	93	0
37	BL	908	0	946	220	0
38	BM	864	0	902	64	0
39	BN	917	0	965	276	0
40	BO	937	0	1008	292	0
41	BQ	825	0	886	184	0
42	BR	717	0	773	170	0
43	BS	762	0	809	92	0
44	BT	753	0	780	44	0
45	BU	634	0	656	208	0
46	BW	495	0	530	57	0
47	BX	435	0	470	62	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
48	BZ	234	0	235	51	0
49	B1	424	0	461	63	0
All	All	141668	0	94906	11814	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 50.

The worst 5 of 11814 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
26:BA:155:ARG:NE	26:BA:155:ARG:CD	1.68	1.53
22:B0:1499:U:N3	26:BA:155:ARG:CD	1.67	1.52
22:B0:1083:U:C5'	25:B3:85:ASP:H	1.29	1.45
22:B0:2127:G:H3'	22:B0:2166:U:C5'	1.47	1.45
22:B0:2127:G:C8	22:B0:2166:U:H5''	1.52	1.42

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	AB	230/236 (98%)	192 (84%)	27 (12%)	11 (5%)	2	16
4	AC	204/206 (99%)	159 (78%)	33 (16%)	12 (6%)	1	13
5	AD	202/204 (99%)	180 (89%)	18 (9%)	4 (2%)	6	31
6	AE	146/148 (99%)	139 (95%)	5 (3%)	2 (1%)	9	40
7	AF	93/95 (98%)	81 (87%)	8 (9%)	4 (4%)	2	17
8	AG	135/137 (98%)	126 (93%)	8 (6%)	1 (1%)	18	56
9	AH	125/127 (98%)	114 (91%)	10 (8%)	1 (1%)	16	54
10	AI	124/126 (98%)	101 (82%)	14 (11%)	9 (7%)	1	10

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	AJ	94/96 (98%)	75 (80%)	13 (14%)	6 (6%)	1	12
12	AK	114/116 (98%)	96 (84%)	10 (9%)	8 (7%)	1	11
13	AL	99/101 (98%)	76 (77%)	18 (18%)	5 (5%)	1	15
14	AM	111/115 (96%)	100 (90%)	7 (6%)	4 (4%)	2	20
15	AN	59/61 (97%)	50 (85%)	5 (8%)	4 (7%)	1	11
16	AO	84/86 (98%)	79 (94%)	5 (6%)	0	100	100
17	AP	76/78 (97%)	69 (91%)	6 (8%)	1 (1%)	9	42
18	AQ	77/79 (98%)	69 (90%)	6 (8%)	2 (3%)	4	25
19	AR	67/69 (97%)	61 (91%)	6 (9%)	0	100	100
20	AS	85/87 (98%)	67 (79%)	12 (14%)	6 (7%)	1	11
21	AT	81/83 (98%)	68 (84%)	11 (14%)	2 (2%)	4	26
24	B2	216/222 (97%)	174 (81%)	29 (13%)	13 (6%)	1	13
25	B3	114/119 (96%)	90 (79%)	12 (10%)	12 (10%)	0	6
25	B5	113/119 (95%)	87 (77%)	16 (14%)	10 (9%)	0	8
26	BA	217/227 (96%)	121 (56%)	47 (22%)	49 (23%)	0	1
27	BB	199/209 (95%)	157 (79%)	30 (15%)	12 (6%)	1	13
28	BC	194/198 (98%)	127 (66%)	41 (21%)	26 (13%)	0	4
29	BD	173/177 (98%)	94 (54%)	51 (30%)	28 (16%)	0	2
30	BE	165/167 (99%)	147 (89%)	16 (10%)	2 (1%)	10	44
31	BF	143/149 (96%)	121 (85%)	17 (12%)	5 (4%)	3	20
32	BG	135/139 (97%)	80 (59%)	37 (27%)	18 (13%)	0	4
33	BH	140/142 (99%)	78 (56%)	37 (26%)	25 (18%)	0	2
34	BI	120/122 (98%)	96 (80%)	19 (16%)	5 (4%)	2	17
35	BJ	136/140 (97%)	70 (52%)	33 (24%)	33 (24%)	0	1
36	BK	129/131 (98%)	97 (75%)	25 (19%)	7 (5%)	1	15
37	BL	110/114 (96%)	68 (62%)	25 (23%)	17 (16%)	0	3
38	BM	111/113 (98%)	91 (82%)	16 (14%)	4 (4%)	2	20
39	BN	112/114 (98%)	46 (41%)	38 (34%)	28 (25%)	0	1
40	BO	111/115 (96%)	65 (59%)	28 (25%)	18 (16%)	0	2
41	BQ	104/106 (98%)	73 (70%)	25 (24%)	6 (6%)	1	14
42	BR	88/92 (96%)	43 (49%)	31 (35%)	14 (16%)	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	BS	95/99 (96%)	71 (75%)	16 (17%)	8 (8%)	0	9
44	BT	92/94 (98%)	76 (83%)	12 (13%)	4 (4%)	2	17
45	BU	82/84 (98%)	37 (45%)	29 (35%)	16 (20%)	0	2
46	BW	58/60 (97%)	53 (91%)	4 (7%)	1 (2%)	7	36
47	BX	54/56 (96%)	49 (91%)	5 (9%)	0	100	100
48	BZ	27/29 (93%)	11 (41%)	10 (37%)	6 (22%)	0	1
49	B1	50/52 (96%)	28 (56%)	13 (26%)	9 (18%)	0	2
All	All	5494/5639 (97%)	4152 (76%)	884 (16%)	458 (8%)	1	9

5 of 458 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	AB	14	HIS
3	AB	225	SER
4	AC	14	VAL
4	AC	126	ARG
9	AH	47	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AB	195/195 (100%)	192 (98%)	3 (2%)	57	72
4	AC	170/170 (100%)	161 (95%)	9 (5%)	20	41
5	AD	172/172 (100%)	170 (99%)	2 (1%)	63	75
6	AE	112/112 (100%)	108 (96%)	4 (4%)	31	52
7	AF	83/83 (100%)	80 (96%)	3 (4%)	31	52
8	AG	112/112 (100%)	111 (99%)	1 (1%)	70	79
9	AH	103/103 (100%)	101 (98%)	2 (2%)	50	67
10	AI	104/104 (100%)	101 (97%)	3 (3%)	37	58
11	AJ	84/84 (100%)	81 (96%)	3 (4%)	31	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
12	AK	89/89 (100%)	87 (98%)	2 (2%)	45	64
13	AL	85/85 (100%)	84 (99%)	1 (1%)	63	75
14	AM	93/93 (100%)	89 (96%)	4 (4%)	26	47
15	AN	52/52 (100%)	50 (96%)	2 (4%)	29	50
16	AO	74/74 (100%)	74 (100%)	0	100	100
17	AP	63/63 (100%)	63 (100%)	0	100	100
18	AQ	73/73 (100%)	73 (100%)	0	100	100
19	AR	60/60 (100%)	59 (98%)	1 (2%)	53	69
20	AS	75/75 (100%)	73 (97%)	2 (3%)	39	61
21	AT	63/63 (100%)	55 (87%)	8 (13%)	4	16
24	B2	172/172 (100%)	166 (96%)	6 (4%)	32	53
25	B3	83/83 (100%)	75 (90%)	8 (10%)	8	25
25	B5	83/83 (100%)	78 (94%)	5 (6%)	17	39
26	BA	176/176 (100%)	150 (85%)	26 (15%)	3	13
27	BB	164/164 (100%)	161 (98%)	3 (2%)	51	68
28	BC	163/163 (100%)	153 (94%)	10 (6%)	17	38
29	BD	149/149 (100%)	127 (85%)	22 (15%)	3	13
30	BE	130/130 (100%)	125 (96%)	5 (4%)	29	50
31	BF	114/114 (100%)	112 (98%)	2 (2%)	51	68
32	BG	108/108 (100%)	91 (84%)	17 (16%)	2	12
33	BH	116/116 (100%)	98 (84%)	18 (16%)	2	12
34	BI	103/103 (100%)	97 (94%)	6 (6%)	18	40
35	BJ	99/99 (100%)	76 (77%)	23 (23%)	1	5
36	BK	104/104 (100%)	91 (88%)	13 (12%)	4	16
37	BL	94/94 (100%)	78 (83%)	16 (17%)	2	10
38	BM	83/83 (100%)	80 (96%)	3 (4%)	31	52
39	BN	99/99 (100%)	75 (76%)	24 (24%)	1	4
40	BO	89/89 (100%)	62 (70%)	27 (30%)	0	2
41	BQ	89/89 (100%)	77 (86%)	12 (14%)	4	14
42	BR	77/77 (100%)	66 (86%)	11 (14%)	3	13
43	BS	82/82 (100%)	76 (93%)	6 (7%)	13	34

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
44	BT	78/78 (100%)	76 (97%)	2 (3%)	40	62
45	BU	62/62 (100%)	52 (84%)	10 (16%)	2	11
46	BW	55/55 (100%)	54 (98%)	1 (2%)	51	68
47	BX	47/47 (100%)	44 (94%)	3 (6%)	16	37
48	BZ	24/24 (100%)	19 (79%)	5 (21%)	1	6
49	B1	46/46 (100%)	35 (76%)	11 (24%)	1	4
All	All	4551/4551 (100%)	4206 (92%)	345 (8%)	14	33

5 of 345 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
38	BM	40	ILE
41	BQ	18	ARG
39	BN	12	MET
40	BO	12	ARG
42	BR	66	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 168 such sidechains are listed below:

Mol	Chain	Res	Type
32	BG	29	GLN
41	BQ	15	GLN
33	BH	76	HIS
37	BL	62	ASN
43	BS	73	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1487/1488 (99%)	249 (16%)	95 (6%)
2	AU	75/76 (98%)	16 (21%)	7 (9%)
2	AV	75/76 (98%)	15 (20%)	7 (9%)
2	AW	75/76 (98%)	14 (18%)	7 (9%)
22	B0	2739/2740 (99%)	580 (21%)	182 (6%)
23	B9	107/108 (99%)	23 (21%)	6 (5%)
All	All	4558/4564 (99%)	897 (19%)	304 (6%)

5 of 897 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	8	A
1	AA	9	G
1	AA	13	U
1	AA	31	G
1	AA	32	A

5 of 304 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	B0	1929	G
22	B0	2644	G
22	B0	1996	C
22	B0	2164	C
23	B9	56	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	AA	7
26	BA	4
27	BB	4

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
25	B5	3
25	B3	2
3	AB	2
31	BF	2
24	B2	2
29	BD	1
28	BC	1
14	AM	1
43	BS	1
37	BL	1
32	BG	1
40	BO	1
42	BR	1
35	BJ	1

The worst 5 of 35 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B5	52:THR	C	53:GLU	N	8.77
1	B5	51:LYS	C	52:THR	N	8.07
1	BA	60:ALA	C	61:TYR	N	8.05
1	B3	53:GLU	C	54:PHE	N	7.33
1	BB	167:ASN	C	168:GLU	N	7.32


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1056. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 65



Y Index: 65




Z Index: 65


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 68



Y Index: 68




Z Index: 58


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z


The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)


6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 43.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2462 nm³; this corresponds to an approximate mass of 2224 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.067 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1056 and PDB model 4V4V. Per-residue inclusion information can be found in [section 3](#) on [page 13](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 43.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (43.4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 45% of all backbone atoms, 47% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (43.4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.4730	0.0020
AA	0.5230	0.0010
AB	0.3560	-0.0010
AC	0.3210	0.0010
AD	0.2800	-0.0070
AE	0.3280	0.0090
AF	0.4420	0.0080
AG	0.4810	0.0140
AH	0.4340	0.0050
AI	0.4880	0.0030
AJ	0.3500	0.0100
AK	0.2900	0.0060
AL	0.5450	0.0280
AM	0.3210	-0.0080
AN	0.0820	-0.0290
AO	0.6280	0.0110
AP	0.5820	-0.0090
AQ	0.4940	-0.0010
AR	0.2600	0.0140
AS	0.3890	0.0050
AT	0.6550	0.0170
AU	0.4130	0.0110
AV	0.3660	-0.0210
AW	0.3370	-0.0200
B0	0.5040	0.0010
B1	0.2160	0.0070
B2	0.4460	0.0200
B3	0.1900	0.0230
B5	0.0430	0.0170
B9	0.5140	0.0000
BA	0.4500	0.0130
BB	0.4350	0.0080
BC	0.5870	0.0170
BD	0.4220	0.0170
BE	0.4230	-0.0310



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BF	 0.2400	 -0.0250
BG	 0.2090	 0.0150
BH	 0.3880	 -0.0020
BI	 0.1720	 -0.0150
BJ	 0.5540	 0.0200
BK	 0.3240	 -0.0140
BL	 0.4830	 -0.0050
BM	 0.6160	 0.0330
BN	 0.4460	 0.0070
BO	 0.5370	 -0.0010
BQ	 0.3790	 -0.0280
BR	 0.5250	 -0.0030
BS	 0.5720	 0.0030
BT	 0.3630	 -0.0090
BU	 0.3790	 0.0060
BW	 0.4800	 -0.0360
BX	 0.2980	 -0.0380
BZ	 0.7430	 0.0410