



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 05:24 AM UTC

PDB ID : 4V4W / pdb_00004v4w
EMDB ID : EMD-1143
Title : Structure of a SecM-stalled E. coli ribosome complex obtained by fitting atomic models for RNA and protein components into cryo-EM map EMD-1143
Authors : Mitra, K.; Frank, J.
Deposited on : 2006-05-09
Resolution : 15.00 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 15.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102
RNA backbone	8273	3508

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1488	49% 28% 53% 16%
2	AU	76	46% 28% 58% 14%
2	AV	76	21% 30% 58% 12%
2	AW	76	30% 26% 59% 14%
3	AB	236	97% 43% 55%
4	AC	206	89% 39% 55% 5%
5	AD	204	99% 40% 59%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	AE	148	
7	AF	95	
8	AG	137	
9	AH	127	
10	AI	126	
11	AJ	96	
12	AK	116	
13	AL	101	
14	AM	115	
15	AN	61	
16	AO	86	
17	AP	78	
18	AQ	79	
19	AR	69	
20	AS	87	
21	AT	83	
22	B0	2740	
23	B9	108	
24	B2	222	
25	B3	119	
25	B5	119	
26	BA	227	
27	BB	209	
28	BC	198	
29	BD	177	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
30	BE	167	
31	BF	149	
32	BG	139	
33	BH	142	
34	BI	122	
35	BJ	140	
36	BK	131	
37	BL	114	
38	BM	113	
39	BN	114	
40	BO	115	
41	BQ	106	
42	BR	92	
43	BS	99	
44	BT	94	
45	BU	84	
46	BW	60	
47	BX	56	
48	BZ	29	
49	B1	52	

2 Entry composition

There are 49 unique types of molecules in this entry. The entry contains 141668 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1488	Total	C	N	O	P	0	0
			31924	14238	5854	10345	1487		

- Molecule 2 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AU	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		
2	AV	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		
2	AW	76	Total	C	N	O	P	0	0
			1622	725	293	529	75		

- Molecule 3 is a protein called 30S ribosomal subunit protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AB	236	Total	C	N	O	S	0	0
			1847	1165	328	346	8		

- Molecule 4 is a protein called 30S ribosomal subunit protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AC	206	Total	C	N	O	S	0	0
			1625	1028	305	289	3		

- Molecule 5 is a protein called 30S ribosomal subunit protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AD	204	Total	C	N	O	S	0	0
			1638	1023	314	297	4		

- Molecule 6 is a protein called 30S ribosomal subunit protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AE	148	Total	C	N	O	S	0	0
			1093	679	208	200	6		

- Molecule 7 is a protein called 30S ribosomal subunit protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AF	95	Total	C	N	O	S	0	0
			784	495	143	140	6		

- Molecule 8 is a protein called 30S ribosomal subunit protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AG	137	Total	C	N	O	S	0	0
			1079	671	204	200	4		

- Molecule 9 is a protein called 30S ribosomal subunit protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AH	127	Total	C	N	O	S	0	0
			968	610	171	181	6		

- Molecule 10 is a protein called 30S ribosomal subunit protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AI	126	Total	C	N	O	S	0	0
			1014	630	204	177	3		

- Molecule 11 is a protein called 30S ribosomal subunit protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AJ	96	Total	C	N	O	S	0	0
			773	484	148	140	1		

- Molecule 12 is a protein called 30S ribosomal subunit protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AK	116	Total	C	N	O	S	0	0
			870	535	173	159	3		

- Molecule 13 is a protein called 30S ribosomal subunit protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AL	101	Total	C	N	O	S	0	0
			787	486	159	138	4		

- Molecule 14 is a protein called 30S ribosomal subunit protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AM	115	Total	C	N	O	S	0	0
			892	552	179	158	3		

- Molecule 15 is a protein called 30S ribosomal subunit protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AN	61	Total	C	N	O	S	0	0
			500	310	108	80	2		

- Molecule 16 is a protein called 30S ribosomal subunit protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AO	86	Total	C	N	O	S	0	0
			697	430	139	127	1		

- Molecule 17 is a protein called 30S ribosomal subunit protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AP	78	Total	C	N	O	S	0	0
			622	390	122	109	1		

- Molecule 18 is a protein called 30S ribosomal subunit protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AQ	79	Total	C	N	O	S	0	0
			640	405	119	113	3		

- Molecule 19 is a protein called 30S ribosomal subunit protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AR	69	Total	C	N	O	S	0	0
			576	362	112	101	1		

- Molecule 20 is a protein called 30S ribosomal subunit protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AS	87	Total	C	N	O	S	0	0
			695	443	132	118	2		

- Molecule 21 is a protein called 30S ribosomal subunit protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AT	83	Total	C	N	O	S	0	0
			649	401	134	111	3		

- Molecule 22 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	B0	2740	Total	C	N	O	P	0	0
			58824	26239	10826	19019	2740		

- Molecule 23 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	B9	108	Total	C	N	O	P	0	0
			2310	1030	423	750	107		

- Molecule 24 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	B2	222	Total	C	N	O	S	0	0
			1652	1031	301	314	6		

- Molecule 25 is a protein called 50S ribosomal protein L7/L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	B3	119	Total	C	N	O	S	0	0
			845	531	137	174	3		
25	B5	119	Total	C	N	O	S	0	0
			845	531	137	174	3		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BA	227	Total	C	N	O	S	0	0
			1733	1064	352	311	6		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BB	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BC	198	Total	C	N	O	S	0	0
			1531	960	280	287	4		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	BD	177	Total	C	N	O	S	0	0
			1415	902	250	257	6		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	BE	167	Total	C	N	O	S	0	0
			1253	789	228	234	2		

- Molecule 31 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BF	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 32 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	BG	139	Total	C	N	O	S	0	0
			1019	644	177	192	6		

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BH	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BI	122	Total	C	N	O	S	0	0
			939	588	180	166	5		

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	BJ	140	Total	C	N	O	S	0	0
			1017	632	200	184	1		

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	BK	131	Total	C	N	O	S	0	0
			1036	661	200	171	4		

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	BL	114	Total	C	N	O	S	0	0
			908	564	184	156	4		

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	BM	113	Total	C	N	O	0	0
			864	534	174	156		

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BN	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	BO	115	Total	C	N	O	0	0
			937	598	190	149		

- Molecule 41 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BQ	106	Total	C	N	O	S	0	0
			825	512	162	149	2		

- Molecule 42 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BR	92	Total	C	N	O	S	0	0
			717	455	132	129	1		

- Molecule 43 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BS	99	Total	C	N	O	S	0	0
			762	480	143	139			

- Molecule 44 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BT	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 45 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BU	84	Total	C	N	O	S	0	0
			634	391	129	113	1		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BW	60	Total	C	N	O	S	0	0
			495	305	96	92	2		

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BX	56	Total	C	N	O	S	0	0
			435	272	84	77	2		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms				AltConf	Trace
48	BZ	29	Total	C	N	O	0	0
			234	145	47	42		


- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
49	B1	52	Total	C	N	O	0	0
			424	272	78	74		



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S ribosomal RNA









• Molecule 2: tRNA





• Molecule 2: tRNA




• Molecule 2: tRNA




• Molecule 3: 30S ribosomal subunit protein S2







• Molecule 4: 30S ribosomal subunit protein S3




• Molecule 5: 30S ribosomal subunit protein S4



• Molecule 6: 30S ribosomal subunit protein S5






• Molecule 7: 30S ribosomal subunit protein S6

Chain AF:



• Molecule 8: 30S ribosomal subunit protein S7

Chain AG:




• Molecule 9: 30S ribosomal subunit protein S8

Chain AH:





• Molecule 10: 30S ribosomal subunit protein S9



Chain AI:





• Molecule 11: 30S ribosomal subunit protein S10




• Molecule 12: 30S ribosomal subunit protein S11




• Molecule 13: 30S ribosomal subunit protein S12




• Molecule 14: 30S ribosomal subunit protein S13







- Molecule 15: 30S ribosomal subunit protein S14





- Molecule 16: 30S ribosomal subunit protein S15




- Molecule 17: 30S ribosomal subunit protein S16




- Molecule 18: 30S ribosomal subunit protein S17




- Molecule 19: 30S ribosomal subunit protein S18








• Molecule 20: 30S ribosomal subunit protein S19



• Molecule 21: 30S ribosomal subunit protein S20




• Molecule 22: 23S ribosomal RNA











• Molecule 23: 5S ribosomal RNA








• Molecule 24: 50S ribosomal protein L1




• Molecule 25: 50S ribosomal protein L7/L12




• Molecule 25: 50S ribosomal protein L7/L12




• Molecule 26: 50S ribosomal protein L2







• Molecule 27: 50S ribosomal protein L3




• Molecule 28: 50S ribosomal protein L4




• Molecule 29: 50S ribosomal protein L5




• Molecule 30: 50S ribosomal protein L6




• Molecule 31: 50S ribosomal protein L9









• Molecule 33: 50S ribosomal protein L13




• Molecule 34: 50S ribosomal protein L14




• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16




- Molecule 37: 50S ribosomal protein L17




- Molecule 38: 50S ribosomal protein L18




- Molecule 39: 50S ribosomal protein L19




- Molecule 40: 50S ribosomal protein L20









• Molecule 41: 50S ribosomal protein L22




• Molecule 42: 50S ribosomal protein L23




• Molecule 43: 50S ribosomal protein L24




• Molecule 44: 50S ribosomal protein L25




• Molecule 45: 50S ribosomal protein L27




• Molecule 46: 50S ribosomal protein L29




• Molecule 47: 50S ribosomal protein L30



• Molecule 48: 50S ribosomal protein L32



• Molecule 49: 50S ribosomal protein L33



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	53325	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	CTF correction of 3D-maps by Wiener filtration	Depositor
Microscope	FEI TECNAI F30	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	11	Depositor
Minimum defocus (nm)	1.5	Depositor
Maximum defocus (nm)	4.3	Depositor
Magnification	39000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	454.815	Depositor
Minimum map value	-299.714	Depositor
Average map value	5.836	Depositor
Map value standard deviation	33.806	Depositor
Recommended contour level	46.1	Depositor
Map size ($\text{\AA}$)	341.22, 341.22, 341.22	wwPDB
Map dimensions	121, 121, 121	wwPDB
Map angles ($^\circ$)	90, 90, 90	wwPDB
Pixel spacing ($\text{\AA}$)	2.82, 2.82, 2.82	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.40	30/35745 (0.1%)	0.61	28/55764 (0.1%)
2	AU	0.26	0/1814	0.56	0/2827
2	AV	0.25	0/1814	0.54	0/2827
2	AW	0.26	0/1814	0.55	0/2827
3	AB	0.27	0/1877	0.67	0/2523
4	AC	0.28	0/1652	0.69	0/2225
5	AD	0.25	0/1660	0.67	0/2220
6	AE	0.28	0/1106	0.70	0/1488
7	AF	0.30	0/802	0.78	0/1081
8	AG	0.27	0/1093	0.76	0/1467
9	AH	0.28	0/978	0.71	0/1311
10	AI	0.27	0/1026	0.71	1/1364 (0.1%)
11	AJ	0.29	0/783	0.74	0/1058
12	AK	0.29	0/886	0.76	0/1195
13	AL	0.26	0/799	0.75	1/1070 (0.1%)
14	AM	0.27	0/900	0.77	0/1201
15	AN	0.28	0/510	0.71	0/679
16	AO	0.26	0/705	0.70	0/942
17	AP	0.28	0/632	0.79	2/848 (0.2%)
18	AQ	0.27	0/649	0.71	0/870
19	AR	0.29	0/585	0.65	0/782
20	AS	0.29	0/712	0.77	0/955
21	AT	0.28	0/655	0.74	0/866
22	B0	0.31	17/65882 (0.0%)	0.58	33/102783 (0.0%)
23	B9	0.28	0/2583	0.54	0/4028
24	B2	0.29	0/1665	0.75	1/2240 (0.0%)
25	B3	0.28	0/842	0.75	0/1123
25	B5	0.29	0/844	0.83	3/1129 (0.3%)
26	BA	1.13	4/1758 (0.2%)	1.01	14/2353 (0.6%)
27	BB	0.74	2/1582 (0.1%)	0.79	4/2122 (0.2%)
28	BC	0.31	0/1549	0.84	5/2082 (0.2%)
29	BD	0.27	0/1438	0.69	1/1927 (0.1%)
30	BE	0.29	0/1273	0.73	0/1725
31	BF	0.27	0/1120	0.71	0/1509

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BG	0.33	0/1032	0.94	6/1388 (0.4%)
33	BH	0.31	0/1152	0.89	7/1551 (0.5%)
34	BI	0.28	0/948	0.72	0/1269
35	BJ	0.32	0/1025	0.90	6/1363 (0.4%)
36	BK	0.31	0/1055	0.76	2/1409 (0.1%)
37	BL	0.29	0/920	1.05	13/1229 (1.1%)
38	BM	0.27	0/873	0.71	0/1170
39	BN	0.28	0/929	0.73	0/1242
40	BO	0.91	6/949 (0.6%)	2.80	16/1261 (1.3%)
41	BQ	0.30	0/832	1.00	4/1113 (0.4%)
42	BR	0.26	0/720	0.73	0/956
43	BS	0.27	0/769	0.69	0/1023
44	BT	0.28	0/766	0.68	0/1025
45	BU	0.27	0/642	0.80	2/848 (0.2%)
46	BW	0.29	0/496	0.80	1/658 (0.2%)
47	BX	0.27	0/439	0.74	0/587
48	BZ	0.27	0/238	0.61	0/316
49	B1	0.28	0/431	0.67	0/572
All	All	0.36	59/153949 (0.0%)	0.67	150/230391 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	1	3
22	B0	5	4
All	All	6	7

The worst 5 of 59 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
26	BA	67	LYS	CA-CB	37.02	2.03	1.53
27	BB	138	LEU	CA-CB	26.58	1.98	1.53
26	BA	149	LYS	N-CA	22.39	1.75	1.46
1	AA	545	C	O3'-P	19.45	1.90	1.61
1	AA	424	G	O3'-P	17.11	1.86	1.61

The worst 5 of 150 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
40	BO	100	PHE	CE1-CZ-CE2	-53.35	23.98	120.00
40	BO	100	PHE	CZ-CE2-CD2	-46.35	36.57	120.00
40	BO	100	PHE	CD1-CE1-CZ	-46.32	36.62	120.00
40	BO	100	PHE	CG-CD1-CE1	-21.21	84.64	120.70
40	BO	100	PHE	CG-CD2-CE2	-21.21	84.64	120.70

5 of 6 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AA	428	G	C1'
22	B0	1593	G	C1'
22	B0	1653	G	C1'
22	B0	2143	C	C1'
22	B0	2250	G	C1'

5 of 7 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	538	G	Sidechain
1	AA	540	G	Sidechain
1	AA	541	G	Sidechain
22	B0	1418	G	Sidechain
22	B0	1579	A	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	31924	0	16066	1592	0
2	AU	1622	0	821	101	0
2	AV	1622	0	821	75	0
2	AW	1622	0	821	79	0
3	AB	1847	0	1855	127	0
4	AC	1625	0	1699	170	0
5	AD	1638	0	1702	189	0
6	AE	1093	0	1132	120	0
7	AF	784	0	776	106	0
8	AG	1079	0	1108	97	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	AH	968	0	1021	99	0
10	AI	1014	0	1064	156	0
11	AJ	773	0	812	76	0
12	AK	870	0	878	101	0
13	AL	787	0	825	82	0
14	AM	892	0	954	67	0
15	AN	500	0	526	51	0
16	AO	697	0	716	75	0
17	AP	622	0	637	79	0
18	AQ	640	0	678	50	0
19	AR	576	0	599	56	0
20	AS	695	0	725	122	0
21	AT	649	0	697	71	0
22	B0	58824	0	29589	3957	0
23	B9	2310	0	1173	80	0
24	B2	1652	0	1730	181	0
25	B3	845	0	876	148	0
25	B5	845	0	878	138	0
26	BA	1733	0	1764	659	0
27	BB	1565	0	1612	270	0
28	BC	1531	0	1593	517	0
29	BD	1415	0	1451	175	0
30	BE	1253	0	1289	92	0
31	BF	1111	0	1146	50	0
32	BG	1019	0	1076	140	0
33	BH	1129	0	1162	279	0
34	BI	939	0	1011	97	0
35	BJ	1017	0	1086	293	0
36	BK	1036	0	1109	161	0
37	BL	908	0	946	184	0
38	BM	864	0	902	60	0
39	BN	917	0	965	241	0
40	BO	937	0	1008	256	0
41	BQ	825	0	886	230	0
42	BR	717	0	770	195	0
43	BS	762	0	809	74	0
44	BT	753	0	780	45	0
45	BU	634	0	656	170	0
46	BW	495	0	530	81	0
47	BX	435	0	470	41	0
48	BZ	234	0	235	44	0
49	B1	424	0	461	72	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	141668	0	94896	11058	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 47.

The worst 5 of 11058 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
22:B0:1579:A:C2	26:BA:67:LYS:CA	1.76	1.66
22:B0:1996:C:C2	27:BB:138:LEU:CA	1.77	1.62
22:B0:1579:A:C4	26:BA:67:LYS:CA	1.86	1.52
22:B0:1579:A:C4	26:BA:67:LYS:HA	1.38	1.52
22:B0:1421:G:N1	26:BA:149:LYS:CA	1.71	1.51

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	AB	230/236 (98%)	193 (84%)	28 (12%)	9 (4%)	2	19
4	AC	204/206 (99%)	160 (78%)	34 (17%)	10 (5%)	1	16
5	AD	202/204 (99%)	177 (88%)	22 (11%)	3 (2%)	8	40
6	AE	146/148 (99%)	135 (92%)	10 (7%)	1 (1%)	18	56
7	AF	93/95 (98%)	81 (87%)	10 (11%)	2 (2%)	5	29
8	AG	135/137 (98%)	114 (84%)	13 (10%)	8 (6%)	1	13
9	AH	125/127 (98%)	113 (90%)	9 (7%)	3 (2%)	4	27
10	AI	124/126 (98%)	93 (75%)	20 (16%)	11 (9%)	0	8
11	AJ	94/96 (98%)	73 (78%)	15 (16%)	6 (6%)	1	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	AK	114/116 (98%)	91 (80%)	14 (12%)	9 (8%)	1	10
13	AL	99/101 (98%)	75 (76%)	19 (19%)	5 (5%)	1	15
14	AM	111/115 (96%)	90 (81%)	18 (16%)	3 (3%)	4	25
15	AN	59/61 (97%)	50 (85%)	5 (8%)	4 (7%)	1	11
16	AO	84/86 (98%)	76 (90%)	8 (10%)	0	100	100
17	AP	76/78 (97%)	62 (82%)	13 (17%)	1 (1%)	9	42
18	AQ	77/79 (98%)	65 (84%)	10 (13%)	2 (3%)	4	25
19	AR	67/69 (97%)	62 (92%)	5 (8%)	0	100	100
20	AS	85/87 (98%)	69 (81%)	12 (14%)	4 (5%)	2	16
21	AT	81/83 (98%)	68 (84%)	11 (14%)	2 (2%)	4	26
24	B2	216/222 (97%)	183 (85%)	27 (12%)	6 (3%)	4	24
25	B3	108/119 (91%)	84 (78%)	18 (17%)	6 (6%)	1	14
25	B5	112/119 (94%)	89 (80%)	16 (14%)	7 (6%)	1	13
26	BA	215/227 (95%)	128 (60%)	56 (26%)	31 (14%)	0	3
27	BB	199/209 (95%)	148 (74%)	37 (19%)	14 (7%)	1	11
28	BC	194/198 (98%)	124 (64%)	45 (23%)	25 (13%)	0	4
29	BD	173/177 (98%)	96 (56%)	54 (31%)	23 (13%)	0	4
30	BE	165/167 (99%)	141 (86%)	22 (13%)	2 (1%)	10	44
31	BF	143/149 (96%)	121 (85%)	16 (11%)	6 (4%)	2	17
32	BG	135/139 (97%)	85 (63%)	33 (24%)	17 (13%)	0	4
33	BH	140/142 (99%)	77 (55%)	41 (29%)	22 (16%)	0	3
34	BI	120/122 (98%)	93 (78%)	20 (17%)	7 (6%)	1	14
35	BJ	136/140 (97%)	69 (51%)	37 (27%)	30 (22%)	0	1
36	BK	129/131 (98%)	93 (72%)	24 (19%)	12 (9%)	0	8
37	BL	110/114 (96%)	67 (61%)	32 (29%)	11 (10%)	0	7
38	BM	111/113 (98%)	90 (81%)	16 (14%)	5 (4%)	2	17
39	BN	112/114 (98%)	50 (45%)	35 (31%)	27 (24%)	0	1
40	BO	111/115 (96%)	59 (53%)	39 (35%)	13 (12%)	0	4
41	BQ	104/106 (98%)	68 (65%)	29 (28%)	7 (7%)	1	12
42	BR	83/92 (90%)	39 (47%)	25 (30%)	19 (23%)	0	1
43	BS	95/99 (96%)	69 (73%)	21 (22%)	5 (5%)	1	15

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	BT	92/94 (98%)	76 (83%)	13 (14%)	3 (3%)	3	21
45	BU	82/84 (98%)	43 (52%)	23 (28%)	16 (20%)	0	2
46	BW	58/60 (97%)	49 (84%)	5 (9%)	4 (7%)	1	11
47	BX	54/56 (96%)	51 (94%)	3 (6%)	0	100	100
48	BZ	27/29 (93%)	11 (41%)	6 (22%)	10 (37%)	0	0
49	B1	50/52 (96%)	27 (54%)	19 (38%)	4 (8%)	1	9
All	All	5480/5639 (97%)	4077 (74%)	988 (18%)	415 (8%)	1	10

5 of 415 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	AB	14	HIS
3	AB	93	HIS
4	AC	126	ARG
4	AC	178	ARG
8	AG	31	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	AB	195/195 (100%)	194 (100%)	1 (0%)	81	83
4	AC	170/170 (100%)	164 (96%)	6 (4%)	32	53
5	AD	172/172 (100%)	170 (99%)	2 (1%)	63	75
6	AE	112/112 (100%)	110 (98%)	2 (2%)	51	68
7	AF	83/83 (100%)	81 (98%)	2 (2%)	43	64
8	AG	112/112 (100%)	112 (100%)	0	100	100
9	AH	103/103 (100%)	101 (98%)	2 (2%)	50	67
10	AI	104/104 (100%)	102 (98%)	2 (2%)	50	67
11	AJ	84/84 (100%)	82 (98%)	2 (2%)	43	64
12	AK	89/89 (100%)	87 (98%)	2 (2%)	45	64

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
13	AL	85/85 (100%)	82 (96%)	3 (4%)	32	53
14	AM	93/93 (100%)	91 (98%)	2 (2%)	45	64
15	AN	52/52 (100%)	51 (98%)	1 (2%)	50	67
16	AO	74/74 (100%)	73 (99%)	1 (1%)	59	72
17	AP	63/63 (100%)	62 (98%)	1 (2%)	55	70
18	AQ	73/73 (100%)	73 (100%)	0	100	100
19	AR	60/60 (100%)	59 (98%)	1 (2%)	53	69
20	AS	75/75 (100%)	73 (97%)	2 (3%)	39	61
21	AT	63/63 (100%)	56 (89%)	7 (11%)	6	20
24	B2	172/172 (100%)	167 (97%)	5 (3%)	37	58
25	B3	83/83 (100%)	82 (99%)	1 (1%)	63	75
25	B5	83/83 (100%)	80 (96%)	3 (4%)	31	52
26	BA	176/176 (100%)	158 (90%)	18 (10%)	7	23
27	BB	164/164 (100%)	162 (99%)	2 (1%)	63	75
28	BC	163/163 (100%)	151 (93%)	12 (7%)	13	33
29	BD	149/149 (100%)	130 (87%)	19 (13%)	4	15
30	BE	130/130 (100%)	125 (96%)	5 (4%)	29	50
31	BF	114/114 (100%)	112 (98%)	2 (2%)	51	68
32	BG	108/108 (100%)	93 (86%)	15 (14%)	3	14
33	BH	116/116 (100%)	94 (81%)	22 (19%)	1	8
34	BI	103/103 (100%)	97 (94%)	6 (6%)	18	40
35	BJ	99/99 (100%)	77 (78%)	22 (22%)	1	6
36	BK	104/104 (100%)	90 (86%)	14 (14%)	4	14
37	BL	94/94 (100%)	78 (83%)	16 (17%)	2	10
38	BM	83/83 (100%)	79 (95%)	4 (5%)	23	44
39	BN	99/99 (100%)	79 (80%)	20 (20%)	1	7
40	BO	89/89 (100%)	68 (76%)	21 (24%)	1	5
41	BQ	89/89 (100%)	76 (85%)	13 (15%)	3	13
42	BR	77/77 (100%)	66 (86%)	11 (14%)	3	13
43	BS	82/82 (100%)	77 (94%)	5 (6%)	17	38
44	BT	78/78 (100%)	76 (97%)	2 (3%)	40	62

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
45	BU	62/62 (100%)	54 (87%)	8 (13%)	4	15
46	BW	55/55 (100%)	52 (94%)	3 (6%)	19	41
47	BX	47/47 (100%)	46 (98%)	1 (2%)	47	65
48	BZ	24/24 (100%)	19 (79%)	5 (21%)	1	6
49	B1	46/46 (100%)	37 (80%)	9 (20%)	1	7
All	All	4551/4551 (100%)	4248 (93%)	303 (7%)	17	36

5 of 303 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
40	BO	21	LYS
46	BW	39	GLN
40	BO	58	GLN
42	BR	40	LYS
49	B1	36	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 156 such sidechains are listed below:

Mol	Chain	Res	Type
35	BJ	38	GLN
44	BT	87	GLN
36	BK	22	GLN
40	BO	71	ASN
46	BW	39	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1487/1488 (99%)	248 (16%)	71 (4%)
2	AU	75/76 (98%)	13 (17%)	5 (6%)
2	AV	75/76 (98%)	10 (13%)	4 (5%)
2	AW	75/76 (98%)	13 (17%)	5 (6%)
22	B0	2739/2740 (99%)	541 (19%)	131 (4%)
23	B9	107/108 (99%)	20 (18%)	2 (1%)
All	All	4558/4564 (99%)	845 (18%)	218 (4%)

5 of 845 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	6	G
1	AA	8	A
1	AA	9	G
1	AA	13	U
1	AA	31	G

5 of 218 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
22	B0	784	G
22	B0	1302	A
22	B0	2433	A
22	B0	846	U
22	B0	1061	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	B3	6
26	BA	5
25	B5	4

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
27	BB	4
42	BR	4
24	B2	2
3	AB	2
31	BF	2
1	AA	2
28	BC	1
29	BD	1
14	AM	1
43	BS	1
32	BG	1
37	BL	1
40	BO	1
35	BJ	1

The worst 5 of 39 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	B5	52:THR	C	53:GLU	N	10.02
1	BA	60:ALA	C	61:TYR	N	9.99
1	B5	50:GLU	C	51:LYS	N	9.70
1	BB	167:ASN	C	168:GLU	N	8.31
1	BC	96:VAL	C	97:ASN	N	7.51


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-1143. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 60



Y Index: 60




Z Index: 60


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)

6.3.1 Primary map



X Index: 60



Y Index: 60




Z Index: 55


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 46.1. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 2036 nm³; this corresponds to an approximate mass of 1839 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.067 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-1143 and PDB model 4V4W. Per-residue inclusion information can be found in section [3](#) on page [13](#).


9.1 Map-model overlay [i](#)



X




Y



Z

The images above show the 3D surface view of the map at the recommended contour level 46.1 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

9.4 Atom inclusion [i](#)



At the recommended contour level, 36% of all backbone atoms, 41% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (46.1) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.4140	 -0.0040
AA	 0.4810	 -0.0010
AB	 0.0310	 -0.0070
AC	 0.1040	 -0.0250
AD	 0.0090	 0.0000
AE	 0.1210	 0.0140
AF	 0.0220	 -0.0130
AG	 0.0750	 -0.0370
AH	 0.0010	 -0.0130
AI	 0.2080	 0.0060
AJ	 0.2110	 0.0220
AK	 0.2570	 -0.0240
AL	 0.7140	 0.0080
AM	 0.1530	 0.0250
AN	 0.0000	 -0.0260
AO	 0.3140	 -0.0010
AP	 0.0120	 -0.0280
AQ	 0.1890	 0.0050
AR	 0.2690	 -0.0110
AS	 0.0490	 0.0110
AT	 0.2100	 -0.0150
AU	 0.5190	 0.0000
AV	 0.7420	 -0.0040
AW	 0.6260	 0.0160
B0	 0.5460	 -0.0060
B1	 0.0260	 -0.0240
B2	 0.0290	 -0.0080
B3	 0.2220	 0.0300
B5	 0.0400	 -0.0170
B9	 0.0570	 -0.0150
BA	 0.2170	 -0.0230
BB	 0.2590	 0.0080
BC	 0.3020	 0.0060
BD	 0.0590	 -0.0130
BE	 0.0550	 -0.0070



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BF	 0.0280	 -0.0110
BG	 0.0140	 0.0060
BH	 0.1570	 -0.0050
BI	 0.5640	 -0.0000
BJ	 0.3780	 0.0150
BK	 0.4910	 -0.0190
BL	 0.2770	 0.0090
BM	 0.1030	 0.0080
BN	 0.1640	 -0.0370
BO	 0.4280	 0.0230
BQ	 0.4330	 -0.0150
BR	 0.4570	 0.0160
BS	 0.0470	 -0.0280
BT	 0.0680	 0.0110
BU	 0.3110	 -0.0010
BW	 0.1950	 0.0080
BX	 0.0380	 0.0030
BZ	 0.0000	 -0.0130