



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:41 AM UTC

PDB ID : 7V4Z / pdb_00007v4z
Title : Structure of Horcolin native form
Authors : Bobbili, K.B.; Sivaji, N.; Jayaprakash, N.G.; Narayanan, V.; Sekhar, A.; Suguna, K.; Surolia, A.
Deposited on : 2021-08-16
Resolution : 1.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 1.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1256 (1.18-1.14)
Clashscore	190562	1272 (1.18-1.14)
Ramachandran outliers	187476	1246 (1.18-1.14)
Sidechain outliers	187428	1246 (1.18-1.14)
RSRZ outliers	180081	1255 (1.18-1.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	146	
1	B	146	
1	C	146	
1	D	146	
1	E	146	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	146	14% 95% ..
1	G	146	5% 97% ..
1	H	146	8% 94% ...
1	I	146	13% 92% 5% .
1	J	146	15% 93% 5% .
1	K	146	5% 92% 6% .
1	L	146	9% 95% ...

2 Entry composition


There are 5 unique types of molecules in this entry. The entry contains 13981 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Horcolin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	144	Total	C	N	O	S	0	0	0
			1033	657	171	203	2			
1	C	144	Total	C	N	O	S	0	0	0
			1041	662	173	204	2			
1	B	143	Total	C	N	O	S	0	0	0
			1025	653	169	201	2			
1	D	144	Total	C	N	O	S	0	0	0
			1047	665	176	204	2			
1	E	143	Total	C	N	O	S	0	0	0
			1034	657	172	203	2			
1	F	143	Total	C	N	O	S	0	0	0
			1036	659	173	202	2			
1	G	144	Total	C	N	O	S	0	0	0
			1043	663	175	203	2			
1	H	143	Total	C	N	O	S	0	0	0
			1038	660	174	202	2			
1	I	143	Total	C	N	O	S	0	0	0
			1042	662	175	203	2			
1	J	144	Total	C	N	O	S	0	0	0
			1029	655	171	201	2			
1	K	143	Total	C	N	O	S	0	0	0
			1038	660	174	202	2			
1	L	143	Total	C	N	O	S	0	0	0
			1038	660	174	202	2			

- Molecule 2 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	C	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	D	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	E	1	Total	C	O	0	0
			6	3	3		
2	F	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	G	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	G	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		
2	H	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	I	1	Total	C	O	0	0
			6	3	3		
2	J	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	K	1	Total	C	O	0	0
			6	3	3		
2	L	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	K	1	Total	C	O	0	0
			4	2	2		
3	K	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	G	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	126	Total	O	0	0
			126	126		
5	C	118	Total	O	0	0
			118	118		
5	B	94	Total	O	0	0
			94	94		
5	D	116	Total	O	0	0
			116	116		
5	E	116	Total	O	0	0
			116	116		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	F	113	Total 113	O 113	0	0
5	G	124	Total 124	O 124	0	0
5	H	119	Total 119	O 119	0	0
5	I	107	Total 107	O 107	0	0
5	J	82	Total 82	O 82	0	0
5	K	129	Total 129	O 129	0	0
5	L	114	Total 114	O 114	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Horcolin

Chain A: 





- Molecule 1: Horcolin

Chain C: 




- Molecule 1: Horcolin

Chain B: 





- Molecule 1: Horcolin

Chain D: 



- Molecule 1: Horcolin

Chain E: 




- Molecule 1: Horcolin



- Molecule 1: Horcolin




- Molecule 1: Horcolin





- Molecule 1: Horcolin



- Molecule 1: Horcolin



- Molecule 1: Horcolin



- Molecule 1: Horcolin



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.18Å 94.42Å 238.36Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	55.87 – 1.16 55.87 – 1.16	Depositor EDS
% Data completeness (in resolution range)	96.7 (55.87-1.16) 96.7 (55.87-1.16)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.47 (at 1.16Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.181 , 0.196 0.190 , 0.204	Depositor DCC
R_{free} test set	25278 reflections (4.76%)	wwPDB-VP
Wilson B-factor (Å ²)	11.8	Xtriage
Anisotropy	0.198	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	13981	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 38.22 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.8112e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, PEG, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.16	1/1055 (0.1%)	1.10	3/1436 (0.2%)
1	B	1.15	0/1047	1.10	1/1424 (0.1%)
1	C	1.15	0/1063	1.03	0/1445
1	D	1.12	0/1069	1.02	0/1452
1	E	1.13	0/1056	1.07	0/1434
1	F	1.12	1/1058 (0.1%)	1.03	0/1437
1	G	1.14	1/1065 (0.1%)	1.05	0/1447
1	H	1.14	0/1060	1.08	2/1439 (0.1%)
1	I	1.15	0/1064	1.06	0/1444
1	J	1.11	2/1051 (0.2%)	1.09	2/1431 (0.1%)
1	K	1.15	1/1060 (0.1%)	1.05	1/1439 (0.1%)
1	L	1.15	1/1060 (0.1%)	1.08	3/1439 (0.2%)
All	All	1.14	7/12708 (0.1%)	1.06	12/17267 (0.1%)

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	K	53	HIS	CE1-NE2	-7.19	1.25	1.32
1	G	126	ILE	CG1-CD1	-6.32	1.27	1.51
1	J	122	ASP	CG-OD2	5.96	1.36	1.25
1	J	80	ILE	C-O	5.60	1.29	1.24
1	A	24	PRO	C-O	5.47	1.29	1.23
1	F	103	GLY	C-O	5.29	1.30	1.24
1	L	24	PRO	C-O	5.25	1.28	1.23

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	K	79	GLU	CB-CG-CD	6.12	123.01	112.60
1	A	146	PRO	CA-C-O	-5.91	101.27	119.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	44	THR	CA-C-O	-5.82	114.53	121.11
1	J	18	ARG	NE-CZ-NH1	-5.79	115.70	121.50
1	H	112	THR	CA-CB-OG1	-5.71	101.03	109.60
1	J	146	PRO	CA-C-O	-5.67	101.98	119.00
1	L	117	ARG	NE-CZ-NH1	-5.56	115.94	121.50
1	H	112	THR	CA-CB-CG2	5.29	119.48	110.50
1	A	5	VAL	CA-CB-CG2	5.25	119.32	110.40
1	L	117	ARG	CG-CD-NE	5.13	123.29	112.00
1	L	146	PRO	CA-C-O	-5.07	103.79	119.00
1	A	65	THR	OG1-CB-CG2	-5.05	99.20	109.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1033	0	1008	10	0
1	B	1025	0	1003	6	0
1	C	1041	0	1022	7	0
1	D	1047	0	1036	2	0
1	E	1034	0	1017	3	0
1	F	1036	0	1022	6	0
1	G	1043	0	1030	1	0
1	H	1038	0	1029	7	0
1	I	1042	0	1035	8	0
1	J	1029	0	1000	3	0
1	K	1038	0	1029	11	0
1	L	1038	0	1029	9	0
2	A	12	0	16	0	0
2	B	6	0	8	0	0
2	C	24	0	32	0	0
2	D	18	0	24	0	0
2	E	12	0	16	0	0
2	F	6	0	8	0	0
2	G	24	0	32	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	H	12	0	16	0	0
2	I	12	0	16	0	0
2	J	6	0	8	0	0
2	K	18	0	24	0	0
2	L	6	0	8	0	0
3	A	8	0	12	2	0
3	K	8	0	12	2	0
4	G	7	0	10	3	0
5	A	126	0	0	5	0
5	B	94	0	0	3	0
5	C	118	0	0	1	0
5	D	116	0	0	0	0
5	E	116	0	0	1	0
5	F	113	0	0	4	0
5	G	124	0	0	3	0
5	H	119	0	0	4	0
5	I	107	0	0	1	0
5	J	82	0	0	3	0
5	K	129	0	0	4	0
5	L	114	0	0	5	0
All	All	13981	0	12502	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97:LYS:HE3	1:C:105:THR:HG21	1.23	1.18
3:K:304:EDO:H12	5:K:427:HOH:O	1.46	1.13
1:K:125:LYS:HE2	5:K:458:HOH:O	1.46	1.13
1:J:57:ILE:HG13	5:J:414:HOH:O	1.55	1.06
1:C:97:LYS:CE	1:C:105:THR:HG21	1.84	1.05
1:I:13:ASN:HB2	5:I:483:HOH:O	1.57	1.03
1:C:97:LYS:HE3	1:C:105:THR:CG2	1.91	0.99
1:A:65:THR:HG21	1:D:13:ASN:HD21	1.28	0.98
1:J:112:THR:HB	5:J:427:HOH:O	1.67	0.94
1:C:13:ASN:HD21	1:B:65:THR:HG21	1.32	0.94
1:I:27:MET:H	1:I:125:LYS:HZ1	1.22	0.86
1:A:107:THR:HG21	5:B:437:HOH:O	1.83	0.78
1:C:97:LYS:CE	1:C:105:THR:CG2	2.57	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:504:HOH:O	1:B:65:THR:HG22	1.89	0.72
1:F:125:LYS:CD	1:F:125:LYS:C	2.61	0.72
1:F:125:LYS:CD	1:F:125:LYS:O	2.40	0.70
1:H:105:THR:HG22	5:H:439:HOH:O	1.93	0.68
1:L:102:LYS:HD2	5:L:406:HOH:O	1.91	0.68
1:I:117:ARG:NH2	1:I:119:PRO:HG3	2.10	0.67
1:K:25:ILE:O	1:K:125:LYS:NZ	2.31	0.63
1:C:97:LYS:HE2	1:C:105:THR:HG21	1.77	0.63
1:K:132:ARG:NH1	5:K:402:HOH:O	2.32	0.62
1:A:4:PRO:O	3:A:203:EDO:H22	2.00	0.62
1:I:26:ARG:HA	1:I:125:LYS:HZ2	1.65	0.61
1:H:65:THR:HG23	5:H:457:HOH:O	2.02	0.60
1:B:65:THR:HG23	5:B:453:HOH:O	2.02	0.58
3:K:304:EDO:C1	5:K:427:HOH:O	2.23	0.58
1:L:102:LYS:CE	5:L:406:HOH:O	2.51	0.58
1:E:117:ARG:NH1	5:E:401:HOH:O	2.32	0.58
1:K:26:ARG:CB	1:K:125:LYS:CE	2.82	0.57
5:A:306:HOH:O	1:L:102:LYS:CD	2.52	0.57
1:B:48:THR:HG21	5:B:487:HOH:O	2.05	0.55
1:K:26:ARG:HB2	1:K:125:LYS:HE2	1.89	0.54
1:A:65:THR:HG23	5:A:343:HOH:O	2.07	0.53
5:A:306:HOH:O	1:L:102:LYS:HD2	2.07	0.53
1:H:57:ILE:N	1:H:57:ILE:HD12	2.23	0.53
1:L:102:LYS:CD	5:L:406:HOH:O	2.55	0.53
1:A:78:THR:HG21	5:L:489:HOH:O	2.07	0.53
1:E:5:VAL:HG11	5:F:506:HOH:O	2.07	0.52
2:G:302:GOL:O3	4:G:303:PEG:H41	2.09	0.51
1:I:27:MET:H	1:I:125:LYS:NZ	2.02	0.51
1:K:26:ARG:HB3	1:K:125:LYS:CE	2.41	0.51
1:I:26:ARG:HA	1:I:125:LYS:NZ	2.25	0.51
1:H:57:ILE:HD12	1:H:57:ILE:H	1.75	0.51
1:A:65:THR:CG2	1:D:13:ASN:HD21	2.13	0.51
1:F:125:LYS:CD	5:F:401:HOH:O	2.58	0.50
2:G:302:GOL:O3	4:G:303:PEG:C4	2.59	0.50
1:L:117:ARG:NH1	5:L:402:HOH:O	2.45	0.50
1:H:115:PRO:HB3	5:H:444:HOH:O	2.11	0.50
1:K:26:ARG:CB	1:K:125:LYS:HE2	2.42	0.49
1:A:6:LYS:HB2	3:A:203:EDO:H21	1.96	0.48
1:B:74:THR:HG21	1:I:9:PRO:HD3	1.95	0.47
4:G:303:PEG:H41	5:G:425:HOH:O	2.14	0.47
1:H:57:ILE:HD13	5:H:493:HOH:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:97:LYS:HE2	1:C:105:THR:CG2	2.40	0.46
1:J:63:GLY:HA3	1:K:86:LYS:NZ	2.31	0.46
1:H:94:THR:HB	1:H:112:THR:HG22	1.98	0.46
1:K:26:ARG:HB2	1:K:125:LYS:CE	2.46	0.45
1:E:26:ARG:CB	5:G:522:HOH:O	2.64	0.45
1:F:5:VAL:HG11	5:F:506:HOH:O	2.17	0.45
5:J:427:HOH:O	1:L:115:PRO:HG3	2.15	0.45
5:A:306:HOH:O	1:L:102:LYS:HD3	2.14	0.44
1:F:5:VAL:CG1	5:F:506:HOH:O	2.65	0.43
1:I:27:MET:N	1:I:125:LYS:HZ1	2.02	0.43
1:F:97:LYS:HE3	1:F:105:THR:HG21	2.01	0.43
1:K:26:ARG:HB3	1:K:125:LYS:NZ	2.33	0.43
1:B:97:LYS:HE3	1:B:105:THR:CG2	2.49	0.42
1:A:121:LEU:HD21	1:L:102:LYS:HZ3	1.83	0.42
1:A:74:THR:HG21	1:K:9:PRO:HD3	2.02	0.41
1:G:57:ILE:HD12	5:G:501:HOH:O	2.20	0.41
1:A:86:LYS:CB	5:A:413:HOH:O	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	142/146 (97%)	137 (96%)	5 (4%)	0	100	100
1	B	141/146 (97%)	137 (97%)	4 (3%)	0	100	100
1	C	142/146 (97%)	139 (98%)	3 (2%)	0	100	100
1	D	142/146 (97%)	139 (98%)	3 (2%)	0	100	100
1	E	141/146 (97%)	138 (98%)	3 (2%)	0	100	100
1	F	141/146 (97%)	138 (98%)	3 (2%)	0	100	100
1	G	142/146 (97%)	139 (98%)	3 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	H	141/146 (97%)	137 (97%)	4 (3%)	0	100	100
1	I	141/146 (97%)	138 (98%)	3 (2%)	0	100	100
1	J	142/146 (97%)	138 (97%)	4 (3%)	0	100	100
1	K	141/146 (97%)	137 (97%)	4 (3%)	0	100	100
1	L	141/146 (97%)	137 (97%)	4 (3%)	0	100	100
All	All	1697/1752 (97%)	1654 (98%)	43 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	107/113 (95%)	107 (100%)	0	100	100
1	B	106/113 (94%)	106 (100%)	0	100	100
1	C	108/113 (96%)	108 (100%)	0	100	100
1	D	110/113 (97%)	110 (100%)	0	100	100
1	E	108/113 (96%)	108 (100%)	0	100	100
1	F	108/113 (96%)	108 (100%)	0	100	100
1	G	109/113 (96%)	108 (99%)	1 (1%)	70	37
1	H	109/113 (96%)	109 (100%)	0	100	100
1	I	110/113 (97%)	109 (99%)	1 (1%)	70	37
1	J	106/113 (94%)	105 (99%)	1 (1%)	70	37
1	K	109/113 (96%)	108 (99%)	1 (1%)	70	37
1	L	109/113 (96%)	109 (100%)	0	100	100
All	All	1299/1356 (96%)	1295 (100%)	4 (0%)	86	66

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	5	VAL
1	I	5	VAL
1	J	26	ARG
1	K	5	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	13	ASN
1	C	21	GLN
1	C	52	GLN
1	B	75	ASN
1	D	13	ASN
1	D	52	GLN
1	E	75	ASN
1	F	50	ASN
1	F	52	GLN
1	G	70	ASN
1	K	52	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

31 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GOL	C	302	-	5,5,5	0.86	0	5,5,5	0.33	0
2	GOL	K	303	-	5,5,5	0.18	0	5,5,5	0.35	0
3	EDO	K	305	-	3,3,3	0.23	0	2,2,2	0.26	0
2	GOL	E	301	-	5,5,5	0.20	0	5,5,5	0.49	0
2	GOL	I	301	-	5,5,5	0.19	0	5,5,5	0.40	0
2	GOL	K	301	-	5,5,5	0.17	0	5,5,5	0.36	0
3	EDO	A	204	-	3,3,3	0.18	0	2,2,2	0.29	0
2	GOL	G	302	-	5,5,5	0.82	0	5,5,5	0.63	0
2	GOL	I	302	-	5,5,5	0.61	0	5,5,5	0.51	0
2	GOL	K	302	-	5,5,5	0.61	0	5,5,5	0.56	0
2	GOL	G	301	-	5,5,5	0.12	0	5,5,5	0.36	0
3	EDO	A	203	-	3,3,3	0.11	0	2,2,2	0.34	0
3	EDO	K	304	-	3,3,3	0.35	0	2,2,2	0.22	0
2	GOL	D	302	-	5,5,5	0.28	0	5,5,5	0.48	0
2	GOL	J	301	-	5,5,5	0.21	0	5,5,5	0.27	0
2	GOL	G	304	-	5,5,5	0.31	0	5,5,5	0.44	0
4	PEG	G	303	-	6,6,6	0.54	0	5,5,5	0.74	0
2	GOL	A	201	-	5,5,5	1.02	0	5,5,5	0.29	0
2	GOL	F	301	-	5,5,5	0.24	0	5,5,5	0.28	0
2	GOL	C	301	-	5,5,5	0.18	0	5,5,5	0.88	0
2	GOL	G	305	-	5,5,5	0.26	0	5,5,5	0.20	0
2	GOL	L	301	-	5,5,5	0.23	0	5,5,5	0.27	0
2	GOL	C	304	-	5,5,5	0.15	0	5,5,5	0.41	0
2	GOL	A	202	-	5,5,5	0.56	0	5,5,5	0.36	0
2	GOL	D	303	-	5,5,5	0.37	0	5,5,5	0.31	0
2	GOL	D	301	-	5,5,5	1.09	1 (20%)	5,5,5	0.65	0
2	GOL	E	302	-	5,5,5	0.44	0	5,5,5	0.65	0
2	GOL	C	303	-	5,5,5	0.18	0	5,5,5	0.16	0
2	GOL	H	301	-	5,5,5	0.21	0	5,5,5	0.34	0
2	GOL	H	302	-	5,5,5	0.23	0	5,5,5	0.63	0
2	GOL	B	301	-	5,5,5	0.19	0	5,5,5	0.50	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	C	302	-	-	0/4/4/4	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	K	303	-	-	0/4/4/4	-
3	EDO	K	305	-	-	0/1/1/1	-
2	GOL	E	301	-	-	0/4/4/4	-
2	GOL	I	301	-	-	0/4/4/4	-
2	GOL	K	301	-	-	0/4/4/4	-
3	EDO	A	204	-	-	1/1/1/1	-
2	GOL	G	302	-	-	0/4/4/4	-
2	GOL	I	302	-	-	0/4/4/4	-
2	GOL	K	302	-	-	0/4/4/4	-
2	GOL	G	301	-	-	0/4/4/4	-
3	EDO	A	203	-	-	1/1/1/1	-
3	EDO	K	304	-	-	1/1/1/1	-
2	GOL	D	302	-	-	0/4/4/4	-
2	GOL	J	301	-	-	0/4/4/4	-
2	GOL	G	304	-	-	0/4/4/4	-
4	PEG	G	303	-	-	1/4/4/4	-
2	GOL	A	201	-	-	0/4/4/4	-
2	GOL	F	301	-	-	0/4/4/4	-
2	GOL	C	301	-	-	0/4/4/4	-
2	GOL	G	305	-	-	0/4/4/4	-
2	GOL	L	301	-	-	0/4/4/4	-
2	GOL	C	304	-	-	4/4/4/4	-
2	GOL	A	202	-	-	0/4/4/4	-
2	GOL	D	303	-	-	0/4/4/4	-
2	GOL	D	301	-	-	0/4/4/4	-
2	GOL	E	302	-	-	0/4/4/4	-
2	GOL	C	303	-	-	0/4/4/4	-
2	GOL	H	301	-	-	0/4/4/4	-
2	GOL	H	302	-	-	0/4/4/4	-
2	GOL	B	301	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	301	GOL	O2-C2	2.43	1.50	1.43

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	304	GOL	C1-C2-C3-O3
2	C	304	GOL	O1-C1-C2-O2
2	C	304	GOL	O1-C1-C2-C3
2	C	304	GOL	O2-C2-C3-O3
3	A	204	EDO	O1-C1-C2-O2
4	G	303	PEG	C4-C3-O2-C2
3	A	203	EDO	O1-C1-C2-O2
3	K	304	EDO	O1-C1-C2-O2

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	302	GOL	2	0
3	A	203	EDO	2	0
3	K	304	EDO	2	0
4	G	303	PEG	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	144/146 (98%)	0.49	11 (7%) 20 28	7, 12, 20, 28	0
1	B	143/146 (97%)	1.39	38 (26%) 1 4	8, 17, 35, 45	0
1	C	144/146 (98%)	0.65	12 (8%) 17 25	7, 14, 21, 32	0
1	D	144/146 (98%)	0.57	12 (8%) 17 25	7, 14, 22, 25	0
1	E	143/146 (97%)	0.69	16 (11%) 10 17	7, 14, 26, 31	0
1	F	143/146 (97%)	0.88	20 (13%) 6 12	8, 15, 26, 40	0
1	G	144/146 (98%)	0.43	7 (4%) 35 44	9, 12, 19, 24	0
1	H	143/146 (97%)	0.56	11 (7%) 19 28	7, 13, 25, 30	0
1	I	143/146 (97%)	0.82	19 (13%) 7 13	9, 15, 24, 29	0
1	J	144/146 (98%)	1.10	22 (15%) 5 11	10, 17, 29, 35	0
1	K	143/146 (97%)	0.45	7 (4%) 35 44	8, 12, 20, 27	0
1	L	143/146 (97%)	0.68	13 (9%) 15 22	8, 13, 23, 31	0
All	All	1721/1752 (98%)	0.73	188 (10%) 10 18	7, 14, 26, 45	0

All (188) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	51	VAL	8.9
1	F	73	ALA	6.1
1	B	46	VAL	5.5
1	B	50	ASN	5.3
1	J	104	VAL	5.0
1	B	49	ASP	5.0
1	A	3	LYS	4.9
1	B	57	ILE	4.9
1	C	74	THR	4.8
1	B	52	GLN	4.7
1	B	74	THR	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	57	ILE	4.6
1	F	50	ASN	4.6
1	B	48	THR	4.5
1	F	74	THR	4.5
1	D	69	ILE	4.5
1	L	74	THR	4.5
1	J	105	THR	4.3
1	L	104	VAL	4.3
1	B	111	GLY	4.3
1	A	105	THR	4.2
1	I	13	ASN	4.2
1	B	25	ILE	4.1
1	E	105	THR	4.0
1	B	65	THR	3.9
1	H	65	THR	3.9
1	B	54	SER	3.8
1	B	73	ALA	3.7
1	B	71	LEU	3.7
1	J	74	THR	3.7
1	B	56	GLY	3.7
1	F	103	GLY	3.6
1	B	53	HIS	3.6
1	J	50	ASN	3.6
1	E	50	ASN	3.6
1	L	105	THR	3.5
1	B	47	GLY	3.5
1	B	45	TYR	3.5
1	B	69	ILE	3.5
1	L	65	THR	3.5
1	E	117	ARG	3.5
1	J	57	ILE	3.5
1	E	104	VAL	3.4
1	I	89	THR	3.4
1	H	73	ALA	3.4
1	H	74	THR	3.4
1	A	104	VAL	3.4
1	B	22	PRO	3.3
1	C	73	ALA	3.3
1	I	73	ALA	3.3
1	D	13	ASN	3.3
1	E	51	VAL	3.3
1	H	104	VAL	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	76	TYR	3.3
1	E	25	ILE	3.2
1	I	74	THR	3.2
1	G	50	ASN	3.2
1	B	105	THR	3.1
1	K	89	THR	3.1
1	C	50	ASN	3.1
1	B	72	ASP	3.1
1	B	28	VAL	3.1
1	L	103	GLY	3.1
1	K	13	ASN	3.1
1	F	51	VAL	3.0
1	J	51	VAL	3.0
1	E	73	ALA	3.0
1	I	50	ASN	3.0
1	C	110	SER	3.0
1	A	117	ARG	2.9
1	I	132	ARG	2.9
1	L	117	ARG	2.9
1	L	73	ALA	2.9
1	H	112	THR	2.9
1	H	50	ASN	2.9
1	B	44	THR	2.9
1	L	102	LYS	2.8
1	F	25	ILE	2.8
1	D	74	THR	2.8
1	J	146	PRO	2.8
1	J	73	ALA	2.8
1	I	14	GLY	2.8
1	C	105	THR	2.8
1	L	89	THR	2.7
1	A	50	ASN	2.7
1	A	107	THR	2.7
1	C	13	ASN	2.7
1	B	104	VAL	2.7
1	G	57	ILE	2.7
1	I	69	ILE	2.7
1	K	73	ALA	2.7
1	F	72	ASP	2.7
1	J	76	TYR	2.6
1	C	71	LEU	2.6
1	D	89	THR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	J	54	SER	2.6
1	H	51	VAL	2.6
1	B	117	ARG	2.6
1	L	50	ASN	2.6
1	B	26	ARG	2.6
1	D	21	GLN	2.6
1	B	43	PHE	2.6
1	J	5	VAL	2.6
1	L	57	ILE	2.6
1	J	101	SER	2.6
1	C	75	ASN	2.6
1	B	20	VAL	2.5
1	C	102	LYS	2.5
1	B	55	SER	2.5
1	E	103	GLY	2.5
1	D	73	ALA	2.5
1	D	51	VAL	2.5
1	A	73	ALA	2.5
1	G	73	ALA	2.5
1	C	107	THR	2.4
1	B	29	SER	2.4
1	G	69	ILE	2.4
1	G	74	THR	2.4
1	H	105	THR	2.4
1	I	62	THR	2.4
1	K	74	THR	2.4
1	G	13	ASN	2.4
1	J	13	ASN	2.4
1	B	21	GLN	2.4
1	I	48	THR	2.4
1	I	107	THR	2.4
1	J	26	ARG	2.4
1	F	5	VAL	2.4
1	I	65	THR	2.4
1	J	89	THR	2.4
1	I	15	GLY	2.3
1	F	89	THR	2.3
1	J	65	THR	2.3
1	I	21	GLN	2.3
1	A	57	ILE	2.3
1	B	146	PRO	2.3
1	E	76	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	102	LYS	2.3
1	F	86	LYS	2.3
1	A	48	THR	2.3
1	J	107	THR	2.3
1	D	50	ASN	2.2
1	H	111	GLY	2.2
1	F	102	LYS	2.2
1	B	126	ILE	2.2
1	A	65	THR	2.2
1	B	68	THR	2.2
1	D	5	VAL	2.2
1	D	65	THR	2.2
1	E	121	LEU	2.2
1	F	71	LEU	2.2
1	F	96	LEU	2.2
1	F	15	GLY	2.2
1	E	122	ASP	2.2
1	F	52	GLN	2.2
1	F	13	ASN	2.2
1	H	57	ILE	2.2
1	E	49	ASP	2.2
1	I	108	TYR	2.2
1	K	50	ASN	2.1
1	C	65	THR	2.1
1	E	74	THR	2.1
1	E	107	THR	2.1
1	F	57	ILE	2.1
1	G	3	LYS	2.1
1	J	46	VAL	2.1
1	L	86	LYS	2.1
1	F	26	ARG	2.1
1	I	88	GLY	2.1
1	J	103	GLY	2.1
1	J	123	GLY	2.1
1	D	107	THR	2.1
1	K	102	LYS	2.1
1	J	121	LEU	2.1
1	B	120	VAL	2.1
1	E	72	ASP	2.1
1	E	89	THR	2.1
1	F	48	THR	2.1
1	J	48	THR	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	L	112	THR	2.1
1	I	87	PHE	2.0
1	H	69	ILE	2.0
1	A	89	THR	2.0
1	F	107	THR	2.0
1	I	105	THR	2.0
1	K	112	THR	2.0
1	B	103	GLY	2.0
1	D	71	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	A	203	4/4	0.81	0.15	29,30,30,33	0
3	EDO	A	204	4/4	0.82	0.15	21,27,28,29	0
4	PEG	G	303	7/7	0.83	0.16	23,24,29,31	0
2	GOL	C	304	6/6	0.85	0.14	29,38,41,42	0
2	GOL	A	201	6/6	0.87	0.23	29,30,31,35	0
2	GOL	G	302	6/6	0.88	0.12	21,24,27,30	0
3	EDO	K	305	4/4	0.90	0.11	20,21,22,22	0
3	EDO	K	304	4/4	0.90	0.12	15,20,25,27	0
2	GOL	K	302	6/6	0.92	0.10	17,17,18,22	0
2	GOL	C	303	6/6	0.92	0.10	17,18,18,18	0
2	GOL	H	302	6/6	0.93	0.09	18,19,20,22	0
2	GOL	I	302	6/6	0.94	0.11	17,23,25,25	0
2	GOL	J	301	6/6	0.94	0.08	15,17,17,18	0
2	GOL	C	301	6/6	0.94	0.09	16,18,19,20	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GOL	E	302	6/6	0.94	0.09	16,17,18,19	0
2	GOL	I	301	6/6	0.95	0.08	19,23,23,24	0
2	GOL	G	304	6/6	0.95	0.08	16,19,20,21	0
2	GOL	D	301	6/6	0.95	0.10	18,20,21,24	0
2	GOL	C	302	6/6	0.96	0.09	15,20,20,24	0
2	GOL	K	301	6/6	0.96	0.07	15,17,17,17	0
2	GOL	F	301	6/6	0.97	0.06	14,16,17,17	0
2	GOL	D	302	6/6	0.97	0.06	14,17,18,19	0
2	GOL	E	301	6/6	0.97	0.06	10,11,12,12	0
2	GOL	H	301	6/6	0.97	0.06	11,13,14,14	0
2	GOL	B	301	6/6	0.97	0.06	12,13,14,15	0
2	GOL	L	301	6/6	0.98	0.05	12,13,14,15	0
2	GOL	G	305	6/6	0.98	0.04	12,14,15,15	0
2	GOL	G	301	6/6	0.98	0.05	16,18,18,18	0
2	GOL	D	303	6/6	0.98	0.05	13,13,14,14	0
2	GOL	A	202	6/6	0.98	0.04	10,11,11,12	0
2	GOL	K	303	6/6	0.98	0.05	12,14,15,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.