



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 18, 2026 – 03:39 PM UTC

PDB ID : 3V5R / pdb_00003v5r
Title : Crystal structure of the unliganded form of Gal3p
Authors : Lavy, T.; Kumar, P.R.; He, H.; Joshua-Tor, L.
Deposited on : 2011-12-16
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	505	3% 90% 8% ..
1	B	505	5% 87% 10% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	A	12	-	-	X	-
2	SO4	A	4	-	-	X	-
2	SO4	A	8	-	-	X	-
2	SO4	B	5	-	-	X	-
2	SO4	B	527	-	X	X	-

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8865 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein GAL3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	499	Total	C	N	O	S	0	13	0
			4010	2544	687	755	24			
1	B	497	Total	C	N	O	S	0	5	0
			3942	2498	676	746	22			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	16	SER	-	expression tag	UNP P13045
B	16	SER	-	expression tag	UNP P13045

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	547	Total	O	0	0
			547	547		
3	B	231	Total	O	0	0
			231	231		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Protein GAL3



• Molecule 1: Protein GAL3



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	153.36Å 153.36Å 118.59Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	46.91 – 2.10 46.91 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.7 (46.91-2.10) 99.7 (46.91-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.98 (at 2.10Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.7.2_869)	Depositor
R, R_{free}	0.170 , 0.202 0.170 , 0.201	Depositor DCC
R_{free} test set	4709 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	35.5	Xtriage
Anisotropy	0.423	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 53.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.017 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	8865	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.79% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/4111	0.77	0/5566
1	B	0.38	0/4030	0.76	3/5455 (0.1%)
All	All	0.45	0/8141	0.76	3/11021 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	21	GLN	N-CA-C	-6.47	105.20	113.23
1	B	141	ASN	N-CA-C	5.24	116.80	111.14
1	B	371	THR	N-CA-C	5.12	117.85	111.24

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4010	0	3953	36	0
1	B	3942	0	3868	39	0
2	A	70	0	0	10	0
2	B	65	0	0	8	1
3	A	547	0	0	18	1
3	B	231	0	0	7	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	8865	0	7821	78	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (78) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:4:SO4:O2	3:A:643:HOH:O	2.00	0.78
1:B:103:LEU:HA	1:B:144:PRO:HG3	1.68	0.76
1:A:248:VAL:HG23	1:A:470[B]:VAL:HG11	1.67	0.76
1:B:271:ILE:HD12	1:B:375[A]:VAL:HG11	1.68	0.76
1:B:362:ARG:NH2	2:B:5:SO4:O3	2.20	0.75
2:B:9:SO4:O3	3:B:548:HOH:O	2.09	0.70
2:A:523:SO4:O4	3:A:566:HOH:O	2.09	0.69
2:B:5:SO4:O2	3:B:573:HOH:O	2.12	0.68
2:A:4:SO4:S	3:A:643:HOH:O	2.52	0.68
2:A:4:SO4:O3	3:A:643:HOH:O	2.12	0.66
2:A:8:SO4:O4	3:A:690:HOH:O	2.13	0.66
1:B:172:LEU:HD21	1:B:517:LEU:HG	1.78	0.66
1:A:293:ASP:OD1	3:A:604:HOH:O	2.14	0.65
2:A:7:SO4:O3	3:A:600:HOH:O	2.13	0.63
1:A:182[B]:ASN:ND2	3:A:1023:HOH:O	2.31	0.62
2:A:12:SO4:O4	3:A:898:HOH:O	2.13	0.62
1:B:78:LEU:HD11	1:B:149:GLN:HG3	1.82	0.62
2:A:8:SO4:S	3:A:690:HOH:O	2.55	0.60
1:B:197:ALA:HA	1:B:200:TYR:CD2	2.38	0.59
1:B:204[A]:ASN:ND2	3:B:556:HOH:O	2.35	0.59
1:A:472:SER:O	3:A:849:HOH:O	2.17	0.59
1:A:103:LEU:HA	1:A:144:PRO:HG3	1.84	0.59
1:A:119:ASN:ND2	3:A:553:HOH:O	2.36	0.57
2:B:527:SO4:O3	3:B:609:HOH:O	2.18	0.57
1:A:192:ARG:NE	2:A:525:SO4:O3	2.23	0.56
1:B:362:ARG:NH2	2:B:5:SO4:S	2.79	0.54
1:B:482:ARG:NH2	2:B:11:SO4:O4	2.41	0.54
1:B:47:ARG:HD3	1:B:208:MET:HE1	1.90	0.52
1:A:303:ARG:NH1	3:A:731:HOH:O	2.41	0.52
1:A:203:VAL:HG21	3:A:763:HOH:O	2.10	0.51
1:B:420[B]:ARG:NH1	1:B:424:GLU:OE2	2.44	0.50
1:A:27:VAL:CG2	1:A:41:ILE:HD11	2.41	0.50
1:B:19:PHE:C	1:B:21:GLN:H	2.21	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:PRO:O	1:B:141:ASN:HB2	2.11	0.49
1:A:402[B]:MET:HE1	3:A:626:HOH:O	2.13	0.49
1:B:310:TYR:CZ	1:B:330:ARG:HG2	2.48	0.48
1:B:342:PHE:HB3	1:B:383:TYR:HB2	1.96	0.48
1:A:402[A]:MET:HE1	1:A:417:ASP:HB3	1.94	0.48
1:B:340:GLU:OE1	3:B:549:HOH:O	2.20	0.48
1:B:172:LEU:HD22	1:B:515:THR:HG22	1.95	0.48
1:A:285:SER:O	1:A:312:ARG:NH1	2.47	0.47
1:B:402:MET:HG3	1:B:408:PHE:HZ	1.79	0.47
1:A:27:VAL:HG23	1:A:41:ILE:HD11	1.97	0.47
1:A:143:THR:O	3:A:1038:HOH:O	2.21	0.46
1:A:402[A]:MET:HE3	1:A:402[A]:MET:HB2	1.60	0.46
1:A:202:GLY:HA3	1:B:376:ARG:HG3	1.97	0.46
1:B:362:ARG:NH2	2:B:5:SO4:O1	2.42	0.46
1:A:270[A]:VAL:HG11	1:B:372:THR:HG21	1.97	0.45
1:A:241:LYS:NZ	1:A:409:HIS:O	2.50	0.45
1:A:223:TYR:CD1	1:A:400:LEU:HD11	2.51	0.45
1:B:289:PRO:HD3	1:B:308:ALA:HB2	1.98	0.45
1:B:244:GLU:OE2	1:B:510:LYS:NZ	2.34	0.45
1:B:126:HIS:HD2	3:B:730:HOH:O	2.00	0.44
1:A:248:VAL:HG23	1:A:470[B]:VAL:CG1	2.44	0.44
1:A:64:PRO:HD2	1:A:222:LEU:O	2.17	0.44
1:A:262:ALA:HA	1:A:263:PRO:HD3	1.88	0.44
1:B:108:MET:HB2	3:B:622:HOH:O	2.18	0.43
1:B:81:LYS:HG3	1:B:82:ASN:H	1.84	0.43
1:B:291:HIS:NE2	1:B:304:ASP:OD2	2.37	0.42
1:A:289:PRO:HD2	3:A:902:HOH:O	2.19	0.42
1:A:111:ASP:O	1:A:114:VAL:HG22	2.19	0.42
1:A:112:PRO:HB3	1:B:376:ARG:HD2	2.01	0.42
1:A:295:SER:HB3	1:B:367:ARG:HG3	2.02	0.42
1:A:202:GLY:CA	1:B:376:ARG:HG3	2.50	0.42
1:B:134:LYS:HD3	2:B:526:SO4:S	2.60	0.41
1:B:138:GLU:H	1:B:138:GLU:CD	2.28	0.41
1:A:112:PRO:HB2	1:B:376:ARG:HB3	2.01	0.41
1:A:367:ARG:HG3	1:B:295:SER:HB3	2.02	0.41
1:A:202:GLY:HA2	1:B:375[A]:VAL:O	2.20	0.41
1:A:417:ASP:OD1	1:A:420[A]:ARG:NH2	2.53	0.41
1:B:24:LEU:HD22	1:B:24:LEU:HA	1.93	0.41
1:B:111:ASP:HA	1:B:112:PRO:HD3	1.76	0.41
1:A:420[B]:ARG:CZ	3:A:626:HOH:O	2.68	0.41
1:B:197:ALA:HA	1:B:200:TYR:HD2	1.82	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:262:ALA:HB3	1:B:265:ASN:HB2	2.03	0.41
1:A:47:ARG:HD3	1:A:208:MET:HE1	2.02	0.40
1:A:482:ARG:NH2	2:A:12:SO4:O4	2.52	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:579:HOH:O	3:A:686:HOH:O[3_665]	2.16	0.04
3:B:669:HOH:O	3:B:717:HOH:O[6_765]	2.16	0.04
2:B:527:SO4:O1	3:B:609:HOH:O[6_766]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	508/505 (101%)	495 (97%)	13 (3%)	0	100	100
1	B	498/505 (99%)	481 (97%)	16 (3%)	1 (0%)	43	44
All	All	1006/1010 (100%)	976 (97%)	29 (3%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	315	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	439/432 (102%)	430 (98%)	9 (2%)	47	54
1	B	428/432 (99%)	417 (97%)	11 (3%)	40	46
All	All	867/864 (100%)	847 (98%)	20 (2%)	47	51

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	GLU
1	A	65	LEU
1	A	111	ASP
1	A	256	SER
1	A	345	LYS
1	A	402[A]	MET
1	A	402[B]	MET
1	A	482	ARG
1	A	502	LEU
1	B	24	LEU
1	B	28	ASP
1	B	53	GLU
1	B	139	ARG
1	B	208	MET
1	B	242	ASN
1	B	298	GLU
1	B	371	THR
1	B	375[A]	VAL
1	B	375[B]	VAL
1	B	504	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	ASN
1	A	142	ASN
1	A	242	ASN
1	A	315	ASN
1	A	352	HIS
1	B	315	ASN
1	B	316	GLN
1	B	520	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

27 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	525	-	4,4,4	0.24	0	6,6,6	0.07	0
2	SO4	A	15	-	4,4,4	0.22	0	6,6,6	0.17	0
2	SO4	A	1	-	4,4,4	0.31	0	6,6,6	0.30	0
2	SO4	A	521	-	4,4,4	0.23	0	6,6,6	0.10	0
2	SO4	B	9	-	4,4,4	0.27	0	6,6,6	0.20	0
2	SO4	A	524	-	4,4,4	0.23	0	6,6,6	0.11	0
2	SO4	A	523	-	4,4,4	0.23	0	6,6,6	0.07	0
2	SO4	B	521	-	4,4,4	0.23	0	6,6,6	0.08	0
2	SO4	B	527	-	4,4,4	0.24	0	6,6,6	5.52	5 (83%)
2	SO4	B	11	-	4,4,4	0.25	0	6,6,6	0.12	0
2	SO4	B	5	-	4,4,4	0.26	0	6,6,6	0.16	0
2	SO4	B	522	-	4,4,4	0.25	0	6,6,6	0.07	0
2	SO4	A	10	-	4,4,4	0.26	0	6,6,6	0.10	0
2	SO4	A	525	-	4,4,4	0.27	0	6,6,6	0.24	0
2	SO4	A	8	-	4,4,4	0.38	0	6,6,6	0.22	0
2	SO4	A	14	-	4,4,4	0.23	0	6,6,6	0.15	0
2	SO4	B	526	-	4,4,4	0.23	0	6,6,6	0.11	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	B	13	-	4,4,4	0.24	0	6,6,6	0.09	0
2	SO4	B	523	-	4,4,4	0.24	0	6,6,6	0.04	0
2	SO4	B	2	-	4,4,4	0.20	0	6,6,6	0.14	0
2	SO4	A	4	-	4,4,4	0.20	0	6,6,6	0.27	0
2	SO4	A	7	-	4,4,4	0.24	0	6,6,6	0.16	0
2	SO4	A	3	-	4,4,4	0.22	0	6,6,6	0.13	0
2	SO4	B	524	-	4,4,4	0.25	0	6,6,6	0.11	0
2	SO4	B	6	-	4,4,4	0.25	0	6,6,6	0.15	0
2	SO4	A	522	-	4,4,4	0.24	0	6,6,6	0.09	0
2	SO4	A	12	-	4,4,4	0.26	0	6,6,6	0.15	0

There are no bond length outliers.

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	527	SO4	O4-S-O3	8.95	157.89	108.54
2	B	527	SO4	O2-S-O1	6.82	157.14	109.06
2	B	527	SO4	O3-S-O1	-5.38	81.42	109.56
2	B	527	SO4	O3-S-O2	-3.79	89.74	109.56
2	B	527	SO4	O4-S-O1	-3.38	91.90	109.56

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

11 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	9	SO4	1	0
2	A	523	SO4	1	0
2	B	527	SO4	1	1
2	B	11	SO4	1	0
2	B	5	SO4	4	0
2	A	525	SO4	1	0
2	A	8	SO4	2	0
2	B	526	SO4	1	0
2	A	4	SO4	3	0
2	A	7	SO4	1	0
2	A	12	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2			OWAB(Å ²)	Q < 0.9
1	A	499/505 (98%)	-0.55	16 (3%)	50	53	8, 20, 54, 118	13 (2%)
1	B	497/505 (98%)	-0.04	23 (4%)	37	39	14, 38, 80, 124	5 (1%)
All	All	996/1010 (98%)	-0.30	39 (3%)	43	45	8, 30, 75, 124	18 (1%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	19	PHE	8.0
1	B	406	ALA	7.2
1	B	19	PHE	5.9
1	B	407	THR	4.8
1	A	112	PRO	4.4
1	A	113	SER	4.3
1	B	408	PHE	3.9
1	B	262	ALA	3.7
1	A	372	THR	3.6
1	A	262	ALA	3.4
1	B	373	PHE	3.4
1	A	110[A]	ILE	3.2
1	B	372	THR	3.2
1	B	409	HIS	3.2
1	B	20	GLU	3.2
1	B	109	ALA	3.0
1	A	258	LYS	2.9
1	B	203	VAL	2.9
1	A	373	PHE	2.8
1	B	474	ALA	2.8
1	A	20	GLU	2.6
1	B	420[A]	ARG	2.6
1	B	113	SER	2.6
1	A	114	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	409	HIS	2.6
1	B	256	SER	2.6
1	A	201	VAL	2.5
1	B	289	PRO	2.5
1	B	112	PRO	2.4
1	B	473	GLY	2.4
1	A	257	ASN	2.4
1	B	315	ASN	2.3
1	B	24	LEU	2.2
1	B	114	VAL	2.2
1	B	317	ALA	2.2
1	B	23	HIS	2.2
1	A	115	SER	2.1
1	A	474	ALA	2.1
1	A	109	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	521	5/5	0.66	0.14	107,109,112,116	0
2	SO4	B	523	5/5	0.75	0.13	100,105,107,108	0
2	SO4	B	522	5/5	0.77	0.11	86,86,92,98	0
2	SO4	A	15	5/5	0.77	0.13	83,93,98,102	0
2	SO4	B	525	5/5	0.79	0.14	124,126,127,129	0
2	SO4	A	524	5/5	0.80	0.18	129,130,133,137	0
2	SO4	A	12	5/5	0.82	0.11	80,80,87,92	0
2	SO4	B	524	5/5	0.83	0.14	103,103,109,109	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	A	14	5/5	0.83	0.10	90,92,95,97	0
2	SO4	B	526	5/5	0.84	0.10	95,103,103,105	0
2	SO4	B	521	5/5	0.85	0.10	103,105,106,109	0
2	SO4	A	523	5/5	0.85	0.10	62,74,80,87	0
2	SO4	A	7	5/5	0.86	0.11	66,77,81,85	0
2	SO4	B	6	5/5	0.86	0.11	74,75,78,79	0
2	SO4	A	522	5/5	0.87	0.09	94,94,96,98	0
2	SO4	B	9	5/5	0.88	0.10	55,70,74,77	0
2	SO4	B	11	5/5	0.88	0.09	73,78,85,87	0
2	SO4	B	13	5/5	0.89	0.12	52,59,62,63	3
2	SO4	A	10	5/5	0.90	0.09	66,74,79,81	0
2	SO4	A	8	5/5	0.92	0.08	30,32,34,42	2
2	SO4	A	4	5/5	0.93	0.13	50,54,56,66	0
2	SO4	A	525	5/5	0.94	0.09	36,37,37,38	3
2	SO4	A	3	5/5	0.96	0.07	44,46,52,53	0
2	SO4	B	5	5/5	0.96	0.07	27,35,39,40	3
2	SO4	B	2	5/5	0.97	0.07	36,37,42,46	0
2	SO4	B	527	5/5	0.98	0.05	36,36,38,44	5
2	SO4	A	1	5/5	0.99	0.03	16,18,23,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.