



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 26, 2026 – 03:07 AM EDT

PDB ID : 8V51 / pdb_00008v51
Title : Crystal structure of a HLA-B*35:01-NP10 with D1 TCR
Authors : Littler, D.R.; Rossjohn, J.; Gras, S.
Deposited on : 2023-11-30
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	34% 84% 15% .
2	B	99	40% 66% 25% 9%
3	C	9	100%
4	D	198	12% 90% 9% .
5	E	242	4% 95% 5%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 7107 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HLA-B35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	273	Total	C	N	O	S	0	1	0
			2231	1388	408	428	7			

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	99	Total	C	N	O	S	0	0	0
			825	525	139	158	3			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	75	ALA	LYS	conflict	UNP P61769

- Molecule 3 is a protein called LEU-PRO-PHE-GLU-LYS-SER-THR-VAL-MET.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	9	Total	C	N	O	S	0	0	0
			73	48	10	14	1			

- Molecule 4 is a protein called D1 TCR alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	198	Total	C	N	O	S	0	3	0
			1554	974	251	318	11			

- Molecule 5 is a protein called D1 TCR beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	242	Total	C	N	O	S	0	4	0
			1949	1225	340	377	7			

- Molecule 6 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: $C_2H_6O_2$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Na	0	0
			1	1		

- Molecule 8 is PHOSPHATE ION (CCD ID: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	A	1	Total O P 5 4 1	0	0
8	D	1	Total O P 5 4 1	0	0
8	D	1	Total O P 5 4 1	0	0
8	E	1	Total O P 5 4 1	0	0
8	E	1	Total O P 5 4 1	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	122	Total O 122 122	0	0
9	B	31	Total O 31 31	0	0
9	C	7	Total O 7 7	0	0
9	D	117	Total O 117 117	0	0
9	E	168	Total O 168 168	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: HLA-B35



• Molecule 2: Beta-2-microglobulin




• Molecule 3: LEU-PRO-PHE-GLU-LYS-SER-THR-VAL-MET




There are no outlier residues recorded for this chain.

• Molecule 4: D1 TCR alpha chain



● Molecule 5: D1 TCR beta chain

Chain E:  4% 95% 5%



4 Data and refinement statistics

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	149.27Å 46.16Å 161.96Å 90.00° 101.40° 90.00°	Depositor
Resolution (Å)	39.50 – 2.10 39.50 – 2.10	Depositor EDS
% Data completeness (in resolution range)	99.8 (39.50-2.10) 91.8 (39.50-2.10)	Depositor EDS
R_{merge}	0.04	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.27 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.210 , 0.244 0.213 , 0.247	Depositor DCC
R_{free} test set	3199 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	27.5	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 59.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7107	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, EDO, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.74	1/2291 (0.0%)	1.24	6/3114 (0.2%)
2	B	0.68	0/848	1.39	10/1148 (0.9%)
3	C	0.65	0/74	1.06	0/97
4	D	0.67	0/1587	1.10	3/2149 (0.1%)
5	E	0.63	0/2001	1.08	0/2722
All	All	0.68	1/6801 (0.0%)	1.18	19/9230 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	98	MET	SD-CE	-6.62	1.63	1.79

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	70	PHE	CA-CB-CG	8.00	121.80	113.80
1	A	236	ALA	N-CA-C	-7.12	97.69	109.80
2	B	45	ARG	N-CA-C	6.77	119.48	111.02
2	B	20	SER	CA-C-N	6.23	134.11	122.84
2	B	20	SER	C-N-CA	6.23	134.11	122.84
2	B	44	GLU	CA-C-N	6.07	132.01	122.78
2	B	44	GLU	C-N-CA	6.07	132.01	122.78
1	A	239	ARG	N-CA-C	-6.06	105.43	114.64
4	D	76	PHE	CA-CB-CG	5.92	119.72	113.80
2	B	45	ARG	CA-C-N	-5.92	112.93	120.98
2	B	45	ARG	C-N-CA	-5.92	112.93	120.98
1	A	162	GLY	N-CA-C	5.77	115.46	110.21
2	B	18	GLY	CA-C-N	-5.23	114.38	122.59
2	B	18	GLY	C-N-CA	-5.23	114.38	122.59
1	A	129	ASP	CA-CB-CG	5.18	117.78	112.60

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	177	MET	CA-C-N	5.01	127.31	120.54
4	D	177	MET	C-N-CA	5.01	127.31	120.54
1	A	165	VAL	CA-C-N	5.00	126.94	120.44
1	A	165	VAL	C-N-CA	5.00	126.94	120.44

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2231	0	2097	18	0
2	B	825	0	786	19	0
3	C	73	0	78	0	0
4	D	1554	0	1445	8	0
5	E	1949	0	1845	5	0
6	A	4	0	6	3	0
7	A	1	0	0	0	0
8	A	5	0	0	0	0
8	D	10	0	0	0	0
8	E	10	0	0	0	0
9	A	122	0	0	0	0
9	B	31	0	0	0	0
9	C	7	0	0	0	0
9	D	117	0	0	0	0
9	E	168	0	0	0	0
All	All	7107	0	6257	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:ALA:HB3	1:A:240:THR:HG23	1.32	1.09

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:236:ALA:CB	1:A:240:THR:HG23	1.86	1.05
2:B:4:THR:HA	2:B:86:THR:HG21	1.59	0.83
1:A:218:GLN:HG2	1:A:222:GLU:HA	1.77	0.65
1:A:268:LYS:HG3	1:A:269:PRO:HD2	1.82	0.62
5:E:21:LEU:HD22	5:E:121:THR:HG21	1.81	0.61
4:D:4:LEU:HD11	4:D:116:GLY:CA	2.33	0.58
1:A:12:MET:HG3	1:A:94:ILE:HG12	1.86	0.57
1:A:19:GLU:HB3	6:A:301:EDO:H12	1.85	0.56
4:D:4:LEU:HD13	4:D:104[A]:CYS:SG	2.45	0.56
1:A:236:ALA:HB1	1:A:240:THR:HG23	1.83	0.55
1:A:219:ARG:HG3	1:A:258:THR:OG1	2.06	0.53
4:D:175:LEU:HB3	5:E:183[A]:CYS:HB2	1.90	0.53
1:A:5:MET:HB2	1:A:168:LEU:HD13	1.94	0.50
4:D:18:ILE:HD12	4:D:90:LEU:HD11	1.93	0.49
1:A:98:MET:HE1	1:A:113:HIS:NE2	2.29	0.48
5:E:43:GLN:O	5:E:51[A]:GLU:HG2	2.14	0.47
4:D:4:LEU:HD11	4:D:116:GLY:HA3	1.97	0.46
2:B:19:LYS:CG	2:B:20:SER:H	2.28	0.46
1:A:75:ARG:HD2	6:A:301:EDO:H21	1.97	0.45
2:B:1:ILE:HD12	2:B:2:GLN:HG3	1.97	0.45
2:B:21:ASN:N	2:B:21:ASN:HD22	2.14	0.45
1:A:200:THR:HG22	1:A:248:VAL:HA	1.97	0.45
1:A:235:PRO:HG2	2:B:65:LEU:HD13	1.99	0.44
5:E:215:ASN:O	5:E:253:GLY:HA3	2.18	0.44
4:D:173[A]:CYS:HB3	5:E:183[A]:CYS:SG	2.58	0.43
2:B:12:ARG:CD	2:B:22:PHE:HB2	2.49	0.43
2:B:71:THR:OG1	2:B:72:PRO:HD3	2.19	0.43
2:B:37:VAL:HG22	2:B:82:VAL:HG22	1.99	0.43
1:A:75:ARG:HB2	6:A:301:EDO:O1	2.18	0.42
1:A:191:HIS:CE1	1:A:200:THR:H	2.36	0.42
2:B:39:LEU:HD22	2:B:49:VAL:HG21	2.02	0.42
2:B:27:VAL:HG11	2:B:82:VAL:HG21	2.01	0.42
2:B:19:LYS:CG	2:B:20:SER:N	2.83	0.41
4:D:193:LYS:HG3	4:D:195:ASP:H	1.84	0.41
1:A:203:CYS:HB2	1:A:217:TRP:CZ3	2.55	0.41
2:B:69:GLU:OE2	2:B:71:THR:HG23	2.19	0.41
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.55	0.41
4:D:174:VAL:HG22	4:D:185:ASN:OD1	2.20	0.41
2:B:13:HIS:O	2:B:21:ASN:OD1	2.39	0.41
2:B:69:GLU:OE2	2:B:71:THR:CG2	2.69	0.41
2:B:71:THR:N	2:B:72:PRO:CD	2.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:ARG:HD3	1:A:256:ARG:O	2.21	0.41
2:B:36:GLU:HB2	2:B:83:ASN:HB3	2.02	0.41
2:B:44:GLU:HG3	2:B:45:ARG:HB2	2.04	0.40
2:B:46:ILE:C	2:B:47:GLU:O	2.60	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/273 (100%)	254 (93%)	18 (7%)	0	100	100
2	B	97/99 (98%)	88 (91%)	8 (8%)	1 (1%)	12	9
3	C	7/9 (78%)	7 (100%)	0	0	100	100
4	D	199/198 (100%)	195 (98%)	4 (2%)	0	100	100
5	E	244/242 (101%)	239 (98%)	5 (2%)	0	100	100
All	All	819/821 (100%)	783 (96%)	35 (4%)	1 (0%)	48	50

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	47	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	232/231 (100%)	211 (91%)	21 (9%)	9	6
2	B	93/93 (100%)	82 (88%)	11 (12%)	5	3
3	C	9/9 (100%)	9 (100%)	0	100	100
4	D	173/170 (102%)	164 (95%)	9 (5%)	21	20
5	E	212/208 (102%)	204 (96%)	8 (4%)	29	32
All	All	719/711 (101%)	670 (93%)	49 (7%)	15	12

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	GLU
1	A	82	ARG
1	A	98	MET
1	A	106	ASP
1	A	115	GLN
1	A	121	LYS
1	A	138	THR
1	A	173	GLU
1	A	192	HIS
1	A	206	LEU
1	A	222	GLU
1	A	229	GLU
1	A	231	VAL
1	A	238	ASP
1	A	249	VAL
1	A	251	SER
1	A	253	GLU
1	A	254	GLU
1	A	256	ARG
1	A	268	LYS
1	A	271	THR
2	B	1	ILE
2	B	6	LYS
2	B	16	GLU
2	B	17	ASN
2	B	21	ASN
2	B	39	LEU
2	B	49	VAL
2	B	50	GLU
2	B	58	LYS
2	B	64	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	70	PHE
4	D	28	SER
4	D	127	ILE
4	D	161	GLN
4	D	163	LYS
4	D	164	ASP
4	D	173[A]	CYS
4	D	173[B]	CYS
4	D	195	ASP
4	D	204	ASN
5	E	19	VAL
5	E	74	ASP
5	E	79	GLU
5	E	92	GLN
5	E	97	GLU
5	E	183[A]	CYS
5	E	183[B]	CYS
5	E	197	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	188	HIS
1	A	191	HIS
1	A	255	GLN
1	A	260	HIS
1	A	262	GLN
2	B	21	ASN
4	D	20	GLN
4	D	22	ASN
4	D	136	GLN
4	D	161	GLN
5	E	57	GLN
5	E	58	ASN
5	E	95	GLN
5	E	115	GLN
5	E	223	GLN
5	E	225	GLN
5	E	232	ASN
5	E	237	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	PO4	D	302	-	4,4,4	2.06	3 (75%)	6,6,6	0.39	0
6	EDO	A	301	-	3,3,3	0.40	0	2,2,2	0.37	0
8	PO4	E	302	-	4,4,4	2.52	1 (25%)	6,6,6	0.47	0
8	PO4	D	301	-	4,4,4	2.57	3 (75%)	6,6,6	0.48	0
8	PO4	E	301	-	4,4,4	2.57	1 (25%)	6,6,6	0.48	0
8	PO4	A	303	7	4,4,4	2.57	2 (50%)	6,6,6	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	301	-	-	0/1/1/1	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	A	303	PO4	P-O1	4.28	1.60	1.50
8	E	301	PO4	P-O1	4.27	1.60	1.50
8	D	301	PO4	P-O1	4.27	1.60	1.50
8	E	302	PO4	P-O1	4.20	1.60	1.50
8	D	302	PO4	P-O1	2.18	1.55	1.50
8	D	302	PO4	P-O3	2.06	1.60	1.54
8	D	302	PO4	P-O4	2.02	1.60	1.54
8	A	303	PO4	P-O4	2.02	1.60	1.54
8	D	301	PO4	P-O2	2.02	1.60	1.54
8	D	301	PO4	P-O4	2.00	1.60	1.54

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	301	EDO	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	273/273 (100%)	1.33	94 (34%)	1 1	19, 45, 139, 173	1 (0%)
2	B	99/99 (100%)	1.75	40 (40%)	0 1	28, 60, 116, 130	3 (3%)
3	C	9/9 (100%)	-0.46	0	100 100	19, 21, 28, 30	0
4	D	198/198 (100%)	0.69	23 (11%)	9 10	12, 44, 94, 136	3 (1%)
5	E	242/242 (100%)	0.22	9 (3%)	45 47	10, 36, 63, 130	4 (1%)
All	All	821/821 (100%)	0.88	166 (20%)	3 3	10, 42, 117, 173	11 (1%)

All (166) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	72	PRO	7.8
1	A	249	VAL	7.2
1	A	199	ALA	6.8
1	A	230	LEU	6.7
1	A	217	TRP	6.5
1	A	236	ALA	6.4
1	A	189	VAL	5.9
1	A	239	ARG	5.8
1	A	252	GLY	5.8
1	A	194	VAL	5.7
1	A	1	GLY	5.5
1	A	187	THR	5.5
2	B	47	GLU	5.4
1	A	206	LEU	5.4
4	D	215	ALA	5.2
1	A	270	LEU	4.9
1	A	240	THR	4.8
1	A	193	PRO	4.6
2	B	49	VAL	4.5
1	A	209	TYR	4.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	75	ALA	4.5
1	A	225	THR	4.4
1	A	261	VAL	4.4
2	B	15	ALA	4.3
4	D	146	SER	4.3
1	A	238	ASP	4.2
2	B	22	PHE	4.2
1	A	200	THR	4.2
1	A	40	ALA	4.2
2	B	14	PRO	4.2
1	A	190	THR	4.2
1	A	105	PRO	4.2
1	A	192	HIS	4.1
1	A	207	GLY	4.1
4	D	140	SER	4.1
1	A	251	SER	4.0
1	A	257	TYR	4.0
2	B	17	ASN	4.0
1	A	250	PRO	3.9
1	A	237	GLY	3.9
1	A	253	GLU	3.8
1	A	201	LEU	3.7
1	A	254	GLU	3.7
1	A	266	LEU	3.7
4	D	143	SER	3.7
1	A	273	ARG	3.6
2	B	48	LYS	3.6
1	A	221	GLY	3.6
1	A	196	ASP	3.6
1	A	195	SER	3.6
1	A	61[A]	ASP	3.5
2	B	43	GLY	3.4
2	B	45	ARG	3.4
1	A	185	PRO	3.4
1	A	219	ARG	3.4
1	A	41	ALA	3.4
2	B	1	ILE	3.4
2	B	40	LEU	3.4
4	D	214	ALA	3.3
1	A	241	PHE	3.3
1	A	191	HIS	3.3
1	A	208	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	271	THR	3.2
4	D	173[A]	CYS	3.2
5	E	23	CYS	3.2
2	B	66	TYR	3.2
4	D	145	LYS	3.2
2	B	23	LEU	3.2
1	A	205	ALA	3.2
4	D	144	ASP	3.2
4	D	195	ASP	3.1
2	B	86	THR	3.1
1	A	247	VAL	3.1
2	B	71	THR	3.1
1	A	213	ILE	3.1
1	A	211	ALA	3.0
1	A	256	ARG	3.0
4	D	158	ASN	2.9
1	A	267	PRO	2.9
1	A	181	ARG	2.9
2	B	67	TYR	2.9
1	A	223	ASP	2.8
1	A	248	VAL	2.8
2	B	74	GLU	2.8
1	A	186	LYS	2.8
1	A	182	ALA	2.8
2	B	39	LEU	2.8
2	B	19	LYS	2.8
1	A	197	HIS	2.8
1	A	210	PRO	2.8
1	A	229	GLU	2.8
1	A	204	TRP	2.8
5	E	197	ASP	2.7
2	B	20	SER	2.7
1	A	214	THR	2.7
2	B	10	TYR	2.7
2	B	58	LYS	2.7
4	D	163	LYS	2.7
1	A	245	ALA	2.7
2	B	9	VAL	2.7
1	A	255	GLN	2.6
2	B	99	MET	2.6
1	A	269	PRO	2.6
2	B	38	ASP	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	92	ILE	2.6
1	A	188	HIS	2.6
1	A	260	HIS	2.6
1	A	218	GLN	2.6
1	A	262	GLN	2.6
2	B	21	ASN	2.6
1	A	228	THR	2.6
2	B	7	ILE	2.6
2	B	44	GLU	2.6
1	A	265	GLY	2.5
5	E	255	ALA	2.5
5	E	192	GLN	2.5
1	A	202	ARG	2.5
1	A	272	LEU	2.5
2	B	12	ARG	2.5
4	D	159	VAL	2.5
2	B	78	TYR	2.5
4	D	198	CYS	2.5
2	B	68	THR	2.5
4	D	193	LYS	2.5
4	D	174	VAL	2.4
4	D	180	MET	2.4
4	D	141	LYS	2.4
2	B	13	HIS	2.4
4	D	142	SER	2.4
4	D	206	ILE	2.4
1	A	16	GLY	2.3
4	D	213	PHE	2.3
5	E	183[A]	CYS	2.3
4	D	126	ASN	2.3
4	D	137	LEU	2.3
1	A	183	ASP	2.3
1	A	220	ASP	2.3
1	A	44	ARG	2.3
1	A	42	SER	2.3
2	B	46	ILE	2.3
1	A	184	PRO	2.3
1	A	244	TRP	2.3
4	D	2	GLN	2.3
5	E	147	ILE	2.3
1	A	17	ARG	2.3
1	A	106	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	104	GLY	2.3
2	B	18	GLY	2.3
1	A	57	PRO	2.2
1	A	231	VAL	2.2
1	A	263	HIS	2.2
1	A	35	ARG	2.2
1	A	258	THR	2.2
1	A	268	LYS	2.2
5	E	256	ASP	2.2
5	E	254	ARG	2.2
1	A	227	ASP	2.2
2	B	69	GLU	2.1
2	B	16	GLU	2.1
1	A	110	LEU	2.0
1	A	215	LEU	2.0
5	E	46	LEU	2.0
1	A	226	GLN	2.0
1	A	203	CYS	2.0
1	A	259	CYS	2.0
2	B	73	THR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	EDO	A	301	4/4	0.76	0.21	53,54,57,58	0
8	PO4	D	301	5/5	0.82	0.11	86,90,93,97	0
8	PO4	E	301	5/5	0.85	0.11	71,77,81,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
8	PO4	D	302	5/5	0.89	0.11	62,63,70,73	0
8	PO4	A	303	5/5	0.91	0.13	70,72,81,83	0
7	NA	A	302	1/1	0.92	0.15	66,66,66,66	0
8	PO4	E	302	5/5	0.92	0.09	67,71,73,77	0

6.5 Other polymers [i](#)

There are no such residues in this entry.