



wwPDB EM Validation Summary Report ⓘ

Mar 28, 2026 – 07:51 PM UTC

PDB ID : 4V68 / pdb_00004v68
EMDB ID : EMD-5030
Title : T. thermophilus 70S ribosome in complex with mRNA, tRNAs and EF-Tu.GDP.kirromycin ternary complex, fitted to a 6.4 Å Cryo-EM map.
Authors : Schuette, J.-C.; Spahn, C.M.T.
Deposited on : 2008-12-11
Resolution : 6.40 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 6.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	544 (5.90 - 6.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1504	
2	AB	235	
3	AD	208	



















Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	AE	151	
5	AF	101	
6	AH	138	
7	AK	119	
8	AL	125	
9	AO	88	
10	AP	84	
11	AQ	100	
12	AR	70	
13	AT	99	
14	AC	207	
15	AG	155	
16	AI	127	
17	AJ	99	
18	AM	125	
19	AN	60	
20	AS	79	
21	AU	25	
22	AV	77	
23	AX	6	
24	AW	76	
25	AY	72	
26	A0	3	
27	AZ	405	
28	B0	85	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	B1	89	
30	B2	51	
31	B3	60	
32	B4	50	
33	B5	59	
34	B6	45	
35	B7	49	
36	B8	64	
37	B9	35	
38	BA	2852	
39	BB	119	
40	BC	191	
41	BD	272	
42	BE	205	
43	BF	208	
44	BG	181	
45	BH	160	
46	BI	146	
47	BL	138	
48	BN	139	
49	BO	122	
50	BP	146	
51	BQ	136	
52	BR	117	
53	BS	99	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
54	BT	138	
55	BU	117	
56	BV	101	
57	BW	113	
58	BX	93	
59	BY	101	
60	BZ	177	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
25	M2G	AY	26	-	-	X	-
25	OMG	AY	34	-	-	X	-
25	YG	AY	37	-	-	X	-

2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 152000 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	AA	1504	Total	C	N	O	P	0	0
			32329	14390	5992	10444	1503		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	AB	235	Total	C	N	O	S	0	1
			1901	1213	342	341	5		

- Molecule 3 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	AD	208	Total	C	N	O	S	0	0
			1703	1066	339	291	7		

- Molecule 4 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	AE	151	Total	C	N	O	S	0	1
			1147	724	218	201	4		

- Molecule 5 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	AF	101	Total	C	N	O	S	0	0
			843	531	155	154	3		

- Molecule 6 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AH	138	Total	C	N	O	S	0	0
			1116	705	215	193	3		

- Molecule 7 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	AK	119	Total	C	N	O	S	0	0
			885	549	168	165	3		

- Molecule 8 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	AL	125	Total	C	N	O	S	0	1
			971	611	196	163	1		

- Molecule 9 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	AO	88	Total	C	N	O	S	0	0
			734	459	147	126	2		

- Molecule 10 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AP	84	Total	C	N	O	S	0	1
			701	443	140	117	1		

- Molecule 11 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AQ	100	Total	C	N	O	S	0	1
			824	528	152	142	2		

- Molecule 12 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	AR	70	Total	C	N	O	0	0
			574	367	112	95		

- Molecule 13 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AT	99	Total	C	N	O	S	0	0
			763	470	162	129	2		

- Molecule 14 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AC	207	Total	C	N	O	S	0	1
			1613	1016	315	281	1		

- Molecule 15 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AG	155	Total	C	N	O	S	0	0
			1257	781	252	218	6		

- Molecule 16 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AI	127	Total	C	N	O	S	0	0
			1011	639	198	174			

- Molecule 17 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AJ	99	Total	C	N	O	S	0	1
			795	499	157	138	1		

- Molecule 18 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AM	125	Total	C	N	O	S	0	1
			988	611	206	169	2		

- Molecule 19 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AN	60	Total	C	N	O	S	0	0
			492	312	104	72	4		

- Molecule 20 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AS	79	Total	C	N	O	S	0	1
			630	403	115	110	2		

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	AU	25	Total	C	N	O	0	1
			209	128	51	30		

- Molecule 22 is a RNA chain called P-SITE TRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	77	Total	C	N	O	P	0	0
			1645	733	297	538	77		

- Molecule 23 is a RNA chain called SYNTHETIC MRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	AX	6	Total	C	N	O	P	0	0
			132	59	27	40	6		

- Molecule 24 is a RNA chain called E-SITE TRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AW	76	Total	C	N	O	P	0	0
			1623	723	290	534	76		

- Molecule 25 is a RNA chain called AT-SITE TRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	AY	72	Total	C	N	O	P	0	0
			1546	698	275	501	72		

- Molecule 26 is a RNA chain called MRNA CODON.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	A0	3	Total	C	N	O	P	0	0
			60	27	6	24	3		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A0	100	U	A	conflict	UNP Q5SHN6
A0	101	U	K	conflict	UNP Q5SHN6
A0	102	U	G	conflict	UNP Q5SHN6

- Molecule 27 is a protein called Elongation factor Tu-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	AZ	378	Total	C	N	O	S	8	0
			2962	1879	513	557	13		

- Molecule 28 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	B0	85	Total	C	N	O	S	0	0
			650	401	137	111	1		

- Molecule 29 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	B1	89	Total	C	N	O	S	0	1
			693	435	140	118			

- Molecule 30 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	B2	51	Total	C	N	O	S	0	1
			421	263	85	72	1		

- Molecule 31 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	B3	60	Total	C	N	O	S	0	1
			468	298	91	78	1		

- Molecule 32 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	B4	50	Total	C	N	O	S	0	1
			242	143	50	49			

- Molecule 33 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	B5	59	Total	C	N	O	S	0	0
			459	288	90	76	5		

- Molecule 34 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	B6	45	Total	C	N	O	S	0	1
			381	235	78	64	4		

- Molecule 35 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	B7	49	Total	C	N	O	S	0	1
			419	257	105	55	2		

- Molecule 36 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	B8	64	Total	C	N	O	S	0	1
			508	326	102	78	2		

- Molecule 37 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	B9	35	Total	C	N	O	S	0	0
			294	181	66	44	3		

- Molecule 38 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	BA	2852	Total	C	N	O	P	0	0
			61426	27338	11485	19752	2851		

- Molecule 39 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	BB	119	Total	C	N	O	P	0	0
			2551	1136	471	826	118		

- Molecule 40 is a protein called 50S ribosomal protein L1.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BC	191	Total	C	N	O		0	1
			1142	691	221	230			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	?	-	LEU	deletion	UNP Q5SLP7
BC	?	-	VAL	deletion	UNP Q5SLP7
BC	?	-	LYS	deletion	UNP Q5SLP7
BC	?	-	GLU	deletion	UNP Q5SLP7
BC	?	-	LEU	deletion	UNP Q5SLP7
BC	?	-	ALA	deletion	UNP Q5SLP7
BC	?	-	ASP	deletion	UNP Q5SLP7
BC	?	-	ALA	deletion	UNP Q5SLP7
BC	?	-	VAL	deletion	UNP Q5SLP7
BC	?	-	VAL	deletion	UNP Q5SLP7
BC	?	-	ALA	deletion	UNP Q5SLP7
BC	?	-	THR	deletion	UNP Q5SLP7
BC	?	-	PRO	deletion	UNP Q5SLP7
BC	?	-	ASP	deletion	UNP Q5SLP7
BC	?	-	LEU	deletion	UNP Q5SLP7
BC	?	-	PRO	deletion	UNP Q5SLP7

- Molecule 41 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BD	272	Total	C	N	O	S	0	1
			2105	1329	417	356	3		

- Molecule 42 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BE	205	Total	C	N	O	S	0	1
			1564	988	300	270	6		

- Molecule 43 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BF	208	Total	C	N	O	S	0	1
			1624	1035	304	282	3		

- Molecule 44 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	BG	181	Total	C	N	O	S	0	0
			1474	942	268	260	4		

- Molecule 45 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BH	160	Total	C	N	O	S	0	1
			1223	773	229	220	1		

- Molecule 46 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BI	146	Total	C	N	O	S	0	1
			1132	723	201	207	1		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BI	146	VAL	ALA	conflict	UNP Q5SLQ1

- Molecule 47 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BL	138	Total	C	N	O	S	0	0
			1025	654	181	185	5		

- Molecule 48 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BN	139	Total	C	N	O	S	0	1
			1105	712	207	182	4		

- Molecule 49 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BO	122	Total	C	N	O	S	0	0
			933	588	171	170	4		

- Molecule 50 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BP	146	Total	C	N	O	S	0	0
			1114	692	227	193	2		

- Molecule 51 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	BQ	136	Total	C	N	O	S	0	0
			1080	688	204	183	5		

- Molecule 52 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	BR	117	Total	C	N	O		0	0
			960	599	202	159			

- Molecule 53 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BS	99	Total	C	N	O		0	1
			771	486	155	130			

- Molecule 54 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	BT	138	Total	C	N	O	S	0	1
			1142	710	235	196	1		

- Molecule 55 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	BU	117	Total	C	N	O	S	0	0
			958	604	202	151	1		

- Molecule 56 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BV	101	Total	C	N	O	S	0	0
			779	501	142	135	1		

- Molecule 57 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	BW	113	Total	C	N	O	S	0	0
			896	563	176	155	2		

- Molecule 58 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms				AltConf	Trace
58	BX	93	Total	C	N	O	0	1
			726	471	132	123		


- Molecule 59 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	BY	101	Total	C	N	O	S	0	1
			776	500	149	123	4		

- Molecule 60 is a protein called 50S ribosomal protein L25.


Mol	Chain	Residues	Atoms					AltConf	Trace
60	BZ	177	Total	C	N	O	S	0	1
			1404	897	253	252	2		

- Molecule 61 is PHENYLALANINAL (CCD ID: PHA) (formula: C₉H₁₁NO).




Mol	Chain	Residues	Atoms				AltConf
61	AY	1	Total	C	N	O	0
			11	9	1	1	

- Molecule 62 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).




Mol	Chain	Residues	Atoms					AltConf
62	AZ	1	Total 28	C 10	N 5	O 11	P 2	0

- Molecule 63 is N-METHYL KIRROMYCIN (CCD ID: MAU) (formula: $C_{44}H_{62}N_2O_{12}$).



Mol	Chain	Residues	Atoms				AltConf
63	AZ	1	Total	C	N	O	0
			58	44	2	12	

- Molecule 64 is BETA-MERCAPTOETHANOL (CCD ID: BME) (formula: C_2H_6OS).





Mol	Chain	Residues	Atoms				AltConf
			Total	C	O	S	
64	AZ	1	4	2	1	1	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA







- Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S4




• Molecule 4: 30S ribosomal protein S5




• Molecule 5: 30S ribosomal protein S6




• Molecule 6: 30S ribosomal protein S8




• Molecule 7: 30S ribosomal protein S11




• Molecule 8: 30S ribosomal protein S12




- Molecule 9: 30S ribosomal protein S15




- Molecule 10: 30S ribosomal protein S16



- Molecule 11: 30S ribosomal protein S17




- Molecule 12: 30S ribosomal protein S18




- Molecule 13: 30S ribosomal protein S20






• Molecule 14: 30S ribosomal protein S3




• Molecule 15: 30S ribosomal protein S7




• Molecule 16: 30S ribosomal protein S9





• Molecule 17: 30S ribosomal protein S10




• Molecule 18: 30S ribosomal protein S13




• Molecule 19: 30S ribosomal protein S14



• Molecule 20: 30S ribosomal protein S19






- Molecule 21: 30S ribosomal protein Thx




- Molecule 22: P-SITE TRNA





- Molecule 23: SYNTHETIC MRNA




- Molecule 24: E-SITE TRNA



- Molecule 25: AT-SITE TRNA





• Molecule 30: 50S ribosomal protein L29




• Molecule 31: 50S ribosomal protein L30





• Molecule 32: 50S ribosomal protein L31



• Molecule 33: 50S ribosomal protein L32




• Molecule 34: 50S ribosomal protein L33




• Molecule 35: 50S ribosomal protein L34









• Molecule 36: 50S ribosomal protein L35




• Molecule 37: 50S ribosomal protein L36




• Molecule 38: 23S rRNA





U2130	C2066	G1992	U1923	C1843	U1777	G1697	C1550	G1472	C1407	G1339	C1270
G2131	G2067	U1993	C1924	C1844	U1778	A1698	C1551	G1473	C1408	U1340	G1271
U2132	U2068	G1997	C1925	G1845	U1779	G1699	A1554	G1474	C1409	U1341	U1272
G2133	G2069	G1998	U1926	G1846	A1780	A1700	G1554	G1475	G1410	G1344	U1273
A2134	A2070	A1927	A1928	A1847	A1783	A1701	A1558	G1476	G1411	A1274	A1275
A2135	G2072	G1998	G1929	A1848	A1784	G1702	G1559	A1477	A1412	A1276	A1277
C2136	C2073	G2004	G1932	G1850	A1785	G1703	G1562	G1478	G1413	G1345	G1278
C2137	U2075	A2005	G1933	U1951	A1786	G1704	A1562	G1479	G1414	G1346	G1279
C2138	U2076	C2006	G1934	A1853	A1789	G1707	A1563	U1481	U1415	G1347	G1280
C2139	U2077	G2009	G1935	A1854	A1790	C1708	C1564	G1482	G1416	U1351	G1281
C2140	A2078	G2012	G1936	A1855	A1791	C1709	G1568	G1483	G1417	A1353	A1284
G2141	U2079	A1937	A1938	G1856	A1796	C1710	A1569	G1484	G1418	A1354	G1285
C2142	G2080	U1937	U1940	G1857	U1797	C1711	A1570	G1485	G1419	A1355	A1286
C2143	U2081	A1938	U1941	G1858	G1798	C1712	A1571	G1486	U1420	A1356	A1287
U2144	U2082	U1939	U1942	G1859	G1800	C1713	A1572	G1487	U1421	U1357	U1288
C2145	U2083	U1940	U1943	G1860	C1801	G1714	A1573	G1488	G1422	C1358	C1289
C2146	U2084	U1941	U1944	G1861	A1803	G1715	A1574	A1494	G1423	A1359	C1290
C2147	G2085	U1942	U1945	G1862	A1804	C1716	C1577	A1495	G1424	A1360	C1291
G2148	U2086	U1943	U1946	G1863	C1804	G1717	A1578	A1496	G1425	G1361	U1292
U2149	G2087	U1944	U1947	G1864	U1805	G1718	A1579	A1497	G1426	C1362	U1293
U2150	G2088	U1945	U1948	G1865	U1806	C1719	C1582	A1498	G1427	G1363	U1294
G2151	U2089	U1946	U1949	G1866	G1807	U1720	C1583	C1501	A1428	A1364	C1295
C2152	U2090	U1947	U1950	G1867	U1808	G1721	A1584	C1502	U1430	A1365	C1298
C2153	G2100	U1948	U1951	G1868	A1809	A1741	C1585	C1503	U1431	A1366	G1299
G2154	U2091	U1949	U1952	G1869	A1810	G1742	A1586	C1504	G1432	A1367	U1300
U2155	U2092	U1950	U1953	G1870	A1811	C1743	A1587	C1505	G1433	G1368	U1301
C2156	U2093	U1951	U1954	G1871	A1812	C1744	C1588	C1506	G1434	G1369	A1302
C2157	U2094	U1952	U1955	G1872	A1813	C1745	C1589	C1507	U1435	C1370	A1303
A2158	U2095	U1953	U1956	G1873	G1814	G1746	U1590	A1508	A1439	C1376	G1309
G2159	U2096	U1954	U1957	G1874	A1815	G1747	U1591	C1509	G1440	G1377	G1310
C2160	U2097	U1955	U1958	G1875	A1816	G1748	C1592	A1509A	G1441	G1378	G1311
C2161	U2098	U1956	U1959	G1876	A1817	A1749	G1593	A1509B	G1442	A1379	U1312
C2162	U2099	U1957	U1960	G1877	G1818	C1750	G1594	G1510	G1443	G1380	U1313
C2163	U2100	U1958	U1961	G1878	A1819	C1751	G1595	C1511	A1444	G1381	C1314
C2164	U2101	U1959	U1962	G1879	U1820	C1752	A1596	G1517	A1445	G1382	C1315
G2165	U2102	U1960	U1963	G1880	A1821	G1753	A1597	U1518	C1446A	C1383	U1316
C2166	U2103	U1961	U1964	G1881	G1822	C1754	C1598	U1519	C1447	A1384	A1317
C2167	U2104	U1962	U1965	G1882	G1823	G1755	U1602	G1520	G1448	G1385	C1318
C2168	U2105	U1963	U1966	G1883	G1824	G1756	A1603	U1523	A1449	C1386	G1319
A2169	U2106	U1964	U1967	G1884	A1825	U1757	U1607	G1524	G1450	C1387	A1322
A2170	U2107	U1965	U1968	G1885	G1826	G1758	A1608	G1525	U1453	G1388	U1323
A2171	U2108	U1966	U1969	G1886	G1827	G1759	A1609	G1526	G1455	G1389	G1324
U2172	U2109	U1967	U1970	G1887	A1828	C1760	A1610	G1527	G1456	A1394	G1325
C2173	U2110	U1968	U1971	G1888	G1829	G1761	A1611	A1528A	A1457	A1395	U1326
C2174	U2111	U1969	U1972	G1889	U1830	G1762	C1614	G1529	G1458	U1396	C1327
C2175	U2112	U1970	U1973	G1890	U1831	G1763	A1615	C1530	G1459	U1397	U1328
C2176	U2113	U1971	U1974	G1891	G1832	G1764	C1616	C1531	A1460	C1398	U1329
C2177	U2114	U1972	U1975	G1892	U1833	G1765	A1617	C1532	G1461	C1399	A1330
C2178	U2115	U1973	U1976	G1893	U1834	U1766	A1618	C1533	G1462	G1401	G1332
C2179	U2116	U1974	U1977	G1894	G1835	U1767	A1619	C1534	C1463	C1402	U1335
C2180	U2117	U1975	U1978	G1895	U1836	U1768	A1620	C1535	G1464	C1403	A1336
C2181	U2118	U1976	U1979	G1896	U1837	C1771	G1619	C1536	G1465	C1404	G1337
C2182	U2119	U1977	U1980	G1897	U1838	G1772	U1692	C1537	G1466	U1405	U1338
C2183	U2120	U1978	U1981	G1898	U1839	G1773	U1693	C1538	G1467	C1406	
C2184	U2121	U1979	U1982	G1899	U1840	A1774	C1694	C1539	C1468		
C2185	U2122	U1980	U1983	U1841	U1842	G1775	G1695	C1540	A1471		
C2186	U2123	U1981	U1984	U1843	G1842	G1776		C1541			
C2187	U2124	U1982	U1985	U1844				C1542			
C2188	U2125	U1983	U1986	U1845				C1543			
C2189	U2126	U1984	U1987	U1846				C1544			
C2190	U2127	U1985	U1988	U1847				C1545			
C2191	U2128	U1986	U1989	U1848				C1546			
	U2129	U1987	U1990	U1849				C1547			
		U1988	U1991	U1850				C1548			
		U1989		U1851				C1549			
		U1990		U1852				C1550			
		U1991		U1853				C1551			
		U1992		U1854				C1552			
		U1993		U1855				C1553			
		U1994		U1856				C1554			
		U1995		U1857				C1555			
		U1996		U1858				C1556			
		U1997		U1859				C1557			
		U1998		U1860				C1558			
		U1999		U1861				C1559			
		U2000		U1862				C1560			
		U2001		U1863				C1561			
		U2002		U1864				C1562			
		U2003		U1865				C1563			
		U2004		U1866				C1564			
		U2005		U1867				C1565			
		U2006		U1868				C1566			
		U2007		U1869				C1567			
		U2008		U1870				C1568			
		U2009		U1871				C1569			
		U2010		U1872				C1570			
		U2011		U1873				C1571			
		U2012		U1874				C1572			
		U2013		U1875				C1573			
		U2014		U1876				C1574			
		U2015		U1877				C1575			
		U2016		U1878				C1576			
		U2017		U1879				C1577			
		U2018		U1880				C1578			
		U2019		U1881				C1579			
		U2020		U1882				C1580			
		U2021		U1883				C1581			
		U2022		U1884				C1582			
		U2023		U1885				C1583			
		U2024		U1886				C1584			
		U2025		U1887				C1585			
		U2026		U1888				C1586			
		U2027		U1889				C1587			
		U2028		U1890				C1588			
		U2029		U1891				C1589			
		U2030		U1892				C1590			
		U2031		U1893				C1591			
		U2032		U1894				C1592			
		U2033		U1895				C1593			
		U2034		U1896				C1594			
		U2035		U1897				C1595			
		U2036		U1898				C1596			
		U2037		U1899				C1597			
		U2038		U1900				C1598			
		U2039		U1901				C1599			
		U2040		U1902				C1600			
		U2041		U1903				C1601			
		U2042		U1904				C1602			
		U2043		U1905				C1603			
		U2044		U1906				C1604			
		U2045		U1907				C1605			
		U2046		U1908				C1606			
		U2047		U1909				C1607			
		U2048		U1910				C1608			
		U2049		U1911				C1609			
		U2050		U1912				C1610			
		U2051		U1913				C1611			
		U2052		U1914				C1612			
		U2053		U1915				C1613			
		U2054		U1916				C1614			
		U2055		U1917				C1615			
		U2056		U1918				C1616			
		U2057		U1919				C1617			
		U2058		U1920				C1618			
		U2059		U1921				C1619			
		U2060		U1922				C1620			
		U2061		U1923				C1621			
		U2062		U1924				C1622			




• Molecule 39: 5S rRNA


Chain BB:

31%


59%

10%







• Molecule 40: 50S ribosomal protein L1




• Molecule 41: 50S ribosomal protein L2




• Molecule 42: 50S ribosomal protein L3







• Molecule 43: 50S ribosomal protein L4




• Molecule 44: 50S ribosomal protein L5





• Molecule 45: 50S ribosomal protein L6








• Molecule 46: 50S ribosomal protein L9




• Molecule 47: 50S ribosomal protein L11




• Molecule 48: 50S ribosomal protein L13




- Molecule 49: 50S ribosomal protein L14




- Molecule 50: 50S ribosomal protein L15




- Molecule 51: 50S ribosomal protein L16





- Molecule 52: 50S ribosomal protein L17









• Molecule 53: 50S ribosomal protein L18




• Molecule 54: 50S ribosomal protein L19




• Molecule 55: 50S ribosomal protein L20




• Molecule 56: 50S ribosomal protein L21










• Molecule 57: 50S ribosomal protein L22





• Molecule 58: 50S ribosomal protein L23



• Molecule 59: 50S ribosomal protein L24



• Molecule 60: 50S ribosomal protein L25



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	323688	Depositor
Resolution determination method	Not provided	
CTF correction method	CTF correction of each defocus group volume prior to back projection.	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	23	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	4500	Depositor
Magnification	39000	Depositor
Image detector	KODAK SO-163 FILM	Depositor
Maximum map value	17.496	Depositor
Minimum map value	-4.419	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.958	Depositor
Recommended contour level	3.5	Depositor
Map size ($\text{\AA}$)	378.0, 378.0, 378.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.26, 1.26, 1.26	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAU, 2MG, OMG, OMC, 5MC, 7MG, M2G, YG, BME, 1MA, GDP, PSU, PHA, 5MU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	AA	0.44	0/36190	0.68	51/56486 (0.1%)
2	AB	0.38	1/1936 (0.1%)	0.88	5/2611 (0.2%)
3	AD	0.50	0/1733	1.05	18/2318 (0.8%)
4	AE	0.50	1/1163 (0.1%)	1.02	4/1566 (0.3%)
5	AF	0.46	0/856	0.94	1/1154 (0.1%)
6	AH	0.45	0/1136	0.98	4/1527 (0.3%)
7	AK	0.49	0/900	0.98	4/1213 (0.3%)
8	AL	0.54	1/987 (0.1%)	1.06	6/1322 (0.5%)
9	AO	0.50	0/745	0.91	6/992 (0.6%)
10	AP	0.57	1/717 (0.1%)	1.03	7/965 (0.7%)
11	AQ	0.50	1/837 (0.1%)	1.07	5/1119 (0.4%)
12	AR	0.49	0/579	1.13	4/768 (0.5%)
13	AT	0.44	0/765	0.96	3/1007 (0.3%)
14	AC	0.45	1/1637 (0.1%)	0.91	2/2207 (0.1%)
15	AG	0.44	0/1276	0.89	5/1709 (0.3%)
16	AI	0.36	0/1027	0.83	3/1372 (0.2%)
17	AJ	0.45	1/808 (0.1%)	0.94	2/1087 (0.2%)
18	AM	0.46	1/994 (0.1%)	1.00	3/1322 (0.2%)
19	AN	0.44	0/501	1.04	4/664 (0.6%)
20	AS	0.45	1/643 (0.2%)	1.06	5/867 (0.6%)
21	AU	0.58	1/213 (0.5%)	0.86	0/279
22	AV	0.43	0/1814	0.64	1/2825 (0.0%)
23	AX	0.59	0/147	0.81	0/223
24	AW	0.42	0/1813	0.68	4/2823 (0.1%)
25	AY	0.84	3/1407 (0.2%)	1.99	14/2177 (0.6%)
26	A0	1.81	2/65 (3.1%)	0.59	0/98
27	AZ	0.36	0/3052	0.97	17/4141 (0.4%)
28	B0	0.47	0/658	1.04	4/878 (0.5%)
29	B1	0.80	1/700 (0.1%)	1.49	17/931 (1.8%)
30	B2	0.62	1/423 (0.2%)	1.54	13/560 (2.3%)
31	B3	0.50	1/473 (0.2%)	0.96	2/636 (0.3%)
32	B4	0.66	1/241 (0.4%)	1.24	6/334 (1.8%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	B5	0.53	0/473	1.14	4/639 (0.6%)
34	B6	0.50	1/387 (0.3%)	0.91	1/517 (0.2%)
35	B7	0.70	1/427 (0.2%)	1.05	4/563 (0.7%)
36	B8	0.65	1/516 (0.2%)	1.18	4/681 (0.6%)
37	B9	0.73	0/297	1.04	1/392 (0.3%)
38	BA	0.51	6/68796 (0.0%)	0.76	107/107396 (0.1%)
39	BB	0.39	0/2853	0.64	0/4451
40	BC	0.51	1/1145 (0.1%)	1.04	13/1556 (0.8%)
41	BD	0.68	1/2155 (0.0%)	1.27	23/2907 (0.8%)
42	BE	0.56	1/1597 (0.1%)	1.17	11/2155 (0.5%)
43	BF	0.55	1/1659 (0.1%)	1.11	13/2246 (0.6%)
44	BG	0.47	0/1498	1.13	17/2013 (0.8%)
45	BH	0.42	1/1246 (0.1%)	1.10	12/1684 (0.7%)
46	BI	0.49	1/1147 (0.1%)	1.04	9/1553 (0.6%)
47	BL	0.79	0/1044	1.46	25/1415 (1.8%)
48	BN	0.50	1/1132 (0.1%)	1.18	15/1527 (1.0%)
49	BO	0.60	0/943	1.15	7/1269 (0.6%)
50	BP	0.54	0/1131	1.47	22/1504 (1.5%)
51	BQ	0.47	0/1100	1.09	8/1470 (0.5%)
52	BR	0.53	0/974	1.05	5/1302 (0.4%)
53	BS	0.47	1/779 (0.1%)	1.11	10/1038 (1.0%)
54	BT	0.53	1/1156 (0.1%)	1.19	14/1544 (0.9%)
55	BU	0.49	0/975	1.12	10/1297 (0.8%)
56	BV	0.51	0/789	1.08	9/1054 (0.9%)
57	BW	0.59	0/907	1.05	6/1216 (0.5%)
58	BX	0.70	1/740 (0.1%)	1.30	14/995 (1.4%)
59	BY	0.52	1/789 (0.1%)	1.19	7/1053 (0.7%)
60	BZ	0.43	1/1436 (0.1%)	0.99	10/1951 (0.5%)
All	All	0.50	40/164527 (0.0%)	0.86	601/245569 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	AA	2	37
22	AV	0	2
24	AW	3	1
25	AY	0	5
29	B1	0	1
38	BA	29	93
All	All	34	139

The worst 5 of 40 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	BA	1051	G	O3'-P	29.67	2.05	1.61
38	BA	2190	G	O3'-P	-23.53	1.25	1.61
38	BA	2653	U	O3'-P	-21.90	1.28	1.61
25	AY	46	7MG	O3'-P	-15.77	1.37	1.61
25	AY	34	OMG	O3'-P	15.76	1.84	1.61

The worst 5 of 601 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	AY	47	U	P-O3'-C3'	-63.53	24.90	120.20
38	BA	1051	G	P-O3'-C3'	-36.89	64.87	120.20
25	AY	35	A	P-O3'-C3'	32.58	169.07	120.20
25	AY	34	OMG	O3'-P-O5'	25.05	141.57	104.00
38	BA	2190	G	P-O3'-C3'	21.91	153.06	120.20

5 of 34 chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	AA	410	G	C3'
1	AA	412	A	C1'
24	AW	17	C	C1'
24	AW	47	U	C1'
24	AW	70	G	C3'

5 of 139 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	AA	107	G	Sidechain
1	AA	253	U	Sidechain
1	AA	371	G	Sidechain
1	AA	38	G	Sidechain
1	AA	9	G	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32329	0	16318	1553	0
2	AB	1901	0	1951	293	0
3	AD	1703	0	1767	209	0
4	AE	1147	0	1207	176	0
5	AF	843	0	857	102	0
6	AH	1116	0	1177	142	0
7	AK	885	0	904	122	0
8	AL	971	0	1057	128	0
9	AO	734	0	771	86	0
10	AP	701	0	720	90	0
11	AQ	824	0	891	92	0
12	AR	574	0	644	109	0
13	AT	763	0	861	117	0
14	AC	1613	0	1677	225	0
15	AG	1257	0	1296	144	0
16	AI	1011	0	1041	147	0
17	AJ	795	0	840	149	0
18	AM	988	0	1055	192	0
19	AN	492	0	533	67	0
20	AS	630	0	652	112	0
21	AU	209	0	221	22	0
22	AV	1645	0	836	143	0
23	AX	132	0	67	15	0
24	AW	1623	0	821	97	0
25	AY	1546	0	801	199	0
26	A0	60	0	30	22	0
27	AZ	2962	0	2975	141	0
28	B0	650	0	654	83	0
29	B1	693	0	764	186	0
30	B2	421	0	461	128	0
31	B3	468	0	523	55	0
32	B4	242	0	103	23	0
33	B5	459	0	480	76	0
34	B6	381	0	390	56	0
35	B7	419	0	467	39	0
36	B8	508	0	576	118	0
37	B9	294	0	316	183	0
38	BA	61426	0	30956	3138	0
39	BB	2551	0	1295	107	0
40	BC	1142	0	865	105	0
41	BD	2105	0	2182	379	0
42	BE	1564	0	1629	339	0
43	BF	1624	0	1677	255	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BG	1474	0	1534	287	0
45	BH	1223	0	1282	212	0
46	BI	1132	0	1218	212	0
47	BL	1025	0	1074	446	0
48	BN	1105	0	1180	223	0
49	BO	933	0	996	141	0
50	BP	1114	0	1187	336	0
51	BQ	1080	0	1127	239	0
52	BR	960	0	1021	182	0
53	BS	771	0	832	191	0
54	BT	1142	0	1202	258	0
55	BU	958	0	1015	197	0
56	BV	779	0	851	221	0
57	BW	896	0	953	122	0
58	BX	726	0	778	211	0
59	BY	776	0	870	225	0
60	BZ	1404	0	1429	255	0
61	AY	11	0	10	5	0
62	AZ	28	0	12	1	0
63	AZ	58	0	60	0	0
64	AZ	4	0	5	3	0
All	All	152000	0	103944	12632	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 50.

The worst 5 of 12632 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
37:B9:33:LYS:CD	38:BA:2527:C:H4'	1.25	1.66
25:AY:65:G:C5'	27:AZ:391:GLY:HA2	1.20	1.60
37:B9:4:ARG:CZ	38:BA:2465:C:C4'	1.78	1.56
37:B9:33:LYS:HD3	38:BA:2527:C:C4'	1.34	1.54
25:AY:65:G:H5'	27:AZ:391:GLY:CA	1.08	1.53

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	233/235 (99%)	148 (64%)	53 (23%)	32 (14%)	0	3
3	AD	206/208 (99%)	130 (63%)	51 (25%)	25 (12%)	0	4
4	AE	149/151 (99%)	108 (72%)	28 (19%)	13 (9%)	0	8
5	AF	99/101 (98%)	72 (73%)	21 (21%)	6 (6%)	1	12
6	AH	136/138 (99%)	103 (76%)	27 (20%)	6 (4%)	2	17
7	AK	117/119 (98%)	87 (74%)	25 (21%)	5 (4%)	2	17
8	AL	123/125 (98%)	83 (68%)	22 (18%)	18 (15%)	0	3
9	AO	86/88 (98%)	48 (56%)	34 (40%)	4 (5%)	2	16
10	AP	82/84 (98%)	53 (65%)	24 (29%)	5 (6%)	1	12
11	AQ	98/100 (98%)	74 (76%)	15 (15%)	9 (9%)	0	8
12	AR	68/70 (97%)	38 (56%)	21 (31%)	9 (13%)	0	4
13	AT	97/99 (98%)	54 (56%)	29 (30%)	14 (14%)	0	3
14	AC	205/207 (99%)	130 (63%)	55 (27%)	20 (10%)	0	7
15	AG	153/155 (99%)	99 (65%)	42 (28%)	12 (8%)	1	9
16	AI	121/127 (95%)	80 (66%)	30 (25%)	11 (9%)	0	8
17	AJ	97/99 (98%)	70 (72%)	18 (19%)	9 (9%)	0	8
18	AM	113/125 (90%)	68 (60%)	26 (23%)	19 (17%)	0	2
19	AN	58/60 (97%)	35 (60%)	17 (29%)	6 (10%)	0	6
20	AS	77/79 (98%)	52 (68%)	15 (20%)	10 (13%)	0	4
21	AU	23/25 (92%)	18 (78%)	4 (17%)	1 (4%)	2	17
27	AZ	382/405 (94%)	373 (98%)	8 (2%)	1 (0%)	36	72
28	B0	83/85 (98%)	62 (75%)	16 (19%)	5 (6%)	1	12
29	B1	87/89 (98%)	43 (49%)	25 (29%)	19 (22%)	0	1
30	B2	49/51 (96%)	16 (33%)	16 (33%)	17 (35%)	0	0
31	B3	58/60 (97%)	42 (72%)	12 (21%)	4 (7%)	1	11

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	B4	48/50 (96%)	14 (29%)	11 (23%)	23 (48%)	0	0
33	B5	57/59 (97%)	37 (65%)	13 (23%)	7 (12%)	0	4
34	B6	41/45 (91%)	18 (44%)	16 (39%)	7 (17%)	0	2
35	B7	47/49 (96%)	36 (77%)	10 (21%)	1 (2%)	5	30
36	B8	62/64 (97%)	38 (61%)	13 (21%)	11 (18%)	0	2
37	B9	33/35 (94%)	22 (67%)	5 (15%)	6 (18%)	0	2
40	BC	183/191 (96%)	87 (48%)	53 (29%)	43 (24%)	0	1
41	BD	270/272 (99%)	193 (72%)	51 (19%)	26 (10%)	0	7
42	BE	203/205 (99%)	116 (57%)	49 (24%)	38 (19%)	0	2
43	BF	206/208 (99%)	142 (69%)	40 (19%)	24 (12%)	0	4
44	BG	177/181 (98%)	93 (52%)	56 (32%)	28 (16%)	0	2
45	BH	158/160 (99%)	100 (63%)	31 (20%)	27 (17%)	0	2
46	BI	144/146 (99%)	98 (68%)	36 (25%)	10 (7%)	1	11
47	BL	136/138 (99%)	66 (48%)	32 (24%)	38 (28%)	0	0
48	BN	137/139 (99%)	75 (55%)	35 (26%)	27 (20%)	0	2
49	BO	120/122 (98%)	92 (77%)	17 (14%)	11 (9%)	0	8
50	BP	144/146 (99%)	72 (50%)	37 (26%)	35 (24%)	0	1
51	BQ	134/136 (98%)	82 (61%)	33 (25%)	19 (14%)	0	3
52	BR	115/117 (98%)	74 (64%)	20 (17%)	21 (18%)	0	2
53	BS	97/99 (98%)	49 (50%)	19 (20%)	29 (30%)	0	0
54	BT	136/138 (99%)	77 (57%)	34 (25%)	25 (18%)	0	2
55	BU	115/117 (98%)	61 (53%)	42 (36%)	12 (10%)	0	6
56	BV	97/101 (96%)	47 (48%)	23 (24%)	27 (28%)	0	0
57	BW	111/113 (98%)	74 (67%)	23 (21%)	14 (13%)	0	4
58	BX	91/93 (98%)	45 (50%)	23 (25%)	23 (25%)	0	1
59	BY	99/101 (98%)	41 (41%)	24 (24%)	34 (34%)	0	0
60	BZ	175/177 (99%)	99 (57%)	48 (27%)	28 (16%)	0	2
All	All	6336/6487 (98%)	4034 (64%)	1428 (22%)	874 (14%)	0	3

5 of 874 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	AB	15	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	AB	52	GLU
2	AB	77	ALA
2	AB	84	GLU
2	AB	154	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	202/203 (100%)	181 (90%)	21 (10%)	7	22
3	AD	180/180 (100%)	161 (89%)	19 (11%)	6	21
4	AE	115/116 (99%)	103 (90%)	12 (10%)	7	22
5	AF	90/90 (100%)	81 (90%)	9 (10%)	7	24
6	AH	119/119 (100%)	111 (93%)	8 (7%)	15	36
7	AK	90/90 (100%)	83 (92%)	7 (8%)	11	32
8	AL	104/104 (100%)	93 (89%)	11 (11%)	6	21
9	AO	79/79 (100%)	76 (96%)	3 (4%)	29	50
10	AP	72/72 (100%)	66 (92%)	6 (8%)	10	30
11	AQ	94/95 (99%)	91 (97%)	3 (3%)	34	55
12	AR	61/61 (100%)	56 (92%)	5 (8%)	10	30
13	AT	76/76 (100%)	65 (86%)	11 (14%)	3	13
14	AC	160/161 (99%)	151 (94%)	9 (6%)	19	40
15	AG	126/126 (100%)	122 (97%)	4 (3%)	34	55
16	AI	98/98 (100%)	88 (90%)	10 (10%)	7	23
17	AJ	88/89 (99%)	82 (93%)	6 (7%)	14	36
18	AM	99/100 (99%)	93 (94%)	6 (6%)	17	38
19	AN	49/49 (100%)	47 (96%)	2 (4%)	27	48
20	AS	69/69 (100%)	62 (90%)	7 (10%)	7	23
21	AU	19/20 (95%)	18 (95%)	1 (5%)	20	41

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	AZ	325/339 (96%)	321 (99%)	4 (1%)	63	75
28	B0	61/67 (91%)	55 (90%)	6 (10%)	7	24
29	B1	73/74 (99%)	61 (84%)	12 (16%)	2	10
30	B2	46/47 (98%)	38 (83%)	8 (17%)	2	9
31	B3	51/52 (98%)	49 (96%)	2 (4%)	28	49
33	B5	51/51 (100%)	42 (82%)	9 (18%)	2	9
34	B6	43/44 (98%)	36 (84%)	7 (16%)	2	10
35	B7	41/42 (98%)	38 (93%)	3 (7%)	13	34
36	B8	53/54 (98%)	46 (87%)	7 (13%)	4	15
37	B9	33/33 (100%)	30 (91%)	3 (9%)	9	27
40	BC	61/148 (41%)	55 (90%)	6 (10%)	7	24
41	BD	213/214 (100%)	177 (83%)	36 (17%)	2	10
42	BE	165/165 (100%)	142 (86%)	23 (14%)	3	13
43	BF	165/165 (100%)	149 (90%)	16 (10%)	8	24
44	BG	155/155 (100%)	132 (85%)	23 (15%)	3	13
45	BH	132/133 (99%)	115 (87%)	17 (13%)	4	15
46	BI	122/123 (99%)	111 (91%)	11 (9%)	9	27
47	BL	105/105 (100%)	83 (79%)	22 (21%)	1	6
48	BN	117/118 (99%)	102 (87%)	15 (13%)	4	15
49	BO	100/100 (100%)	89 (89%)	11 (11%)	6	20
50	BP	112/112 (100%)	91 (81%)	21 (19%)	1	8
51	BQ	106/106 (100%)	93 (88%)	13 (12%)	4	17
52	BR	100/100 (100%)	90 (90%)	10 (10%)	7	24
53	BS	77/77 (100%)	61 (79%)	16 (21%)	1	6
54	BT	120/120 (100%)	98 (82%)	22 (18%)	2	8
55	BU	92/93 (99%)	83 (90%)	9 (10%)	7	24
56	BV	82/82 (100%)	64 (78%)	18 (22%)	1	6
57	BW	91/92 (99%)	82 (90%)	9 (10%)	7	24
58	BX	74/75 (99%)	56 (76%)	18 (24%)	1	4
59	BY	84/85 (99%)	65 (77%)	19 (23%)	1	6
60	BZ	155/156 (99%)	144 (93%)	11 (7%)	13	35

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5195/5324 (98%)	4628 (89%)	567 (11%)	8 20

5 of 567 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
54	BT	32	TYR
54	BT	99	LEU
54	BT	24	PRO
58	BX	27	THR
33	B5	25	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 162 such sidechains are listed below:

Mol	Chain	Res	Type
48	BN	128	HIS
55	BU	49	HIS
50	BP	9	ASN
52	BR	23	ASN
57	BW	61	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1503/1504 (99%)	201 (13%)	36 (2%)
22	AV	76/77 (98%)	18 (23%)	0
23	AX	4/6 (66%)	2 (50%)	0
24	AW	75/76 (98%)	15 (20%)	3 (4%)
25	AY	64/72 (88%)	11 (17%)	3 (4%)
26	A0	2/3 (66%)	0	0
38	BA	2851/2852 (99%)	592 (20%)	78 (2%)
39	BB	118/119 (99%)	14 (11%)	1 (0%)
All	All	4693/4709 (99%)	853 (18%)	121 (2%)

5 of 853 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	9	G
1	AA	31	G
1	AA	32	A
1	AA	39	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	AA	47	C

5 of 121 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
38	BA	512	G
38	BA	2422	A
38	BA	1176	G
38	BA	2290	G
38	BA	2859	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

13 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
25	5MU	AY	54	25	19,22,23	0.48	0	27,32,35	0.65	0
22	5MU	AV	54	22	19,22,23	0.26	0	27,32,35	0.37	0
25	OMC	AY	32	25	19,22,23	0.46	0	25,31,34	0.60	0
25	M2G	AY	26	25	24,27,28	0.47	0	33,40,43	0.42	0
25	5MC	AY	49	25	19,22,23	0.73	0	26,32,35	0.76	1 (3%)
25	PSU	AY	55	25	18,21,22	0.73	0	21,30,33	0.92	0
25	PSU	AY	39	25	18,21,22	0.70	1 (5%)	21,30,33	0.70	0
25	YG	AY	37	25	38,42,43	0.90	2 (5%)	45,62,65	2.31	10 (22%)
25	OMG	AY	34	26	23,26,27	0.53	0	32,38,41	0.50	0
25	2MG	AY	10	25	23,26,27	0.42	0	33,38,41	0.44	0
25	7MG	AY	46	25	23,26,27	2.62	3 (13%)	27,39,42	1.58	2 (7%)
25	1MA	AY	58	25	21,25,26	2.09	2 (9%)	30,37,40	1.86	7 (23%)
25	5MC	AY	40	25	19,22,23	0.68	1 (5%)	26,32,35	0.70	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	5MU	AY	54	25	-	0/7/25/26	0/2/2/2
22	5MU	AV	54	22	-	0/7/25/26	0/2/2/2
25	OMC	AY	32	25	-	0/9/27/28	0/2/2/2
25	M2G	AY	26	25	-	0/11/29/30	0/3/3/3
25	5MC	AY	49	25	-	0/7/25/26	0/2/2/2
25	PSU	AY	55	25	-	0/7/25/26	0/2/2/2
25	PSU	AY	39	25	-	0/7/25/26	0/2/2/2
25	YG	AY	37	25	-	8/24/42/43	0/4/4/4
25	OMG	AY	34	26	-	1/9/27/28	0/3/3/3
25	2MG	AY	10	25	-	0/9/27/28	0/3/3/3
25	7MG	AY	46	25	-	0/7/37/38	0/3/3/3
25	1MA	AY	58	25	-	0/7/25/26	0/3/3/3
25	5MC	AY	40	25	-	1/7/25/26	0/2/2/2

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	AY	46	7MG	C8-N9	-12.04	1.38	1.45
25	AY	58	1MA	C6-N6	8.46	1.48	1.28
25	AY	58	1MA	C2-N3	3.74	1.37	1.30
25	AY	37	YG	C2-N2	2.96	1.38	1.33
25	AY	46	7MG	C8-N7	-2.47	1.30	1.42

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	AY	37	YG	C11-C12-N1	8.52	111.32	105.31
25	AY	37	YG	C24-O23-C21	6.39	123.03	115.63
25	AY	46	7MG	N9-C8-N7	6.30	112.28	103.37
25	AY	58	1MA	CM1-N1-C6	-4.96	112.47	120.15
25	AY	37	YG	C5-C4-N3	4.80	127.89	123.99

There are no chirality outliers.

5 of 10 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
25	AY	37	YG	C15-C16-O18-C19
25	AY	37	YG	O17-C16-O18-C19
25	AY	37	YG	C12-C13-C14-C15
25	AY	37	YG	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
25	AY	37	YG	C3'-C4'-C5'-O5'

There are no ring outliers.

7 monomers are involved in 63 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
25	AY	32	OMC	1	0
25	AY	26	M2G	18	0
25	AY	37	YG	21	0
25	AY	34	OMG	12	0
25	AY	10	2MG	3	0
25	AY	46	7MG	8	0
25	AY	40	5MC	2	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
64	BME	AZ	503	-	3,3,3	0.36	0	2,2,2	0.27	0
63	MAU	AZ	502	-	57,60,60	3.71	14 (24%)	63,86,86	1.56	15 (23%)
62	GDP	AZ	501	-	29,30,30	0.87	1 (3%)	45,47,47	0.64	1 (2%)
61	PHA	AY	101	-	10,11,11	0.47	0	8,13,13	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
64	BME	AZ	503	-	-	0/1/1/1	-
63	MAU	AZ	502	-	-	1/54/98/98	0/3/3/3
62	GDP	AZ	501	-	-	3/16/32/32	0/3/3/3
61	PHA	AY	101	-	-	1/5/6/6	0/1/1/1

The worst 5 of 15 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
63	AZ	502	MAU	O18-C17	-16.16	1.20	1.44
63	AZ	502	MAU	O34-C33	-14.15	1.21	1.44
63	AZ	502	MAU	O30-C30	-13.62	1.15	1.42
63	AZ	502	MAU	C22-C21	3.81	1.37	1.33
63	AZ	502	MAU	C27-N26	3.75	1.42	1.33

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
63	AZ	502	MAU	C29-C30-C31	-4.49	104.76	110.80
63	AZ	502	MAU	O18-C17-C16	3.78	111.24	104.21
63	AZ	502	MAU	C11-C10-C9	-2.96	117.46	123.52
63	AZ	502	MAU	C23-C22-C21	-2.95	123.09	127.37
63	AZ	502	MAU	O29-C29-O34	-2.80	105.54	110.15

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
62	AZ	501	GDP	PA-O3A-PB-O2B
62	AZ	501	GDP	PA-O3A-PB-O3B
63	AZ	502	MAU	C36-C37-C38-C39
61	AY	101	PHA	C-CA-CB-CG
62	AZ	501	GDP	PA-O3A-PB-O1B


There are no ring outliers.


3 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
64	AZ	503	BME	3	0
62	AZ	501	GDP	1	0
61	AY	101	PHA	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,

bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

The following chains have linkage breaks:

Mol	Chain	Number of breaks
25	AY	10
38	BA	6
18	AM	5
40	BC	3
16	AI	2
23	AX	1
34	B6	1
44	BG	1
56	BV	1

The worst 5 of 30 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	BC	110:PHE	C	119:VAL	N	11.81
1	AY	14:A	O3'	18:G	P	11.44
1	AX	14:A	O3'	16:A	P	8.56

Continued on next page...

Continued from previous page...

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	AY	19:G	O3'	21:A	P	5.14
1	BC	27:ARG	C	34:THR	N	5.01


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5030. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 156



Y Index: 155




Z Index: 140


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 3.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1230 nm³; this corresponds to an approximate mass of 1111 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.156 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-5030 and PDB model 4V68. Per-residue inclusion information can be found in [section 3](#) on [page 18](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 3.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (3.5).

9.4 Atom inclusion ⓘ



At the recommended contour level, 67% of all backbone atoms, 63% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (3.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6320	 0.1870
A0	 0.6000	 0.0570
AA	 0.7900	 0.2170
AB	 0.2440	 0.1130
AC	 0.4890	 0.1540
AD	 0.5050	 0.1550
AE	 0.4710	 0.1660
AF	 0.3850	 0.1220
AG	 0.4690	 0.1650
AH	 0.4880	 0.1610
AI	 0.4910	 0.1460
AJ	 0.4210	 0.1330
AK	 0.4790	 0.1730
AL	 0.3380	 0.1780
AM	 0.4900	 0.1470
AN	 0.5500	 0.1730
AO	 0.5230	 0.1560
AP	 0.5600	 0.1570
AQ	 0.4870	 0.1700
AR	 0.4190	 0.1660
AS	 0.5580	 0.1580
AT	 0.5530	 0.1380
AU	 0.6510	 0.1820
AV	 0.6330	 0.2120
AW	 0.1760	 0.1480
AX	 0.5910	 0.1740
AY	 0.6010	 0.1870
AZ	 0.3290	 0.1310
B0	 0.4280	 0.1290
B1	 0.4410	 0.1490
B2	 0.4320	 0.1310
B3	 0.4440	 0.1350
B4	 0.1320	 0.1370
B5	 0.4700	 0.1510
B6	 0.5160	 0.0910



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
B7	 0.4680	 0.1760
B8	 0.3970	 0.1610
B9	 0.4520	 0.1430
BA	 0.7350	 0.2130
BB	 0.7750	 0.1810
BC	 0.0730	 0.0470
BD	 0.4350	 0.1710
BE	 0.4560	 0.1690
BF	 0.4120	 0.1380
BG	 0.4290	 0.1190
BH	 0.3730	 0.1140
BI	 0.0970	 0.0270
BL	 0.0770	 0.0490
BN	 0.4350	 0.1340
BO	 0.3080	 0.1670
BP	 0.4210	 0.1630
BQ	 0.3640	 0.1340
BR	 0.5240	 0.1580
BS	 0.5280	 0.1470
BT	 0.4420	 0.1600
BU	 0.5050	 0.1460
BV	 0.4380	 0.1220
BW	 0.4970	 0.1520
BX	 0.4500	 0.1240
BY	 0.3650	 0.1060
BZ	 0.2780	 0.0840