



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:43 AM UTC

PDB ID : 2V92 / pdb_00002v92
Title : Crystal structure of the regulatory fragment of mammalian AMPK in complexes with ATP-AMP
Authors : Xiao, B.; Heath, R.; Saiu, P.; Leiper, F.C.; Leone, P.; Jing, C.; Walker, P.A.; Haire, L.; Eccleston, J.F.; Davis, C.T.; Martin, S.R.; Carling, D.; Gamblin, S.J.
Deposited on : 2007-08-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	5391 (2.40-2.40)
Ramachandran outliers	187476	5320 (2.40-2.40)
Sidechain outliers	187428	5321 (2.40-2.40)
RSRZ outliers	180081	4916 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	157	9% 38% 22% • • 35%
2	B	87	25% 62% 18% • 16%
3	E	330	15% 68% 20% • • 8%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 4324 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE CATALYTIC SUB-UNIT ALPHA-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	102	Total	C	N	O	S	0	0	0
			842	536	149	151	6			


- Molecule 2 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT BETA-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	73	Total	C	N	O	S	0	0	0
			595	388	102	102	3			

- Molecule 3 is a protein called 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT GAMMA-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	E	304	Total	C	N	O	S	0	0	0
			2441	1584	407	443	7			

- Molecule 4 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	E	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
4	E	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 5 is ADENOSINE MONOPHOSPHATE (CCD ID: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	E	1	Total	C	N	O	P	0	0
			23	10	5	7	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	72	Total 72	O 72	0	0
6	B	47	Total 47	O 47	0	0
6	E	242	Total 242	O 242	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: 5'-AMP-ACTIVATED PROTEIN KINASE CATALYTIC SUBUNIT ALPHA-1



• Molecule 2: 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT BETA-2



• Molecule 3: 5'-AMP-ACTIVATED PROTEIN KINASE SUBUNIT GAMMA-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	48.96Å 121.03Å 127.25Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.40 20.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	99.7 (20.00-2.40) 99.1 (20.00-2.40)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.64 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.217 , 0.259 0.268 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å ²)	54.6	Xtriage
Anisotropy	0.233	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.007 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4324	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATP, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/860	0.82	0/1161
2	B	0.59	0/610	0.93	3/825 (0.4%)
3	E	0.59	0/2493	0.94	4/3384 (0.1%)
All	All	0.59	0/3963	0.91	7/5370 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
3	E	0	1
All	All	0	2

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	181	GLU	N-CA-C	-8.42	96.47	109.52
3	E	69	ARG	N-CA-C	-6.94	100.25	110.52
2	B	204	SER	CA-C-N	6.67	124.53	119.66
2	B	204	SER	C-N-CA	6.67	124.53	119.66
3	E	182	PHE	N-CA-C	5.79	120.54	108.39
3	E	103	VAL	CB-CA-C	5.72	118.63	111.65
2	B	209	PRO	N-CA-C	5.25	117.11	110.70

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	527	ARG	Peptide
3	E	182	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	842	0	842	38	0
2	B	595	0	610	8	0
3	E	2441	0	2506	58	0
4	E	62	0	24	7	0
5	E	23	0	12	1	0
6	A	72	0	0	1	0
6	B	47	0	0	0	0
6	E	242	0	0	3	0
All	All	4324	0	3994	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:413:VAL:HA	1:A:546:LEU:HD12	1.37	1.07
3:E:84:MET:HE3	3:E:153:PRO:HG3	1.53	0.90
3:E:179:ILE:O	3:E:181:GLU:N	2.04	0.90
3:E:24:ASN:HA	3:E:324:THR:HG21	1.55	0.87
2:B:208:LEU:O	2:B:210:PRO:HD3	1.75	0.86
1:A:532:THR:H	3:E:161:ASN:HD21	1.22	0.86
3:E:269:SER:O	3:E:270:HIS:HB2	1.82	0.80
1:A:527:ARG:HB3	1:A:528:PRO:HD3	1.65	0.76
3:E:176:LYS:O	3:E:180:THR:OG1	2.04	0.74
1:A:527:ARG:CB	1:A:528:PRO:HD3	2.19	0.71
3:E:26:SER:HB2	3:E:324:THR:HG23	1.73	0.70
2:B:213:LEU:HD12	2:B:237:MET:HE1	1.72	0.70
1:A:398:LEU:O	1:A:460:LEU:HD11	1.91	0.69
1:A:394:MET:HE2	2:B:219:LYS:HD3	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:282:GLU:HB2	3:E:287:ILE:HD11	1.77	0.67
1:A:447:MET:CE	1:A:542:LEU:HD12	2.25	0.66
1:A:527:ARG:CG	1:A:528:PRO:HD3	2.25	0.65
1:A:416:ALA:HB2	1:A:546:LEU:HB3	1.80	0.64
3:E:24:ASN:HA	3:E:324:THR:CG2	2.28	0.64
1:A:542:LEU:O	1:A:546:LEU:HD22	1.98	0.63
3:E:296:VAL:HG21	4:E:1327:ATP:C5	2.33	0.62
3:E:242:LYS:HB2	6:E:2036:HOH:O	2.00	0.62
3:E:320:ALA:HB1	3:E:326:GLY:H	1.65	0.62
3:E:125:PHE:HD2	3:E:127:PRO:HD3	1.65	0.61
3:E:55:GLN:HB2	3:E:58:LYS:HD2	1.84	0.60
3:E:296:VAL:CG2	4:E:1327:ATP:C8	2.85	0.59
3:E:87:ILE:HD12	3:E:246:ILE:CG2	2.33	0.59
3:E:93:ILE:HG23	3:E:108:LEU:HD12	1.85	0.58
3:E:23:SER:HB3	3:E:187:PHE:HD2	1.68	0.56
3:E:107:GLU:HB3	3:E:111:HIS:HE1	1.70	0.56
3:E:296:VAL:HG21	4:E:1327:ATP:N7	2.21	0.56
1:A:527:ARG:HG3	1:A:528:PRO:HD3	1.87	0.56
1:A:527:ARG:HG3	1:A:528:PRO:CD	2.36	0.55
3:E:69:ARG:NH1	4:E:1328:ATP:O2G	2.40	0.55
2:B:208:LEU:O	2:B:210:PRO:CD	2.54	0.54
1:A:532:THR:H	3:E:161:ASN:ND2	2.00	0.53
3:E:269:SER:O	3:E:270:HIS:CB	2.56	0.53
3:E:296:VAL:CG2	4:E:1327:ATP:N7	2.72	0.53
1:A:546:LEU:HD23	1:A:547:ALA:HB2	1.91	0.52
3:E:23:SER:HA	3:E:185:PRO:HB3	1.92	0.51
1:A:417:ILE:HG23	1:A:422:TYR:HB2	1.92	0.51
1:A:447:MET:HE1	1:A:542:LEU:HD12	1.91	0.50
3:E:56:VAL:HG13	3:E:60:PHE:CE1	2.46	0.50
3:E:87:ILE:HG21	3:E:242:LYS:O	2.11	0.50
3:E:191:SER:OG	3:E:194:GLU:HG2	2.12	0.50
1:A:420:LEU:HD11	1:A:545:ILE:HG13	1.94	0.50
3:E:87:ILE:HG12	6:E:2236:HOH:O	2.11	0.50
1:A:428:ASN:HB2	1:A:431:TYR:HB3	1.95	0.49
1:A:410:MET:HE3	1:A:451:LEU:HD22	1.95	0.48
1:A:449:LEU:HD23	1:A:461:LEU:HD11	1.95	0.48
3:E:69:ARG:NE	4:E:1327:ATP:O2B	2.46	0.48
3:E:181:GLU:HG3	3:E:183:PRO:HD2	1.96	0.48
2:B:236:VAL:HG22	2:B:236:VAL:O	2.13	0.48
1:A:409:ILE:O	1:A:413:VAL:HG13	2.14	0.47
1:A:420:LEU:HD13	1:A:545:ILE:HG21	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:E:117:ARG:O	3:E:121:LEU:HB2	2.14	0.47
1:A:406:PRO:HG3	1:A:459:TYR:CZ	2.50	0.47
1:A:423:GLU:CG	1:A:435:ARG:HB3	2.45	0.47
3:E:24:ASN:C	3:E:26:SER:H	2.23	0.46
3:E:56:VAL:HG13	3:E:60:PHE:HE1	1.80	0.46
3:E:51:ASP:O	3:E:54:LEU:HB2	2.15	0.46
1:A:527:ARG:HB3	1:A:528:PRO:CD	2.42	0.45
1:A:417:ILE:HG13	1:A:542:LEU:HD21	1.98	0.45
3:E:60:PHE:CE2	3:E:90:PHE:HB2	2.51	0.45
3:E:84:MET:CE	3:E:153:PRO:HG3	2.37	0.45
1:A:542:LEU:O	1:A:546:LEU:HD13	2.16	0.45
3:E:179:ILE:C	3:E:181:GLU:H	2.13	0.45
2:B:271:PRO:HG2	3:E:53:SER:HB2	1.99	0.44
3:E:51:ASP:OD2	3:E:53:SER:OG	2.28	0.44
1:A:527:ARG:CB	1:A:528:PRO:CD	2.91	0.44
1:A:465:SER:HB3	1:A:535:PHE:CD1	2.53	0.44
3:E:248:LEU:O	3:E:251:GLU:HG2	2.18	0.44
3:E:298:ARG:NH1	4:E:1327:ATP:C8	2.86	0.44
2:B:200:GLU:C	2:B:202:PHE:H	2.26	0.44
3:E:108:LEU:O	3:E:111:HIS:HB2	2.18	0.44
1:A:533:ILE:HG21	3:E:74:TRP:CD2	2.53	0.43
3:E:183:PRO:HD2	6:E:2120:HOH:O	2.17	0.43
3:E:87:ILE:HD12	3:E:246:ILE:HG21	1.99	0.43
1:A:427:VAL:HG21	1:A:433:ARG:HD3	2.00	0.43
3:E:253:THR:C	3:E:255:ASN:H	2.26	0.43
3:E:199:THR:HG22	5:E:1329:AMP:O2'	2.19	0.43
3:E:246:ILE:H	3:E:246:ILE:HG13	1.65	0.43
3:E:87:ILE:HD12	3:E:246:ILE:HG23	1.98	0.43
3:E:73:LEU:HD21	3:E:85:LEU:HB2	1.99	0.42
1:A:416:ALA:CB	1:A:546:LEU:HB3	2.47	0.42
1:A:546:LEU:HD23	1:A:546:LEU:C	2.45	0.41
3:E:91:ILE:CD1	3:E:242:LYS:HG2	2.50	0.41
3:E:121:LEU:HD11	3:E:126:LYS:HB2	2.02	0.41
3:E:282:GLU:HB2	3:E:287:ILE:CD1	2.48	0.41
2:B:200:GLU:C	2:B:202:PHE:N	2.79	0.41
3:E:84:MET:HE3	3:E:128:LEU:HD11	2.03	0.41
1:A:528:PRO:HA	3:E:80:SER:HB3	2.02	0.41
3:E:24:ASN:CA	3:E:324:THR:HG21	2.38	0.41
1:A:423:GLU:HG3	1:A:435:ARG:HB3	2.02	0.40
3:E:309:LYS:HA	3:E:309:LYS:HD3	1.97	0.40
1:A:446:LYS:HE2	6:A:2053:HOH:O	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:468:ASP:C	1:A:469:GLU:HG3	2.46	0.40
1:A:468:ASP:O	1:A:469:GLU:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	98/157 (62%)	94 (96%)	2 (2%)	2 (2%)	6	7
2	B	69/87 (79%)	53 (77%)	10 (14%)	6 (9%)	0	0
3	E	302/330 (92%)	283 (94%)	12 (4%)	7 (2%)	5	6
All	All	469/574 (82%)	430 (92%)	24 (5%)	15 (3%)	3	3

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	E	122	GLN
3	E	180	THR
3	E	270	HIS
1	A	526	PRO
1	A	527	ARG
3	E	26	SER
3	E	70	ALA
3	E	324	THR
3	E	325	GLY
2	B	191	GLN
2	B	199	GLU
2	B	204	SER
2	B	235	HIS
2	B	201	ARG
2	B	210	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	94/141 (67%)	82 (87%)	12 (13%)	4	6
2	B	67/81 (83%)	62 (92%)	5 (8%)	12	21
3	E	277/299 (93%)	249 (90%)	28 (10%)	7	11
All	All	438/521 (84%)	393 (90%)	45 (10%)	7	11

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	394	MET
1	A	407	ASN
1	A	420	LEU
1	A	433	ARG
1	A	434	VAL
1	A	436	ARG
1	A	456	SER
1	A	460	LEU
1	A	469	GLU
1	A	524	VAL
1	A	546	LEU
1	A	548	GLN
2	B	201	ARG
2	B	212	LEU
2	B	215	VAL
2	B	221	THR
2	B	250	VAL
3	E	29	THR
3	E	40	LEU
3	E	53	SER
3	E	54	LEU
3	E	56	VAL
3	E	68	VAL
3	E	103	VAL
3	E	108	LEU
3	E	109	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	129	VAL
3	E	131	ILE
3	E	149	ILE
3	E	159	SER
3	E	182	PHE
3	E	224	VAL
3	E	246	ILE
3	E	248	LEU
3	E	267	HIS
3	E	271	TYR
3	E	275	VAL
3	E	284	LEU
3	E	287	ILE
3	E	291	LEU
3	E	302	VAL
3	E	308	VAL
3	E	311	ILE
3	E	322	VAL
3	E	324	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	531	HIS
2	B	214	GLN
3	E	24	ASN
3	E	161	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ATP	E	1328	-	32,33,33	1.33	4 (12%)	48,52,52	1.80	9 (18%)
5	AMP	E	1329	-	25,25,25	1.39	4 (16%)	37,38,38	1.87	8 (21%)
4	ATP	E	1327	-	32,33,33	1.43	4 (12%)	48,52,52	1.83	9 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATP	E	1328	-	-	3/22/38/38	0/3/3/3
5	AMP	E	1329	-	-	0/10/26/26	0/3/3/3
4	ATP	E	1327	-	-	4/22/38/38	0/3/3/3

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	1327	ATP	C5-C4	4.91	1.47	1.39
5	E	1329	AMP	C5-C4	4.65	1.47	1.39
4	E	1328	ATP	C5-C4	4.59	1.47	1.39
4	E	1327	ATP	C5-C6	2.66	1.48	1.41
4	E	1328	ATP	C5-C6	2.53	1.48	1.41
4	E	1327	ATP	C5-N7	-2.38	1.34	1.39
5	E	1329	AMP	C8-N7	2.33	1.36	1.31
4	E	1327	ATP	PB-O3B	2.32	1.62	1.59
5	E	1329	AMP	C5-C6	2.31	1.47	1.41
4	E	1328	ATP	C8-N7	2.22	1.35	1.31
4	E	1328	ATP	C5-N7	-2.13	1.35	1.39
5	E	1329	AMP	C5-N7	-2.07	1.35	1.39

All (26) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	1328	ATP	C5-C4-N3	-5.57	119.05	126.72
4	E	1327	ATP	C5-C4-N3	-5.32	119.39	126.72
5	E	1329	AMP	C5-C4-N3	-5.12	119.66	126.72
4	E	1327	ATP	N3-C4-N9	4.58	134.95	127.17
4	E	1328	ATP	N3-C4-N9	4.53	134.88	127.17
5	E	1329	AMP	N3-C4-N9	4.45	134.74	127.17
4	E	1327	ATP	N3-C2-N1	-3.96	122.58	128.58
5	E	1329	AMP	N3-C2-N1	-3.92	122.64	128.58
4	E	1328	ATP	C2-N3-C4	3.89	121.34	111.83
4	E	1328	ATP	N3-C2-N1	-3.77	122.87	128.58
4	E	1327	ATP	C2-N3-C4	3.64	120.73	111.83
5	E	1329	AMP	C2-N3-C4	3.44	120.23	111.83
4	E	1327	ATP	C4-C5-N7	-3.22	106.90	110.58
4	E	1328	ATP	C4-C5-N7	-3.14	106.99	110.58
5	E	1329	AMP	C4-N9-C8	2.98	108.86	105.74
4	E	1327	ATP	C4-N9-C8	2.80	108.68	105.74
5	E	1329	AMP	C4-C5-N7	-2.80	107.38	110.58
4	E	1327	ATP	C2-N1-C6	2.78	123.29	118.73
4	E	1328	ATP	C4-N9-C8	2.75	108.62	105.74
5	E	1329	AMP	C2-N1-C6	2.73	123.21	118.73
4	E	1327	ATP	C5-N7-C8	2.54	107.44	103.45
4	E	1328	ATP	C5-N7-C8	2.53	107.43	103.45
4	E	1327	ATP	O3G-PG-O2G	2.51	117.22	107.80
4	E	1328	ATP	C6-C5-N7	2.21	136.35	132.09
4	E	1328	ATP	N9-C8-N7	-2.15	110.89	113.94
5	E	1329	AMP	C5-N7-C8	2.15	106.83	103.45

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	1328	ATP	PB-O3B-PG-O1G
4	E	1328	ATP	PB-O3B-PG-O2G
4	E	1327	ATP	PB-O3A-PA-O1A
4	E	1327	ATP	PG-O3B-PB-O2B
4	E	1327	ATP	PB-O3A-PA-O2A
4	E	1328	ATP	O4'-C4'-C5'-O5'
4	E	1327	ATP	PG-O3B-PB-O1B

There are no ring outliers.


3 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	1328	ATP	1	0
5	E	1329	AMP	1	0
4	E	1327	ATP	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand AMP E 1329



Ligand ATP E 1327



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	102/157 (64%)	1.11	14 (13%) 6 5	48, 56, 66, 72	0
2	B	73/87 (83%)	1.51	22 (30%) 1 1	41, 57, 87, 94	0
3	E	304/330 (92%)	1.19	51 (16%) 4 3	26, 55, 74, 80	0
All	All	479/574 (83%)	1.22	87 (18%) 3 3	26, 55, 78, 94	0

All (87) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	E	180	THR	7.3
3	E	271	TYR	6.8
3	E	24	ASN	6.3
1	A	527	ARG	5.4
1	A	393	SER	5.0
2	B	221	THR	4.7
3	E	325	GLY	4.6
3	E	120	TYR	4.6
3	E	108	LEU	4.6
3	E	254	TYR	4.4
3	E	123	ASP	4.4
1	A	524	VAL	4.2
3	E	249	ALA	4.2
3	E	182	PHE	4.2
3	E	125	PHE	4.1
3	E	124	SER	4.0
3	E	272	PHE	3.9
3	E	250	ALA	3.9
1	A	468	ASP	3.9
3	E	326	GLY	3.8
3	E	23	SER	3.8
1	A	525	ALA	3.8
3	E	261	VAL	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	235	HIS	3.7
2	B	222	ASN	3.7
3	E	253	THR	3.6
3	E	255	ASN	3.6
3	E	267	HIS	3.5
1	A	528	PRO	3.5
2	B	209	PRO	3.4
3	E	324	THR	3.3
3	E	256	ASN	3.3
3	E	265	LEU	3.2
3	E	252	LYS	3.2
2	B	212	LEU	3.2
3	E	270	HIS	3.2
3	E	183	PRO	3.1
1	A	547	ALA	3.1
3	E	25	SER	3.1
2	B	236	VAL	3.1
3	E	251	GLU	3.1
3	E	199	THR	3.0
3	E	116	TRP	3.0
2	B	197	ARG	3.0
3	E	159	SER	2.9
3	E	111	HIS	2.9
3	E	149	ILE	2.9
3	E	264	ALA	2.8
3	E	246	ILE	2.8
3	E	232	GLU	2.8
3	E	119	VAL	2.8
1	A	428	ASN	2.7
3	E	245	VAL	2.7
3	E	121	LEU	2.7
2	B	234	ASN	2.6
2	B	204	SER	2.6
2	B	220	ASP	2.6
2	B	233	PRO	2.6
1	A	405	ARG	2.6
2	B	200	GLU	2.6
2	B	210	PRO	2.5
2	B	213	LEU	2.5
3	E	110	GLU	2.4
2	B	211	HIS	2.4
2	B	202	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	E	26	SER	2.3
2	B	206	PRO	2.3
2	B	216	ILE	2.3
1	A	403	GLN	2.3
3	E	268	ARG	2.3
2	B	198	SER	2.2
3	E	107	GLU	2.2
3	E	193	GLU	2.2
2	B	205	PRO	2.2
3	E	27	VAL	2.2
2	B	195	ALA	2.2
3	E	280	LEU	2.2
1	A	457	ARG	2.2
3	E	56	VAL	2.1
3	E	198	GLY	2.1
3	E	109	GLU	2.1
2	B	214	GLN	2.0
3	E	90	PHE	2.0
1	A	526	PRO	2.0
3	E	311	ILE	2.0
1	A	394	MET	2.0
1	A	439	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	ATP	E	1327	31/31	0.93	0.08	50,52,57,57	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	AMP	E	1329	23/23	0.93	0.09	39,43,50,51	0
4	ATP	E	1328	31/31	0.95	0.08	31,39,58,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AMP E 1329:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ATP E 1328:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.