



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 05:10 AM UTC

PDB ID : 3V9B / pdb_00003v9b
Title : Crystal structure of the catalytic domain of PDE4D2 with (S)-N-(3-{1-[1-(3-Cyclopropylmethoxy-4-difluoromethoxyphenyl)-2-(1-oxypyridin-4-yl)-ethyl]-1 H-pyrazl-3-yl}phenyl)acetamide
Authors : Kim, H.T.; Chang, H.J.
Deposited on : 2011-12-25
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	
1	B	360	
1	C	360	
1	D	360	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 11174 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	331	Total	C	N	O	S	0	0	0
			2678	1695	457	512	14			
1	B	327	Total	C	N	O	S	0	0	0
			2647	1673	452	508	14			
1	C	325	Total	C	N	O	S	0	0	0
			2631	1664	450	503	14			
1	D	326	Total	C	N	O	S	0	0	0
			2640	1669	451	506	14			

- Molecule 2 is N-(3-{1-[(1S)-1-[3-(cyclopropylmethoxy)-4-(difluoromethoxy)phenyl]-2-(1-oxidopyridin-4-yl)ethyl]-1H-pyrazol-3-yl}phenyl)acetamide (CCD ID: IHM) (formula: C₂₉H₂₈F₂N₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	0	0
			39	29	2	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	0
			39	29	2	4	4		
2	C	1	Total	C	F	N	O	0	0
			39	29	2	4	4		
2	D	1	Total	C	F	N	O	0	0
			39	29	2	4	4		

- Molecule 3 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	0
			2	2		
3	B	2	Total	Zn	0	0
			2	2		
3	C	2	Total	Zn	0	0
			2	2		
3	D	2	Total	Zn	0	0
			2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	104	Total	O	0	0
			104	104		
4	B	99	Total	O	0	0
			99	99		
4	C	95	Total	O	0	0
			95	95		
4	D	116	Total	O	0	0
			116	116		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D




- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D





● Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.59Å 110.29Å 161.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.41 – 2.10 35.41 – 2.10	Depositor EDS
% Data completeness (in resolution range)	88.6 (35.41-2.10) 88.6 (35.41-2.10)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.10Å)	Xtriage
Refinement program	CNS 1.3	Depositor
R, R_{free}	0.206 , 0.236 0.196 , 0.227	Depositor DCC
R_{free} test set	4903 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	20.9	Xtriage
Anisotropy	0.496	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11174	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IHM, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.38	0/2733	0.82	7/3712 (0.2%)
1	B	0.37	0/2701	0.84	4/3670 (0.1%)
1	C	0.38	0/2685	0.84	5/3648 (0.1%)
1	D	0.42	0/2694	0.85	4/3660 (0.1%)
All	All	0.39	0/10813	0.84	20/14690 (0.1%)

There are no bond length outliers.

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	377	VAL	N-CA-C	7.44	117.52	110.53
1	D	153	TYR	N-CA-C	-6.91	98.35	109.96
1	D	158	ALA	N-CA-C	6.86	118.76	111.28
1	C	326	LEU	N-CA-C	6.58	119.30	111.33
1	C	377	VAL	N-CA-C	6.57	116.73	110.42
1	C	158	ALA	N-CA-C	6.48	118.34	111.28
1	B	200	HIS	N-CA-C	6.36	120.14	112.38
1	A	377	VAL	N-CA-C	6.30	116.47	110.42
1	A	228	VAL	N-CA-C	6.29	116.77	110.23
1	C	153	TYR	N-CA-C	-5.86	100.16	109.76
1	B	377	VAL	N-CA-C	5.85	116.03	110.53
1	A	158	ALA	N-CA-C	5.67	117.46	111.28
1	D	200	HIS	N-CA-C	5.59	119.61	112.34
1	A	200	HIS	N-CA-C	5.48	119.46	112.34
1	A	153	TYR	N-CA-C	-5.47	100.78	109.76
1	B	153	TYR	N-CA-C	-5.43	101.69	110.32
1	C	228	VAL	N-CA-C	5.37	116.00	110.36
1	A	86	THR	N-CA-C	-5.28	103.72	110.53
1	A	139	VAL	N-CA-C	5.13	115.75	110.36
1	B	158	ALA	N-CA-C	5.09	117.48	111.33

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2678	0	2633	45	0
1	B	2647	0	2599	58	0
1	C	2631	0	2586	61	0
1	D	2640	0	2592	41	0
2	A	39	0	27	2	0
2	B	39	0	27	1	0
2	C	39	0	27	3	0
2	D	39	0	27	2	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
4	A	104	0	0	2	0
4	B	99	0	0	1	0
4	C	95	0	0	3	0
4	D	116	0	0	3	0
All	All	11174	0	10518	203	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (203) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:368:SER:HB3	2:C:1:IHM:H10	1.47	0.95
1:B:368:SER:HB3	2:B:1:IHM:H10	1.49	0.94
1:D:356:PRO:O	1:D:357:MET:HG2	1.70	0.91
1:B:348:ARG:HB2	1:B:354:ILE:HD11	1.50	0.91
1:A:368:SER:HB3	2:A:1:IHM:H10	1.52	0.90
1:B:143:ILE:HG22	1:B:147:MET:HE2	1.61	0.80
1:B:254:LYS:HG2	1:B:258:GLN:HE21	1.48	0.79

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:304:SER:O	1:B:308:GLN:HG3	1.83	0.78
1:C:306:ARG:HB3	1:C:306:ARG:HH11	1.50	0.77
1:A:302:ASN:ND2	1:A:304:SER:HB2	2.01	0.76
1:B:254:LYS:HG2	1:B:258:GLN:NE2	2.01	0.75
1:A:143:ILE:HG22	1:A:147:MET:HE2	1.70	0.73
1:D:368:SER:HB3	2:D:1:IHM:H10	1.71	0.73
1:A:302:ASN:HD22	1:A:304:SER:HB2	1.52	0.72
1:C:348:ARG:HB2	1:C:354:ILE:HD11	1.70	0.70
1:D:356:PRO:HA	4:D:500:HOH:O	1.91	0.70
1:C:250:GLN:HA	1:C:257:ARG:HH21	1.57	0.69
1:D:321:ASN:HB2	1:D:322:PRO:HD3	1.76	0.67
1:C:139:VAL:HG23	4:C:498:HOH:O	1.94	0.67
1:B:96:LEU:O	1:B:99:VAL:HG23	1.94	0.66
1:B:321:ASN:HB2	1:B:322:PRO:HD3	1.77	0.66
1:A:321:ASN:HB2	1:A:322:PRO:HD3	1.79	0.64
1:B:253:THR:OG1	1:B:256:GLN:HG3	1.97	0.64
1:A:216:ASN:ND2	1:A:221:LEU:HD21	2.13	0.63
1:A:304:SER:O	1:A:308:GLN:HG3	1.98	0.63
1:C:321:ASN:HB2	1:C:322:PRO:HD3	1.81	0.63
1:A:302:ASN:O	1:A:306:ARG:HG2	1.99	0.62
1:C:221:LEU:C	1:C:221:LEU:HD23	2.25	0.62
1:A:346:ARG:HH21	1:A:346:ARG:HG3	1.65	0.62
1:C:221:LEU:HD23	1:C:221:LEU:O	1.99	0.62
1:C:345:ASP:O	1:C:349:GLU:HG3	1.99	0.62
1:A:342:ARG:HE	1:A:346:ARG:HH12	1.47	0.62
1:C:218:GLU:HG2	1:C:222:MET:CE	2.30	0.61
1:D:343:GLN:O	1:D:347:GLU:HG3	2.01	0.60
1:B:276:HIS:HD2	1:B:277:MET:HE2	1.66	0.59
1:B:330:ARG:HD2	4:B:513:HOH:O	2.03	0.59
1:C:366:GLU:CD	1:C:366:GLU:H	2.11	0.58
1:D:222:MET:HE3	1:D:223:TYR:CE2	2.38	0.58
1:D:284:LYS:O	1:D:288:GLU:HG3	2.01	0.58
1:B:143:ILE:O	1:B:147:MET:HG3	2.03	0.58
1:B:87:GLU:HG3	1:B:88:GLN:H	1.69	0.57
1:D:306:ARG:NH2	4:D:492:HOH:O	2.36	0.57
1:C:342:ARG:O	1:C:346:ARG:HG2	2.05	0.57
1:B:176:LEU:HD23	1:B:313:MET:HE1	1.87	0.57
1:A:348:ARG:HB2	1:A:354:ILE:HD11	1.87	0.57
1:B:96:LEU:HD11	1:B:120:VAL:CG2	2.34	0.56
1:B:346:ARG:HD2	4:D:451:HOH:O	2.05	0.56
1:C:250:GLN:HA	1:C:257:ARG:NH2	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:345:ASP:O	1:B:349:GLU:HG3	2.06	0.55
1:C:138:PRO:HG2	1:C:141:THR:OG1	2.07	0.55
1:C:192:ALA:HB2	1:C:260:LEU:HD12	1.89	0.55
1:D:345:ASP:O	1:D:349:GLU:HG3	2.07	0.55
1:A:147:MET:SD	1:C:349:GLU:HB3	2.47	0.55
1:C:286:MET:HE1	1:C:305:ASP:HA	1.87	0.55
1:A:359:ASP:O	1:A:363:ALA:HB2	2.06	0.54
1:A:342:ARG:NE	1:A:346:ARG:HH12	2.06	0.54
1:A:127:GLN:HG3	1:A:132:LEU:HD13	1.90	0.53
1:A:138:PRO:HG2	1:A:141:THR:OG1	2.09	0.53
4:A:489:HOH:O	1:C:346:ARG:HD2	2.08	0.53
1:A:90:ASP:OD1	1:A:94:LYS:HE2	2.09	0.53
1:A:116:ARG:N	1:A:117:PRO:CD	2.72	0.52
1:B:330:ARG:HD3	1:B:405:TRP:CH2	2.44	0.52
1:A:342:ARG:HE	1:A:346:ARG:NH1	2.07	0.52
1:C:98:ASP:OD1	1:C:101:LYS:HD2	2.09	0.52
1:C:302:ASN:OD1	1:C:304:SER:HB3	2.09	0.52
1:B:116:ARG:N	1:B:117:PRO:CD	2.73	0.52
1:D:348:ARG:HB3	1:D:354:ILE:HD11	1.91	0.52
1:C:261:ARG:NH1	1:C:265:ILE:HD11	2.24	0.52
1:C:283:LEU:O	1:C:287:VAL:HG23	2.11	0.51
1:A:138:PRO:HG2	1:A:141:THR:CB	2.41	0.51
1:C:306:ARG:HH11	1:C:306:ARG:CB	2.20	0.51
1:B:179:PRO:O	1:B:182:GLU:HG3	2.11	0.51
1:B:217:SER:O	1:B:221:LEU:HD13	2.10	0.51
1:B:378:HIS:HB3	1:B:379:PRO:HD3	1.91	0.51
1:D:302:ASN:O	1:D:306:ARG:HG3	2.11	0.51
1:A:270:ALA:HB1	1:A:279:LEU:HD11	1.93	0.51
1:B:138:PRO:HG2	1:B:141:THR:HB	1.92	0.51
1:C:282:ASP:HB3	1:C:308:GLN:NE2	2.25	0.50
1:C:289:THR:O	1:C:291:LYS:HG3	2.11	0.50
1:C:116:ARG:N	1:C:117:PRO:CD	2.74	0.50
1:C:273:MET:HE2	2:C:1:IHM:H15	1.91	0.50
1:C:104:LEU:HD22	1:C:170:GLN:HG3	1.94	0.50
1:D:138:PRO:HG2	1:D:141:THR:CB	2.42	0.50
1:D:260:LEU:HD13	1:D:260:LEU:C	2.37	0.50
1:B:104:LEU:HD22	1:B:170:GLN:HG3	1.94	0.50
1:B:117:PRO:HA	1:B:120:VAL:HG12	1.93	0.50
1:B:254:LYS:C	1:B:258:GLN:HE21	2.20	0.50
1:C:326:LEU:HD21	1:C:405:TRP:CE2	2.46	0.50
1:B:154:HIS:HB3	1:B:156:ASP:OD1	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:142:LEU:O	1:D:146:LEU:HG	2.12	0.49
1:B:257:ARG:NH1	1:B:257:ARG:HB2	2.27	0.49
1:C:343:GLN:O	1:C:347:GLU:HG3	2.12	0.49
1:D:116:ARG:N	1:D:117:PRO:CD	2.75	0.49
1:A:86:THR:OG1	1:A:89:GLU:HG3	2.13	0.49
1:B:138:PRO:HG2	1:B:141:THR:CB	2.43	0.49
1:C:180:ALA:O	1:C:297:VAL:HG13	2.13	0.49
1:D:132:LEU:HD22	1:D:139:VAL:HG22	1.95	0.48
1:B:116:ARG:O	1:B:120:VAL:HG12	2.13	0.48
1:A:121:ILE:HD12	1:A:166:ALA:HB1	1.94	0.48
1:B:121:ILE:HD12	1:B:166:ALA:HB1	1.96	0.48
1:B:192:ALA:HB2	1:B:260:LEU:HD12	1.96	0.48
1:B:130:ASP:OD1	1:B:133:LYS:HD2	2.13	0.48
1:D:138:PRO:HG2	1:D:141:THR:HB	1.96	0.48
1:D:138:PRO:HG2	1:D:141:THR:OG1	2.13	0.48
1:D:143:ILE:HG22	1:D:147:MET:HE2	1.96	0.48
1:A:348:ARG:NH2	1:A:360:LYS:HE2	2.29	0.48
1:B:257:ARG:CB	1:B:257:ARG:HH11	2.26	0.48
1:C:218:GLU:HG2	1:C:222:MET:HE3	1.95	0.48
1:D:346:ARG:O	1:D:350:ARG:HG3	2.13	0.48
1:C:94:LYS:O	1:C:97:GLU:HB2	2.14	0.48
1:A:345:ASP:OD1	1:A:348:ARG:NH2	2.47	0.47
1:C:185:PHE:HD1	1:C:306:ARG:HH12	1.63	0.47
1:D:219:LEU:HD23	1:D:222:MET:CE	2.44	0.47
1:B:87:GLU:HG3	1:B:88:GLN:HG3	1.96	0.47
1:B:123:HIS:O	1:B:127:GLN:HG3	2.14	0.47
1:B:302:ASN:O	1:B:306:ARG:HG3	2.15	0.47
1:B:158:ALA:HB2	1:B:338:GLU:OE2	2.14	0.47
1:B:255:LYS:HD2	1:B:255:LYS:N	2.29	0.47
1:A:345:ASP:O	1:A:349:GLU:HG3	2.15	0.46
1:B:254:LYS:O	1:B:258:GLN:HG3	2.15	0.46
1:D:330:ARG:HH11	1:D:405:TRP:HH2	1.63	0.46
1:C:324:LYS:O	1:C:325:PRO:C	2.58	0.46
1:C:159:TYR:HB3	1:C:339:GLU:OE1	2.15	0.46
1:C:293:THR:N	1:C:299:LEU:HD11	2.31	0.46
1:D:299:LEU:HD23	1:D:299:LEU:C	2.40	0.46
1:C:367:LYS:HG3	4:C:439:HOH:O	2.15	0.46
1:C:289:THR:O	1:C:289:THR:HG22	2.15	0.46
1:A:104:LEU:HD11	1:A:109:ILE:HD11	1.98	0.46
1:A:226:SER:O	1:A:227:SER:C	2.59	0.46
1:C:389:HIS:HA	1:C:390:PRO:HA	1.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:239:LYS:HE3	1:D:239:LYS:HA	1.97	0.45
1:B:154:HIS:HB2	1:B:157:VAL:HG23	1.98	0.45
1:A:138:PRO:HG2	1:A:141:THR:HB	1.97	0.45
1:B:116:ARG:HD3	1:B:150:GLU:OE1	2.16	0.45
1:B:132:LEU:H	1:B:132:LEU:HD12	1.80	0.45
1:D:192:ALA:HB2	1:D:260:LEU:HD22	1.99	0.45
1:D:350:ARG:HG2	1:D:350:ARG:HH21	1.81	0.45
1:A:357:MET:HE2	2:A:1:IHM:H11	1.97	0.45
1:D:181:LEU:HD21	1:D:298:LEU:HD12	1.98	0.45
1:B:92:LEU:HD11	1:B:109:ILE:HG23	1.99	0.45
1:D:104:LEU:HD22	1:D:170:GLN:HG3	1.99	0.45
1:A:96:LEU:HD23	1:A:109:ILE:HD13	1.99	0.45
1:B:99:VAL:HG21	1:B:124:THR:HG21	1.98	0.44
1:C:154:HIS:N	1:C:154:HIS:CD2	2.86	0.44
1:B:286:MET:HE1	1:B:309:VAL:HG22	1.99	0.44
1:B:345:ASP:OD1	1:B:348:ARG:NH2	2.51	0.44
1:C:221:LEU:C	1:C:221:LEU:CD2	2.90	0.44
1:B:120:VAL:HG13	1:B:121:ILE:N	2.33	0.44
1:C:299:LEU:HD12	1:C:299:LEU:N	2.33	0.44
1:A:139:VAL:HG23	4:A:498:HOH:O	2.17	0.44
1:A:307:ILE:O	1:A:311:GLN:HG3	2.17	0.44
1:C:298:LEU:HD11	1:C:387:LEU:HG	1.99	0.44
1:A:323:THR:HB	1:A:395:ILE:HG23	1.99	0.44
1:B:87:GLU:HG3	1:B:88:GLN:N	2.30	0.44
1:C:219:LEU:HD13	4:C:468:HOH:O	2.18	0.43
1:C:291:LYS:O	1:C:299:LEU:HD13	2.17	0.43
1:C:338:GLU:OE2	1:C:342:ARG:NH2	2.51	0.43
1:D:219:LEU:HD23	1:D:222:MET:HE2	2.00	0.43
1:A:219:LEU:HD12	1:A:219:LEU:HA	1.87	0.43
1:A:284:LYS:O	1:A:288:GLU:HG3	2.19	0.43
1:D:325:PRO:HD2	1:D:328:LEU:HD12	2.00	0.43
1:D:176:LEU:HD23	1:D:313:MET:HE1	2.00	0.43
1:D:330:ARG:NH1	1:D:405:TRP:HH2	2.16	0.43
1:C:107:PHE:O	1:C:111:GLU:HG3	2.18	0.43
1:D:273:MET:HE2	2:D:1:IHM:H15	2.00	0.43
1:A:276:HIS:HD2	1:A:277:MET:HE2	1.83	0.43
1:D:94:LYS:O	1:D:97:GLU:HB2	2.19	0.43
1:C:102:TRP:NE1	1:C:324:LYS:HD3	2.34	0.43
1:B:389:HIS:CE1	1:B:390:PRO:HB3	2.54	0.42
1:C:304:SER:O	1:C:308:GLN:HB2	2.19	0.42
1:D:236:VAL:O	1:D:240:LEU:HG	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:270:ALA:HB1	1:D:279:LEU:HD11	2.02	0.42
1:A:366:GLU:HG2	1:A:409:THR:HG22	2.00	0.42
1:C:118:LEU:O	1:C:122:MET:HB2	2.20	0.42
1:A:242:GLN:OE1	1:D:242:GLN:HG2	2.20	0.42
1:A:369:GLN:O	1:A:373:ILE:HG13	2.19	0.42
1:C:178:THR:HG22	1:C:181:LEU:HD12	2.01	0.42
1:B:283:LEU:O	1:B:287:VAL:HG23	2.20	0.42
1:C:389:HIS:CE1	1:C:390:PRO:HB3	2.54	0.42
1:A:325:PRO:HD2	1:A:328:LEU:HD12	2.02	0.42
1:D:338:GLU:OE2	1:D:342:ARG:NH2	2.52	0.42
1:A:389:HIS:CE1	1:A:390:PRO:HB3	2.55	0.41
1:B:286:MET:HE1	1:B:309:VAL:CG2	2.50	0.41
1:C:306:ARG:HH11	1:C:306:ARG:CG	2.33	0.41
1:B:389:HIS:HA	1:B:390:PRO:HA	1.84	0.41
1:C:273:MET:HG2	2:C:1:IHM:C36	2.50	0.41
1:C:407:GLN:NE2	1:C:410:ILE:HD12	2.35	0.41
1:B:179:PRO:HA	1:B:182:GLU:HG3	2.01	0.41
1:C:138:PRO:HG2	1:C:141:THR:CB	2.50	0.41
1:A:254:LYS:HD3	1:A:258:GLN:HG3	2.02	0.41
1:B:95:GLU:OE1	1:B:95:GLU:HA	2.19	0.41
1:C:337:MET:HE3	1:C:341:PHE:CZ	2.55	0.41
1:D:104:LEU:HD11	1:D:109:ILE:HD11	2.03	0.41
1:C:293:THR:CG2	1:C:299:LEU:HD11	2.51	0.41
1:D:292:VAL:HG12	1:D:293:THR:O	2.21	0.41
1:C:369:GLN:O	1:C:373:ILE:HG13	2.20	0.41
1:C:409:THR:O	1:C:409:THR:HG22	2.19	0.41
1:D:154:HIS:HB3	1:D:156:ASP:OD1	2.21	0.41
1:A:378:HIS:HB3	1:A:379:PRO:HD3	2.02	0.40
1:A:346:ARG:HH21	1:A:346:ARG:CG	2.31	0.40
1:B:117:PRO:HA	1:B:120:VAL:CG1	2.50	0.40
1:B:344:GLY:HA3	1:B:358:CYS:O	2.21	0.40
1:B:138:PRO:HG2	1:B:141:THR:OG1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	329/360 (91%)	318 (97%)	10 (3%)	1 (0%)	36	36
1	B	325/360 (90%)	309 (95%)	16 (5%)	0	100	100
1	C	323/360 (90%)	305 (94%)	17 (5%)	1 (0%)	36	36
1	D	324/360 (90%)	310 (96%)	14 (4%)	0	100	100
All	All	1301/1440 (90%)	1242 (96%)	57 (4%)	2 (0%)	43	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	301	ASP
1	A	301	ASP

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	302/328 (92%)	299 (99%)	3 (1%)	68	76
1	B	299/328 (91%)	293 (98%)	6 (2%)	48	56
1	C	297/328 (90%)	290 (98%)	7 (2%)	43	49
1	D	298/328 (91%)	293 (98%)	5 (2%)	53	62
All	All	1196/1312 (91%)	1175 (98%)	21 (2%)	51	60

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	219	LEU
1	A	386	ASP
1	A	390	PRO
1	B	88	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	219	LEU
1	B	298	LEU
1	B	386	ASP
1	B	390	PRO
1	B	404	GLU
1	C	92	LEU
1	C	306	ARG
1	C	325	PRO
1	C	346	ARG
1	C	386	ASP
1	C	390	PRO
1	C	412	GLN
1	D	92	LEU
1	D	221	LEU
1	D	239	LYS
1	D	298	LEU
1	D	390	PRO

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	123	HIS
1	A	210	GLN
1	A	216	ASN
1	A	245	ASN
1	A	250	GLN
1	A	278	ASN
1	A	308	GLN
1	A	327	GLN
1	A	331	GLN
1	A	369	GLN
1	B	127	GLN
1	B	245	ASN
1	B	250	GLN
1	B	258	GLN
1	B	389	HIS
1	B	412	GLN
1	C	245	ASN
1	C	278	ASN
1	C	308	GLN
1	C	312	ASN
1	C	389	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	407	GLN
1	D	127	GLN
1	D	245	ASN
1	D	258	GLN
1	D	308	GLN
1	D	312	ASN
1	D	389	HIS
1	D	412	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 8 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	IHM	C	1	-	43,43,43	2.61	23 (53%)	58,60,60	1.47	4 (6%)
2	IHM	A	1	-	43,43,43	2.60	23 (53%)	58,60,60	1.46	4 (6%)
2	IHM	B	1	-	43,43,43	2.57	24 (55%)	58,60,60	1.46	4 (6%)
2	IHM	D	1	-	43,43,43	2.60	23 (53%)	58,60,60	1.46	4 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IHM	C	1	-	-	2/29/31/31	0/5/5/5
2	IHM	A	1	-	-	2/29/31/31	0/5/5/5
2	IHM	B	1	-	-	3/29/31/31	0/5/5/5
2	IHM	D	1	-	-	3/29/31/31	0/5/5/5

All (93) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1	IHM	C18-N22	5.02	1.42	1.35
2	A	1	IHM	C28-C23	4.76	1.46	1.39
2	C	1	IHM	C24-C25	4.72	1.47	1.39
2	A	1	IHM	C26-C25	4.65	1.47	1.39
2	C	1	IHM	C18-N22	4.64	1.41	1.35
2	D	1	IHM	C26-C25	4.63	1.47	1.39
2	B	1	IHM	C18-N22	4.61	1.41	1.35
2	A	1	IHM	C18-N22	4.59	1.41	1.35
2	B	1	IHM	C26-C25	4.59	1.47	1.39
2	C	1	IHM	C26-C25	4.58	1.47	1.39
2	C	1	IHM	C28-C23	4.56	1.46	1.39
2	B	1	IHM	C02-C01	4.54	1.48	1.39
2	B	1	IHM	C24-C25	4.53	1.46	1.39
2	C	1	IHM	C02-C01	4.51	1.48	1.39
2	D	1	IHM	C02-C01	4.50	1.48	1.39
2	D	1	IHM	C28-C23	4.48	1.46	1.39
2	D	1	IHM	C24-C25	4.47	1.46	1.39
2	A	1	IHM	C02-C01	4.45	1.48	1.39
2	A	1	IHM	C24-C25	4.29	1.46	1.39
2	B	1	IHM	C28-C23	4.24	1.45	1.39
2	C	1	IHM	C27-C26	4.10	1.45	1.38
2	A	1	IHM	C27-C26	3.98	1.45	1.38
2	D	1	IHM	C27-C26	3.90	1.45	1.38
2	B	1	IHM	C27-C26	3.86	1.45	1.38
2	A	1	IHM	C27-C28	3.86	1.45	1.38
2	B	1	IHM	C27-C28	3.79	1.45	1.38
2	D	1	IHM	C27-C28	3.70	1.45	1.38
2	C	1	IHM	C27-C28	3.68	1.45	1.38
2	A	1	IHM	C03-C04	3.61	1.44	1.39
2	C	1	IHM	C24-C23	3.61	1.44	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	IHM	C35-C34	3.59	1.46	1.38
2	D	1	IHM	C35-C34	3.55	1.45	1.38
2	D	1	IHM	C24-C23	3.48	1.44	1.39
2	C	1	IHM	C03-C04	3.47	1.44	1.39
2	B	1	IHM	C24-C23	3.44	1.44	1.39
2	D	1	IHM	C32-C16	3.43	1.60	1.54
2	A	1	IHM	C24-C23	3.42	1.44	1.39
2	C	1	IHM	C35-C34	3.32	1.45	1.38
2	B	1	IHM	C32-C16	3.32	1.60	1.54
2	B	1	IHM	C35-C34	3.29	1.45	1.38
2	B	1	IHM	C39-C34	3.21	1.45	1.38
2	D	1	IHM	C05-C04	3.19	1.43	1.39
2	B	1	IHM	C36-N37	3.16	1.44	1.34
2	D	1	IHM	C03-C04	3.16	1.44	1.39
2	A	1	IHM	C38-N37	3.07	1.44	1.34
2	C	1	IHM	C32-C16	3.05	1.59	1.54
2	A	1	IHM	C39-C34	3.05	1.44	1.38
2	C	1	IHM	O07-C01	3.03	1.42	1.37
2	D	1	IHM	C38-N37	3.02	1.44	1.34
2	D	1	IHM	C39-C34	3.01	1.44	1.38
2	B	1	IHM	C03-C04	3.00	1.43	1.39
2	C	1	IHM	C05-C04	3.00	1.43	1.39
2	B	1	IHM	N22-N21	-2.99	1.33	1.36
2	C	1	IHM	C36-N37	2.98	1.44	1.34
2	B	1	IHM	C05-C04	2.98	1.43	1.39
2	D	1	IHM	C36-N37	2.98	1.44	1.34
2	C	1	IHM	O17-N37	-2.97	1.23	1.37
2	D	1	IHM	O07-C01	2.97	1.42	1.37
2	A	1	IHM	O17-N37	-2.94	1.23	1.37
2	A	1	IHM	O07-C01	2.93	1.42	1.37
2	C	1	IHM	C39-C34	2.93	1.44	1.38
2	A	1	IHM	C36-N37	2.92	1.43	1.34
2	C	1	IHM	C30-N29	2.92	1.41	1.36
2	A	1	IHM	C05-C04	2.91	1.43	1.39
2	B	1	IHM	O17-N37	-2.89	1.24	1.37
2	D	1	IHM	N22-N21	-2.87	1.33	1.36
2	D	1	IHM	O17-N37	-2.86	1.24	1.37
2	C	1	IHM	C38-N37	2.83	1.43	1.34
2	B	1	IHM	C38-N37	2.80	1.43	1.34
2	A	1	IHM	C32-C16	2.80	1.59	1.54
2	B	1	IHM	O07-C01	2.71	1.42	1.37
2	A	1	IHM	C30-N29	2.62	1.41	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1	IHM	C05-C06	2.61	1.43	1.38
2	D	1	IHM	C03-C02	2.60	1.43	1.38
2	C	1	IHM	C05-C06	2.59	1.43	1.38
2	C	1	IHM	C03-C02	2.57	1.43	1.38
2	A	1	IHM	C03-C02	2.50	1.42	1.38
2	B	1	IHM	C05-C06	2.50	1.43	1.38
2	B	1	IHM	C30-N29	2.46	1.40	1.36
2	A	1	IHM	C06-C01	2.38	1.45	1.40
2	C	1	IHM	C06-C01	2.35	1.45	1.40
2	D	1	IHM	C19-C20	2.33	1.46	1.41
2	B	1	IHM	C19-C20	2.32	1.46	1.41
2	A	1	IHM	C19-C20	2.29	1.46	1.41
2	B	1	IHM	C03-C02	2.29	1.42	1.38
2	C	1	IHM	N22-N21	-2.24	1.34	1.36
2	D	1	IHM	C30-N29	2.20	1.40	1.36
2	D	1	IHM	C36-C35	2.19	1.42	1.38
2	B	1	IHM	C36-C35	2.08	1.42	1.38
2	D	1	IHM	C05-C06	2.08	1.42	1.38
2	C	1	IHM	C19-C20	2.07	1.46	1.41
2	A	1	IHM	N22-N21	-2.05	1.34	1.36
2	B	1	IHM	C06-C01	2.01	1.44	1.40

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1	IHM	C20-N21-N22	7.57	108.02	104.42
2	A	1	IHM	C20-N21-N22	7.36	107.92	104.42
2	D	1	IHM	C20-N21-N22	7.29	107.89	104.42
2	C	1	IHM	C20-N21-N22	7.17	107.83	104.42
2	A	1	IHM	C34-C32-C16	-3.79	107.47	113.82
2	D	1	IHM	C34-C32-C16	-3.73	107.57	113.82
2	C	1	IHM	C34-C32-C16	-3.71	107.61	113.82
2	B	1	IHM	C15-C13-C12	3.38	135.85	119.41
2	A	1	IHM	C15-C13-C12	3.37	135.82	119.41
2	C	1	IHM	C15-C13-C12	3.35	135.73	119.41
2	D	1	IHM	C15-C13-C12	3.34	135.67	119.41
2	B	1	IHM	C34-C32-C16	-3.32	108.27	113.82
2	C	1	IHM	C16-N22-N21	2.54	123.15	119.85
2	D	1	IHM	C02-C03-C04	-2.27	118.92	121.18
2	A	1	IHM	C16-N22-N21	2.18	122.68	119.85
2	B	1	IHM	C02-C03-C04	-2.04	119.15	121.18

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	1	IHM	O11-C12-C13-C15
2	B	1	IHM	C32-C16-N22-N21
2	C	1	IHM	C32-C16-N22-N21
2	D	1	IHM	C32-C16-N22-N21
2	B	1	IHM	C26-C25-N29-C30
2	A	1	IHM	C26-C25-N29-C30
2	B	1	IHM	C24-C25-N29-C30
2	A	1	IHM	C24-C25-N29-C30
2	C	1	IHM	C26-C25-N29-C30
2	D	1	IHM	C01-C06-O11-C12


There are no ring outliers.


4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	IHM	3	0
2	A	1	IHM	2	0
2	B	1	IHM	1	0
2	D	1	IHM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	331/360 (91%)	0.31	24 (7%)	21	22	12, 24, 56, 82	0
1	B	327/360 (90%)	0.56	22 (6%)	24	25	14, 28, 50, 102	0
1	C	325/360 (90%)	0.57	39 (12%)	9	9	13, 25, 68, 86	0
1	D	326/360 (90%)	0.14	19 (5%)	29	30	12, 21, 48, 88	0
All	All	1309/1440 (90%)	0.39	104 (7%)	18	20	12, 24, 59, 102	0

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	356	PRO	6.4
1	D	354	ILE	6.2
1	D	355	SER	5.9
1	B	355	SER	5.2
1	C	355	SER	5.2
1	C	298	LEU	5.2
1	C	352	MET	5.1
1	B	91	VAL	5.0
1	B	86	THR	5.0
1	C	351	GLY	4.9
1	A	295	SER	4.9
1	C	293	THR	4.8
1	C	299	LEU	4.8
1	B	356	PRO	4.8
1	C	354	ILE	4.7
1	C	297	VAL	4.6
1	C	292	VAL	4.5
1	A	354	ILE	4.4
1	C	300	LEU	4.3
1	D	350	ARG	4.2
1	C	301	ASP	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	411	PRO	4.1
1	B	354	ILE	4.1
1	B	88	GLN	4.1
1	A	293	THR	4.1
1	A	298	LEU	4.0
1	C	356	PRO	4.0
1	A	411	PRO	3.9
1	C	289	THR	3.9
1	C	350	ARG	3.8
1	D	89	GLU	3.8
1	B	87	GLU	3.8
1	A	412	GLN	3.8
1	C	295	SER	3.7
1	A	299	LEU	3.7
1	C	294	SER	3.7
1	C	353	GLU	3.6
1	C	89	GLU	3.6
1	D	351	GLY	3.6
1	D	91	VAL	3.5
1	A	292	VAL	3.5
1	C	412	GLN	3.5
1	C	296	GLY	3.5
1	A	409	THR	3.4
1	D	90	ASP	3.4
1	D	412	GLN	3.4
1	A	297	VAL	3.3
1	A	301	ASP	3.2
1	B	362	ASN	3.2
1	C	357	MET	3.1
1	C	346	ARG	3.1
1	B	92	LEU	3.1
1	B	89	GLU	3.1
1	A	296	GLY	3.0
1	C	362	ASN	3.0
1	C	291	LYS	3.0
1	D	352	MET	3.0
1	B	127	GLN	2.9
1	D	353	GLU	2.9
1	C	363	ALA	2.9
1	A	362	ASN	2.9
1	C	290	LYS	2.8
1	B	412	GLN	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	82	PHE	2.8
1	C	349	GLU	2.8
1	C	88	GLN	2.7
1	A	288	GLU	2.7
1	C	410	ILE	2.7
1	B	353	GLU	2.7
1	D	87	GLU	2.7
1	C	302	ASN	2.6
1	C	375	TYR	2.6
1	D	291	LYS	2.6
1	C	303	TYR	2.6
1	A	290	LYS	2.6
1	B	93	ALA	2.6
1	A	353	GLU	2.5
1	A	294	SER	2.5
1	A	355	SER	2.5
1	C	361	HIS	2.5
1	C	358	CYS	2.4
1	D	357	MET	2.4
1	B	136	LYS	2.3
1	B	222	MET	2.3
1	C	90	ASP	2.3
1	D	362	ASN	2.3
1	C	91	VAL	2.3
1	B	357	MET	2.3
1	B	308	GLN	2.2
1	A	410	ILE	2.2
1	D	294	SER	2.2
1	D	292	VAL	2.2
1	D	346	ARG	2.2
1	A	289	THR	2.2
1	C	348	ARG	2.1
1	A	356	PRO	2.1
1	C	409	THR	2.1
1	B	258	GLN	2.1
1	A	300	LEU	2.1
1	B	301	ASP	2.1
1	B	257	ARG	2.1
1	B	155	ALA	2.1
1	D	404	GLU	2.0
1	A	408	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	IHM	B	1	39/39	0.91	0.11	20,24,28,33	0
2	IHM	D	1	39/39	0.91	0.10	18,21,31,32	0
2	IHM	C	1	39/39	0.92	0.10	26,28,32,36	0
2	IHM	A	1	39/39	0.93	0.10	22,26,30,38	0
3	ZN	B	504	1/1	0.97	0.05	46,46,46,46	0
3	ZN	A	502	1/1	0.99	0.06	42,42,42,42	0
3	ZN	C	506	1/1	0.99	0.04	46,46,46,46	0
3	ZN	D	508	1/1	0.99	0.04	43,43,43,43	0
3	ZN	C	505	1/1	1.00	0.01	25,25,25,25	0
3	ZN	B	503	1/1	1.00	0.01	23,23,23,23	0
3	ZN	D	507	1/1	1.00	0.02	20,20,20,20	0
3	ZN	A	501	1/1	1.00	0.01	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around IHM B 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around IHM D 1:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around IHM C 1:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.