



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 04:46 AM UTC

PDB ID : 8V9M / pdb_00008v9m
Title : Human Ornithine Aminotransferase cocrystallized with its inhibitor, (R)-3-amino-5,5-difluorocyclohex-1-ene-1-carboxylic acid.
Authors : Vargas, A.L.; Devitt, A.; Kaley, N.; Silverman, R.; Liu, D.
Deposited on : 2023-12-08
Resolution : 1.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 1.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6728 (1.64-1.60)
Clashscore	190562	7023 (1.64-1.60)
Ramachandran outliers	187476	6898 (1.64-1.60)
Sidechain outliers	187428	6896 (1.64-1.60)
RSRZ outliers	180081	6727 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	
1	B	404	
1	C	404	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	YR5	A	501	-	X	-	-

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 10736 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ornithine aminotransferase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	404	Total	C	N	O	S	0	2	0
			3172	2039	536	585	12			
1	B	404	Total	C	N	O	S	0	2	0
			3171	2036	534	589	12			
1	C	404	Total	C	N	O	S	0	1	0
			3159	2028	533	586	12			

- Molecule 2 is 3-fluoro-5-[(3-hydroxy-2-methyl-5-[(phosphonoxy)methyl]pyridin-4-yl)methyl]amino]benzoic acid (CCD ID: YR5) (formula: C₁₅H₁₆N₂O₇P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	P	0
			26	15	1	2	7	1	
2	B	1	Total	C	F	N	O	P	0
			26	15	1	2	7	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	C	1	Total	C	F	N	O	P	0	0
			26	15	1	2	7	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	346	Total	O	0	0
			346	346		
4	B	371	Total	O	0	0
			371	371		
4	C	415	Total	O	0	0
			415	415		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ornithine aminotransferase, mitochondrial



- Molecule 1: Ornithine aminotransferase, mitochondrial



- Molecule 1: Ornithine aminotransferase, mitochondrial



4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	115.33Å 115.33Å 186.29Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	44.01 – 1.61 44.01 – 1.61	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.01-1.61) 100.0 (44.01-1.61)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.25 (at 1.61Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.164 , 0.193 0.164 , 0.192	Depositor DCC
R_{free} test set	9222 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å ²)	23.4	Xtriage
Anisotropy	0.127	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 45.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	0.038 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	10736	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: YR5, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.65	1/3249 (0.0%)	0.77	3/4410 (0.1%)
1	B	0.61	0/3251	0.75	0/4415
1	C	0.70	0/3233	0.79	0/4392
All	All	0.65	1/9733 (0.0%)	0.77	3/13217 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	201	MET	SD-CE	-6.67	1.62	1.79

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	201	MET	CG-SD-CE	-6.18	87.30	100.90
1	A	165	LYS	CA-C-N	5.71	131.98	121.70
1	A	165	LYS	C-N-CA	5.71	131.98	121.70

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	413	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3172	0	3186	22	0
1	B	3171	0	3175	26	0
1	C	3159	0	3154	11	0
2	A	26	0	0	0	0
2	B	26	0	0	0	0
2	C	26	0	0	0	0
3	A	6	0	8	0	0
3	B	12	0	15	0	0
3	C	6	0	8	1	0
4	A	346	0	0	8	0
4	B	371	0	0	5	1
4	C	415	0	0	3	1
All	All	10736	0	9546	60	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (60) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:101:LEU:HD12	1:C:328:LEU:HD11	1.50	0.94
1:B:195[A]:ASP:OD1	4:B:601:HOH:O	1.94	0.85
1:A:282:ASN:ND2	4:A:602:HOH:O	2.17	0.76
1:C:430:GLU:O	1:C:434:LYS:HG2	1.87	0.74
1:B:117:ASN:ND2	4:B:604:HOH:O	2.21	0.73
1:C:255:ARG:NH1	4:C:601:HOH:O	2.23	0.69
1:A:101:LEU:HD12	1:A:328:LEU:HD11	1.75	0.69
1:A:99:ASN:OD1	4:A:601:HOH:O	2.11	0.68
1:B:266:GLN:OE1	4:B:602:HOH:O	2.12	0.67
1:A:387:ASP:O	1:A:392:LYS:NZ	2.31	0.64
1:A:64:ARG:NH1	4:A:603:HOH:O	2.20	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:106:ASP:OD1	4:B:603:HOH:O	2.16	0.61
1:B:382:ILE:HG23	1:B:388:TRP:CZ3	2.36	0.59
1:A:201:MET:SD	1:A:202:PRO:HD2	2.44	0.58
1:A:85:TYR:O	1:A:292[A]:LYS:HD3	2.03	0.57
3:C:502:GOL:H2	4:C:909:HOH:O	2.04	0.57
1:A:430:GLU:HG2	4:A:869:HOH:O	2.06	0.56
1:B:85:TYR:O	1:B:292:LYS:HD3	2.09	0.53
1:A:315:LYS:HE2	4:A:862:HOH:O	2.09	0.52
1:B:101:LEU:HD12	1:B:328:LEU:HD11	1.90	0.52
1:A:149:ALA:HB2	1:A:289:LEU:HD21	1.91	0.52
1:C:149:ALA:HB2	1:C:289:LEU:HD21	1.91	0.51
1:B:169:LYS:HE3	1:B:205:ASP:OD2	2.10	0.51
1:A:390:ALA:HB1	1:A:406:PRO:HB3	1.92	0.51
1:A:340:LEU:HD23	1:A:345:LEU:HD12	1.94	0.50
1:A:372:ARG:HD2	4:A:760:HOH:O	2.12	0.50
1:B:125:GLU:O	1:B:129:LYS:HG3	2.12	0.50
1:C:408:HIS:ND1	1:C:411:ILE:HD12	2.28	0.49
1:B:430:GLU:O	1:B:434:LYS:HG2	2.13	0.49
1:C:434:LYS:HD3	4:C:605:HOH:O	2.13	0.48
1:A:408:HIS:ND1	1:A:411:ILE:HD12	2.28	0.48
1:B:421:LYS:HB2	1:B:421:LYS:HE3	1.66	0.47
1:A:389:ASP:OD1	1:A:392:LYS:HG2	2.14	0.47
1:B:97:ILE:HG22	1:B:298:LEU:HD22	1.95	0.46
1:B:434:LYS:O	1:B:438:SER:HB3	2.15	0.46
1:B:382:ILE:HG23	1:B:388:TRP:CH2	2.51	0.46
1:C:340:LEU:HD23	1:C:345:LEU:HD12	1.97	0.46
1:B:149:ALA:HB2	1:B:289:LEU:HD21	1.98	0.45
1:C:178:TRP:CZ2	1:C:184:ALA:HA	2.52	0.45
1:A:71:TRP:HA	1:A:76:ARG:O	2.16	0.45
1:A:374:LYS:NZ	4:A:616:HOH:O	2.49	0.45
1:A:407:THR:HG1	1:A:408:HIS:CE1	2.35	0.45
1:C:85:TYR:O	1:C:292:LYS:HD3	2.16	0.44
1:A:247:MET:HG3	1:A:281:GLU:HB3	2.00	0.44
1:B:352:LEU:HB3	1:B:425:LEU:HD22	2.00	0.43
1:A:155[A]:LYS:HE3	4:A:867:HOH:O	2.19	0.43
1:B:71:TRP:CZ2	1:B:77:LYS:HD2	2.54	0.43
1:A:85:TYR:HB2	1:A:292[A]:LYS:HZ3	1.83	0.43
1:B:62:LEU:HA	1:B:72:ASP:HA	2.01	0.42
1:B:344:ASN:HD22	1:B:347:GLU:CD	2.28	0.42
1:B:49:LYS:HG2	1:B:50:TYR:CZ	2.54	0.42
1:C:49:LYS:HB3	1:C:49:LYS:HE3	1.59	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:340:LEU:HD23	1:B:345:LEU:HD12	2.02	0.42
1:C:382:ILE:HG23	1:C:388:TRP:CZ3	2.55	0.42
1:B:367:VAL:HG13	1:B:388:TRP:HH2	1.84	0.42
1:B:423:ASP:OD2	1:B:424:GLU:N	2.53	0.41
1:B:367:VAL:HG13	1:B:388:TRP:CH2	2.56	0.41
1:A:367:VAL:HG23	1:A:368:VAL:HG23	2.03	0.41
1:B:413:ARG:CZ	4:B:602:HOH:O	2.69	0.40
1:B:71:TRP:HA	1:B:76:ARG:O	2.22	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:862:HOH:O	4:C:935:HOH:O[3_545]	2.03	0.17

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	404/404 (100%)	388 (96%)	14 (4%)	2 (0%)	24	10
1	B	404/404 (100%)	387 (96%)	17 (4%)	0	100	100
1	C	403/404 (100%)	389 (96%)	13 (3%)	1 (0%)	43	25
All	All	1211/1212 (100%)	1164 (96%)	44 (4%)	3 (0%)	43	25

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	292	LYS
1	A	292[A]	LYS
1	A	292[B]	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	338/337 (100%)	335 (99%)	3 (1%)	70	54
1	B	339/337 (101%)	339 (100%)	0	100	100
1	C	336/337 (100%)	334 (99%)	2 (1%)	78	66
All	All	1013/1011 (100%)	1008 (100%)	5 (0%)	84	70

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	382	ILE
1	A	423	ASP
1	A	430	GLU
1	C	321[A]	SER
1	C	321[B]	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	176	ASN
1	A	400	ASN
1	B	176	ASN
1	B	344	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	A	502	-	5,5,5	0.57	0	5,5,5	1.69	1 (20%)
3	GOL	B	502	-	5,5,5	1.73	1 (20%)	5,5,5	1.09	0
3	GOL	B	503	-	5,5,5	1.00	0	5,5,5	0.95	0
2	YR5	A	501	-	27,27,27	4.17	17 (62%)	38,39,39	1.84	10 (26%)
3	GOL	C	502	-	5,5,5	2.01	1 (20%)	5,5,5	1.50	1 (20%)
2	YR5	B	501	-	27,27,27	4.14	17 (62%)	38,39,39	2.03	10 (26%)
2	YR5	C	501	-	27,27,27	3.79	15 (55%)	38,39,39	2.07	14 (36%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	A	502	-	-	2/4/4/4	-
3	GOL	B	502	-	-	3/4/4/4	-
3	GOL	B	503	-	-	0/4/4/4	-
2	YR5	A	501	-	-	8/15/15/15	0/2/2/2
3	GOL	C	502	-	-	3/4/4/4	-
2	YR5	B	501	-	-	6/15/15/15	0/2/2/2
2	YR5	C	501	-	-	2/15/15/15	0/2/2/2

All (51) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	YR5	C20-C18	10.50	1.51	1.41
2	A	501	YR5	C20-C18	9.47	1.50	1.41
2	A	501	YR5	C03-C02	8.68	1.52	1.37
2	C	501	YR5	C20-C18	8.52	1.49	1.41
2	B	501	YR5	C05-C04	8.19	1.51	1.39
2	A	501	YR5	C05-C04	7.67	1.51	1.39
2	B	501	YR5	C03-C02	7.60	1.50	1.37
2	A	501	YR5	C01-C06	7.48	1.51	1.39
2	C	501	YR5	C05-C04	7.45	1.50	1.39
2	C	501	YR5	C20-C13	-6.68	1.30	1.40
2	A	501	YR5	C16-N17	6.65	1.48	1.34
2	C	501	YR5	C03-C02	6.38	1.48	1.37
2	C	501	YR5	C01-C06	6.16	1.49	1.39
2	B	501	YR5	C20-C13	-6.07	1.31	1.40
2	B	501	YR5	C16-N17	5.94	1.46	1.34
2	B	501	YR5	C01-C06	5.88	1.49	1.39
2	C	501	YR5	C14-C13	5.73	1.48	1.40
2	A	501	YR5	C14-C13	5.73	1.48	1.40
2	C	501	YR5	C16-N17	5.18	1.45	1.34
2	B	501	YR5	C03-C04	-5.01	1.32	1.39
2	A	501	YR5	C20-C13	-4.98	1.32	1.40
2	B	501	YR5	C14-C13	4.87	1.47	1.40
2	C	501	YR5	C03-C04	-4.17	1.33	1.39
3	C	502	GOL	C1-C2	3.70	1.65	1.51
2	A	501	YR5	C01-C02	-3.51	1.31	1.37
2	B	501	YR5	C01-C02	-3.47	1.32	1.37
2	A	501	YR5	C16-C14	-3.39	1.31	1.37
2	A	501	YR5	C03-C04	-3.38	1.34	1.39
2	A	501	YR5	C05-C06	-3.28	1.34	1.39
2	C	501	YR5	C05-C06	-3.24	1.34	1.39
2	B	501	YR5	C05-C06	-3.18	1.34	1.39
2	B	501	YR5	C16-C14	-3.15	1.31	1.37
3	B	502	GOL	O2-C2	-2.82	1.35	1.43
2	C	501	YR5	C18-N17	-2.78	1.29	1.33
2	B	501	YR5	C18-N17	-2.72	1.29	1.33
2	C	501	YR5	C01-C02	-2.65	1.33	1.37
2	B	501	YR5	C06-N10	2.56	1.45	1.38
2	B	501	YR5	P22-O24	2.44	1.68	1.60
2	C	501	YR5	C12-C13	2.42	1.55	1.52
2	A	501	YR5	P22-O25	-2.32	1.43	1.50
2	A	501	YR5	C19-C18	2.25	1.54	1.50
2	C	501	YR5	C06-N10	2.25	1.45	1.38
2	A	501	YR5	P22-O26	-2.22	1.46	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	YR5	C19-C18	2.13	1.53	1.50
2	C	501	YR5	P22-O24	2.13	1.67	1.60
2	C	501	YR5	P22-O23	-2.11	1.47	1.54
2	B	501	YR5	C12-C13	2.07	1.55	1.52
2	A	501	YR5	C06-N10	2.07	1.44	1.38
2	A	501	YR5	P22-O24	2.04	1.66	1.60
2	B	501	YR5	O08-C07	2.03	1.28	1.22
2	A	501	YR5	O21-C20	2.01	1.41	1.36

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	YR5	C16-C14-C13	6.84	123.23	118.06
2	A	501	YR5	C16-C14-C13	6.47	122.96	118.06
2	C	501	YR5	C16-C14-C13	5.07	121.89	118.06
2	C	501	YR5	C14-C16-N17	-4.90	115.86	123.83
2	B	501	YR5	C14-C16-N17	-3.89	117.51	123.83
2	A	501	YR5	C05-C04-C03	3.35	123.57	119.65
2	C	501	YR5	C04-C05-C06	-3.28	116.21	120.44
2	B	501	YR5	C19-C18-C20	-3.25	117.00	120.80
3	A	502	GOL	C3-C2-C1	-3.16	100.19	111.80
2	B	501	YR5	C04-C05-C06	-3.16	116.37	120.44
2	C	501	YR5	C05-C04-C03	3.04	123.20	119.65
2	C	501	YR5	O21-C20-C13	2.93	126.68	118.18
2	C	501	YR5	C19-C18-C20	-2.84	117.48	120.80
2	C	501	YR5	C19-C18-N17	2.76	122.83	117.64
2	B	501	YR5	C05-C04-C03	2.73	122.85	119.65
3	C	502	GOL	O2-C2-C3	2.73	120.48	109.18
2	C	501	YR5	C16-N17-C18	2.67	124.03	119.20
2	A	501	YR5	C19-C18-C20	-2.66	117.68	120.80
2	C	501	YR5	C12-N10-C06	-2.64	113.41	121.87
2	C	501	YR5	F11-C02-C03	2.64	122.03	118.28
2	A	501	YR5	C14-C16-N17	-2.60	119.61	123.83
2	A	501	YR5	O24-C15-C14	-2.57	104.54	109.36
2	C	501	YR5	O09-C07-C04	2.52	121.30	114.84
2	C	501	YR5	C03-C02-C01	-2.52	120.44	123.50
2	A	501	YR5	C06-C01-C02	2.47	120.41	117.96
2	B	501	YR5	C12-C13-C20	2.44	123.22	119.98
2	B	501	YR5	C03-C02-C01	-2.37	120.62	123.50
2	B	501	YR5	O21-C20-C13	2.33	124.94	118.18
2	C	501	YR5	C15-C14-C16	-2.28	115.65	119.36
2	C	501	YR5	C03-C04-C07	-2.23	115.96	119.96

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	501	YR5	C12-C13-C14	-2.15	117.41	119.75
2	A	501	YR5	C13-C12-N10	2.14	115.35	110.70
2	A	501	YR5	C12-C13-C20	2.14	122.82	119.98
2	A	501	YR5	C04-C03-C02	-2.14	116.28	118.48
2	A	501	YR5	C03-C04-C07	-2.12	116.17	119.96
2	B	501	YR5	C06-C01-C02	2.08	120.02	117.96

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	501	YR5	N10-C12-C13-C20
2	A	501	YR5	N10-C12-C13-C14
2	B	501	YR5	N10-C12-C13-C14
2	C	501	YR5	N10-C12-C13-C20
2	C	501	YR5	N10-C12-C13-C14
3	A	502	GOL	C1-C2-C3-O3
3	A	502	GOL	O2-C2-C3-O3
3	B	502	GOL	C1-C2-C3-O3
3	C	502	GOL	O1-C1-C2-C3
3	B	502	GOL	O2-C2-C3-O3
3	C	502	GOL	O1-C1-C2-O2
2	A	501	YR5	C15-O24-P22-O25
2	B	501	YR5	C03-C04-C07-O08
2	B	501	YR5	C05-C04-C07-O08
3	B	502	GOL	O1-C1-C2-O2
2	B	501	YR5	C03-C04-C07-O09
2	B	501	YR5	C05-C04-C07-O09
2	A	501	YR5	C03-C04-C07-O09
2	A	501	YR5	C05-C04-C07-O09
2	B	501	YR5	N10-C12-C13-C20
2	A	501	YR5	C03-C04-C07-O08
2	A	501	YR5	C05-C04-C07-O08
2	A	501	YR5	C15-O24-P22-O26
3	C	502	GOL	O2-C2-C3-O3

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	502	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand YR5 B 501



Ligand YR5 C 501



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	404/404 (100%)	-0.04	10 (2%) 58 62	12, 35, 55, 109	2 (0%)
1	B	404/404 (100%)	-0.14	9 (2%) 62 67	16, 31, 55, 101	2 (0%)
1	C	404/404 (100%)	-0.29	7 (1%) 69 73	12, 27, 47, 103	1 (0%)
All	All	1212/1212 (100%)	-0.16	26 (2%) 63 68	12, 30, 54, 109	5 (0%)

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	407	THR	3.7
1	A	387	ASP	3.7
1	C	387	ASP	3.6
1	B	382	ILE	3.1
1	C	409	GLY	3.1
1	A	365	SER	3.0
1	B	366	ASP	2.9
1	C	366	ASP	2.9
1	C	388	TRP	2.9
1	A	382	ILE	2.6
1	A	366	ASP	2.6
1	C	408	HIS	2.6
1	C	385	THR	2.5
1	B	367	VAL	2.5
1	C	36	GLY	2.5
1	B	387	ASP	2.5
1	A	408	HIS	2.4
1	A	367	VAL	2.4
1	A	86	SER	2.3
1	A	385	THR	2.3
1	B	388	TRP	2.2
1	B	407	THR	2.2
1	B	383	LYS	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	369	THR	2.2
1	B	365	SER	2.2
1	A	37	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	GOL	A	502	6/6	0.89	0.11	37,45,51,60	0
3	GOL	B	503	6/6	0.93	0.09	29,34,43,44	0
3	GOL	C	502	6/6	0.94	0.10	25,31,40,41	0
3	GOL	B	502	6/6	0.95	0.09	32,43,48,52	0
2	YR5	A	501	26/26	0.96	0.07	22,26,32,34	0
2	YR5	B	501	26/26	0.98	0.05	21,25,31,32	0
2	YR5	C	501	26/26	0.98	0.06	18,22,29,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around YR5 A 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around YR5 B 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around YR5 C 501:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.