



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:44 PM UTC

PDB ID : 2VA8 / pdb_00002va8
Title : DNA Repair Helicase Hel308
Authors : Johnson, K.A.; Richards, J.; Liu, H.; McMahon, S.; Oke, M.; Carter, L.;
Naismith, J.H.; White, M.F.
Deposited on : 2007-08-30
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	715	
1	B	715	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 11297 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SKI2-TYPE HELICASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	693	Total	C	N	O	S	0	0	0
			5550	3551	936	1049	14			
1	B	695	Total	C	N	O	S	0	0	0
			5566	3563	938	1051	14			

- Molecule 2 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	62	Total	O	0	0
			62	62		
3	B	84	Total	O	0	0
			84	84		


3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SKI2-TYPE HELICASE



• Molecule 1: SKI2-TYPE HELICASE





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.66Å 138.08Å 107.55Å 90.00° 94.65° 90.00°	Depositor
Resolution (Å)	107.21 – 2.30 107.20 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.7 (107.21-2.30) 99.7 (107.20-2.30)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.68 (at 2.31Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.212 , 0.259 0.206 , 0.252	Depositor DCC
R_{free} test set	3995 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	37.3	Xtriage
Anisotropy	0.014	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 51.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	11297	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.60	0/5647	0.90	6/7628 (0.1%)
1	B	0.75	13/5663 (0.2%)	0.90	1/7651 (0.0%)
All	All	0.67	13/11310 (0.1%)	0.90	7/15279 (0.0%)

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	216	TYR	C-N	11.28	1.49	1.33
1	B	228	VAL	C-N	9.06	1.46	1.33
1	B	227	LYS	C-O	8.89	1.34	1.23
1	B	211	ARG	CZ-NH2	7.30	1.43	1.33
1	B	228	VAL	C-O	7.01	1.32	1.23
1	B	215	GLU	C-O	7.01	1.32	1.23
1	B	277	ASN	CG-ND2	6.76	1.47	1.33
1	B	272	VAL	C-O	6.27	1.31	1.24
1	B	273	SER	CB-OG	5.92	1.53	1.42
1	B	212	LYS	CE-NZ	5.80	1.66	1.49
1	B	211	ARG	C-O	-5.74	1.17	1.24
1	B	209	PRO	C-N	5.64	1.42	1.33
1	B	211	ARG	CD-NE	5.07	1.53	1.46

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	385	ARG	CA-C-N	8.61	129.14	119.32
1	A	385	ARG	C-N-CA	8.61	129.14	119.32
1	B	356	ASP	N-CA-C	5.79	120.04	111.87
1	A	213	LYS	N-CA-C	5.74	118.31	111.71
1	A	26	PRO	N-CA-C	5.34	117.21	110.70
1	A	48	THR	N-CA-C	5.08	116.67	111.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	485	THR	N-CA-C	5.02	117.44	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5550	0	5659	46	0
1	B	5566	0	5680	68	0
2	A	10	0	0	0	0
2	B	25	0	0	0	0
3	A	62	0	0	1	0
3	B	84	0	0	1	0
All	All	11297	0	11339	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:480:LYS:HE3	1:A:489:THR:HG22	1.46	0.97
1:A:25:ASN:HB3	1:A:27:PRO:HD2	1.47	0.94
1:B:62:SER:O	1:B:66:LYS:HG2	1.70	0.90
1:B:372:PRO:HG2	1:B:375:GLU:HG3	1.60	0.82
1:B:198:ARG:HD2	1:B:200:VAL:O	1.80	0.81
1:A:106:ASP:OD1	1:A:494:ARG:NH1	2.15	0.79
1:A:526:LEU:HA	1:A:559:ILE:HD11	1.64	0.77
1:B:34:LYS:HD3	1:B:193:VAL:HG22	1.67	0.76
1:A:235:ILE:HD11	1:A:264:LYS:HG2	1.67	0.75
1:B:106:ASP:OD1	1:B:494:ARG:NH1	2.18	0.75
1:B:25:ASN:HB3	1:B:27:PRO:HD2	1.71	0.72
1:B:517:ALA:HB2	1:B:629:GLU:HG2	1.71	0.72
1:B:500:ILE:HD11	1:B:621:LEU:HD11	1.73	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:372:PRO:HG2	1:B:375:GLU:CG	2.20	0.69
1:A:283:LEU:HD11	1:A:305:SER:HB3	1.73	0.69
1:B:482:GLU:O	1:B:485:THR:HB	1.95	0.65
1:B:1:MET:H	1:B:29:THR:HG21	1.63	0.64
1:B:112:LEU:HD22	1:B:118:ILE:HG12	1.79	0.64
1:A:585:MET:HG2	1:A:640:ARG:HB3	1.80	0.63
1:B:52:LYS:HA	1:B:55:ILE:HD12	1.81	0.62
1:B:73:TYR:CE2	1:B:84:LYS:HG3	2.37	0.59
1:B:372:PRO:CG	1:B:375:GLU:HG3	2.29	0.59
1:A:157:PRO:HB3	1:A:423:LEU:HD23	1.84	0.59
1:A:581:MET:HA	1:A:581:MET:HE2	1.85	0.58
1:B:25:ASN:O	1:B:29:THR:HG23	2.04	0.57
1:B:398:VAL:HG11	1:B:403:ASP:HB3	1.87	0.57
1:B:647:GLU:O	1:B:650:LEU:HG	2.04	0.56
1:A:106:ASP:CG	1:A:494:ARG:HH12	2.14	0.56
1:B:371:ILE:HG23	1:B:411:TYR:OH	2.06	0.56
1:B:106:ASP:CG	1:B:494:ARG:HH12	2.12	0.55
3:A:2044:HOH:O	1:B:256:LYS:HG2	2.06	0.55
1:B:242:LEU:HD12	1:B:269:MET:HE1	1.87	0.55
1:B:480:LYS:HE3	1:B:489:THR:HG22	1.89	0.54
1:A:694:GLU:O	1:A:698:GLN:NE2	2.41	0.54
1:A:587:GLU:HA	1:A:660:ARG:HH21	1.73	0.53
1:B:520:GLU:H	1:B:520:GLU:CD	2.17	0.53
1:B:211:ARG:HB3	1:B:212:LYS:HZ2	1.72	0.53
1:B:211:ARG:CB	1:B:212:LYS:HZ2	2.22	0.53
1:B:210:GLU:HB2	1:B:215:GLU:HG3	1.91	0.53
1:B:398:VAL:HG12	1:B:400:ASP:H	1.74	0.52
1:B:198:ARG:HG2	1:B:199:PRO:HD2	1.91	0.52
1:A:538:VAL:O	1:B:540:ARG:HD2	2.09	0.52
1:A:80:LEU:O	1:A:84:LYS:HG2	2.10	0.52
1:B:211:ARG:HB2	1:B:212:LYS:NZ	2.25	0.52
1:B:427:ARG:HG2	1:B:501:ASN:ND2	2.24	0.52
1:A:108:ASP:HB2	1:A:133:PRO:HB3	1.93	0.51
1:A:373:ILE:O	1:A:377:LYS:HG2	2.10	0.51
1:B:269:MET:HA	1:B:269:MET:HE2	1.93	0.51
1:B:562:PRO:HB3	1:B:567:GLU:HB3	1.93	0.50
1:A:430:TYR:CD1	1:A:430:TYR:N	2.79	0.50
1:B:690:GLN:H	1:B:690:GLN:CD	2.19	0.50
1:A:73:TYR:CE2	1:A:84:LYS:HG3	2.47	0.50
1:A:157:PRO:HB3	1:A:423:LEU:CD2	2.42	0.50
1:B:148:HIS:HA	1:B:419:ILE:HD11	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:203:ILE:HD11	1:B:393:GLU:HG2	1.94	0.49
1:A:640:ARG:NH2	1:A:646:LYS:HD3	2.27	0.49
1:A:104:ASP:O	1:A:124:LYS:NZ	2.40	0.49
1:B:403:ASP:O	1:B:407:VAL:HG23	2.11	0.49
1:B:64:LEU:O	1:B:67:ASN:O	2.30	0.49
1:A:552:ASP:OD1	1:B:264:LYS:HE3	2.12	0.49
1:B:92:GLU:HA	1:B:96:PHE:O	2.13	0.48
1:B:211:ARG:CB	1:B:212:LYS:NZ	2.77	0.48
1:A:678:VAL:HA	1:A:697:VAL:HG13	1.96	0.48
1:B:480:LYS:HG3	1:B:489:THR:HG22	1.96	0.47
1:A:430:TYR:N	1:A:430:TYR:HD1	2.13	0.47
1:B:396:VAL:HG11	1:B:407:VAL:HG11	1.95	0.47
1:B:374:MET:HE2	1:B:416:VAL:HG11	1.96	0.47
1:A:205:GLY:O	1:A:395:ILE:HA	2.16	0.46
1:A:177:THR:O	1:A:374:MET:HE1	2.15	0.46
1:A:90:ASP:O	1:A:93:LEU:HD12	2.15	0.46
1:A:398:VAL:CG1	1:A:407:VAL:HG21	2.46	0.46
1:B:277:ASN:N	1:B:277:ASN:OD1	2.49	0.46
1:A:645:ILE:HG22	1:A:660:ARG:HG3	1.98	0.46
1:B:568:TYR:CE1	1:B:572:ILE:HD11	2.51	0.46
1:B:562:PRO:CB	1:B:567:GLU:HB3	2.46	0.45
1:B:442:ASN:HB3	1:B:485:THR:HG23	1.98	0.45
1:B:99:ALA:HB2	1:B:115:TYR:CD1	2.52	0.45
1:A:398:VAL:HG11	1:A:407:VAL:HG21	1.98	0.44
1:B:75:THR:O	1:B:121:THR:HA	2.16	0.44
1:B:682:ASP:OD1	1:B:682:ASP:N	2.49	0.44
1:A:410:LYS:O	1:A:414:SER:OG	2.36	0.44
1:B:655:ILE:HG21	1:B:696:VAL:HG13	2.00	0.44
1:B:42:LEU:HD23	1:B:191:GLU:HB3	2.00	0.44
1:A:561:GLU:HA	1:A:562:PRO:HD3	1.89	0.43
1:B:148:HIS:HA	1:B:419:ILE:CD1	2.47	0.43
1:A:294:SER:OG	1:A:591:ASP:OD1	2.36	0.43
1:B:1:MET:N	1:B:29:THR:HG21	2.33	0.43
1:B:477:SER:HB2	1:B:509:ARG:HH12	1.82	0.43
1:B:681:PRO:HA	1:B:697:VAL:HG21	2.01	0.43
1:B:44:LEU:HD22	1:B:55:ILE:HG21	2.00	0.43
1:B:385:ARG:HA	1:B:386:PRO:HD3	1.87	0.43
1:A:480:LYS:CE	1:A:489:THR:HG22	2.33	0.42
1:B:543:GLU:HG3	1:B:572:ILE:HG21	2.01	0.42
1:A:28:GLN:HG2	1:A:55:ILE:HG13	2.02	0.42
1:A:508:ILE:O	1:A:512:LEU:HG	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:140:ASN:HA	1:A:169:ARG:HG2	2.02	0.41
1:B:44:LEU:CD2	1:B:55:ILE:HD13	2.50	0.41
1:A:27:PRO:HB3	1:A:195:THR:HG21	2.02	0.41
1:A:80:LEU:HD13	1:A:146:GLU:OE2	2.21	0.41
1:B:398:VAL:CG1	1:B:403:ASP:HB3	2.50	0.41
1:B:568:TYR:CE1	1:B:572:ILE:CD1	3.02	0.41
1:A:474:LEU:HD23	1:A:479:ILE:HG13	2.02	0.41
1:B:235:ILE:HD11	1:B:264:LYS:HG2	2.03	0.41
1:A:169:ARG:HB3	1:A:170:ASN:H	1.55	0.41
1:A:220:PHE:HB2	1:A:224:THR:HB	2.02	0.41
1:B:690:GLN:HG2	1:B:691:LYS:H	1.85	0.41
1:A:151:ASN:OD1	1:A:422:LYS:NZ	2.54	0.40
1:A:44:LEU:HD23	1:A:193:VAL:HB	2.03	0.40
1:A:239:LEU:HD11	1:A:268:TYR:HB3	2.03	0.40
1:B:660:ARG:HG2	3:B:2075:HOH:O	2.21	0.40
1:B:618:ALA:O	1:B:622:SER:HB2	2.22	0.40
1:A:203:ILE:HG23	1:A:391:ILE:HD11	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	689/715 (96%)	666 (97%)	23 (3%)	0	100	100
1	B	691/715 (97%)	671 (97%)	18 (3%)	2 (0%)	36	46
All	All	1380/1430 (96%)	1337 (97%)	41 (3%)	2 (0%)	48	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	245	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	47	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	605/624 (97%)	590 (98%)	15 (2%)	42	60
1	B	607/624 (97%)	592 (98%)	15 (2%)	42	60
All	All	1212/1248 (97%)	1182 (98%)	30 (2%)	42	60

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	18	LYS
1	A	33	LYS
1	A	129	TRP
1	A	234	ILE
1	A	244	LYS
1	A	253	ASN
1	A	299	LEU
1	A	340	THR
1	A	346	ASN
1	A	375	GLU
1	A	494	ARG
1	A	565	GLU
1	A	633	LYS
1	A	660	ARG
1	A	698	GLN
1	B	-2	LEU
1	B	33	LYS
1	B	44	LEU
1	B	129	TRP
1	B	225	THR
1	B	243	SER
1	B	264	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	272	VAL
1	B	325	GLU
1	B	371	ILE
1	B	420	GLU
1	B	425	SER
1	B	566	ASP
1	B	660	ARG
1	B	699	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	140	ASN
1	A	183	GLN
1	A	253	ASN
1	A	598	ASN
1	A	698	GLN
1	A	705	ASN
1	B	131	HIS
1	B	140	ASN
1	B	378	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	1707	-	4,4,4	0.27	0	6,6,6	0.39	0
2	SO4	B	1708	-	4,4,4	0.20	0	6,6,6	0.21	0
2	SO4	A	1707	-	4,4,4	0.20	0	6,6,6	0.19	0
2	SO4	A	1706	-	4,4,4	0.22	0	6,6,6	0.15	0
2	SO4	B	1709	-	4,4,4	0.17	0	6,6,6	0.17	0
2	SO4	B	1706	-	4,4,4	0.33	0	6,6,6	0.15	0
2	SO4	B	1710	-	4,4,4	0.28	0	6,6,6	0.17	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	693/715 (96%)	0.96	62 (8%) 15 17	38, 45, 53, 62	0
1	B	695/715 (97%)	1.29	122 (17%) 4 4	37, 46, 52, 69	0
All	All	1388/1430 (97%)	1.13	184 (13%) 7 8	37, 45, 53, 69	0

All (184) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	271	PHE	6.6
1	B	555	CYS	5.5
1	A	555	CYS	4.5
1	A	684	VAL	4.3
1	B	289	ILE	4.1
1	B	679	MET	4.1
1	B	371	ILE	3.9
1	B	-1	GLU	3.9
1	B	243	SER	3.8
1	B	-2	LEU	3.8
1	B	271	PHE	3.8
1	A	503	PHE	3.8
1	B	286	LEU	3.6
1	A	665	LEU	3.5
1	A	343	ALA	3.4
1	A	-1	GLU	3.3
1	B	319	LEU	3.3
1	B	0	TRP	3.3
1	B	645	ILE	3.3
1	B	292	GLY	3.2
1	B	660	ARG	3.2
1	B	313	ALA	3.2
1	B	315	LEU	3.2
1	B	649	LEU	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	294	SER	3.2
1	B	537	SER	3.2
1	B	134	GLU	3.2
1	B	482	GLU	3.2
1	A	25	ASN	3.1
1	B	659	GLY	3.1
1	B	357	ILE	3.1
1	B	50	SER	3.1
1	B	318	ALA	3.1
1	A	372	PRO	3.1
1	B	288	ASP	3.0
1	B	646	LYS	3.0
1	A	415	ASP	3.0
1	B	407	VAL	3.0
1	B	253	ASN	3.0
1	B	480	LYS	2.9
1	B	270	ASN	2.9
1	A	313	ALA	2.9
1	A	413	LEU	2.9
1	B	213	LYS	2.9
1	B	283	LEU	2.9
1	B	255	ARG	2.8
1	B	44	LEU	2.8
1	B	274	LEU	2.8
1	B	635	ARG	2.8
1	B	290	GLU	2.8
1	B	653	VAL	2.8
1	B	295	ASP	2.8
1	B	246	GLY	2.8
1	B	325	GLU	2.8
1	B	652	LEU	2.7
1	B	666	LEU	2.7
1	A	48	THR	2.7
1	B	293	GLY	2.7
1	B	88	PHE	2.7
1	A	289	ILE	2.7
1	A	243	SER	2.7
1	B	300	LEU	2.7
1	B	343	ALA	2.7
1	B	310	TYR	2.6
1	A	556	GLU	2.6
1	A	209	PRO	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	323	ILE	2.6
1	A	213	LYS	2.6
1	B	661	LYS	2.6
1	A	386	PRO	2.6
1	A	357	ILE	2.6
1	A	650	LEU	2.6
1	B	403	ASP	2.6
1	B	345	VAL	2.6
1	B	316	SER	2.6
1	B	229	HIS	2.6
1	B	341	LEU	2.5
1	B	498	LEU	2.5
1	A	93	LEU	2.5
1	A	705	ASN	2.5
1	A	414	SER	2.5
1	A	319	LEU	2.5
1	B	312	HIS	2.5
1	B	387	GLY	2.5
1	B	441	GLY	2.5
1	B	96	PHE	2.4
1	B	273	SER	2.4
1	B	491	PHE	2.4
1	B	373	ILE	2.4
1	A	315	LEU	2.4
1	A	231	ASP	2.4
1	A	103	GLY	2.4
1	B	4	GLU	2.4
1	A	0	TRP	2.4
1	A	278	ALA	2.4
1	A	342	ALA	2.4
1	B	102	SER	2.4
1	B	392	GLY	2.4
1	B	600	GLY	2.4
1	B	245	ASN	2.3
1	B	400	ASP	2.3
1	B	494	ARG	2.3
1	A	661	LYS	2.3
1	B	105	TYR	2.3
1	B	667	TYR	2.3
1	A	166	ALA	2.3
1	B	647	GLU	2.3
1	A	279	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	423	LEU	2.3
1	A	687	LEU	2.3
1	B	93	LEU	2.3
1	A	427	ARG	2.3
1	B	38	GLU	2.3
1	A	282	ILE	2.3
1	A	320	ARG	2.3
1	B	31	ALA	2.3
1	B	311	HIS	2.3
1	B	317	LYS	2.3
1	A	40	ASN	2.2
1	A	253	ASN	2.2
1	B	519	CYS	2.2
1	A	236	ALA	2.2
1	B	106	ASP	2.2
1	B	116	ASP	2.2
1	A	496	ALA	2.2
1	B	6	LEU	2.2
1	B	677	VAL	2.2
1	B	388	PHE	2.2
1	B	277	ASN	2.2
1	B	664	ARG	2.2
1	B	205	GLY	2.2
1	A	323	ILE	2.2
1	A	500	ILE	2.2
1	A	554	ASP	2.2
1	B	25	ASN	2.2
1	B	275	ASP	2.2
1	B	375	GLU	2.2
1	B	197	TRP	2.1
1	B	347	LEU	2.1
1	A	404	VAL	2.1
1	A	588	VAL	2.1
1	B	228	VAL	2.1
1	B	678	VAL	2.1
1	B	682	ASP	2.1
1	B	340	THR	2.1
1	A	3	ILE	2.1
1	B	80	LEU	2.1
1	B	282	ILE	2.1
1	A	545	GLU	2.1
1	B	632	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	381	GLY	2.1
1	B	211	ARG	2.1
1	A	318	ALA	2.1
1	B	301	LYS	2.1
1	A	457	LEU	2.1
1	B	112	LEU	2.1
1	B	322	LEU	2.1
1	A	681	PRO	2.1
1	A	68	GLY	2.1
1	B	703	LEU	2.1
1	B	395	ILE	2.1
1	B	669	ASN	2.1
1	B	495	VAL	2.1
1	B	435	GLY	2.1
1	B	406	ARG	2.1
1	A	317	LYS	2.0
1	B	107	THR	2.0
1	A	701	ALA	2.0
1	B	191	GLU	2.0
1	B	439	ALA	2.0
1	B	564	GLU	2.0
1	A	229	HIS	2.0
1	A	341	LEU	2.0
1	A	346	ASN	2.0
1	B	86	LEU	2.0
1	B	346	ASN	2.0
1	B	668	ASN	2.0
1	A	219	ILE	2.0
1	B	379	MET	2.0
1	A	233	ALA	2.0
1	A	286	LEU	2.0
1	B	125	LEU	2.0
1	B	304	ILE	2.0
1	B	297	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	SO4	B	1710	5/5	0.92	0.19	58,59,60,61	0
2	SO4	B	1708	5/5	0.95	0.17	41,42,45,46	0
2	SO4	B	1707	5/5	0.95	0.23	47,48,49,49	0
2	SO4	A	1707	5/5	0.96	0.17	45,45,47,47	0
2	SO4	B	1709	5/5	0.96	0.19	45,45,45,46	0
2	SO4	A	1706	5/5	0.96	0.19	53,54,55,55	0
2	SO4	B	1706	5/5	0.97	0.16	39,40,42,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.