



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2026 – 01:53 AM UTC

PDB ID : 1VB9 / pdb\_00001vb9  
Title : Crystal structure of Thermoactinomyces vulgaris R-47 alpha-amylase II (TVA II) complexed with transglycosylated product  
Authors : Mizuno, M.; Tonozuka, T.; Uechi, A.; Ohtaki, A.; Ichikawa, K.; Kamitori, S.; Nishikawa, A.; Sakano, Y.  
Deposited on : 2004-02-25  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 2.0  
EDS : 3.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
CCP4 : 9.0.010 (Gargrove)  
Density-Fitness : 1.0.12  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	6164 (2.20-2.20)
Clashscore	190562	6851 (2.20-2.20)
Ramachandran outliers	187476	6768 (2.20-2.20)
Sidechain outliers	187428	6769 (2.20-2.20)
RSRZ outliers	180081	6166 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	585	 4% 70% 26% ..
1	B	585	 4% 72% 24% ..
2	C	6	 50% 33% 17%
2	D	6	 17% 67% 17%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called alpha-amylase II.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	585	4776	3056	832	873	15	0	0	0
1	B	585	4776	3056	832	873	15	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	325	ASN	ASP	engineered mutation	UNP Q08751
B	325	ASN	ASP	engineered mutation	UNP Q08751

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	C	6	67	36	31	0	0	0
2	D	6	67	36	31	0	0	0

- Molecule 3 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Ca	0	0
			1	1		
3	B	1	Total	Ca	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	249	Total 249	O 249	0	0
4	B	259	Total 259	O 259	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: alpha-amylase II




- Molecule 1: alpha-amylase II





- Molecule 2: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



- Molecule 2: alpha-D-glucopyranose-(1-6)-alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose-(1-4)-[alpha-D-glucopyranose-(1-6)]alpha-D-glucopyranose-(1-4)-alpha-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.05Å 118.27Å 112.11Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.99 – 2.20 33.99 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.8 (33.99-2.20) 99.8 (33.99-2.20)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	5.29 (at 2.20Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.194 , 0.233 0.202 , 0.240	Depositor DCC
$R_{free}$ test set	7737 reflections (10.08%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.2	Xtrriage
Anisotropy	0.397	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 43.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.008 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	10196	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: CA, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/4906	0.92	24/6641 (0.4%)
1	B	0.37	0/4906	0.90	26/6641 (0.4%)
All	All	0.37	0/9812	0.91	50/13282 (0.4%)

There are no bond length outliers.

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	LYS	N-CA-C	-9.12	89.83	107.44
1	A	276	SER	N-CA-C	7.69	127.18	110.80
1	A	278	THR	N-CA-C	7.02	120.34	107.99
1	B	323	ARG	N-CA-C	-6.89	97.29	108.52
1	A	137	PHE	CA-C-N	6.87	128.42	119.84
1	A	137	PHE	C-N-CA	6.87	128.42	119.84
1	A	279	SER	N-CA-C	-6.74	96.45	110.80
1	A	206	THR	N-CA-C	6.69	119.42	109.59
1	A	323	ARG	N-CA-C	-6.59	97.77	108.52
1	A	376	PHE	N-CA-C	-6.50	104.27	111.36
1	A	331	ASP	N-CA-C	6.47	119.63	110.50
1	B	193	THR	N-CA-C	-6.47	100.63	110.07
1	B	206	THR	N-CA-C	6.19	119.18	109.96
1	B	524	GLN	CB-CA-C	-6.14	109.51	116.63
1	A	290	VAL	CA-C-N	6.08	127.44	119.84
1	A	290	VAL	C-N-CA	6.08	127.44	119.84
1	B	80	VAL	N-CA-C	6.08	117.45	108.45
1	B	137	PHE	CA-C-N	6.07	127.43	119.84
1	B	137	PHE	C-N-CA	6.07	127.43	119.84
1	A	524	GLN	CB-CA-C	-5.98	109.69	116.63
1	A	18	ILE	N-CA-C	-5.93	106.97	113.43
1	B	67	ASP	N-CA-C	-5.75	100.34	109.59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	372	MET	N-CA-C	-5.71	100.93	109.15
1	B	66	PHE	N-CA-C	5.68	118.04	109.41
1	B	88	GLY	CA-C-N	5.65	125.49	119.28
1	B	88	GLY	C-N-CA	5.65	125.49	119.28
1	B	581	LEU	N-CA-C	5.61	117.44	108.41
1	B	7	PHE	N-CA-C	5.61	118.59	109.06
1	B	275	VAL	N-CA-C	5.59	120.97	109.34
1	B	372	MET	N-CA-C	-5.56	101.14	109.15
1	A	80	VAL	N-CA-C	5.53	116.63	108.45
1	B	423	GLU	N-CA-C	-5.48	103.29	110.53
1	B	137	PHE	N-CA-C	-5.44	97.79	109.81
1	A	423	GLU	N-CA-C	-5.39	103.27	110.55
1	A	67	ASP	N-CA-C	-5.34	100.99	109.59
1	A	212	ILE	N-CA-C	-5.33	102.70	109.58
1	A	272	ASP	N-CA-C	5.29	117.66	107.44
1	B	161	ARG	CA-C-N	5.28	125.22	119.78
1	B	161	ARG	C-N-CA	5.28	125.22	119.78
1	A	41	TYR	N-CA-C	5.25	116.95	109.14
1	A	286	PHE	N-CA-C	-5.22	103.14	110.50
1	A	103	ALA	N-CA-C	-5.21	106.87	113.18
1	B	212	ILE	N-CA-C	-5.20	102.87	109.58
1	B	103	ALA	N-CA-C	-5.19	106.45	112.89
1	A	137	PHE	N-CA-C	-5.18	98.44	108.59
1	B	391	ALA	N-CA-C	5.17	117.31	111.11
1	B	113	TYR	N-CA-C	-5.13	97.51	107.62
1	B	290	VAL	CA-C-N	5.13	125.42	119.47
1	B	290	VAL	C-N-CA	5.13	125.42	119.47
1	B	394	PHE	N-CA-C	-5.06	105.65	111.07

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4776	0	4609	146	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4776	0	4609	131	0
2	C	67	0	57	4	0
2	D	67	0	57	5	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	249	0	0	6	0
4	B	259	0	0	15	0
All	All	10196	0	9332	274	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (274) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:342:VAL:HG11	1:A:351:ILE:HD11	1.46	0.97
1:A:293:MET:HE1	2:C:4:GLC:H62	1.48	0.94
1:B:293:MET:HE1	2:D:4:GLC:H62	1.51	0.91
1:A:585:ARG:HH11	1:A:585:ARG:HB3	1.35	0.89
1:B:198:SER:HB3	1:B:203:LYS:HG3	1.57	0.87
1:B:293:MET:CE	2:D:4:GLC:H62	2.05	0.86
1:B:290:VAL:HG11	1:B:293:MET:HE3	1.58	0.85
1:A:140:ARG:HG2	1:A:469:ARG:O	1.77	0.84
1:A:290:VAL:HG11	1:A:293:MET:CE	2.06	0.84
1:A:293:MET:CE	2:C:4:GLC:H62	2.07	0.84
1:A:280:ARG:HA	1:A:289:GLN:OE1	1.79	0.81
1:B:46:ALA:HB1	1:B:50:GLU:HG3	1.63	0.80
1:B:523:VAL:HG22	1:B:524:GLN:NE2	1.97	0.79
1:A:290:VAL:HG11	1:A:293:MET:HE2	1.65	0.78
1:A:504:ASN:C	1:A:504:ASN:HD22	1.91	0.78
1:A:243:ASN:HD22	1:A:244:HIS:HD2	1.32	0.76
1:A:447:LEU:HB2	1:A:505:VAL:HG21	1.66	0.76
1:A:484:PHE:CE1	1:A:488:LYS:HD2	2.21	0.76
1:B:470:ARG:HG3	4:B:741:HOH:O	1.85	0.75
1:B:505:VAL:HG12	1:B:521:ARG:CD	2.18	0.73
1:A:191:TYR:CZ	1:A:323:ARG:HD3	2.22	0.73
1:B:275:VAL:O	1:B:282:ASN:ND2	2.23	0.72
1:B:290:VAL:HG11	1:B:293:MET:CE	2.20	0.72
1:B:139:GLU:HB3	1:B:140:ARG:HH11	1.56	0.71
1:A:341:LEU:O	1:A:345:LEU:HD13	1.90	0.71
1:A:390:HIS:HD2	1:A:393:ARG:H	1.39	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:569:LEU:HG	1:A:571:LEU:HD13	1.72	0.71
1:A:277:LYS:O	1:A:277:LYS:HG3	1.91	0.70
1:B:328:ASN:N	1:B:328:ASN:HD22	1.89	0.70
1:A:194:PRO:HB2	1:A:203:LYS:HB2	1.74	0.69
1:B:487:TYR:O	1:B:491:ILE:HG12	1.93	0.69
1:A:516:LEU:HD13	1:A:541:VAL:HG11	1.74	0.69
1:A:330:VAL:HG22	1:A:335:TRP:NE1	2.08	0.69
1:A:271:GLU:HG3	1:A:272:ASP:H	1.58	0.68
1:A:447:LEU:HB2	1:A:505:VAL:CG2	2.23	0.68
1:A:400:ARG:CB	1:A:400:ARG:HH21	2.07	0.68
1:B:547:GLU:HG2	1:B:551:LYS:HE2	1.76	0.67
1:B:504:ASN:C	1:B:504:ASN:HD22	2.02	0.67
1:B:139:GLU:HB3	1:B:140:ARG:NH1	2.09	0.66
1:A:290:VAL:HG11	1:A:293:MET:HE3	1.76	0.66
1:A:224:ARG:HE	1:A:224:ARG:HA	1.59	0.66
1:A:477:LYS:N	1:A:477:LYS:HD2	2.11	0.65
1:B:492:ARG:O	1:B:496:ARG:HG3	1.98	0.64
1:A:275:VAL:HG12	1:A:275:VAL:O	1.97	0.64
1:B:255:VAL:HG11	1:B:270:ILE:HD11	1.78	0.63
1:B:400:ARG:O	1:B:404:LEU:HD13	1.98	0.63
1:A:386:THR:OG1	1:A:388:GLU:HG3	2.00	0.62
1:B:183:GLU:OE2	1:B:232:ARG:HD2	2.00	0.62
1:B:523:VAL:HG22	1:B:524:GLN:HE22	1.64	0.62
1:A:118:ARG:HG2	4:B:727:HOH:O	1.99	0.61
1:B:328:ASN:HD22	1:B:328:ASN:H	1.47	0.61
1:A:271:GLU:HG3	1:A:272:ASP:N	2.14	0.61
1:A:129:LYS:HD2	1:A:502:ARG:HH12	1.66	0.60
1:A:390:HIS:CD2	1:A:393:ARG:H	2.19	0.60
1:A:504:ASN:C	1:A:504:ASN:ND2	2.59	0.60
1:B:64:GLU:HB2	4:B:816:HOH:O	2.00	0.60
1:A:224:ARG:HA	1:A:224:ARG:NE	2.17	0.60
1:B:484:PHE:CE1	1:B:488:LYS:HD2	2.36	0.60
1:A:129:LYS:HB3	1:A:411:GLN:OE1	2.02	0.59
1:B:260:GLU:HB2	1:B:273:PHE:CD2	2.38	0.59
1:B:133:ILE:HB	1:B:451:LEU:HD23	1.85	0.59
1:A:129:LYS:HD2	1:A:502:ARG:NH1	2.17	0.59
1:A:409:ALA:O	1:A:413:LEU:HD13	2.04	0.58
1:B:572:THR:C	1:B:573:LEU:HD23	2.27	0.58
1:A:295:LYS:HE2	1:B:115:TYR:CZ	2.39	0.58
1:B:390:HIS:NE2	1:B:512:LYS:HE2	2.19	0.57
1:B:447:LEU:HB2	1:B:505:VAL:CG1	2.34	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:ARG:HG2	1:A:389:ILE:HG23	1.86	0.57
1:B:505:VAL:HG12	1:B:521:ARG:HD2	1.86	0.56
1:B:312:ARG:O	1:B:316:GLU:HG3	2.04	0.56
1:B:448:GLY:O	1:B:494:ARG:NH2	2.38	0.56
1:B:28:ARG:HD2	4:B:819:HOH:O	2.04	0.56
1:B:328:ASN:H	1:B:328:ASN:ND2	2.03	0.56
1:B:12:GLY:O	1:B:364:MET:HE1	2.06	0.56
1:A:505:VAL:HG22	1:A:521:ARG:NE	2.21	0.55
1:A:26:ARG:HD3	1:A:70:GLU:OE2	2.05	0.55
1:B:190:LEU:HD13	1:B:234:ILE:CG2	2.36	0.55
1:B:416:LEU:HD23	1:B:416:LEU:H	1.70	0.55
1:A:254:ASP:OD2	1:A:262:SER:HB2	2.06	0.55
1:A:201:HIS:HE1	1:A:469:ARG:HH11	1.53	0.55
1:A:411:GLN:HG2	4:A:909:HOH:O	2.06	0.55
1:B:382:ARG:NH1	1:B:397:GLU:OE1	2.39	0.55
1:A:57:ALA:HB2	1:A:71:ALA:HB2	1.88	0.55
1:A:346:ASN:HD22	1:A:346:ASN:C	2.15	0.54
1:B:129:LYS:HG2	1:B:411:GLN:NE2	2.22	0.54
1:A:115:TYR:CZ	1:B:295:LYS:HE2	2.43	0.54
1:A:139:GLU:OE2	1:A:140:ARG:NH1	2.41	0.54
1:A:514:ALA:O	1:A:535:ARG:HG3	2.08	0.54
1:B:275:VAL:O	1:B:282:ASN:CG	2.51	0.53
1:B:504:ASN:C	1:B:504:ASN:ND2	2.66	0.53
1:B:522:THR:OG1	1:B:527:HIS:HD2	1.90	0.53
1:B:139:GLU:OE2	1:B:140:ARG:NH1	2.42	0.53
1:A:275:VAL:O	1:A:276:SER:CB	2.56	0.53
1:B:255:VAL:HG11	1:B:270:ILE:CD1	2.38	0.52
1:B:541:VAL:HG22	1:B:543:LEU:HD12	1.91	0.52
1:A:162:PRO:HB3	1:A:168:TYR:HE2	1.75	0.52
1:B:190:LEU:HD13	1:B:234:ILE:HG21	1.91	0.52
1:A:281:THR:HG23	1:A:283:TYR:CE2	2.44	0.52
1:B:193:THR:HB	1:B:194:PRO:HD2	1.91	0.52
1:A:416:LEU:H	1:A:416:LEU:HD23	1.73	0.52
1:B:535:ARG:HD3	1:B:539:GLN:CD	2.34	0.52
1:B:293:MET:HE2	2:D:4:GLC:H62	1.90	0.52
1:A:8:HIS:HD2	1:A:26:ARG:O	1.93	0.52
1:B:393:ARG:HH21	1:B:393:ARG:HG3	1.75	0.52
1:B:280:ARG:NH2	1:B:289:GLN:NE2	2.58	0.51
1:A:400:ARG:HH21	1:A:400:ARG:HB3	1.75	0.51
1:A:65:ARG:HB2	1:B:4:GLU:HG3	1.92	0.51
1:B:325:ASN:HD21	2:D:3:GLC:C1	2.24	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:VAL:C	1:A:282:ASN:OD1	2.54	0.51
1:B:447:LEU:HB2	1:B:505:VAL:HG11	1.92	0.51
1:A:275:VAL:O	1:A:276:SER:HB2	2.10	0.51
1:A:129:LYS:HG2	1:A:411:GLN:NE2	2.26	0.51
1:A:201:HIS:CE1	1:A:469:ARG:HH11	2.29	0.51
1:B:107:LYS:HE3	4:B:845:HOH:O	2.10	0.51
1:B:200:SER:O	1:B:203:LYS:HD2	2.11	0.50
1:B:504:ASN:HB2	4:B:751:HOH:O	2.11	0.50
1:B:332:HIS:HD2	1:B:367:GLN:OE1	1.94	0.50
1:B:219:LEU:HB3	1:B:220:PRO:HD3	1.93	0.50
1:B:228:GLU:O	1:B:232:ARG:HG2	2.12	0.50
1:A:574:ARG:NH1	1:A:574:ARG:HB2	2.27	0.50
1:B:47:SER:HB3	1:B:50:GLU:HG2	1.93	0.50
1:B:357:HIS:HD2	4:B:719:HOH:O	1.94	0.50
1:A:458:ILE:CD1	1:A:460:MET:HG3	2.42	0.50
1:A:522:THR:OG1	1:A:527:HIS:HD2	1.95	0.50
1:A:213:ASP:OD1	1:A:215:GLN:HG2	2.12	0.49
1:A:346:ASN:ND2	1:A:348:ASP:H	2.10	0.49
1:A:488:LYS:O	1:A:492:ARG:HG3	2.12	0.49
1:A:140:ARG:HH12	1:A:201:HIS:HB2	1.78	0.49
1:A:47:SER:HB3	1:A:50:GLU:HG3	1.95	0.49
1:A:382:ARG:HG3	1:A:388:GLU:HB2	1.95	0.49
1:B:232:ARG:HG3	1:B:232:ARG:HH11	1.78	0.49
1:A:82:TYR:N	1:A:110:VAL:CG2	2.76	0.48
1:A:281:THR:HG22	1:A:283:TYR:H	1.77	0.48
1:A:162:PRO:HB3	1:A:168:TYR:CE2	2.48	0.48
1:A:323:ARG:HD2	1:A:372:MET:SD	2.54	0.48
1:B:248:GLN:HB2	4:B:783:HOH:O	2.12	0.48
1:A:448:GLY:O	1:A:494:ARG:NH2	2.47	0.48
1:A:255:VAL:HG12	1:A:275:VAL:HG21	1.95	0.48
1:A:68:TYR:CD2	1:A:403:MET:HG3	2.49	0.48
1:A:585:ARG:HB3	1:A:585:ARG:NH1	2.17	0.48
1:B:82:TYR:N	1:B:110:VAL:HG22	2.29	0.47
1:B:158:LYS:HG2	1:B:478:GLU:OE2	2.14	0.47
1:B:277:LYS:HD3	1:B:277:LYS:C	2.39	0.47
1:A:505:VAL:HG22	1:A:521:ARG:CD	2.44	0.47
1:A:193:THR:HB	1:A:194:PRO:CD	2.45	0.47
1:A:179:LEU:N	1:A:180:PRO:CD	2.78	0.47
1:B:277:LYS:HD3	1:B:277:LYS:O	2.14	0.47
1:A:82:TYR:C	1:A:110:VAL:HG23	2.40	0.47
1:A:326:VAL:HG12	1:A:329:GLU:HB2	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:293:MET:HE2	2:C:4:GLC:H62	1.95	0.47
1:B:393:ARG:HG3	1:B:393:ARG:NH2	2.29	0.47
1:B:477:LYS:NZ	1:B:477:LYS:HB3	2.30	0.47
1:B:547:GLU:CG	1:B:551:LYS:HE2	2.45	0.47
1:A:275:VAL:O	1:A:275:VAL:CG1	2.63	0.47
1:B:223:ARG:HH21	1:B:223:ARG:HG3	1.80	0.47
1:A:464:THR:O	1:A:465:ASP:C	2.59	0.46
1:A:2:LEU:HD12	1:A:30:LYS:CD	2.45	0.46
1:A:77:THR:O	1:A:78:LYS:HB2	2.16	0.46
1:A:140:ARG:NH2	4:A:751:HOH:O	2.48	0.46
1:B:276:SER:HB2	1:B:283:TYR:HE2	1.80	0.46
1:A:217:GLY:HA2	4:A:745:HOH:O	2.16	0.46
1:B:127:TRP:CG	1:B:235:LYS:HE3	2.51	0.46
1:B:504:ASN:HD21	1:B:522:THR:HB	1.80	0.46
1:A:197:ALA:HB3	1:A:208:ASP:HB3	1.97	0.46
1:B:173:LYS:NZ	4:B:789:HOH:O	2.48	0.46
1:B:277:LYS:O	1:B:278:THR:HG23	2.16	0.46
1:B:381:ILE:O	1:B:385:ALA:HB3	2.16	0.46
1:B:27:LEU:HD23	1:B:27:LEU:C	2.41	0.46
1:A:40:LEU:N	1:A:40:LEU:HD22	2.31	0.46
1:A:232:ARG:NE	4:A:896:HOH:O	2.41	0.45
1:A:330:VAL:HG22	1:A:335:TRP:CE2	2.51	0.45
1:A:475:GLU:O	1:A:479:GLN:HG3	2.16	0.45
1:A:488:LYS:NZ	1:A:488:LYS:HB3	2.30	0.45
1:B:377:ARG:O	1:B:380:VAL:HG22	2.17	0.45
1:B:402:ARG:HG2	1:B:403:MET:HE2	1.98	0.45
1:A:136:ILE:O	1:A:138:PRO:HD3	2.16	0.45
1:A:244:HIS:CD2	1:A:286:PHE:HB2	2.51	0.45
1:A:416:LEU:H	1:A:416:LEU:CD2	2.29	0.45
1:B:118:ARG:NH1	4:B:786:HOH:O	2.49	0.45
1:A:569:LEU:HG	1:A:571:LEU:CD1	2.42	0.45
1:A:27:LEU:C	1:A:27:LEU:HD23	2.41	0.45
1:A:271:GLU:HG2	1:A:282:ASN:O	2.17	0.45
1:A:444:MET:O	1:A:494:ARG:NH1	2.45	0.45
1:B:191:TYR:CE1	1:B:323:ARG:HG3	2.52	0.45
1:A:223:ARG:HD3	1:A:317:GLN:OE1	2.17	0.45
1:B:132:VAL:HG11	1:B:491:ILE:HD12	1.99	0.45
1:A:585:ARG:HH11	1:A:585:ARG:CB	2.18	0.45
1:B:133:ILE:HD13	1:B:189:ALA:HB3	1.99	0.45
1:B:223:ARG:HB3	1:B:223:ARG:CZ	2.46	0.45
1:B:535:ARG:HD3	1:B:539:GLN:NE2	2.32	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:129:LYS:CB	1:A:411:GLN:OE1	2.65	0.44
1:B:133:ILE:CD1	1:B:189:ALA:HB3	2.47	0.44
1:B:416:LEU:H	1:B:416:LEU:CD2	2.31	0.44
1:B:138:PRO:HD2	1:B:193:THR:OG1	2.18	0.44
1:B:447:LEU:HB2	1:B:505:VAL:HG13	2.00	0.44
1:B:251:ALA:O	1:B:255:VAL:HG23	2.17	0.44
1:B:298:THR:HB	1:B:334:PHE:CD2	2.52	0.44
1:A:323:ARG:HH12	1:A:325:ASN:HD22	1.65	0.44
1:B:232:ARG:HG3	1:B:232:ARG:NH1	2.32	0.44
1:B:272:ASP:OD2	1:B:282:ASN:ND2	2.50	0.44
1:B:280:ARG:HA	1:B:280:ARG:HD2	1.87	0.44
1:A:280:ARG:O	1:A:280:ARG:HG3	2.18	0.43
1:B:491:ILE:O	1:B:495:HIS:ND1	2.51	0.43
1:A:504:ASN:HD21	1:A:522:THR:HB	1.83	0.43
1:A:524:GLN:HB3	1:A:525:ASP:H	1.58	0.43
1:B:582:TRP:CZ2	1:B:584:GLY:HA2	2.53	0.43
1:A:81:LYS:HB2	1:A:110:VAL:HG21	1.99	0.43
1:B:382:ARG:HA	1:B:386:THR:OG1	2.19	0.43
1:B:438:LEU:CD2	1:B:532:LEU:HD22	2.48	0.43
1:A:105:ARG:HG2	1:A:105:ARG:HH21	1.83	0.43
1:A:223:ARG:HA	1:A:223:ARG:NE	2.33	0.43
1:A:332:HIS:HE1	4:B:906:HOH:O	2.02	0.43
1:A:381:ILE:HD13	1:A:425:PHE:CE1	2.53	0.43
1:A:273:PHE:HA	1:A:274:PRO:C	2.44	0.43
1:A:477:LYS:N	1:A:477:LYS:CD	2.81	0.43
1:B:227:ASP:O	1:B:231:ARG:HG2	2.18	0.43
1:B:275:VAL:HG12	1:B:276:SER:N	2.34	0.43
1:A:107:LYS:HD3	4:A:947:HOH:O	2.18	0.43
1:A:110:VAL:HG22	1:A:111:PHE:O	2.19	0.42
1:A:346:ASN:C	1:A:346:ASN:ND2	2.77	0.42
1:A:411:GLN:NE2	1:A:411:GLN:C	2.78	0.42
1:A:478:GLU:OE2	1:A:478:GLU:HA	2.20	0.42
1:B:269:PHE:HB2	1:B:284:GLU:HB3	2.01	0.42
1:A:518:ALA:HA	1:A:530:VAL:O	2.19	0.42
1:B:293:MET:HE2	2:D:5:GLC:C1	2.49	0.42
1:B:565:LYS:HE3	4:B:831:HOH:O	2.19	0.42
1:A:330:VAL:CG2	1:A:335:TRP:CE2	3.03	0.42
1:B:8:HIS:CE1	1:B:25:VAL:HG13	2.55	0.42
1:B:178:ARG:HG3	1:B:474:TRP:CZ2	2.55	0.42
1:A:82:TYR:O	1:A:110:VAL:HG23	2.19	0.42
1:A:499:SER:OG	1:A:526:GLN:HG2	2.20	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:191:TYR:CD1	1:B:191:TYR:C	2.96	0.42
1:B:458:ILE:HD12	1:B:479:GLN:HG2	2.01	0.42
1:B:523:VAL:O	1:B:523:VAL:HG13	2.19	0.42
1:A:308:PHE:O	1:A:312:ARG:HG3	2.20	0.42
1:A:325:ASN:HD21	2:C:3:GLC:C1	2.33	0.42
1:B:24:ARG:HG3	1:B:407:GLU:OE1	2.19	0.42
1:B:217:GLY:HA2	4:B:867:HOH:O	2.20	0.42
1:A:107:LYS:HE2	1:A:107:LYS:HB3	1.86	0.42
1:A:240:ALA:HB2	1:A:322:TRP:CE3	2.55	0.42
1:A:12:GLY:HA2	1:A:364:MET:SD	2.60	0.41
1:B:277:LYS:O	1:B:278:THR:OG1	2.23	0.41
1:A:275:VAL:O	1:A:282:ASN:OD1	2.38	0.41
1:A:335:TRP:HA	1:A:335:TRP:CE3	2.56	0.41
1:A:278:THR:HG23	1:A:291:PRO:CG	2.50	0.41
1:A:164:HIS:CE1	1:A:466:PRO:HD3	2.56	0.41
1:A:426:LEU:HD22	1:A:431:GLY:HA2	2.01	0.41
1:A:88:GLY:HA3	1:A:92:GLU:OE1	2.21	0.41
1:A:117:HIS:HB2	1:A:120:GLU:HG3	2.02	0.41
1:B:541:VAL:HG22	1:B:542:LEU:N	2.36	0.41
1:A:330:VAL:HG22	1:A:335:TRP:HE1	1.83	0.41
1:B:163:ARG:HH11	1:B:163:ARG:HG3	1.86	0.41
1:B:179:LEU:N	1:B:180:PRO:CD	2.83	0.41
1:B:543:LEU:HD12	1:B:543:LEU:N	2.35	0.41
1:B:192:PHE:O	1:B:239:ASP:HB2	2.21	0.41
1:B:280:ARG:HG3	1:B:280:ARG:O	2.21	0.41
1:A:332:HIS:HD2	1:A:367:GLN:OE1	2.04	0.41
1:A:574:ARG:CB	1:A:574:ARG:HH11	2.34	0.41
1:B:477:LYS:NZ	1:B:477:LYS:CB	2.84	0.41
1:A:1:MET:HB3	4:A:846:HOH:O	2.20	0.41
1:A:150:PRO:HG2	1:A:167:PHE:CD2	2.56	0.41
1:B:244:HIS:CD2	1:B:286:PHE:HB2	2.56	0.41
1:B:277:LYS:O	1:B:278:THR:CB	2.69	0.41
1:B:146:PRO:HA	1:B:149:ASP:OD1	2.21	0.40
1:B:280:ARG:O	1:B:281:THR:C	2.64	0.40
1:A:130:GLU:H	1:A:130:GLU:HG2	1.81	0.40
1:A:376:PHE:CE1	1:A:415:ASN:HB3	2.56	0.40
1:B:325:ASN:HB3	4:B:728:HOH:O	2.20	0.40
1:B:335:TRP:HA	1:B:335:TRP:CE3	2.56	0.40
1:B:400:ARG:HG3	1:B:400:ARG:NH2	2.37	0.40
1:A:30:LYS:O	1:A:33:ASP:HB2	2.22	0.40
1:A:573:LEU:CD1	1:A:579:MET:HG3	2.51	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:282:ASN:OD1	1:B:282:ASN:O	2.39	0.40
1:B:475:GLU:HG2	4:B:846:HOH:O	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	583/585 (100%)	556 (95%)	24 (4%)	3 (0%)	24	27
1	B	583/585 (100%)	556 (95%)	22 (4%)	5 (1%)	14	14
All	All	1166/1170 (100%)	1112 (95%)	46 (4%)	8 (1%)	18	19

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	279	SER
1	B	275	VAL
1	B	278	THR
1	A	275	VAL
1	B	281	THR
1	B	547	GLU
1	B	280	ARG
1	A	276	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	493/493 (100%)	469 (95%)	24 (5%)	22	29
1	B	493/493 (100%)	471 (96%)	22 (4%)	24	33
All	All	986/986 (100%)	940 (95%)	46 (5%)	23	31

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	GLU
1	A	73	LEU
1	A	85	LEU
1	A	219	LEU
1	A	263	ARG
1	A	276	SER
1	A	277	LYS
1	A	279	SER
1	A	330	VAL
1	A	382	ARG
1	A	398	LEU
1	A	400	ARG
1	A	404	LEU
1	A	413	LEU
1	A	426	LEU
1	A	444	MET
1	A	466	PRO
1	A	483	LEU
1	A	504	ASN
1	A	535	ARG
1	A	571	LEU
1	A	573	LEU
1	A	581	LEU
1	A	585	ARG
1	B	24	ARG
1	B	158	LYS
1	B	190	LEU
1	B	248	GLN
1	B	261	GLN
1	B	281	THR
1	B	323	ARG
1	B	328	ASN
1	B	398	LEU
1	B	400	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	438	LEU
1	B	451	LEU
1	B	466	PRO
1	B	470	ARG
1	B	477	LYS
1	B	504	ASN
1	B	524	GLN
1	B	542	LEU
1	B	552	THR
1	B	565	LYS
1	B	569	LEU
1	B	573	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	22	GLN
1	A	54	HIS
1	A	90	GLN
1	A	135	GLN
1	A	164	HIS
1	A	201	HIS
1	A	244	HIS
1	A	261	GLN
1	A	325	ASN
1	A	332	HIS
1	A	346	ASN
1	A	367	GLN
1	A	390	HIS
1	A	443	GLN
1	A	504	ASN
1	A	527	HIS
1	B	135	GLN
1	B	215	GLN
1	B	257	GLN
1	B	261	GLN
1	B	282	ASN
1	B	289	GLN
1	B	328	ASN
1	B	332	HIS
1	B	357	HIS

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	B	367	GLN
1	B	411	GLN
1	B	504	ASN
1	B	509	HIS
1	B	524	GLN
1	B	527	HIS
1	B	533	ASN
1	B	539	GLN
1	B	568	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GLC	C	1	2	12,12,12	0.45	0	17,17,17	0.36	0
2	GLC	C	2	2	11,11,12	0.65	0	15,15,17	0.66	1 (6%)
2	GLC	C	3	2	11,11,12	0.72	0	15,15,17	1.49	2 (13%)
2	GLC	C	4	2	11,11,12	0.51	0	15,15,17	0.65	0
2	GLC	C	5	2	11,11,12	0.46	0	15,15,17	0.56	0
2	GLC	C	6	2	11,11,12	0.49	0	15,15,17	0.53	0
2	GLC	D	1	2	12,12,12	0.39	0	17,17,17	0.34	0
2	GLC	D	2	2	11,11,12	0.58	0	15,15,17	0.71	1 (6%)
2	GLC	D	3	2	11,11,12	0.51	0	15,15,17	1.06	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GLC	D	4	2	11,11,12	0.56	0	15,15,17	0.59	0
2	GLC	D	5	2	11,11,12	0.46	0	15,15,17	0.50	0
2	GLC	D	6	2	11,11,12	0.49	0	15,15,17	0.60	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	1/2/22/22	0/1/1/1
2	GLC	C	2	2	-	0/2/19/22	0/1/1/1
2	GLC	C	3	2	-	1/2/19/22	0/1/1/1
2	GLC	C	4	2	-	0/2/19/22	0/1/1/1
2	GLC	C	5	2	-	0/2/19/22	0/1/1/1
2	GLC	C	6	2	-	0/2/19/22	0/1/1/1
2	GLC	D	1	2	-	2/2/22/22	0/1/1/1
2	GLC	D	2	2	-	0/2/19/22	0/1/1/1
2	GLC	D	3	2	-	2/2/19/22	0/1/1/1
2	GLC	D	4	2	-	0/2/19/22	0/1/1/1
2	GLC	D	5	2	-	0/2/19/22	0/1/1/1
2	GLC	D	6	2	-	0/2/19/22	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3	GLC	C1-O5-C5	3.89	117.41	112.19
2	D	3	GLC	C1-O5-C5	2.65	115.74	112.19
2	C	3	GLC	C1-C2-C3	-2.37	106.19	109.64
2	C	2	GLC	C1-O5-C5	2.20	115.13	112.19
2	D	2	GLC	C1-O5-C5	2.15	115.07	112.19
2	D	3	GLC	C1-C2-C3	-2.03	106.69	109.64
2	D	6	GLC	C1-O5-C5	2.02	114.90	112.19

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	3	GLC	O5-C5-C6-O6

*Continued on next page...*

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	1	GLC	C4-C5-C6-O6
2	D	1	GLC	O5-C5-C6-O6
2	D	3	GLC	C4-C5-C6-O6
2	C	3	GLC	O5-C5-C6-O6
2	C	1	GLC	C4-C5-C6-O6


There are no ring outliers.

5 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	4	GLC	3	0
2	C	3	GLC	1	0
2	D	4	GLC	3	0
2	D	5	GLC	1	0
2	D	3	GLC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	585/585 (100%)	0.03	22 (3%) 44 41	18, 28, 48, 96	0
1	B	585/585 (100%)	0.06	24 (4%) 41 38	19, 29, 51, 106	0
All	All	1170/1170 (100%)	0.05	46 (3%) 43 40	18, 28, 49, 106	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	273	PHE	7.3
1	B	275	VAL	6.5
1	A	279	SER	6.3
1	A	275	VAL	6.3
1	B	274	PRO	5.9
1	B	278	THR	5.5
1	B	277	LYS	5.4
1	B	279	SER	5.2
1	B	276	SER	5.2
1	B	272	ASP	5.0
1	A	272	ASP	4.8
1	A	274	PRO	4.6
1	A	278	THR	4.1
1	A	277	LYS	4.1
1	A	273	PHE	4.0
1	B	280	ARG	3.9
1	A	276	SER	3.9
1	B	513	GLN	3.6
1	A	375	LEU	3.4
1	A	281	THR	3.2
1	B	281	THR	3.2
1	A	280	ARG	3.1
1	B	282	ASN	3.0
1	B	270	ILE	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	513	GLN	2.9
1	A	64	GLU	2.8
1	B	2	LEU	2.7
1	B	164	HIS	2.7
1	A	253	ARG	2.7
1	A	159	ASP	2.6
1	A	282	ASN	2.5
1	A	49	GLU	2.4
1	A	411	GLN	2.3
1	B	51	GLU	2.3
1	B	232	ARG	2.3
1	B	495	HIS	2.2
1	B	93	ALA	2.2
1	A	155	GLN	2.2
1	A	548	SER	2.2
1	B	524	GLN	2.1
1	B	118	ARG	2.1
1	B	49	GLU	2.1
1	B	585	ARG	2.1
1	B	271	GLU	2.0
1	A	248	GLN	2.0
1	A	270	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	GLC	D	6	11/12	0.71	0.17	56,59,60,61	0
2	GLC	C	6	11/12	0.80	0.13	48,52,54,55	0
2	GLC	D	1	12/12	0.81	0.15	46,51,54,54	0
2	GLC	C	3	11/12	0.84	0.13	24,28,31,42	0
2	GLC	D	3	11/12	0.85	0.12	28,32,36,46	0
2	GLC	D	2	11/12	0.88	0.12	37,43,47,52	0


*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GLC	C	5	11/12	0.89	0.10	30,35,40,46	0
2	GLC	C	1	12/12	0.89	0.10	36,42,45,47	0
2	GLC	D	5	11/12	0.91	0.09	37,39,42,43	0
2	GLC	D	4	11/12	0.95	0.07	30,30,32,36	0
2	GLC	C	4	11/12	0.95	0.07	26,28,30,31	0
2	GLC	C	2	11/12	0.95	0.07	31,34,37,43	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	CA	B	602	1/1	0.99	0.03	34,34,34,34	0
3	CA	A	601	1/1	1.00	0.02	26,26,26,26	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.