



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 06:27 AM UTC

PDB ID : 3VBN / pdb_00003vbn
Title : Crystal Structure of the D94A mutant of AntD, an N-acyltransferase from Bacillus cereus in complex with dTDP and Coenzyme A
Authors : Kubiak, R.L.; Holden, H.M.
Deposited on : 2012-01-02
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	5829 (2.50-2.50)
Clashscore	190562	6492 (2.50-2.50)
Ramachandran outliers	187476	6378 (2.50-2.50)
Sidechain outliers	187428	6380 (2.50-2.50)
RSRZ outliers	180081	5833 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	205	
1	C	205	
1	E	205	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4593 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Galactoside O-acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	186	Total	C	N	O	S	0	1	0
			1437	931	238	261	7			
1	C	187	Total	C	N	O	S	0	0	0
			1441	931	240	264	6			
1	E	186	Total	C	N	O	S	0	0	0
			1434	929	238	260	7			

There are 54 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-16	MET	-	expression tag	UNP D7WGJ0
A	-15	GLY	-	expression tag	UNP D7WGJ0
A	-14	SER	-	expression tag	UNP D7WGJ0
A	-13	HIS	-	expression tag	UNP D7WGJ0
A	-12	HIS	-	expression tag	UNP D7WGJ0
A	-11	HIS	-	expression tag	UNP D7WGJ0
A	-10	HIS	-	expression tag	UNP D7WGJ0
A	-9	HIS	-	expression tag	UNP D7WGJ0
A	-8	HIS	-	expression tag	UNP D7WGJ0
A	-7	GLU	-	expression tag	UNP D7WGJ0
A	-6	ASN	-	expression tag	UNP D7WGJ0
A	-5	LEU	-	expression tag	UNP D7WGJ0
A	-4	TYR	-	expression tag	UNP D7WGJ0
A	-3	PHE	-	expression tag	UNP D7WGJ0
A	-2	GLN	-	expression tag	UNP D7WGJ0
A	-1	GLY	-	expression tag	UNP D7WGJ0
A	0	HIS	-	expression tag	UNP D7WGJ0
A	94	ALA	ASP	engineered mutation	UNP D7WGJ0
C	-16	MET	-	expression tag	UNP D7WGJ0
C	-15	GLY	-	expression tag	UNP D7WGJ0
C	-14	SER	-	expression tag	UNP D7WGJ0
C	-13	HIS	-	expression tag	UNP D7WGJ0
C	-12	HIS	-	expression tag	UNP D7WGJ0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-11	HIS	-	expression tag	UNP D7WGJ0
C	-10	HIS	-	expression tag	UNP D7WGJ0
C	-9	HIS	-	expression tag	UNP D7WGJ0
C	-8	HIS	-	expression tag	UNP D7WGJ0
C	-7	GLU	-	expression tag	UNP D7WGJ0
C	-6	ASN	-	expression tag	UNP D7WGJ0
C	-5	LEU	-	expression tag	UNP D7WGJ0
C	-4	TYR	-	expression tag	UNP D7WGJ0
C	-3	PHE	-	expression tag	UNP D7WGJ0
C	-2	GLN	-	expression tag	UNP D7WGJ0
C	-1	GLY	-	expression tag	UNP D7WGJ0
C	0	HIS	-	expression tag	UNP D7WGJ0
C	94	ALA	ASP	engineered mutation	UNP D7WGJ0
E	-16	MET	-	expression tag	UNP D7WGJ0
E	-15	GLY	-	expression tag	UNP D7WGJ0
E	-14	SER	-	expression tag	UNP D7WGJ0
E	-13	HIS	-	expression tag	UNP D7WGJ0
E	-12	HIS	-	expression tag	UNP D7WGJ0
E	-11	HIS	-	expression tag	UNP D7WGJ0
E	-10	HIS	-	expression tag	UNP D7WGJ0
E	-9	HIS	-	expression tag	UNP D7WGJ0
E	-8	HIS	-	expression tag	UNP D7WGJ0
E	-7	GLU	-	expression tag	UNP D7WGJ0
E	-6	ASN	-	expression tag	UNP D7WGJ0
E	-5	LEU	-	expression tag	UNP D7WGJ0
E	-4	TYR	-	expression tag	UNP D7WGJ0
E	-3	PHE	-	expression tag	UNP D7WGJ0
E	-2	GLN	-	expression tag	UNP D7WGJ0
E	-1	GLY	-	expression tag	UNP D7WGJ0
E	0	HIS	-	expression tag	UNP D7WGJ0
E	94	ALA	ASP	engineered mutation	UNP D7WGJ0

- Molecule 2 is COENZYME A (CCD ID: COA) (formula: $C_{21}H_{36}N_7O_{16}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
2	E	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 3 is THYMIDINE-5'-DIPHOSPHATE (CCD ID: TYD) (formula: C₁₀H₁₆N₂O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	C	1	Total	C	N	O	P	0	0
			25	10	2	11	2		
3	E	1	Total	C	N	O	P	0	0
			25	10	2	11	2		

- Molecule 4 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Cl	0	0
			1	1		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	21	Total	O	0	0
			21	21		
5	C	18	Total	O	0	0
			18	18		
5	E	22	Total	O	0	0
			22	22		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Galactoside O-acetyltransferase

Chain A: 




• Molecule 1: Galactoside O-acetyltransferase

Chain C: 



• Molecule 1: Galactoside O-acetyltransferase

Chain E: 



4 Data and refinement statistics

Property	Value	Source
Space group	P 41	Depositor
Cell constants a, b, c, α , β , γ	71.08Å 71.08Å 137.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.60 – 2.50 40.60 – 2.50	Depositor EDS
% Data completeness (in resolution range)	94.5 (40.60-2.50) 94.8 (40.60-2.50)	Depositor EDS
R_{merge}	0.15	Depositor
R_{sym}	0.15	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.56 (at 2.51Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.196 , 0.277 0.193 , 0.271	Depositor DCC
R_{free} test set	1167 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	24.3	Xtriage
Anisotropy	0.221	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 31.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.061 for h,-k,-l	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4593	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.59% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: CL, TYD, COA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.69	0/1466	1.37	7/1976 (0.4%)
1	C	0.64	0/1467	1.36	7/1977 (0.4%)
1	E	0.63	0/1460	1.39	13/1968 (0.7%)
All	All	0.65	0/4393	1.37	27/5921 (0.5%)

There are no bond length outliers.

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	13	ILE	N-CA-C	-8.62	104.92	111.90
1	A	74	GLY	N-CA-C	8.23	123.05	112.68
1	E	133	PHE	CA-C-N	-7.95	112.65	120.52
1	E	133	PHE	C-N-CA	-7.95	112.65	120.52
1	A	106	ILE	N-CA-C	7.45	116.12	107.77
1	A	102	MET	N-CA-C	7.26	120.10	109.07
1	E	102	MET	N-CA-C	6.65	119.17	109.07
1	A	103	GLY	CA-C-N	6.17	125.66	119.24
1	A	103	GLY	C-N-CA	6.17	125.66	119.24
1	C	142	VAL	CB-CA-C	-5.91	102.28	111.26
1	C	98	GLY	N-CA-C	-5.88	106.99	115.27
1	E	167	LYS	CD-CE-NZ	-5.65	93.82	111.90
1	C	72	GLU	N-CA-C	-5.62	103.94	112.04
1	C	171	ARG	N-CA-C	-5.59	100.58	109.96
1	E	183	LEU	N-CA-C	-5.53	105.33	111.36
1	E	165	VAL	CB-CA-C	-5.52	104.12	111.13
1	E	139	GLY	CA-C-N	-5.34	113.12	120.71
1	E	139	GLY	C-N-CA	-5.34	113.12	120.71
1	A	100	ALA	N-CA-C	5.29	117.12	108.76
1	A	175	ILE	CB-CA-C	-5.27	104.36	112.05
1	C	10	LEU	N-CA-C	5.26	116.82	111.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	74	GLY	N-CA-C	5.25	119.48	112.65
1	E	127	GLY	N-CA-C	-5.25	104.60	112.89
1	C	143	ALA	CA-C-N	-5.16	116.79	123.19
1	C	143	ALA	C-N-CA	-5.16	116.79	123.19
1	E	130	SER	N-CA-C	5.06	118.32	110.17
1	E	179	GLU	N-CA-C	-5.04	105.67	111.07

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1437	0	1496	41	0
1	C	1441	0	1490	40	0
1	E	1434	0	1491	49	0
2	A	48	0	32	3	0
2	C	48	0	32	0	0
2	E	48	0	32	2	0
3	A	25	0	13	0	0
3	C	25	0	13	0	0
3	E	25	0	13	1	0
4	A	1	0	0	1	0
5	A	21	0	0	0	0
5	C	18	0	0	1	0
5	E	22	0	0	2	0
All	All	4593	0	4612	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:125:ILE:HD13	1:E:102:MET:HE1	1.47	0.97

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:175:ILE:HG22	1:C:101:LEU:HD23	1.56	0.87
1:E:147:MET:HE3	5:E:201:HOH:O	1.76	0.86
1:A:175:ILE:HG22	1:C:101:LEU:CD2	2.08	0.83
1:E:93:ILE:HG12	1:E:134:PRO:CD	2.11	0.80
1:A:29:SER:HB3	1:A:31:TYR:CE2	2.21	0.76
1:A:133:PHE:HB3	1:A:134:PRO:CD	2.14	0.76
1:E:141:GLY:O	1:E:171:ARG:HD3	1.86	0.75
1:A:175:ILE:CG2	1:C:101:LEU:HD23	2.20	0.71
1:A:98:GLY:O	1:E:175:ILE:HG23	1.91	0.70
1:C:73:VAL:HG21	1:C:115:THR:CG2	2.20	0.70
1:E:53:LYS:HB3	1:E:74:GLY:CA	2.21	0.70
1:A:157:TRP:CZ3	1:A:175:ILE:CD1	2.76	0.68
1:A:157:TRP:HZ3	1:A:175:ILE:CD1	2.05	0.68
1:E:93:ILE:HG22	2:E:189:COA:H22	1.74	0.68
1:A:157:TRP:HZ3	1:A:175:ILE:HD11	1.60	0.67
1:A:93:ILE:HG22	2:A:189:COA:H22	1.76	0.67
1:C:126:ILE:HA	1:C:144:VAL:HG22	1.77	0.67
1:E:53:LYS:HB3	1:E:74:GLY:HA2	1.79	0.65
1:E:78:TYR:CE2	1:E:121:LYS:HG2	2.31	0.64
1:A:29:SER:HB3	1:A:31:TYR:HE2	1.60	0.64
1:E:133:PHE:HB3	1:E:134:PRO:CD	2.27	0.64
1:E:7:GLN:HA	1:E:10:LEU:HD12	1.80	0.63
1:E:93:ILE:HG12	1:E:134:PRO:HD3	1.81	0.63
1:C:53:LYS:O	1:C:74:GLY:HA2	1.99	0.62
1:A:38:ILE:HG23	1:A:42:VAL:HG21	1.81	0.61
1:A:133:PHE:HB3	1:A:134:PRO:HD2	1.83	0.60
1:C:141:GLY:O	1:C:171:ARG:HG2	2.01	0.59
1:C:149:MET:HE3	1:C:151:LYS:HD3	1.84	0.58
1:E:23:LEU:O	1:E:43:ARG:HA	2.04	0.58
1:E:15:PHE:O	1:E:17:SER:N	2.38	0.57
1:E:15:PHE:C	1:E:17:SER:N	2.61	0.57
1:C:125:ILE:CD1	1:E:102:MET:HE1	2.30	0.56
1:C:73:VAL:HG21	1:C:115:THR:HG22	1.87	0.56
1:A:62:ILE:HD11	1:A:77:MET:HE1	1.89	0.55
1:C:133:PHE:HB3	1:C:134:PRO:CD	2.37	0.55
1:C:73:VAL:HG21	1:C:115:THR:HG23	1.89	0.54
1:A:175:ILE:HG22	1:C:101:LEU:HD21	1.87	0.54
1:C:86:ARG:HD3	1:E:86:ARG:HG2	1.88	0.54
1:E:133:PHE:HD2	1:E:151:LYS:HG2	1.73	0.54
1:C:15:PHE:O	1:C:16:LEU:C	2.50	0.53
1:A:157:TRP:CZ3	1:A:175:ILE:HD13	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:GLU:OE2	1:C:117:LYS:NZ	2.42	0.52
1:E:180:ASN:O	1:E:181:GLU:C	2.52	0.52
1:A:19:GLY:HA3	1:A:39:GLY:O	2.10	0.52
1:A:160:TYR:HB3	1:A:165:VAL:HB	1.91	0.52
1:A:36:ILE:HA	1:A:54:VAL:O	2.10	0.52
1:E:15:PHE:O	1:E:16:LEU:C	2.54	0.51
1:C:133:PHE:CE2	1:C:151:LYS:HD2	2.46	0.51
1:C:3:SER:HB2	1:E:31:TYR:OH	2.11	0.50
1:A:133:PHE:HB3	1:A:134:PRO:HD3	1.93	0.50
1:E:93:ILE:HG12	1:E:134:PRO:CG	2.41	0.50
1:E:80:PHE:HB3	1:E:123:HIS:ND1	2.27	0.49
1:A:86:ARG:HH21	1:C:88:ILE:HG13	1.76	0.49
1:C:128:ALA:O	1:C:129:HIS:HB2	2.13	0.49
1:C:32:ASN:N	1:C:33:PRO:CD	2.76	0.48
1:E:168:ILE:O	1:E:169:LYS:HB3	2.14	0.48
1:E:175:ILE:HA	1:E:178:LEU:HD12	1.95	0.48
1:E:102:MET:HB2	1:E:102:MET:HE2	1.49	0.48
1:E:36:ILE:HA	1:E:54:VAL:O	2.13	0.47
1:E:70:GLY:O	1:E:71:GLY:C	2.56	0.47
1:E:90:TYR:CZ	2:E:189:COA:H21	2.49	0.47
1:C:93:ILE:HG12	1:C:134:PRO:HG2	1.97	0.47
1:C:133:PHE:HB3	1:C:134:PRO:HD2	1.97	0.47
1:A:91:ALA:O	1:A:134:PRO:HB3	2.15	0.46
1:A:156:ASP:HB3	1:A:157:TRP:CD1	2.51	0.46
1:A:157:TRP:CZ3	1:A:175:ILE:HD11	2.43	0.46
1:A:172:LYS:O	1:A:175:ILE:HD11	2.15	0.46
1:C:10:LEU:HA	1:C:13:ILE:HD12	1.96	0.46
1:E:86:ARG:HD2	1:E:129:HIS:CD2	2.50	0.46
1:C:87:THR:CG2	1:C:88:ILE:N	2.79	0.46
1:E:160:TYR:HB3	1:E:165:VAL:HB	1.98	0.46
1:E:79:ASP:O	1:E:80:PHE:HB2	2.15	0.45
1:A:79:ASP:O	1:A:80:PHE:HB2	2.16	0.45
1:E:2:ASN:HB3	3:E:301:TYD:H2'1	1.99	0.45
1:E:121:LYS:O	1:E:122:LYS:C	2.58	0.45
1:A:157:TRP:CH2	1:A:175:ILE:HD13	2.52	0.45
1:A:108:ASN:HA	1:A:111:LYS:HE2	1.99	0.45
1:E:53:LYS:HB3	1:E:74:GLY:HA3	1.98	0.44
1:E:58:SER:O	1:E:59:TYR:HB2	2.18	0.44
1:C:86:ARG:NH2	1:E:65:TYR:O	2.48	0.44
1:C:73:VAL:CG2	1:C:115:THR:CG2	2.93	0.44
1:E:20:LYS:HA	5:E:191:HOH:O	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:190:CL:CL	1:E:86:ARG:NH1	2.88	0.43
1:C:126:ILE:HD12	1:C:132:ILE:HD11	2.00	0.43
1:C:63:ALA:HB3	1:C:85:SER:N	2.34	0.43
1:E:53:LYS:O	1:E:74:GLY:HA2	2.18	0.43
1:E:63:ALA:HB3	1:E:85:SER:N	2.33	0.43
1:C:45:ASP:OD2	1:C:61:HIS:NE2	2.46	0.43
1:C:174:LYS:HB3	1:E:99:ASN:HA	2.01	0.43
1:A:128:ALA:O	1:A:129:HIS:HB2	2.19	0.43
1:A:2:ASN:OD1	1:A:2:ASN:C	2.62	0.43
1:A:106:ILE:HA	1:A:107:PRO:HD2	1.80	0.42
1:C:133:PHE:HE2	1:C:151:LYS:HD2	1.84	0.42
1:E:117:LYS:HE2	1:E:119:ILE:HD11	2.00	0.42
1:A:10:LEU:HA	1:A:13:ILE:HD12	2.02	0.42
1:A:70:GLY:HA2	1:A:75:ILE:HD12	2.01	0.42
1:C:78:TYR:N	1:C:78:TYR:CD1	2.87	0.42
2:A:189:COA:H8A	2:A:189:COA:O5B	2.18	0.42
1:E:106:ILE:HG22	1:E:107:PRO:O	2.19	0.42
1:E:15:PHE:C	1:E:17:SER:H	2.24	0.42
1:A:9:GLU:HA	1:A:12:LYS:HE2	2.02	0.42
1:C:122:LYS:HB2	5:C:196:HOH:O	2.19	0.42
1:E:86:ARG:HH11	1:E:86:ARG:HG3	1.85	0.42
1:A:10:LEU:HD11	1:A:22:VAL:O	2.20	0.42
1:E:108:ASN:HA	1:E:111:LYS:HE2	2.01	0.41
1:E:20:LYS:N	1:E:40:ASN:OD1	2.43	0.41
1:A:121:LYS:HB2	1:A:140:GLU:HA	2.02	0.41
1:A:101:LEU:HB2	1:A:106:ILE:HG21	2.02	0.41
1:A:172:LYS:HB2	1:C:98:GLY:C	2.45	0.41
1:C:79:ASP:O	1:C:80:PHE:HB2	2.21	0.41
1:E:36:ILE:HG12	1:E:54:VAL:HB	2.03	0.41
1:A:133:PHE:HD2	1:A:151:LYS:HG2	1.86	0.41
1:C:163:VAL:HA	1:C:164:PRO:HA	1.90	0.40
1:A:93:ILE:CG2	2:A:189:COA:H22	2.49	0.40
1:C:109:GLN:H	1:C:109:GLN:HG3	1.48	0.40
1:C:87:THR:HG22	1:C:88:ILE:N	2.35	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	185/205 (90%)	171 (92%)	13 (7%)	1 (0%)	24	43
1	C	185/205 (90%)	165 (89%)	19 (10%)	1 (0%)	24	43
1	E	184/205 (90%)	153 (83%)	24 (13%)	7 (4%)	2	3
All	All	554/615 (90%)	489 (88%)	56 (10%)	9 (2%)	7	14

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	16	LEU
1	E	19	GLY
1	E	113	VAL
1	E	71	GLY
1	E	156	ASP
1	C	16	LEU
1	E	117	LYS
1	A	57	GLY
1	E	18	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	157/173 (91%)	145 (92%)	12 (8%)	12	26
1	C	157/173 (91%)	146 (93%)	11 (7%)	14	29
1	E	156/173 (90%)	147 (94%)	9 (6%)	18	38

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	470/519 (91%)	438 (93%)	32 (7%)	15	31

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	3	SER
1	A	8	GLU
1	A	11	LYS
1	A	32	ASN
1	A	37[A]	SER
1	A	37[B]	SER
1	A	58	SER
1	A	84	SER
1	A	144	VAL
1	A	175	ILE
1	A	184	LYS
1	C	7	GLN
1	C	18	VAL
1	C	37	SER
1	C	72	GLU
1	C	73	VAL
1	C	109	GLN
1	C	136	VAL
1	C	144	VAL
1	C	159	ILE
1	C	186	MET
1	C	188	SER
1	E	32	ASN
1	E	35	VAL
1	E	53	LYS
1	E	93	ILE
1	E	102	MET
1	E	107	PRO
1	E	122	LYS
1	E	140	GLU
1	E	152	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	41	ASN
1	C	2	ASN
1	C	21	ASN
1	C	32	ASN
1	C	41	ASN
1	C	109	GLN
1	C	180	ASN
1	E	32	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 1 is monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TYD	C	301	-	25,26,26	1.41	3 (12%)	38,40,40	2.11	9 (23%)
2	COA	E	189	-	47,50,50	0.92	2 (4%)	69,75,75	1.88	24 (34%)
3	TYD	A	301	-	25,26,26	1.35	3 (12%)	38,40,40	1.85	8 (21%)
2	COA	A	189	-	47,50,50	0.99	3 (6%)	69,75,75	1.89	21 (30%)
2	COA	C	189	-	47,50,50	0.92	3 (6%)	69,75,75	1.88	12 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TYD	E	301	-	25,26,26	1.36	3 (12%)	38,40,40	2.10	12 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TYD	C	301	-	-	1/16/28/28	0/2/2/2
2	COA	E	189	-	-	13/48/64/64	0/3/3/3
3	TYD	A	301	-	-	7/16/28/28	0/2/2/2
2	COA	A	189	-	-	11/48/64/64	0/3/3/3
2	COA	C	189	-	-	4/48/64/64	0/3/3/3
3	TYD	E	301	-	-	7/16/28/28	0/2/2/2

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	TYD	C6-C5	3.95	1.41	1.34
3	A	301	TYD	C6-C5	3.58	1.40	1.34
3	C	301	TYD	C4-C5	-3.41	1.39	1.44
3	E	301	TYD	C4-C5	-3.39	1.39	1.44
3	E	301	TYD	C6-C5	3.36	1.40	1.34
2	A	189	COA	C4A-N9A	-3.24	1.31	1.37
3	A	301	TYD	C4-C5	-3.17	1.39	1.44
2	A	189	COA	P1A-O3A	2.90	1.62	1.59
3	C	301	TYD	PA-O3A	2.69	1.62	1.59
2	E	189	COA	P1A-O3A	2.66	1.62	1.59
3	A	301	TYD	PA-O3A	2.53	1.62	1.59
2	C	189	COA	C8A-N9A	-2.51	1.33	1.37
2	A	189	COA	P2A-O3A	2.31	1.62	1.59
2	E	189	COA	C8A-N7A	2.13	1.35	1.31
2	C	189	COA	P1A-O3A	2.06	1.61	1.59
3	E	301	TYD	C6-N1	-2.06	1.34	1.38
2	C	189	COA	P2A-O3A	2.02	1.61	1.59

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	301	TYD	N3-C2-N1	6.02	122.73	114.89
3	C	301	TYD	N3-C2-N1	5.86	122.52	114.89

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	189	COA	N3A-C2A-N1A	-5.23	120.67	128.58
3	C	301	TYD	C6-N1-C2	-5.20	116.13	121.30
2	A	189	COA	O4B-C1B-N9A	-5.04	98.41	108.09
3	A	301	TYD	N3-C2-N1	4.96	121.35	114.89
2	C	189	COA	C5A-C4A-N3A	-4.90	119.97	126.72
2	C	189	COA	N9A-C8A-N7A	-4.85	107.05	113.94
2	C	189	COA	C4A-N9A-C8A	4.82	110.80	105.74
2	C	189	COA	N3A-C2A-N1A	-4.80	121.32	128.58
2	A	189	COA	CDP-CBP-CCP	-4.73	100.41	108.22
3	E	301	TYD	C4-N3-C2	-4.64	121.26	127.34
2	E	189	COA	N3A-C2A-N1A	-4.59	121.63	128.58
3	C	301	TYD	O4-C4-C5	-4.32	119.97	124.92
3	A	301	TYD	C4-N3-C2	-4.30	121.70	127.34
3	C	301	TYD	O4'-C1'-N1	4.26	115.42	107.86
2	E	189	COA	C5A-C4A-N3A	-4.19	120.94	126.72
3	E	301	TYD	O4'-C1'-N1	4.17	115.27	107.86
2	E	189	COA	C3P-N4P-C5P	4.15	130.56	122.82
3	E	301	TYD	C6-N1-C2	-4.09	117.23	121.30
2	A	189	COA	C4A-N9A-C8A	4.05	109.99	105.74
3	C	301	TYD	C4-N3-C2	-4.05	122.03	127.34
2	E	189	COA	N9A-C8A-N7A	-3.83	108.51	113.94
2	C	189	COA	N3A-C4A-N9A	3.75	133.55	127.17
2	A	189	COA	N9A-C8A-N7A	-3.69	108.70	113.94
3	A	301	TYD	C5-C4-N3	3.68	118.52	115.32
2	C	189	COA	C5A-N7A-C8A	3.68	109.23	103.45
3	A	301	TYD	O4'-C1'-N1	3.67	114.39	107.86
2	C	189	COA	C4A-C5A-N7A	-3.64	106.42	110.58
3	E	301	TYD	O2-C2-N3	-3.63	114.80	121.49
2	C	189	COA	C3P-N4P-C5P	3.51	129.35	122.82
2	C	189	COA	C2A-N3A-C4A	3.50	120.37	111.83
2	E	189	COA	C4A-C5A-N7A	-3.32	106.78	110.58
2	E	189	COA	CDP-CBP-CCP	-3.24	102.87	108.22
2	E	189	COA	O5A-P2A-O4A	3.21	127.40	112.44
2	C	189	COA	O3B-P3B-O7A	-3.16	98.09	109.33
2	A	189	COA	O3B-C3B-C2B	-3.12	100.47	111.68
2	A	189	COA	C7P-N8P-C9P	3.10	128.11	122.55
2	E	189	COA	C5A-N7A-C8A	3.06	108.26	103.45
3	A	301	TYD	C5M-C5-C4	3.04	122.03	118.78
3	A	301	TYD	C6-N1-C2	-3.04	118.27	121.30
2	A	189	COA	C4A-N9A-C1B	-2.99	119.63	126.63
2	E	189	COA	C4A-N9A-C8A	2.93	108.82	105.74
2	E	189	COA	C2A-N3A-C4A	2.90	118.91	111.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	301	TYD	O2-C2-N3	-2.89	116.16	121.49
2	A	189	COA	CDP-CBP-CAP	2.87	113.67	108.77
2	E	189	COA	O5A-P2A-O6A	-2.85	94.67	107.57
2	A	189	COA	C3P-N4P-C5P	2.79	128.01	122.82
3	C	301	TYD	C1'-N1-C2	2.79	123.11	117.66
3	E	301	TYD	O3B-PB-O2B	2.71	117.96	107.80
3	E	301	TYD	C5-C4-N3	2.62	117.60	115.32
3	C	301	TYD	C5-C4-N3	2.58	117.57	115.32
3	E	301	TYD	C1'-N1-C2	2.57	122.68	117.66
2	A	189	COA	C2A-N1A-C6A	2.54	122.90	118.73
2	E	189	COA	N3A-C4A-N9A	2.51	131.43	127.17
3	A	301	TYD	O2-C2-N3	-2.49	116.89	121.49
2	A	189	COA	O4B-C4B-C5B	2.48	117.28	109.33
3	E	301	TYD	C3'-C2'-C1'	2.45	108.59	102.60
3	A	301	TYD	C5M-C5-C6	-2.43	119.56	122.85
2	E	189	COA	O9P-C9P-N8P	-2.36	117.98	122.98
2	E	189	COA	O2A-P1A-O1A	2.36	123.41	112.44
2	E	189	COA	CDP-CBP-CAP	2.32	112.72	108.77
2	E	189	COA	C2P-C3P-N4P	-2.30	107.09	112.31
2	A	189	COA	C2A-N3A-C4A	2.30	117.44	111.83
2	E	189	COA	CEP-CBP-CCP	2.29	112.00	108.22
2	C	189	COA	C4A-N9A-C1B	-2.26	121.34	126.63
2	E	189	COA	O3B-P3B-O7A	-2.25	101.30	109.33
2	E	189	COA	C4A-N9A-C1B	-2.25	121.37	126.63
2	E	189	COA	CAP-C9P-N8P	2.21	120.68	116.48
2	A	189	COA	C6P-C7P-N8P	-2.21	107.30	112.00
2	A	189	COA	O2B-C2B-C3B	-2.20	105.02	111.19
2	E	189	COA	O3B-C3B-C2B	-2.19	103.81	111.68
3	E	301	TYD	C5M-C5-C6	-2.16	119.93	122.85
3	C	301	TYD	C4'-O4'-C1'	2.16	114.64	109.51
2	A	189	COA	O3B-P3B-O7A	-2.13	101.75	109.33
2	E	189	COA	O3A-P2A-O4A	-2.11	104.36	110.70
2	C	189	COA	CAP-C9P-N8P	2.08	120.44	116.48
2	E	189	COA	O5A-P2A-O3A	2.08	112.88	107.27
2	A	189	COA	O9A-P3B-O8A	2.06	115.54	107.80
2	E	189	COA	O4B-C1B-N9A	-2.06	104.14	108.09
3	E	301	TYD	O4-C4-C5	-2.05	122.57	124.92
3	E	301	TYD	C2'-C1'-N1	-2.05	108.69	113.81
2	A	189	COA	O2A-P1A-O3A	2.05	112.80	107.27
2	A	189	COA	C7P-C6P-C5P	-2.04	109.00	112.39
2	A	189	COA	O3B-C3B-C4B	-2.02	102.92	110.03
2	A	189	COA	C5A-C4A-N3A	-2.00	123.96	126.72

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	189	COA	OAP-CAP-CBP-CCP
2	A	189	COA	C9P-CAP-CBP-CCP
2	A	189	COA	OAP-CAP-CBP-CDP
2	A	189	COA	C9P-CAP-CBP-CDP
2	E	189	COA	OAP-CAP-CBP-CCP
2	E	189	COA	S1P-C2P-C3P-N4P
3	A	301	TYD	C5'-O5'-PA-O1A
3	A	301	TYD	C5'-O5'-PA-O3A
3	A	301	TYD	PA-O3A-PB-O3B
3	E	301	TYD	C5'-O5'-PA-O1A
3	E	301	TYD	C5'-O5'-PA-O2A
3	E	301	TYD	C5'-O5'-PA-O3A
3	A	301	TYD	O4'-C4'-C5'-O5'
3	A	301	TYD	C3'-C4'-C5'-O5'
2	E	189	COA	C4B-C3B-O3B-P3B
2	E	189	COA	C2B-C3B-O3B-P3B
2	A	189	COA	OAP-CAP-CBP-CEP
2	E	189	COA	OAP-CAP-CBP-CEP
3	E	301	TYD	PB-O3A-PA-O1A
3	E	301	TYD	O4'-C4'-C5'-O5'
2	C	189	COA	P1A-O3A-P2A-O5A
2	A	189	COA	CEP-CBP-CCP-O6A
2	E	189	COA	C9P-CAP-CBP-CCP
2	C	189	COA	CCP-O6A-P2A-O4A
3	A	301	TYD	C5'-O5'-PA-O2A
2	E	189	COA	O4B-C4B-C5B-O5B
2	C	189	COA	P1A-O3A-P2A-O4A
2	E	189	COA	P1A-O3A-P2A-O5A
3	C	301	TYD	PB-O3A-PA-O2A
3	E	301	TYD	PB-O3A-PA-O2A
2	E	189	COA	C3B-C4B-C5B-O5B
2	A	189	COA	C3B-O3B-P3B-O8A
2	A	189	COA	C2P-C3P-N4P-C5P
2	E	189	COA	C3B-O3B-P3B-O7A
2	E	189	COA	P1A-O3A-P2A-O4A
3	E	301	TYD	C3'-C4'-C5'-O5'
3	A	301	TYD	PA-O3A-PB-O1B
2	A	189	COA	C9P-CAP-CBP-CEP
2	E	189	COA	C3B-O3B-P3B-O9A
2	A	189	COA	N8P-C9P-CAP-OAP

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	189	COA	N8P-C9P-CAP-OAP
2	E	189	COA	N8P-C9P-CAP-OAP
2	A	189	COA	P2A-O3A-P1A-O2A



There are no ring outliers.


3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	189	COA	2	0
2	A	189	COA	3	0
3	E	301	TYD	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	186/205 (90%)	-0.45	0 100 100	5, 21, 50, 71	1 (0%)
1	C	187/205 (91%)	-0.34	1 (0%) 87 85	3, 25, 57, 73	0
1	E	186/205 (90%)	-0.35	1 (0%) 87 85	11, 28, 56, 63	0
All	All	559/615 (90%)	-0.38	2 (0%) 88 86	3, 25, 56, 73	1 (0%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	1	MET	3.0
1	C	10	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	TYD	E	301	25/25	0.87	0.11	62,64,76,77	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	TYD	C	301	25/25	0.88	0.12	58,66,76,77	0
3	TYD	A	301	25/25	0.89	0.11	46,55,64,65	0
2	COA	A	189	48/48	0.97	0.06	14,26,36,40	0
2	COA	C	189	48/48	0.97	0.06	19,28,44,47	0
2	COA	E	189	48/48	0.97	0.06	20,30,40,44	0
4	CL	A	190	1/1	0.98	0.04	25,25,25,25	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TYD C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TYD A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around COA A 189:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around COA C 189:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.