



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 03:25 AM UTC

PDB ID : 5VBF / pdb_00005vbf
Title : Crystal structure of succinate semialdehyde dehydrogenase from Burkholderia vietnamiensis
Authors : Seattle Structural Genomics Center for Infectious Disease (SSGCID)
Deposited on : 2017-03-29
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1596 (2.36-2.36)
Clashscore	190562	1663 (2.36-2.36)
Ramachandran outliers	187476	1646 (2.36-2.36)
Sidechain outliers	187428	1646 (2.36-2.36)
RSRZ outliers	180081	1598 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	478	% 91% 9%
1	B	478	 93% 7%
1	C	478	 93% 7%
1	D	478	 94% 6%
1	E	478	% 93% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	478	 94%6%
1	G	478	%  93%7%
1	H	478	 93%6%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 31891 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD-dependent succinate-semialdehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	478	Total	C	N	O	S	0	7	0
			3619	2288	655	655	21			
1	B	478	Total	C	N	O	S	0	8	0
			3643	2301	665	656	21			
1	C	476	Total	C	N	O	S	0	2	0
			3584	2266	650	648	20			
1	D	477	Total	C	N	O	S	0	5	0
			3591	2273	644	653	21			
1	E	476	Total	C	N	O	S	0	5	0
			3584	2268	641	654	21			
1	F	476	Total	C	N	O	S	0	6	0
			3596	2277	646	652	21			
1	G	477	Total	C	N	O	S	0	3	0
			3582	2265	643	653	21			
1	H	477	Total	C	N	O	S	0	5	0
			3605	2279	651	654	21			

- Molecule 2 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (CCD ID: MES) (formula: $\text{C}_6\text{H}_{13}\text{NO}_4\text{S}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	B	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	C	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	D	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	E	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	F	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	G	1	Total	C	N	O	S	0	0
			12	6	1	4	1		
2	H	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 3 is GLYCEROL (CCD ID: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	C	1	Total	C	O	0	0
			6	3	3		
3	D	1	Total	C	O	0	0
			6	3	3		
3	E	1	Total	C	O	0	0
			6	3	3		
3	F	1	Total	C	O	0	0
			6	3	3		
3	G	1	Total	C	O	0	0
			6	3	3		
3	H	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is FORMIC ACID (CCD ID: FMT) (formula: CH₂O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			3	1	2		
4	B	1	Total	C	O	0	0
			3	1	2		
4	E	1	Total	C	O	0	0
			3	1	2		
4	H	1	Total	C	O	0	0
			3	1	2		

- Molecule 5 is UNKNOWN ATOM OR ION (CCD ID: UNX) (formula: X).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	X	0	0
			1	1		
5	B	1	Total	X	0	0
			1	1		
5	C	1	Total	X	0	0
			1	1		
5	D	1	Total	X	0	0
			1	1		
5	E	1	Total	X	0	0
			1	1		
5	F	1	Total	X	0	0
			1	1		
5	G	1	Total	X	0	0
			1	1		
5	H	1	Total	X	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	378	Total 378	O 378	0	0
6	B	441	Total 441	O 441	0	1
6	C	391	Total 391	O 391	0	0
6	D	371	Total 371	O 371	0	0
6	E	377	Total 378	O 378	0	1
6	F	297	Total 298	O 298	0	2
6	G	320	Total 320	O 320	0	0
6	H	345	Total 346	O 346	0	1


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase




- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase




- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase




- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase




- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase

Chain E:  93% 7%





- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase

Chain F:  94% 6%





- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase

Chain G:  93% 7%



- Molecule 1: NAD-dependent succinate-semialdehyde dehydrogenase

Chain H:  93% 6%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.62Å 191.76Å 219.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.17 – 2.35 48.17 – 2.35	Depositor EDS
% Data completeness (in resolution range)	98.7 (48.17-2.35) 98.7 (48.17-2.35)	Depositor EDS
R_{merge}	0.16	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.84 (at 2.34Å)	Xtriage
Refinement program	PHENIX dev_2689	Depositor
R, R_{free}	0.147 , 0.196 0.148 , 0.196	Depositor DCC
R_{free} test set	1984 reflections (1.06%)	wwPDB-VP
Wilson B-factor (Å ²)	16.7	Xtriage
Anisotropy	0.289	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	31891	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MES, UNX, GOL, FMT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.33	0/3725	0.51	0/5064
1	B	0.33	0/3747	0.50	0/5090
1	C	0.33	0/3674	0.51	0/4994
1	D	0.31	0/3689	0.52	0/5018
1	E	0.31	0/3683	0.50	0/5009
1	F	0.30	0/3697	0.49	0/5027
1	G	0.30	0/3675	0.50	0/4998
1	H	0.33	0/3705	0.49	0/5037
All	All	0.32	0/29595	0.50	0/40237

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3619	0	3581	27	0
1	B	3643	0	3617	24	0
1	C	3584	0	3551	19	0
1	D	3591	0	3538	17	0
1	E	3584	0	3537	18	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3596	0	3553	20	0
1	G	3582	0	3532	17	0
1	H	3605	0	3566	18	0
2	A	12	0	12	2	0
2	B	12	0	12	0	0
2	C	12	0	12	0	0
2	D	12	0	12	0	0
2	E	12	0	12	0	0
2	F	12	0	12	1	0
2	G	12	0	12	1	0
2	H	12	0	12	0	0
3	A	6	0	8	0	0
3	B	6	0	8	0	0
3	C	6	0	8	0	0
3	D	6	0	8	0	0
3	E	6	0	8	0	0
3	F	6	0	8	0	0
3	G	6	0	8	0	0
3	H	6	0	8	0	0
4	A	3	0	1	0	0
4	B	3	0	1	0	0
4	E	3	0	1	1	0
4	H	3	0	1	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	1	0	0	0	0
5	F	1	0	0	0	0
5	G	1	0	0	0	0
5	H	1	0	0	0	0
6	A	378	0	0	4	0
6	B	441	0	0	3	0
6	C	391	0	0	1	0
6	D	371	0	0	1	0
6	E	378	0	0	3	0
6	F	298	0	0	1	0
6	G	320	0	0	1	0
6	H	346	0	0	1	0
All	All	31891	0	28639	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:230:ILE:HB	1:F:253[B]:MET:HG3	1.49	0.93
1:F:253[B]:MET:SD	1:F:255:MET:HE2	2.16	0.86
1:B:334[B]:HIS:HD2	1:B:336:ARG:HG2	1.41	0.86
1:B:334[B]:HIS:CD2	1:B:336:ARG:HG2	2.12	0.84
1:F:243:ALA:HB2	1:F:255:MET:HE3	1.60	0.83
1:G:136:SER:OG	1:G:138:ASP:OD1	1.99	0.80
1:D:334[B]:HIS:HD2	1:D:336:ARG:HG2	1.47	0.78
1:D:136:SER:OG	1:D:138:ASP:OD1	2.03	0.76
1:C:312:ASP:HB3	1:E:363:PRO:HB3	1.68	0.74
1:H:379:ARG:NH1	1:H:407:GLU:OE1	2.22	0.72
1:C:136:SER:OG	1:C:138:ASP:OD1	2.07	0.71
1:H:255:MET:HG2	1:H:257:LEU:HD21	1.74	0.67
1:B:334[B]:HIS:CD2	1:B:337:ARG:HG2	2.30	0.65
1:A:334:HIS:ND1	1:A:336:ARG:HG2	2.12	0.64
1:B:136:SER:OG	1:B:138:ASP:OD1	2.14	0.64
1:E:334:HIS:ND1	1:E:336:ARG:HG2	2.13	0.63
1:C:19:ARG:HD2	1:C:21:HIS:CE1	2.34	0.63
1:E:8:ASP:O	1:E:93[A]:ARG:NH2	2.25	0.63
1:A:136:SER:OG	1:A:138:ASP:OD1	2.16	0.63
1:D:334[B]:HIS:CD2	1:D:336:ARG:HG2	2.31	0.63
1:B:403:ASP:HB3	6:B:807:HOH:O	1.99	0.63
1:H:425:ARG:HH11	1:H:429[A]:ARG:CZ	2.13	0.61
1:H:136:SER:OG	1:H:138:ASP:OD1	2.18	0.60
1:F:402:ASP:OD1	1:F:429[B]:ARG:NH2	2.35	0.60
1:B:255:MET:HE3	1:B:257:LEU:HD11	1.84	0.60
1:B:334[B]:HIS:ND1	6:B:702:HOH:O	2.25	0.60
1:A:145:ARG:NH2	6:A:703:HOH:O	2.36	0.59
1:A:289:VAL:HG13	2:A:601:MES:H81	1.84	0.59
1:A:112:SER:O	1:A:116[B]:GLN:HG2	2.03	0.58
1:B:116:GLN:O	1:B:120:HIS:HD2	1.86	0.57
1:F:239:GLY:O	1:F:255:MET:HE1	2.05	0.56
1:G:18:GLY:HA3	1:G:204:PRO:HB3	1.87	0.56
1:H:232:PHE:HB3	1:H:255:MET:HE2	1.88	0.55
1:G:159:PHE:CE1	2:G:601:MES:H81	2.42	0.55
1:C:425:ARG:HE	1:C:429:ARG:NH2	2.05	0.54
1:C:60[B]:ARG:NH1	6:C:704:HOH:O	2.41	0.54
1:C:250:MET:HE2	1:D:460:GLY:HA2	1.89	0.54
1:G:256:GLU:HB3	6:G:950:HOH:O	2.08	0.54
1:A:55:VAL:HG12	1:A:226[B]:GLN:HE21	1.73	0.53
1:E:159:PHE:HB2	1:E:163:GLN:HG2	1.92	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:159:PHE:HB2	1:D:163:GLN:HG2	1.92	0.52
1:E:334:HIS:HB2	6:E:978:HOH:O	2.11	0.51
1:A:461:PHE:CD2	1:B:250:MET:HE1	2.46	0.51
1:E:256:GLU:HB3	6:E:955:HOH:O	2.11	0.51
1:C:448:PRO:O	1:C:451:ILE:HG13	2.11	0.51
1:H:159:PHE:HB2	1:H:163:GLN:HG2	1.93	0.50
1:E:334:HIS:CE1	1:E:336:ARG:HG2	2.47	0.50
1:A:56:GLN:HA	1:A:226[B]:GLN:HE22	1.76	0.49
1:F:334[A]:HIS:ND1	1:F:336:ARG:HB3	2.27	0.49
1:F:148:ILE:HD12	1:F:252:ARG:HD3	1.93	0.49
1:G:461:PHE:CD1	1:H:250:MET:HE1	2.48	0.49
1:A:256:GLU:HB3	6:A:973:HOH:O	2.12	0.49
1:A:8:ASP:OD1	1:A:8:ASP:N	2.42	0.48
1:G:247:ALA:HB2	1:G:253:MET:HE1	1.95	0.48
1:F:136:SER:OG	1:F:138:ASP:OD1	2.23	0.48
1:F:243:ALA:HB2	1:F:255:MET:CE	2.37	0.48
1:C:237:PRO:O	1:C:241:GLN:HG3	2.13	0.48
1:E:237:PRO:O	1:E:241:GLN:HG3	2.13	0.48
1:C:236:VAL:HA	1:C:257:LEU:HD13	1.96	0.47
2:F:601:MES:H82	2:F:601:MES:H51	1.49	0.47
1:G:378:THR:OG1	1:G:380:ASP:OD1	2.32	0.47
1:B:337:ARG:O	1:B:341:ILE:HG12	2.14	0.47
1:G:159:PHE:HB2	1:G:163:GLN:HG2	1.95	0.47
1:G:282:LYS:HD3	1:G:293:PRO:O	2.15	0.47
1:G:230:ILE:O	1:G:253:MET:HA	2.15	0.47
1:H:440:ASN:HB3	1:H:443:HIS:O	2.15	0.47
1:H:157:TRP:O	1:H:160:PRO:HD3	2.15	0.47
1:G:229:LYS:NZ	1:G:254:THR:OG1	2.48	0.47
1:A:247:ALA:HB2	1:A:253:MET:HE1	1.96	0.47
1:D:43:LEU:HD11	1:D:211:TRP:CE2	2.51	0.46
1:D:282:LYS:C	1:D:282:LYS:HD3	2.41	0.46
1:F:334[A]:HIS:CE1	1:F:336:ARG:HE	2.33	0.46
1:B:159:PHE:HB2	1:B:163:GLN:HG2	1.97	0.46
1:G:425:ARG:NH2	1:G:429:ARG:HD2	2.31	0.46
1:B:478:PHE:CZ	1:B:480:THR:HB	2.51	0.46
1:A:151:CYS:HB3	6:A:872:HOH:O	2.16	0.45
1:C:337:ARG:NH1	1:C:388:PRO:O	2.49	0.45
1:E:136:SER:OG	1:E:138:ASP:OD1	2.29	0.45
1:D:282:LYS:HD3	1:D:282:LYS:O	2.17	0.45
1:E:448:PRO:O	1:E:451:ILE:HG13	2.17	0.45
1:B:224:ALA:O	1:B:251:LYS:NZ	2.49	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:159:PHE:HB2	1:F:163:GLN:HG2	1.99	0.45
1:B:277:MET:HE1	1:B:443:HIS:HA	1.99	0.45
1:C:478:PHE:CZ	1:C:480:THR:HB	2.52	0.44
1:D:62:PHE:CZ	1:D:149:GLY:HA2	2.53	0.44
1:H:282:LYS:HD3	1:H:293:PRO:O	2.18	0.44
1:A:15:TYR:OH	1:A:18:GLY:HA2	2.17	0.44
1:B:282:LYS:HD3	1:B:293:PRO:O	2.17	0.44
1:A:282:LYS:HD3	1:A:293:PRO:O	2.17	0.44
1:D:440:ASN:HB3	1:D:443:HIS:O	2.17	0.44
1:E:43:LEU:HD11	1:E:211:TRP:CE2	2.52	0.44
1:G:148:ILE:CD1	1:G:252:ARG:HG3	2.48	0.44
1:A:362:LEU:HB3	1:A:363:PRO:HD2	1.98	0.44
1:E:334:HIS:CE1	1:E:337:ARG:HG2	2.53	0.43
1:B:254:THR:C	1:B:255:MET:HG2	2.43	0.43
1:F:337:ARG:O	1:F:341:ILE:HG12	2.18	0.43
1:D:256:GLU:HB3	6:D:932:HOH:O	2.19	0.43
1:B:334[B]:HIS:CE1	6:B:702:HOH:O	2.70	0.43
1:E:282:LYS:HD3	1:E:293:PRO:O	2.18	0.43
1:A:290:CYS:HB2	2:A:601:MES:O2S	2.18	0.43
1:D:341:ILE:HD11	1:D:390:GLY:HA3	2.01	0.43
1:H:233:THR:HA	1:H:256:GLU:O	2.19	0.43
1:A:174:SER:HB3	1:A:470:PHE:CD1	2.54	0.43
1:A:233:THR:HA	1:A:256:GLU:O	2.19	0.43
1:A:250:MET:HE2	1:B:460:GLY:HA2	2.01	0.42
1:C:230:ILE:O	1:C:253:MET:HA	2.20	0.42
1:A:334:HIS:CE1	1:A:336:ARG:HH11	2.37	0.42
1:E:230:ILE:O	1:E:253:MET:HA	2.19	0.42
1:E:483:ASN:HA	4:E:603:FMT:C	2.49	0.42
1:H:230:ILE:O	1:H:253:MET:HA	2.20	0.42
1:E:77:LEU:HG	1:E:117:LEU:HD11	2.01	0.42
1:B:75:ASP:O	1:B:79[A]:ARG:HG3	2.20	0.42
1:F:400:ASP:OD1	1:F:402:ASP:HB2	2.19	0.42
1:H:229:LYS:HG2	1:H:230:ILE:N	2.33	0.42
1:B:230:ILE:O	1:B:253:MET:HA	2.19	0.42
1:C:298:VAL:O	1:C:397:PRO:HA	2.20	0.42
1:D:298:VAL:O	1:D:397:PRO:HA	2.20	0.42
1:E:298:VAL:O	1:E:397:PRO:HA	2.19	0.42
1:H:425:ARG:NH1	1:H:429[A]:ARG:CZ	2.82	0.42
1:B:448:PRO:O	1:B:451:ILE:HG13	2.20	0.41
1:C:425:ARG:HE	1:C:429:ARG:CZ	2.32	0.41
1:F:154:PHE:HB2	1:F:232:PHE:HD1	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:318:ARG:HD2	6:H:993:HOH:O	2.20	0.41
1:E:284:ARG:NE	6:E:706:HOH:O	2.45	0.41
1:F:151:CYS:HB3	6:F:811:HOH:O	2.19	0.41
1:H:43:LEU:HD11	1:H:211:TRP:CE2	2.55	0.41
1:A:334:HIS:HB2	6:A:992:HOH:O	2.19	0.41
1:F:483:ASN:HB3	1:G:425:ARG:HA	2.01	0.41
1:C:360:MET:SD	1:C:360:MET:N	2.93	0.41
1:A:448:PRO:O	1:A:451:ILE:HG13	2.20	0.41
1:F:148:ILE:CD1	1:F:252:ARG:HD3	2.50	0.41
1:C:43:LEU:HD11	1:C:211:TRP:CE2	2.55	0.41
1:B:120:HIS:CE1	1:B:469:ALA:HB1	2.56	0.41
1:B:298:VAL:O	1:B:397:PRO:HA	2.20	0.41
1:C:159:PHE:HB2	1:C:163:GLN:HG2	2.03	0.41
1:F:221:LEU:HD23	1:F:221:LEU:HA	1.92	0.41
1:A:236:VAL:HA	1:A:257:LEU:HD13	2.02	0.41
1:A:237:PRO:O	1:A:241:GLN:HG3	2.21	0.41
1:D:221:LEU:HD23	1:D:221:LEU:HA	1.89	0.41
1:D:250:MET:HE3	1:D:250:MET:HB3	1.87	0.41
1:D:263:VAL:HG22	1:D:418:TYR:HB2	2.03	0.41
1:D:448:PRO:O	1:D:451:ILE:HG13	2.20	0.41
1:A:334:HIS:HA	1:A:367:HIS:CD2	2.56	0.41
1:C:440:ASN:HB3	1:C:443:HIS:O	2.21	0.41
1:F:260:HIS:NE2	1:F:386:ASP:O	2.54	0.40
1:A:159:PHE:HB2	1:A:163:GLN:HG2	2.03	0.40
1:A:298:VAL:O	1:A:397:PRO:HA	2.22	0.40
1:H:237:PRO:O	1:H:241:GLN:HG3	2.20	0.40
1:F:282:LYS:HD3	1:F:293:PRO:O	2.22	0.40
1:G:440:ASN:HB3	1:G:443:HIS:O	2.21	0.40
1:G:448:PRO:O	1:G:451:ILE:HG13	2.21	0.40
1:B:378:THR:OG1	1:B:380:ASP:OD1	2.39	0.40
1:C:282:LYS:HD3	1:C:293:PRO:O	2.22	0.40
1:G:419:ALA:O	1:G:441:ILE:HA	2.21	0.40
1:H:56[A]:GLN:HG2	1:H:60[A]:ARG:HH12	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	483/478 (101%)	473 (98%)	10 (2%)	0	100	100
1	B	484/478 (101%)	476 (98%)	8 (2%)	0	100	100
1	C	476/478 (100%)	465 (98%)	11 (2%)	0	100	100
1	D	480/478 (100%)	469 (98%)	8 (2%)	3 (1%)	21	24
1	E	479/478 (100%)	470 (98%)	9 (2%)	0	100	100
1	F	480/478 (100%)	469 (98%)	11 (2%)	0	100	100
1	G	478/478 (100%)	468 (98%)	9 (2%)	1 (0%)	43	52
1	H	480/478 (100%)	471 (98%)	9 (2%)	0	100	100
All	All	3840/3824 (100%)	3761 (98%)	75 (2%)	4 (0%)	48	59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	366	GLY
1	D	365[A]	PRO
1	D	365[B]	PRO
1	G	24	ASP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	364/364 (100%)	361 (99%)	3 (1%)	73	84

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	352/364 (97%)	351 (100%)	1 (0%)	86	92
1	C	310/364 (85%)	310 (100%)	0	100	100
1	D	360/364 (99%)	358 (99%)	2 (1%)	78	87
1	E	360/364 (99%)	355 (99%)	5 (1%)	59	73
1	F	361/364 (99%)	358 (99%)	3 (1%)	73	84
1	G	359/364 (99%)	354 (99%)	5 (1%)	59	73
1	H	363/364 (100%)	360 (99%)	3 (1%)	73	84
All	All	2829/2912 (97%)	2807 (99%)	22 (1%)	76	84

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	38	ARG
1	A	255	MET
1	A	360	MET
1	B	255	MET
1	D	255	MET
1	D	337	ARG
1	E	32	VAL
1	E	252	ARG
1	E	255	MET
1	E	360	MET
1	E	461	PHE
1	F	13[A]	ARG
1	F	13[B]	ARG
1	F	255	MET
1	G	38	ARG
1	G	185[A]	GLU
1	G	185[B]	GLU
1	G	255	MET
1	G	334	HIS
1	H	255	MET
1	H	334[A]	HIS
1	H	334[B]	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (17) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	141	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	59	HIS
1	B	116	GLN
1	B	120	HIS
1	B	166	HIS
1	C	166	HIS
1	C	226	GLN
1	D	59	HIS
1	D	67	HIS
1	D	116	GLN
1	D	141	GLN
1	D	226	GLN
1	E	49	HIS
1	E	59	HIS
1	F	141	GLN
1	H	116	GLN
1	H	120	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 28 ligands modelled in this entry, 8 are unknown - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	602	-	5,5,5	0.86	0	5,5,5	1.24	1 (20%)
2	MES	C	601	-	12,12,12	2.22	1 (8%)	15,16,16	2.18	6 (40%)
3	GOL	F	602	-	5,5,5	1.05	0	5,5,5	0.88	0
2	MES	F	601	-	12,12,12	2.41	1 (8%)	15,16,16	1.98	5 (33%)
2	MES	H	601	-	12,12,12	2.32	1 (8%)	15,16,16	2.55	6 (40%)
2	MES	D	601	-	12,12,12	2.27	1 (8%)	15,16,16	2.40	6 (40%)
4	FMT	B	603	-	2,2,2	0.62	0	1,1,1	0.04	0
4	FMT	A	603	-	2,2,2	0.66	0	1,1,1	0.11	0
4	FMT	E	603	-	2,2,2	0.61	0	1,1,1	0.02	0
2	MES	B	601	-	12,12,12	2.27	1 (8%)	15,16,16	2.39	6 (40%)
3	GOL	A	602	-	5,5,5	0.92	0	5,5,5	1.08	0
2	MES	A	601	-	12,12,12	2.27	1 (8%)	15,16,16	2.63	8 (53%)
3	GOL	G	602	-	5,5,5	0.79	0	5,5,5	1.27	1 (20%)
3	GOL	H	602	-	5,5,5	1.00	0	5,5,5	1.07	1 (20%)
2	MES	G	601	-	12,12,12	2.21	1 (8%)	15,16,16	2.12	5 (33%)
3	GOL	D	602	-	5,5,5	1.19	0	5,5,5	1.03	0
3	GOL	E	602	-	5,5,5	0.84	0	5,5,5	1.17	1 (20%)
2	MES	E	601	-	12,12,12	2.26	1 (8%)	15,16,16	2.54	7 (46%)
4	FMT	H	603	-	2,2,2	0.59	0	1,1,1	0.12	0
3	GOL	C	602	-	5,5,5	0.94	0	5,5,5	1.16	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MES	H	601	-	-	1/6/14/14	0/1/1/1
3	GOL	B	602	-	-	0/4/4/4	-
3	GOL	D	602	-	-	0/4/4/4	-
3	GOL	E	602	-	-	0/4/4/4	-
2	MES	B	601	-	-	1/6/14/14	0/1/1/1
3	GOL	H	602	-	-	3/4/4/4	-
2	MES	D	601	-	-	1/6/14/14	0/1/1/1
2	MES	E	601	-	-	4/6/14/14	0/1/1/1
3	GOL	A	602	-	-	2/4/4/4	-
2	MES	G	601	-	-	6/6/14/14	0/1/1/1
2	MES	A	601	-	-	5/6/14/14	0/1/1/1
2	MES	C	601	-	-	4/6/14/14	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GOL	G	602	-	-	2/4/4/4	-
3	GOL	C	602	-	-	4/4/4/4	-
3	GOL	F	602	-	-	0/4/4/4	-
2	MES	F	601	-	-	5/6/14/14	0/1/1/1

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	601	MES	C8-S	-8.10	1.66	1.77
2	H	601	MES	C8-S	-7.69	1.66	1.77
2	B	601	MES	C8-S	-7.55	1.67	1.77
2	A	601	MES	C8-S	-7.55	1.67	1.77
2	D	601	MES	C8-S	-7.51	1.67	1.77
2	E	601	MES	C8-S	-7.50	1.67	1.77
2	G	601	MES	C8-S	-7.36	1.67	1.77
2	C	601	MES	C8-S	-7.33	1.67	1.77

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	MES	C5-N4-C3	6.05	121.87	108.84
2	E	601	MES	C5-N4-C3	5.89	121.54	108.84
2	D	601	MES	C5-N4-C3	5.84	121.42	108.84
2	A	601	MES	C5-N4-C3	5.26	120.17	108.84
2	H	601	MES	C5-N4-C3	4.94	119.48	108.84
2	A	601	MES	C2-C3-N4	-4.67	103.02	110.12
2	C	601	MES	C5-N4-C3	4.45	118.42	108.84
2	H	601	MES	C2-C3-N4	-4.32	103.56	110.12
2	G	601	MES	C2-C3-N4	-3.91	104.17	110.12
2	G	601	MES	C5-N4-C3	3.87	117.19	108.84
2	H	601	MES	C6-C5-N4	-3.60	104.66	110.12
2	F	601	MES	C6-C5-N4	-3.57	104.69	110.12
2	E	601	MES	C2-C3-N4	-3.46	104.86	110.12
2	F	601	MES	C5-N4-C3	3.45	116.28	108.84
2	E	601	MES	C6-C5-N4	-3.43	104.91	110.12
2	E	601	MES	C7-N4-C5	3.41	120.32	111.24
2	D	601	MES	C2-C3-N4	-3.38	104.98	110.12
2	H	601	MES	C7-N4-C3	3.31	120.05	111.24
2	A	601	MES	C7-N4-C3	3.23	119.83	111.24
2	D	601	MES	C7-N4-C5	3.22	119.83	111.24
2	H	601	MES	C7-N4-C5	3.18	119.71	111.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	MES	C7-N4-C5	3.17	119.69	111.24
2	C	601	MES	O1S-S-C8	3.15	111.49	106.73
2	C	601	MES	C7-N4-C3	3.13	119.59	111.24
2	B	601	MES	C7-N4-C5	3.09	119.47	111.24
2	C	601	MES	C2-C3-N4	-3.03	105.52	110.12
2	G	601	MES	C7-N4-C5	3.00	119.22	111.24
2	A	601	MES	O1S-S-C8	2.95	111.18	106.73
2	F	601	MES	C7-N4-C5	2.95	119.09	111.24
2	A	601	MES	C8-C7-N4	-2.83	101.65	112.36
2	G	601	MES	C7-N4-C3	2.80	118.71	111.24
2	D	601	MES	C7-N4-C3	2.78	118.65	111.24
2	H	601	MES	O1S-S-C8	2.74	110.88	106.73
2	B	601	MES	C7-N4-C3	2.74	118.53	111.24
2	C	601	MES	C6-C5-N4	-2.72	105.98	110.12
2	D	601	MES	C6-C5-N4	-2.71	106.00	110.12
2	F	601	MES	O2S-S-C8	2.63	110.70	106.73
2	E	601	MES	C7-N4-C3	2.59	118.15	111.24
2	B	601	MES	C2-C3-N4	-2.58	106.19	110.12
2	A	601	MES	O3S-S-C8	2.55	111.00	106.00
2	B	601	MES	O2S-S-C8	2.55	110.57	106.73
2	C	601	MES	C7-N4-C5	2.49	117.88	111.24
2	E	601	MES	O3S-S-C8	2.45	110.80	106.00
2	F	601	MES	O1S-S-C8	2.43	110.40	106.73
2	E	601	MES	O2S-S-C8	2.40	110.35	106.73
3	B	602	GOL	C3-C2-C1	-2.23	103.61	111.80
2	A	601	MES	C6-O1-C2	2.23	117.09	109.88
2	G	601	MES	O2S-S-C8	2.22	110.08	106.73
3	G	602	GOL	C3-C2-C1	-2.22	103.67	111.80
2	D	601	MES	O3S-S-C8	2.07	110.06	106.00
3	H	602	GOL	C3-C2-C1	-2.05	104.28	111.80
2	B	601	MES	C8-C7-N4	-2.04	104.63	112.36
3	E	602	GOL	C3-C2-C1	-2.01	104.42	111.80

There are no chirality outliers.

All (38) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	MES	C8-C7-N4-C5
2	A	601	MES	C7-C8-S-O2S
2	C	601	MES	C7-C8-S-O1S
2	C	601	MES	C7-C8-S-O2S
2	E	601	MES	C8-C7-N4-C3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	E	601	MES	C7-C8-S-O2S
2	F	601	MES	C8-C7-N4-C5
2	F	601	MES	C7-C8-S-O2S
2	F	601	MES	C7-C8-S-O3S
2	G	601	MES	C8-C7-N4-C5
3	C	602	GOL	C1-C2-C3-O3
3	C	602	GOL	O2-C2-C3-O3
3	G	602	GOL	C1-C2-C3-O3
3	H	602	GOL	C1-C2-C3-O3
2	E	601	MES	C7-C8-S-O3S
2	G	601	MES	C7-C8-S-O3S
3	C	602	GOL	O1-C1-C2-C3
2	A	601	MES	C7-C8-S-O3S
2	C	601	MES	C7-C8-S-O3S
3	G	602	GOL	O2-C2-C3-O3
2	A	601	MES	C8-C7-N4-C3
2	B	601	MES	C8-C7-N4-C3
2	C	601	MES	C8-C7-N4-C5
2	D	601	MES	C8-C7-N4-C3
2	F	601	MES	C8-C7-N4-C3
2	G	601	MES	C8-C7-N4-C3
3	C	602	GOL	O1-C1-C2-O2
3	A	602	GOL	O1-C1-C2-O2
3	H	602	GOL	O1-C1-C2-O2
2	A	601	MES	C7-C8-S-O1S
2	E	601	MES	C7-C8-S-O1S
2	F	601	MES	C7-C8-S-O1S
2	G	601	MES	C7-C8-S-O1S
2	G	601	MES	C7-C8-S-O2S
2	G	601	MES	N4-C7-C8-S
3	H	602	GOL	O2-C2-C3-O3
2	H	601	MES	C8-C7-N4-C5
3	A	602	GOL	O2-C2-C3-O3

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	601	MES	1	0
4	E	603	FMT	1	0
2	A	601	MES	2	0
2	G	601	MES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ > 2		OWAB(Å ²)	Q < 0.9
1	A	478/478 (100%)	-0.76	3 (0%)	85 89	8, 16, 29, 60	7 (1%)
1	B	478/478 (100%)	-0.82	2 (0%)	88 91	8, 15, 27, 47	8 (1%)
1	C	476/478 (99%)	-0.80	1 (0%)	91 92	8, 15, 29, 52	2 (0%)
1	D	477/478 (99%)	-0.71	2 (0%)	88 91	8, 18, 33, 66	5 (1%)
1	E	476/478 (99%)	-0.71	4 (0%)	82 86	9, 18, 31, 66	5 (1%)
1	F	476/478 (99%)	-0.60	2 (0%)	88 91	11, 21, 38, 58	6 (1%)
1	G	477/478 (99%)	-0.69	3 (0%)	85 89	11, 19, 34, 69	3 (0%)
1	H	477/478 (99%)	-0.76	1 (0%)	91 92	9, 16, 30, 57	5 (1%)
All	All	3815/3824 (99%)	-0.73	18 (0%)	87 90	8, 17, 33, 69	41 (1%)

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	461	PHE	4.1
1	G	7	HIS	4.0
1	H	7	HIS	3.5
1	A	363	PRO	3.5
1	F	365[A]	PRO	3.3
1	E	363	PRO	3.1
1	D	7	HIS	2.8
1	E	364	GLY	2.7
1	B	7	HIS	2.5
1	G	364	GLY	2.5
1	A	6	ARG	2.4
1	E	365	PRO	2.4
1	G	365	PRO	2.4
1	C	364	GLY	2.3
1	A	364	GLY	2.3
1	F	364	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	364	GLY	2.1
1	E	461	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
5	UNX	F	603	1/1	0.78	0.33	30,30,30,30	0
5	UNX	B	604	1/1	0.83	0.40	30,30,30,30	0
4	FMT	H	603	3/3	0.84	0.11	28,28,31,34	0
5	UNX	E	604	1/1	0.86	0.38	30,30,30,30	0
4	FMT	A	603	3/3	0.87	0.17	47,47,48,50	0
4	FMT	B	603	3/3	0.87	0.16	41,41,42,46	0
4	FMT	E	603	3/3	0.88	0.15	35,35,37,40	0
5	UNX	D	603	1/1	0.88	0.37	30,30,30,30	0
5	UNX	H	604	1/1	0.88	0.38	30,30,30,30	0
5	UNX	G	603	1/1	0.89	0.29	30,30,30,30	0
5	UNX	C	603	1/1	0.92	0.42	30,30,30,30	0
2	MES	H	601	12/12	0.93	0.14	38,50,55,58	0
5	UNX	A	604	1/1	0.93	0.38	30,30,30,30	0
2	MES	G	601	12/12	0.93	0.15	38,56,63,64	0
2	MES	D	601	12/12	0.94	0.12	32,47,56,57	0
2	MES	E	601	12/12	0.94	0.14	32,48,63,63	0
3	GOL	B	602	6/6	0.94	0.10	16,28,33,34	0
2	MES	F	601	12/12	0.95	0.12	34,56,62,62	0
3	GOL	F	602	6/6	0.95	0.09	23,33,35,39	0
3	GOL	G	602	6/6	0.95	0.09	17,32,36,39	0
2	MES	A	601	12/12	0.95	0.14	20,55,62,63	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	MES	B	601	12/12	0.95	0.13	23,44,59,61	0
3	GOL	C	602	6/6	0.96	0.08	17,32,32,36	0
3	GOL	E	602	6/6	0.96	0.07	12,25,27,29	0
3	GOL	A	602	6/6	0.96	0.08	12,37,38,41	0
2	MES	C	601	12/12	0.96	0.12	33,48,55,56	0
3	GOL	H	602	6/6	0.97	0.10	16,28,29,36	0
3	GOL	D	602	6/6	0.98	0.07	20,26,31,34	0

6.5 Other polymers [i](#)

There are no such residues in this entry.