



Full wwPDB NMR Structure Validation Report ⓘ

Mar 10, 2026 – 06:02 AM UTC

PDB ID : 2VDA / pdb_00002vda
Title : Solution structure of the SecA-signal peptide complex
Authors : Gelis, I.; Bonvin, A.M.J.J.; Keramisanou, D.; Koukaki, M.; Gouridis, G.; Karamanou, S.; Economou, A.; Kalodimos, C.G.
Deposited on : 2007-10-01

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	229148	14424
Ramachandran outliers	224038	12848
Sidechain outliers	223484	12823

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	828	
2	B	28	

2 Ensemble composition and analysis

This entry contains 10 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:10-A:225, A:373-A:787, A:799-A:831 (664)	0.55	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

NmrClust was unable to cluster the ensemble.

Error message: Inconsistent models

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 12995 atoms, of which 6195 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called TRANSLOCASE SUBUNIT SECA.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	828	12574	4128	5979	1166	1270	31	0

- Molecule 2 is a protein called MALTOPORIN.


Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
2	B	28	421	129	216	40	32	4	0

4 Residue-property plots i


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: TRANSLOCASE SUBUNIT SECA



- Molecule 2: MALTOPORIN




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

- Molecule 1: TRANSLOCASE SUBUNIT SECA




Chain B:  100%



4.2.3 Score per residue for model 3


- Molecule 1: TRANSLOCASE SUBUNIT SECA

Chain A:  70%  10%  20%



- Molecule 2: MALTOPORIN


Chain B:  100%



4.2.4 Score per residue for model 4

- Molecule 1: TRANSLOCASE SUBUNIT SECA


Chain A:  70%  10%  20%





- Molecule 2: MALTOPORIN


Chain B: 100%



4.2.5 Score per residue for model 5


- Molecule 1: TRANSLOCASE SUBUNIT SECA

Chain A: 70% 9% 20%




- Molecule 2: MALTOPORIN


Chain B: 100%





4.2.6 Score per residue for model 6

• Molecule 1: TRANSLOCASE SUBUNIT SECA






• Molecule 2: MALTOPORIN



4.2.8 Score per residue for model 8

• Molecule 1: TRANSLOCASE SUBUNIT SECA




• Molecule 2: MALTOPORIN




4.2.9 Score per residue for model 9

• Molecule 1: TRANSLOCASE SUBUNIT SECA






• Molecule 2: MALTOPORIN




4.2.10 Score per residue for model 10

• Molecule 1: TRANSLOCASE SUBUNIT SECA



• Molecule 2: MALTOPORIN



5 Refinement protocol and experimental data overview

The models were refined using the following method: *SEMIRIGID AND FLEXIBLE SIMULATED ANNEALING*.

Of the 200 calculated structures, 10 were deposited, based on the following criterion: *LOWEST ENERGY*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
HADDOCK-CNS	refinement	
NMRPIPE; SPARKY; HADDOCK- CNS	structure solution	CNS

No chemical shift data was provided.

6 Model quality i

6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	5286	4823	5285	17±4
2	B	0	0	0	0±0
All	All	52860	48230	52850	166

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:21:MET:HG2	1:A:92:MET:SD	0.56	2.41	9	2
1:A:713:ASP:O	1:A:828:LYS:HE3	0.56	2.00	7	1
1:A:101:GLU:CD	1:A:393:THR:HA	0.55	2.26	3	1
1:A:223:LEU:O	1:A:374:SER:HA	0.55	2.01	5	4
1:A:13:ARG:HD2	1:A:408:ASP:OD1	0.55	2.01	2	1
1:A:778:HIS:O	1:A:782:MET:HG2	0.55	2.02	10	4
1:A:106:GLU:OE2	1:A:578:GLN:HA	0.54	2.02	1	4
1:A:594:LEU:O	1:A:597:ILE:HG12	0.54	2.03	9	8
1:A:390:MET:O	1:A:391:THR:HB	0.54	2.01	8	1
1:A:822:VAL:O	1:A:826:LEU:HG	0.53	2.04	6	1
1:A:640:ASP:O	1:A:644:GLN:HG2	0.51	2.05	4	2
1:A:772:ASP:O	1:A:776:LYS:HG2	0.50	2.06	4	2
1:A:441:ASP:O	1:A:445:ARG:HG2	0.50	2.07	9	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:756:ALA:O	1:A:760:ARG:HG2	0.50	2.06	7	2
1:A:161:MET:O	1:A:166:LYS:HE2	0.50	2.07	1	3
1:A:396:THR:HG21	1:A:565:ARG:HB3	0.50	1.83	6	1
1:A:692:ILE:HG23	1:A:701:TRP:CD1	0.50	2.42	2	4
1:A:211:VAL:HG22	1:A:391:THR:HB	0.50	1.83	7	2
1:A:32:GLU:O	1:A:36:GLU:HG3	0.50	2.07	9	1
1:A:159:PRO:HA	1:A:181:GLU:CD	0.49	2.33	4	5
1:A:206:ALA:HB2	1:A:384:TYR:CD2	0.49	2.42	2	4
1:A:21:MET:HG3	1:A:92:MET:SD	0.49	2.47	7	2
1:A:642:ARG:O	1:A:646:LEU:HG	0.49	2.07	8	2
1:A:396:THR:HB	1:A:397:GLU:OE1	0.49	2.07	1	1
1:A:635:GLU:HA	1:A:638:ASN:ND2	0.49	2.23	9	1
1:A:145:PRO:O	1:A:149:PHE:HB2	0.48	2.08	3	2
1:A:575:SER:OG	1:A:582:GLY:HA3	0.48	2.07	3	1
1:A:540:ASP:O	1:A:544:ARG:HG3	0.48	2.08	4	4
1:A:435:ILE:O	1:A:439:ILE:HG12	0.48	2.08	5	4
1:A:99:ILE:HD11	1:A:407:LEU:HD13	0.48	1.85	3	1
1:A:13:ARG:HD2	1:A:408:ASP:OD2	0.48	2.08	5	2
1:A:98:CYS:SG	1:A:408:ASP:HB3	0.48	2.49	10	1
1:A:420:ARG:HA	1:A:581:ALA:O	0.47	2.09	3	1
1:A:633:LYS:O	1:A:637:ARG:HG3	0.47	2.08	7	1
1:A:103:ARG:HD2	1:A:393:THR:OG1	0.47	2.09	1	2
1:A:97:ARG:HG2	1:A:407:LEU:CD2	0.47	2.39	7	1
1:A:748:GLN:O	1:A:752:GLU:HG3	0.47	2.10	1	1
1:A:698:GLU:HA	1:A:701:TRP:CD2	0.47	2.45	10	1
1:A:99:ILE:HD12	1:A:211:VAL:HG11	0.47	1.86	8	2
1:A:220:ARG:O	1:A:220:ARG:HD3	0.46	2.11	4	1
1:A:772:ASP:O	1:A:776:LYS:HG3	0.46	2.10	5	1
1:A:97:ARG:HA	1:A:387:LEU:O	0.46	2.09	6	1
1:A:25:VAL:HG13	1:A:88:LEU:HD12	0.46	1.87	3	1
1:A:112:ALA:HB1	1:A:207:LEU:HD21	0.46	1.87	5	1
1:A:429:MET:HB2	1:A:433:GLU:OE2	0.46	2.10	10	1
1:A:757:GLU:H	1:A:757:GLU:CD	0.46	2.18	7	1
1:A:576:GLY:HA2	1:A:580:ASP:O	0.46	2.10	3	1
1:A:800:LYS:HB2	1:A:800:LYS:NZ	0.46	2.26	5	1
1:A:398:ALA:HA	1:A:401:PHE:CD2	0.46	2.46	8	2
1:A:629:ASN:O	1:A:633:LYS:HG2	0.46	2.11	4	1
1:A:60:LEU:HD11	1:A:118:LEU:O	0.45	2.11	2	3
1:A:52:ALA:O	1:A:56:LYS:HG3	0.45	2.10	4	1
1:A:212:ASP:O	1:A:216:ILE:HB	0.45	2.11	5	1
1:A:445:ARG:HD2	1:A:450:GLN:OE1	0.45	2.12	9	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:13:ARG:HD3	1:A:408:ASP:OD2	0.45	2.12	9	2
1:A:210:GLU:HB2	1:A:509:ARG:NH2	0.45	2.27	7	3
1:A:427:VAL:HG22	1:A:588:LEU:HB3	0.45	1.89	5	1
1:A:159:PRO:HA	1:A:181:GLU:OE2	0.44	2.13	4	3
1:A:713:ASP:O	1:A:828:LYS:HE2	0.44	2.12	5	1
1:A:428:TYR:CE1	1:A:614:PRO:HA	0.44	2.47	7	2
1:A:450:GLN:HB2	1:A:551:ALA:HB1	0.44	1.90	10	1
1:A:772:ASP:O	1:A:776:LYS:HE3	0.44	2.11	1	1
1:A:604:SER:O	1:A:608:ARG:HG3	0.44	2.12	5	1
1:A:651:VAL:O	1:A:655:GLN:HG3	0.44	2.13	8	1
1:A:577:ARG:N	1:A:580:ASP:HB3	0.44	2.28	10	1
1:A:206:ALA:HB2	1:A:384:TYR:CD1	0.43	2.47	8	1
1:A:698:GLU:HA	1:A:701:TRP:CE3	0.43	2.48	4	1
1:A:776:LYS:HD2	1:A:776:LYS:C	0.43	2.38	10	1
1:A:679:ILE:O	1:A:683:VAL:HG23	0.43	2.14	5	1
1:A:434:LYS:O	1:A:438:ILE:HG13	0.43	2.13	4	3
1:A:727:GLU:O	1:A:730:LEU:HB2	0.43	2.14	2	1
1:A:421:LYS:O	1:A:583:SER:HA	0.43	2.13	10	1
1:A:212:ASP:OD2	1:A:566:ARG:HD3	0.43	2.14	3	1
1:A:429:MET:HE1	1:A:608:ARG:O	0.43	2.14	4	1
1:A:427:VAL:HG22	1:A:588:LEU:HB2	0.43	1.91	4	1
1:A:428:TYR:CE2	1:A:614:PRO:HA	0.42	2.49	2	1
1:A:783:ASP:O	1:A:787:GLN:HG2	0.42	2.14	8	2
1:A:558:GLY:HA3	1:A:586:PHE:CD2	0.42	2.49	6	1
1:A:821:GLU:HA	1:A:824:SER:OG	0.42	2.14	7	1
1:A:378:GLN:HA	1:A:405:TYR:CE2	0.42	2.48	8	2
1:A:730:LEU:O	1:A:734:THR:HB	0.42	2.14	2	1
1:A:672:VAL:O	1:A:676:ILE:HG12	0.42	2.15	4	1
1:A:52:ALA:O	1:A:56:LYS:HG2	0.42	2.14	8	1
1:A:140:ALA:O	1:A:144:ARG:HB2	0.42	2.14	3	1
1:A:422:ASP:OD1	1:A:572:ARG:HD2	0.42	2.14	8	1
1:A:393:THR:O	1:A:569:ASN:HB3	0.42	2.14	1	1
1:A:640:ASP:O	1:A:643:LYS:HG2	0.42	2.15	5	1
1:A:733:GLU:HG2	1:A:734:THR:N	0.41	2.30	3	1
1:A:395:ASP:CG	1:A:396:THR:H	0.41	2.23	10	1
1:A:744:ILE:O	1:A:748:GLN:HG3	0.41	2.15	3	1
1:A:638:ASN:HD21	1:A:642:ARG:NH2	0.41	2.13	5	1
1:A:647:GLU:O	1:A:651:VAL:HG23	0.41	2.15	1	1
1:A:589:SER:O	1:A:592:ASP:HB2	0.41	2.16	8	1
1:A:67:ALA:O	1:A:71:VAL:HG23	0.41	2.16	7	1
1:A:706:LEU:O	1:A:710:LEU:HG	0.41	2.16	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:728:PRO:HD2	1:A:729:GLU:OE1	0.40	2.16	1	1
1:A:416:ARG:HB2	1:A:578:GLN:O	0.40	2.16	5	1
1:A:131:VAL:HA	1:A:214:ILE:HD11	0.40	1.91	10	1
1:A:561:ARG:HB2	1:A:594:LEU:HD22	0.40	1.91	8	1
1:A:210:GLU:HB2	1:A:509:ARG:HH21	0.40	1.76	1	1
1:A:726:LYS:O	1:A:728:PRO:HD3	0.40	2.17	3	1
1:A:590:MET:SD	1:A:595:MET:HE2	0.40	2.56	5	1
1:A:32:GLU:CD	1:A:72:ARG:HD3	0.40	2.41	7	1
1:A:680:ARG:HG3	1:A:823:ILE:HD12	0.40	1.93	7	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	664/828 (80%)	626±7 (94±1%)	31±4 (5±1%)	5±2 (1±0%)	18	68
2	B	0	-	-	-	-	-
All	All	6622/8560 (77%)	6263 (95%)	307 (5%)	52 (1%)	18	68

All 16 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	509	ARG	9
1	A	14	ASN	6
1	A	57	GLY	6
1	A	396	THR	6
1	A	613	LYS	5
1	A	619	GLU	4
1	A	612	MET	2
1	A	212	ASP	2
1	A	419	ILE	2
1	A	614	PRO	2
1	A	731	HIS	2
1	A	672	VAL	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	393	THR	1
1	A	391	THR	1
1	A	599	ALA	1
1	A	694	PRO	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	563/705 (80%)	521±5 (93±1%)	42±5 (7±1%)	15 63
2	B	0	-	-	-
All	All	5630/7250 (78%)	5211 (93%)	419 (7%)	15 63

All 153 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	511	THR	10
1	A	130	THR	9
1	A	178	THR	9
1	A	194	SER	9
1	A	83	HIS	9
1	A	12	SER	8
1	A	104	THR	8
1	A	376	THR	8
1	A	109	THR	8
1	A	564	SER	7
1	A	584	SER	7
1	A	604	SER	7
1	A	220	ARG	7
1	A	673	SER	7
1	A	208	VAL	6
1	A	461	LYS	6
1	A	419	ILE	6
1	A	589	SER	6
1	A	732	GLU	6
1	A	113	THR	5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	137	GLN	5
1	A	393	THR	5
1	A	436	GLN	5
1	A	670	SER	5
1	A	734	THR	5
1	A	506	MET	5
1	A	715	ASP	5
1	A	444	GLU	5
1	A	745	GLU	5
1	A	675	THR	4
1	A	153	THR	4
1	A	668	ASP	4
1	A	777	GLU	4
1	A	213	SER	4
1	A	540	ASP	4
1	A	402	SER	4
1	A	530	THR	4
1	A	101	GLU	4
1	A	800	LYS	4
1	A	725	ASP	4
1	A	21	MET	3
1	A	477	ASN	3
1	A	546	ASP	3
1	A	85	ASP	3
1	A	98	CYS	3
1	A	161	MET	3
1	A	532	GLU	3
1	A	730	LEU	3
1	A	583	SER	3
1	A	17	THR	3
1	A	414	THR	3
1	A	743	SER	3
1	A	446	THR	3
1	A	378	GLN	3
1	A	55	GLU	3
1	A	14	ASN	2
1	A	486	ASN	2
1	A	512	ASP	2
1	A	776	LYS	2
1	A	821	GLU	2
1	A	124	LYS	2
1	A	708	GLU	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	722	GLU	2
1	A	749	ARG	2
1	A	757	GLU	2
1	A	616	GLU	2
1	A	647	GLU	2
1	A	729	GLU	2
1	A	731	HIS	2
1	A	761	HIS	2
1	A	20	ARG	2
1	A	209	ASP	2
1	A	210	GLU	2
1	A	501	THR	2
1	A	562	HIS	2
1	A	689	ASP	2
1	A	106	GLU	2
1	A	487	GLU	2
1	A	585	ARG	2
1	A	612	MET	2
1	A	624	THR	2
1	A	700	MET	2
1	A	139	ASP	2
1	A	458	SER	2
1	A	560	GLU	2
1	A	695	GLN	2
1	A	122	THR	2
1	A	201	ARG	2
1	A	217	ASP	2
1	A	602	ARG	2
1	A	787	GLN	2
1	A	456	THR	2
1	A	575	SER	2
1	A	767	MET	2
1	A	409	THR	1
1	A	463	GLU	1
1	A	733	GLU	1
1	A	772	ASP	1
1	A	13	ARG	1
1	A	108	LYS	1
1	A	111	THR	1
1	A	131	VAL	1
1	A	133	ASP	1
1	A	443	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	462	SER	1
1	A	514	VAL	1
1	A	625	LYS	1
1	A	650	ASP	1
1	A	674	GLU	1
1	A	753	VAL	1
1	A	817	SER	1
1	A	22	ARG	1
1	A	536	LYS	1
1	A	550	GLU	1
1	A	649	ASP	1
1	A	196	GLU	1
1	A	202	LYS	1
1	A	431	GLU	1
1	A	563	GLU	1
1	A	613	LYS	1
1	A	620	HIS	1
1	A	677	ASN	1
1	A	102	MET	1
1	A	520	GLN	1
1	A	535	GLU	1
1	A	638	ASN	1
1	A	44	LYS	1
1	A	189	ASP	1
1	A	484	HIS	1
1	A	601	ASP	1
1	A	742	GLN	1
1	A	828	LYS	1
1	A	56	LYS	1
1	A	148	GLU	1
1	A	180	ASN	1
1	A	191	MET	1
1	A	527	GLU	1
1	A	565	ARG	1
1	A	619	GLU	1
1	A	635	GLU	1
1	A	642	ARG	1
1	A	824	SER	1
1	A	212	ASP	1
1	A	580	ASP	1
1	A	19	ARG	1
1	A	426	LEU	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	429	MET	1
1	A	591	GLU	1
1	A	592	ASP	1
1	A	667	LEU	1
1	A	382	ARG	1
1	A	460	GLU	1
1	A	699	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided