



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:31 PM UTC

PDB ID : 3VEF / pdb_00003vef
Title : Rhodococcus jostii RHA1 DypB N246H variant in complex with heme
Authors : Grigg, J.C.; Singh, R.; Armstrong, Z.; Eltis, L.D.; Murphy, M.E.P.
Deposited on : 2012-01-07
Resolution : 2.64 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2053 (2.66-2.62)
Clashscore	190562	2097 (2.66-2.62)
Ramachandran outliers	187476	2066 (2.66-2.62)
Sidechain outliers	187428	2066 (2.66-2.62)
RSRZ outliers	180081	2052 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	353	 70% 15% • 13%
1	B	353	 75% 12% • 12%
1	C	353	 69% 16% • 13%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7545 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called DypB.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	308	Total	C	N	O	S	0	7	0
			2404	1506	411	479	8			
1	B	310	Total	C	N	O	S	0	1	0
			2359	1481	398	473	7			
1	C	308	Total	C	N	O	S	0	3	0
			2359	1481	398	472	8			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	expression tag	UNP Q0SE24
A	-1	SER	-	expression tag	UNP Q0SE24
A	0	HIS	-	expression tag	UNP Q0SE24
A	246	HIS	ASN	engineered mutation	UNP Q0SE24
B	-2	GLY	-	expression tag	UNP Q0SE24
B	-1	SER	-	expression tag	UNP Q0SE24
B	0	HIS	-	expression tag	UNP Q0SE24
B	246	HIS	ASN	engineered mutation	UNP Q0SE24
C	-2	GLY	-	expression tag	UNP Q0SE24
C	-1	SER	-	expression tag	UNP Q0SE24
C	0	HIS	-	expression tag	UNP Q0SE24
C	246	HIS	ASN	engineered mutation	UNP Q0SE24

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (CCD ID: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
2	B	1	Total	C	Fe	N	O	
			43	34	1	4	4	0
2	C	1	Total	C	Fe	N	O	
			43	34	1	4	4	0

- Molecule 3 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Cl		
			1	1	0	0
3	B	1	Total	Cl		
			1	1	0	0
3	C	1	Total	Cl		
			1	1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	113	Total	O		
			113	113	0	0
4	B	121	Total	O		
			121	121	0	0
4	C	57	Total	O		
			57	57	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: DypB



• Molecule 1: DypB



• Molecule 1: DypB



ALA
GLY
ALA
GLU
SER
ALA
PRO
GLU
ASP
PRO
VAL
GLU
PRO
ALA
ALA
GLY
PRO
TYR
ASP
LEU
SER
LEU
LYS
ILE
GLY
GLY
LEU
LYS
GLY
VAL
SER
GLN

4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, α , β , γ	132.31Å 132.31Å 158.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	45.00 – 2.64 45.00 – 2.64	Depositor EDS
% Data completeness (in resolution range)	99.3 (45.00-2.64) 99.3 (45.00-2.64)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.64 (at 2.65Å)	Xtriage
Refinement program	REFMAC refmac_5.6.0117	Depositor
R, R_{free}	0.156 , 0.205 (Not available) , 0.204	Depositor DCC
R_{free} test set	2393 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	50.7	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	7545	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	2/2456 (0.1%)	1.06	5/3342 (0.1%)
1	B	1.00	1/2411 (0.0%)	1.06	5/3284 (0.2%)
1	C	0.96	2/2411 (0.1%)	1.07	8/3284 (0.2%)
All	All	0.98	5/7278 (0.1%)	1.06	18/9910 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	1
1	C	0	1
All	All	0	2

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	95	HIS	CE1-NE2	6.09	1.38	1.32
1	A	246	HIS	CG-CD2	5.72	1.42	1.35
1	A	246	HIS	ND1-CE1	5.63	1.38	1.32
1	C	95	HIS	CG-CD2	5.45	1.41	1.35
1	B	246	HIS	CG-CD2	5.04	1.41	1.35

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	85	HIS	CA-C-N	-8.21	112.39	120.52
1	A	85	HIS	C-N-CA	-8.21	112.39	120.52
1	C	31	SER	N-CA-C	7.02	119.39	110.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	80	LYS	CA-C-N	-6.98	113.12	120.03
1	B	80	LYS	C-N-CA	-6.98	113.12	120.03
1	C	78	SER	N-CA-C	-6.16	99.61	109.96
1	C	14	LEU	N-CA-C	5.61	119.66	113.21
1	C	96	SER	N-CA-C	5.57	118.17	108.76
1	A	134	VAL	CB-CA-C	5.48	116.85	110.88
1	A	218	ASP	N-CA-C	5.41	117.60	111.11
1	A	83	HIS	N-CA-C	5.38	119.15	112.59
1	B	16	PRO	CA-C-N	-5.29	114.80	120.03
1	B	16	PRO	C-N-CA	-5.29	114.80	120.03
1	B	82	ALA	N-CA-C	5.26	118.48	111.75
1	C	258	GLY	N-CA-C	5.16	119.13	111.18
1	C	290	VAL	N-CA-C	-5.10	105.42	110.62
1	C	250	GLY	N-CA-C	5.08	118.40	110.88
1	C	123	ILE	N-CA-C	-5.04	105.79	110.53

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	78	SER	Peptide
1	C	77	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2404	0	2298	39	0
1	B	2359	0	2254	22	0
1	C	2359	0	2255	27	0
2	A	43	0	30	1	0
2	B	43	0	30	7	0
2	C	43	0	30	2	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	113	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	121	0	0	1	0
4	C	57	0	0	1	0
All	All	7545	0	6897	93	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (93) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:35:ARG:HG2	1:C:35:ARG:HH11	1.32	0.95
1:A:289[A]:ARG:HG2	1:A:289[A]:ARG:HH11	1.38	0.88
1:A:289[A]:ARG:HH11	1:A:289[A]:ARG:CG	1.86	0.87
1:B:157:ASN:HD21	1:B:244:ARG:H	1.18	0.86
1:C:170:GLY:HA3	1:C:172:GLU:OE2	1.77	0.83
1:B:314:GLY:N	1:B:315:ASP:HA	1.98	0.78
1:A:277[A]:ARG:HG2	1:A:277[A]:ARG:HH11	1.49	0.78
2:B:401:HEM:HBC2	2:B:401:HEM:HMC2	1.71	0.73
1:C:157:ASN:HD21	1:C:244:ARG:H	1.34	0.72
1:A:157:ASN:HD21	1:A:244:ARG:H	1.36	0.72
1:C:39[B]:CYS:SG	1:C:313:LEU:C	2.74	0.70
1:A:170:GLY:HA3	1:A:172:GLU:OE2	1.91	0.69
1:A:289[A]:ARG:NH1	1:A:292:ASP:OD2	2.29	0.64
1:C:199:THR:O	1:C:203:GLU:HG3	1.98	0.63
1:C:35:ARG:HG2	1:C:35:ARG:NH1	2.09	0.63
2:B:401:HEM:HBC2	2:B:401:HEM:CMC	2.25	0.62
1:C:157:ASN:ND2	1:C:244:ARG:H	1.97	0.62
1:A:39[B]:CYS:SG	1:A:75:VAL:HG21	2.41	0.60
1:A:231:THR:O	1:A:277[B]:ARG:NH1	2.36	0.59
1:A:289[A]:ARG:HG2	1:A:289[A]:ARG:NH1	2.15	0.58
1:C:273:LEU:O	1:C:277:ARG:HG3	2.02	0.58
1:A:181:TYR:CD1	1:A:268:PRO:HD3	2.41	0.55
1:B:85:HIS:HD2	1:B:86:PRO:O	1.89	0.54
1:A:85:HIS:HD2	1:A:86:PRO:O	1.91	0.54
1:C:171:ASP:O	1:C:174:PRO:HG3	2.08	0.54
2:C:401:HEM:HMB1	2:C:401:HEM:HBB2	1.90	0.54
1:A:203:GLU:HG2	1:A:209:THR:HA	1.91	0.53
1:A:146:ARG:HA	1:A:151:PHE:O	2.08	0.53
1:C:229:LEU:HD12	1:C:288:ASP:HB2	1.91	0.52
1:B:181:TYR:CD1	1:B:268:PRO:HD3	2.45	0.52
1:B:220:ALA:O	1:B:222:PRO:HD3	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:35:ARG:HH11	1:C:35:ARG:CG	2.14	0.51
1:B:189:HIS:HE1	2:B:401:HEM:HBB2	1.76	0.51
1:A:39[A]:CYS:SG	1:A:75:VAL:HG21	2.51	0.50
1:B:29:GLY:HA3	1:B:34:ASP:OD2	2.11	0.50
1:A:189:HIS:HE1	2:A:401:HEM:HBB2	1.75	0.50
1:A:165:ASP:HB3	4:A:602:HOH:O	2.11	0.49
1:B:301:LEU:HD23	1:B:302:PHE:N	2.27	0.49
1:A:121:ARG:O	1:A:125:SER:HB3	2.13	0.49
1:C:213:ASN:O	1:C:213:ASN:CG	2.56	0.49
1:C:29:GLY:HA3	1:C:34:ASP:OD2	2.12	0.48
1:B:246:HIS:HA	1:B:260:TYR:O	2.14	0.48
1:A:307:ARG:HD2	4:A:594:HOH:O	2.13	0.48
1:A:277[A]:ARG:HH11	1:A:277[A]:ARG:CG	2.23	0.48
1:A:157:ASN:ND2	1:A:244:ARG:H	2.07	0.47
1:A:205:VAL:HG22	1:A:289[A]:ARG:HD3	1.96	0.47
1:C:35:ARG:HD2	1:C:74:ARG:O	2.13	0.47
1:A:170:GLY:HA3	1:A:172:GLU:CD	2.40	0.47
1:B:314:GLY:H	1:B:315:ASP:HA	1.77	0.47
1:A:35[A]:ARG:CB	1:A:35[A]:ARG:HH11	2.28	0.47
1:C:100:THR:HB	1:C:101:PRO:HD2	1.96	0.47
1:C:177:ARG:HH11	1:C:177:ARG:HG3	1.80	0.46
1:A:35[B]:ARG:HB2	1:A:74:ARG:NH2	2.31	0.46
1:A:169:ILE:O	1:A:178:GLY:N	2.36	0.46
1:A:246:HIS:CE1	4:A:609:HOH:O	2.69	0.46
1:C:79[B]:SER:HB3	1:C:176:PHE:CZ	2.52	0.45
1:C:282:GLU:HA	1:C:283:PRO:C	2.41	0.45
1:A:10:PRO:HG3	1:A:46:ASP:HB3	1.97	0.45
1:A:35[A]:ARG:HH11	1:A:35[A]:ARG:HB2	1.82	0.45
1:B:192:SER:O	1:B:196:THR:HG23	2.17	0.45
1:B:230:ASN:HD22	1:B:274:MET:HG2	1.80	0.45
1:B:81:PRO:HA	1:B:176:PHE:CE2	2.53	0.44
1:A:46:ASP:HA	1:A:49:LEU:HB3	2.00	0.43
1:A:288:ASP:OD1	1:A:290:VAL:HB	2.18	0.43
1:A:34[A]:ASP:O	1:A:35[A]:ARG:C	2.60	0.43
2:B:401:HEM:HMC2	2:B:401:HEM:CBC	2.46	0.42
2:B:401:HEM:HBB2	2:B:401:HEM:HMB1	2.01	0.42
1:B:129:SER:HA	4:B:517:HOH:O	2.18	0.42
1:B:314:GLY:N	1:B:315:ASP:CA	2.78	0.42
1:B:154:GLY:O	1:B:157:ASN:HB2	2.20	0.42
1:A:277[A]:ARG:HG2	1:A:277[A]:ARG:NH1	2.27	0.42
1:B:26:LEU:N	1:B:26:LEU:HD12	2.35	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:246:HIS:HA	1:A:260:TYR:O	2.20	0.42
1:B:208:ARG:HD2	2:B:401:HEM:HBA1	2.01	0.42
1:C:189:HIS:HE1	2:C:401:HEM:HBB2	1.84	0.42
1:A:31:SER:O	1:A:34[A]:ASP:HB2	2.20	0.42
1:B:282:GLU:HA	1:B:283:PRO:C	2.44	0.42
1:A:230:ASN:ND2	1:A:274:MET:HB3	2.34	0.42
1:B:217:ASP:OD1	1:B:217:ASP:N	2.46	0.42
1:A:38:VAL:HG13	1:A:104:LEU:HD11	2.01	0.41
1:C:144:ASP:OD1	1:C:144:ASP:N	2.50	0.41
1:B:181:TYR:CG	1:B:268:PRO:HD3	2.55	0.41
1:C:207:GLY:HA2	1:C:221:GLN:HE22	1.84	0.41
1:C:221:GLN:NE2	1:C:225:SER:OG	2.54	0.41
1:B:208:ARG:CD	2:B:401:HEM:HBA1	2.51	0.41
1:A:208:ARG:HD2	4:A:533:HOH:O	2.21	0.41
1:C:39[B]:CYS:SG	1:C:313:LEU:HB3	2.60	0.41
1:C:139:GLY:HA2	1:C:248:ALA:O	2.21	0.41
1:C:78:SER:HA	1:C:79[A]:SER:HA	1.82	0.40
1:A:10:PRO:HD3	1:A:46:ASP:HB3	2.03	0.40
1:A:21:SER:OG	1:A:247:MET:HG3	2.22	0.40
1:C:212:GLU:HB2	4:C:518:HOH:O	2.22	0.40
1:C:230:ASN:ND2	1:C:274:MET:HB3	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/353 (89%)	292 (93%)	19 (6%)	2 (1%)	21	31
1	B	309/353 (88%)	289 (94%)	18 (6%)	2 (1%)	21	31
1	C	309/353 (88%)	291 (94%)	15 (5%)	3 (1%)	12	18
All	All	931/1059 (88%)	872 (94%)	52 (6%)	7 (1%)	16	24

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	246	HIS
1	B	246	HIS
1	A	78	SER
1	C	246	HIS
1	B	236	ASP
1	C	255	ALA
1	C	220	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	260/284 (92%)	236 (91%)	24 (9%)	8	13
1	B	255/284 (90%)	238 (93%)	17 (7%)	15	24
1	C	256/284 (90%)	235 (92%)	21 (8%)	10	17
All	All	771/852 (90%)	709 (92%)	62 (8%)	13	18

All (62) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	30	ASP
1	A	35[A]	ARG
1	A	35[B]	ARG
1	A	40	ASP
1	A	75	VAL
1	A	78	SER
1	A	80	LYS
1	A	124	VAL
1	A	125	SER
1	A	134	VAL
1	A	145	SER
1	A	192	SER
1	A	212[A]	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	212[B]	GLU
1	A	216	LEU
1	A	221	GLN
1	A	245	ASP
1	A	277[A]	ARG
1	A	277[B]	ARG
1	A	289[A]	ARG
1	A	289[B]	ARG
1	A	294	SER
1	A	311	GLU
1	B	8	LEU
1	B	14	LEU
1	B	46[A]	ASP
1	B	46[B]	ASP
1	B	113	LYS
1	B	145	SER
1	B	157	ASN
1	B	172	GLU
1	B	201	GLU
1	B	217	ASP
1	B	235	ASP
1	B	238	VAL
1	B	245	ASP
1	B	246	HIS
1	B	280	LEU
1	B	312	SER
1	B	315	ASP
1	C	7	ARG
1	C	14	LEU
1	C	31	SER
1	C	32	ASP
1	C	35	ARG
1	C	40	ASP
1	C	78	SER
1	C	79[A]	SER
1	C	79[B]	SER
1	C	80	LYS
1	C	113	LYS
1	C	134	VAL
1	C	145	SER
1	C	159	THR
1	C	162	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	168	LEU
1	C	192	SER
1	C	211	LEU
1	C	233	VAL
1	C	238	VAL
1	C	246	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	157	ASN
1	A	221	GLN
1	A	230	ASN
1	A	246	HIS
1	B	157	ASN
1	B	221	GLN
1	B	230	ASN
1	C	70	GLN
1	C	157	ASN
1	C	221	GLN
1	C	230	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	401	1,4	50,50,50	2.35	24 (48%)	67,82,82	3.19	33 (49%)
2	HEM	B	401	1,4	50,50,50	2.42	24 (48%)	67,82,82	3.15	37 (55%)
2	HEM	C	401	1,4	50,50,50	2.42	25 (50%)	67,82,82	3.11	33 (49%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	401	1,4	-	4/14/54/54	-
2	HEM	B	401	1,4	-	5/14/54/54	-
2	HEM	C	401	1,4	-	4/14/54/54	-

All (73) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	HEM	C3C-C2C	4.79	1.46	1.37
2	A	401	HEM	FE-ND	4.77	2.09	1.94
2	C	401	HEM	FE-NB	4.66	2.09	1.94
2	A	401	HEM	FE-NB	4.62	2.09	1.94
2	B	401	HEM	C3B-C2B	4.58	1.46	1.37
2	C	401	HEM	C3C-C2C	4.48	1.46	1.37
2	C	401	HEM	C3B-C2B	4.35	1.46	1.37
2	B	401	HEM	FE-NB	4.23	2.07	1.94
2	C	401	HEM	C3D-C2D	4.14	1.45	1.36
2	B	401	HEM	FE-ND	4.10	2.07	1.94
2	A	401	HEM	C3C-C2C	4.08	1.45	1.37
2	B	401	HEM	C3D-C2D	4.02	1.45	1.36
2	A	401	HEM	C4D-ND	-4.01	1.33	1.40
2	B	401	HEM	C1A-NA	3.96	1.47	1.39
2	A	401	HEM	C3D-C2D	3.95	1.45	1.36
2	C	401	HEM	C4D-ND	-3.85	1.33	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	401	HEM	FE-ND	3.85	2.06	1.94
2	A	401	HEM	CHB-C1B	3.74	1.46	1.38
2	A	401	HEM	C3B-C2B	3.73	1.44	1.37
2	A	401	HEM	C1B-NB	-3.69	1.33	1.40
2	B	401	HEM	C2A-C3A	3.57	1.48	1.38
2	C	401	HEM	C4A-NA	3.51	1.46	1.39
2	A	401	HEM	C2A-C3A	3.49	1.48	1.38
2	A	401	HEM	C1A-NA	3.45	1.46	1.39
2	B	401	HEM	CHD-C4C	3.44	1.45	1.38
2	C	401	HEM	C1A-NA	3.42	1.46	1.39
2	C	401	HEM	C4C-NC	3.39	1.46	1.39
2	C	401	HEM	C2A-C3A	3.37	1.47	1.38
2	C	401	HEM	CHC-C1C	3.34	1.44	1.38
2	B	401	HEM	C4D-ND	-3.33	1.34	1.40
2	B	401	HEM	C1B-C2B	3.32	1.51	1.44
2	C	401	HEM	CHD-C4C	3.30	1.44	1.38
2	B	401	HEM	C1C-NC	3.30	1.45	1.39
2	B	401	HEM	CHA-C4D	3.29	1.45	1.38
2	A	401	HEM	CHC-C1C	3.24	1.44	1.38
2	B	401	HEM	CHB-C1B	3.23	1.45	1.38
2	B	401	HEM	CHA-C1A	3.05	1.46	1.39
2	B	401	HEM	C4A-NA	3.01	1.45	1.39
2	C	401	HEM	C1C-NC	3.01	1.45	1.39
2	B	401	HEM	CHC-C4B	2.99	1.46	1.39
2	C	401	HEM	CHB-C1B	2.98	1.44	1.38
2	C	401	HEM	C4A-C3A	2.91	1.50	1.43
2	C	401	HEM	C1A-C2A	2.85	1.50	1.44
2	A	401	HEM	CHD-C1D	2.83	1.45	1.39
2	C	401	HEM	C4D-C3D	2.81	1.49	1.45
2	A	401	HEM	C1D-ND	-2.80	1.33	1.38
2	C	401	HEM	CHC-C4B	2.77	1.45	1.39
2	C	401	HEM	C1B-NB	-2.77	1.35	1.40
2	A	401	HEM	C1C-NC	2.72	1.44	1.39
2	A	401	HEM	CHD-C4C	2.70	1.43	1.38
2	A	401	HEM	CHA-C1A	2.67	1.45	1.39
2	C	401	HEM	CHB-C4A	2.62	1.45	1.39
2	A	401	HEM	C4A-NA	2.62	1.44	1.39
2	C	401	HEM	CHD-C1D	2.55	1.45	1.39
2	B	401	HEM	CHB-C4A	2.53	1.45	1.39
2	B	401	HEM	C4D-C3D	2.51	1.49	1.45
2	B	401	HEM	C1B-NB	-2.51	1.35	1.40
2	B	401	HEM	C1A-C2A	2.50	1.49	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401	HEM	C4B-NB	-2.49	1.34	1.38
2	A	401	HEM	CHB-C4A	2.48	1.45	1.39
2	C	401	HEM	CHA-C4D	2.40	1.43	1.38
2	C	401	HEM	C4B-NB	-2.36	1.34	1.38
2	A	401	HEM	CHA-C4D	2.33	1.43	1.38
2	C	401	HEM	CHA-C1A	2.31	1.44	1.39
2	B	401	HEM	C4C-NC	2.28	1.43	1.39
2	A	401	HEM	CHC-C4B	2.27	1.44	1.39
2	B	401	HEM	CHC-C1C	2.26	1.42	1.38
2	A	401	HEM	C1C-C2C	2.24	1.49	1.45
2	A	401	HEM	C1B-C2B	2.23	1.49	1.44
2	B	401	HEM	CHD-C1D	2.13	1.44	1.39
2	C	401	HEM	C1D-ND	-2.10	1.34	1.38
2	A	401	HEM	C4C-NC	2.07	1.43	1.39
2	B	401	HEM	C4A-C3A	2.06	1.48	1.43

All (103) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	HEM	C3B-C4B-NB	9.61	116.37	109.47
2	A	401	HEM	C3B-C4B-NB	9.60	116.36	109.47
2	C	401	HEM	C3B-C4B-NB	9.33	116.17	109.47
2	B	401	HEM	C3B-C2B-C1B	-8.81	99.79	106.41
2	C	401	HEM	C3B-C2B-C1B	-8.80	99.80	106.41
2	A	401	HEM	C3B-C2B-C1B	-8.14	100.30	106.41
2	A	401	HEM	C2B-C1B-NB	7.47	118.42	109.84
2	A	401	HEM	C2D-C1D-ND	7.32	118.37	109.90
2	B	401	HEM	C2D-C1D-ND	7.26	118.30	109.90
2	C	401	HEM	C2B-C1B-NB	7.23	118.15	109.84
2	B	401	HEM	C2B-C1B-NB	7.20	118.11	109.84
2	A	401	HEM	C3D-C4D-ND	7.02	117.86	110.17
2	C	401	HEM	C2D-C1D-ND	7.01	118.01	109.90
2	C	401	HEM	C3D-C4D-ND	6.38	117.17	110.17
2	B	401	HEM	C1D-C2D-C3D	-6.32	100.33	106.98
2	B	401	HEM	C3C-C2C-C1C	-6.14	101.23	107.05
2	A	401	HEM	C1D-C2D-C3D	-5.45	101.25	106.98
2	C	401	HEM	C1D-C2D-C3D	-5.16	101.55	106.98
2	C	401	HEM	C2A-C1A-NA	4.81	115.49	110.15
2	A	401	HEM	C3C-C2C-C1C	-4.80	102.51	107.05
2	A	401	HEM	C2A-C1A-NA	4.79	115.46	110.15
2	C	401	HEM	CHD-C1D-C2D	-4.73	117.56	125.03
2	C	401	HEM	C4C-NC-C1C	-4.69	98.17	105.82

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	HEM	C3D-C4D-ND	4.60	115.22	110.17
2	C	401	HEM	C3C-C2C-C1C	-4.49	102.80	107.05
2	A	401	HEM	C4C-NC-C1C	-4.32	98.79	105.82
2	B	401	HEM	CHD-C1D-C2D	-4.17	118.44	125.03
2	B	401	HEM	C2A-C1A-NA	4.14	114.74	110.15
2	B	401	HEM	CHC-C4B-C3B	-4.10	116.88	125.07
2	A	401	HEM	C4D-ND-C1D	-4.08	100.37	105.21
2	A	401	HEM	CBD-CAD-C3D	-4.04	101.36	112.53
2	A	401	HEM	C4A-NA-C1A	-4.03	99.26	105.82
2	A	401	HEM	CHD-C1D-C2D	-4.01	118.69	125.03
2	C	401	HEM	C4A-NA-C1A	-3.96	99.37	105.82
2	A	401	HEM	C4B-C3B-C2B	-3.83	103.76	107.28
2	C	401	HEM	C2C-C1C-NC	3.73	116.53	109.64
2	B	401	HEM	C4A-NA-C1A	-3.70	99.79	105.82
2	B	401	HEM	CMD-C2D-C1D	3.69	130.81	125.03
2	C	401	HEM	C4D-ND-C1D	-3.63	100.91	105.21
2	A	401	HEM	C1B-NB-C4B	-3.51	101.05	105.21
2	B	401	HEM	C1B-NB-C4B	-3.45	101.12	105.21
2	B	401	HEM	C2C-C1C-NC	3.42	115.95	109.64
2	A	401	HEM	C4D-C3D-C2D	-3.41	101.92	106.89
2	C	401	HEM	C1B-NB-C4B	-3.40	101.17	105.21
2	B	401	HEM	C4C-NC-C1C	-3.40	100.28	105.82
2	A	401	HEM	C2C-C1C-NC	3.37	115.87	109.64
2	C	401	HEM	C4D-C3D-C2D	-3.29	102.11	106.89
2	A	401	HEM	C3A-C4A-NA	3.24	115.34	110.14
2	C	401	HEM	CHC-C4B-C3B	-3.22	118.64	125.07
2	B	401	HEM	CBD-CAD-C3D	-3.11	103.95	112.53
2	A	401	HEM	CHA-C4D-C3D	-3.10	119.50	125.23
2	A	401	HEM	CHD-C4C-NC	-3.10	121.07	124.45
2	B	401	HEM	C4B-C3B-C2B	-3.04	104.48	107.28
2	B	401	HEM	C4D-ND-C1D	-3.04	101.60	105.21
2	B	401	HEM	C3A-C4A-NA	3.04	115.01	110.14
2	B	401	HEM	CAA-C2A-C1A	3.03	130.85	124.94
2	C	401	HEM	CAD-C3D-C4D	2.98	129.88	124.70
2	C	401	HEM	C3A-C4A-NA	2.94	114.85	110.14
2	A	401	HEM	O2A-CGA-CBA	2.93	123.27	114.00
2	C	401	HEM	C4B-C3B-C2B	-2.93	104.59	107.28
2	B	401	HEM	CHB-C4A-C3A	-2.92	118.95	127.43
2	B	401	HEM	CMC-C2C-C1C	2.83	129.71	124.73
2	C	401	HEM	CHA-C4D-C3D	-2.81	120.05	125.23
2	A	401	HEM	CHA-C1A-C2A	-2.81	119.16	125.30
2	B	401	HEM	CMB-C2B-C1B	2.80	129.40	125.03

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	HEM	CHB-C4A-C3A	-2.79	119.33	127.43
2	A	401	HEM	CHB-C1B-NB	-2.78	120.93	124.37
2	C	401	HEM	CMD-C2D-C1D	2.74	129.32	125.03
2	B	401	HEM	CHB-C1B-C2B	-2.72	119.22	126.95
2	C	401	HEM	CHC-C1C-NC	-2.70	121.51	124.45
2	C	401	HEM	CAD-CBD-CGD	-2.67	106.59	113.67
2	C	401	HEM	CHA-C1A-C2A	-2.64	119.51	125.30
2	A	401	HEM	CMD-C2D-C1D	2.64	129.16	125.03
2	B	401	HEM	CHC-C1C-NC	-2.55	121.67	124.45
2	B	401	HEM	CBA-CAA-C2A	2.55	119.59	112.53
2	A	401	HEM	CHC-C4B-C3B	-2.52	120.04	125.07
2	B	401	HEM	CAD-C3D-C4D	2.48	129.02	124.70
2	A	401	HEM	CAD-CBD-CGD	-2.48	107.10	113.67
2	A	401	HEM	CAD-C3D-C4D	2.42	128.91	124.70
2	C	401	HEM	CMB-C2B-C1B	2.42	128.81	125.03
2	C	401	HEM	CHD-C4C-C3C	-2.40	121.17	125.21
2	C	401	HEM	CHB-C1B-C2B	-2.40	120.13	126.95
2	B	401	HEM	C1C-CHC-C4B	-2.39	120.95	126.02
2	A	401	HEM	CHB-C4A-C3A	-2.38	120.51	127.43
2	B	401	HEM	O2A-CGA-CBA	2.36	121.47	114.00
2	C	401	HEM	CHB-C1B-NB	-2.32	121.50	124.37
2	A	401	HEM	CHB-C1B-C2B	-2.29	120.43	126.95
2	B	401	HEM	CHA-C1A-C2A	-2.27	120.32	125.30
2	C	401	HEM	CBD-CAD-C3D	-2.27	106.26	112.53
2	A	401	HEM	O1D-CGD-CBD	-2.25	115.95	123.09
2	B	401	HEM	C1A-CHA-C4D	-2.21	121.04	126.25
2	B	401	HEM	CAD-CBD-CGD	-2.20	107.83	113.67
2	A	401	HEM	CHC-C1C-NC	-2.16	122.10	124.45
2	A	401	HEM	CHC-C1C-C2C	-2.15	121.01	125.49
2	B	401	HEM	CHC-C4B-NB	2.11	126.69	124.42
2	C	401	HEM	CHC-C1C-C2C	-2.10	121.12	125.49
2	A	401	HEM	CMC-C2C-C1C	2.10	128.42	124.73
2	B	401	HEM	CHD-C4C-C3C	-2.08	121.70	125.21
2	C	401	HEM	O1D-CGD-CBD	-2.07	116.54	123.09
2	B	401	HEM	CHA-C4D-C3D	-2.06	121.43	125.23
2	C	401	HEM	CMC-C2C-C1C	2.05	128.34	124.73
2	B	401	HEM	CBC-CAC-C3C	-2.05	117.30	127.53
2	B	401	HEM	CHC-C1C-C2C	-2.00	121.32	125.49

There are no chirality outliers.

All (13) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	401	HEM	CAD-CBD-CGD-O2D
2	B	401	HEM	C2A-CAA-CBA-CGA
2	C	401	HEM	CAD-CBD-CGD-O2D
2	C	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAA-CBA-CGA-O2A
2	B	401	HEM	CAA-CBA-CGA-O2A
2	B	401	HEM	CAD-CBD-CGD-O2D
2	B	401	HEM	CAD-CBD-CGD-O1D
2	B	401	HEM	CAA-CBA-CGA-O1A
2	C	401	HEM	CAD-CBD-CGD-O1D
2	A	401	HEM	CAD-CBD-CGD-O1D
2	A	401	HEM	CAA-CBA-CGA-O1A
2	A	401	HEM	CAA-CBA-CGA-O2A


There are no ring outliers.


3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	HEM	1	0
2	B	401	HEM	7	0
2	C	401	HEM	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	308/353 (87%)	-0.76	3 (0%) 79 76	17, 43, 75, 97	7 (2%)
1	B	310/353 (87%)	-0.68	2 (0%) 85 83	27, 46, 80, 109	1 (0%)
1	C	308/353 (87%)	-0.48	5 (1%) 70 67	28, 55, 82, 115	3 (0%)
All	All	926/1059 (87%)	-0.64	10 (1%) 78 75	17, 48, 80, 115	11 (1%)

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	35[A]	ARG	3.5
1	C	6	ALA	3.4
1	A	77	ALA	3.0
1	A	6	ALA	2.7
1	C	78	SER	2.3
1	B	246	HIS	2.2
1	C	313	LEU	2.2
1	C	77	ALA	2.1
1	B	46[A]	ASP	2.1
1	C	30[A]	ASP	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	HEM	A	401	43/43	0.99	0.05	32,36,42,45	0
2	HEM	B	401	43/43	0.99	0.06	27,34,46,53	0
2	HEM	C	401	43/43	0.99	0.06	35,41,53,58	0
3	CL	B	402	1/1	0.99	0.05	43,43,43,43	0
3	CL	C	402	1/1	0.99	0.04	51,51,51,51	0
3	CL	A	402	1/1	1.00	0.02	46,46,46,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around HEM B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.