



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:39 AM UTC

PDB ID : 7VEW / pdb_00007view
Title : Crystal structure of bacterial chemotaxis-dependent pectin-binding protein SPH1118 in complex with unsaturated trigalacturonic acid
Authors : Anamizu, K.; Takase, R.; Hio, M.; Watanebe, D.; Mikami, B.; Hashimoto, W.
Deposited on : 2021-09-10
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1188 (1.92-1.92)
Clashscore	190562	1209 (1.92-1.92)
Ramachandran outliers	187476	1195 (1.92-1.92)
Sidechain outliers	187428	1195 (1.92-1.92)
RSRZ outliers	180081	1188 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	619	2% 88% 9% ..
1	B	619	2% 88% 10% .
2	C	3	67% 33%
2	D	3	67% 33%


In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 2 is an oligosaccharide called 2,6-anhydro-3-deoxy-L-threo-hex-2-enonic acid-(1-4)-alpha-D-galactopyranuronic acid-(1-4)-alpha-D-galactopyranuronic acid.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	C	3	Total 36	C 18	O 18	0	0	0
2	D	3	Total 36	C 18	O 18	0	0	0

- Molecule 3 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (CCD ID: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			15	8	2	4	1		
3	B	1	Total	C	N	O	S	0	0
			15	8	2	4	1		

- Molecule 4 is GLYCEROL (CCD ID: GOL) (formula: $C_3H_8O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is L(+)-TARTARIC ACID (CCD ID: TLA) (formula: C₄H₆O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			10	4	6		
5	B	1	Total	C	O	0	0
			10	4	6		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	252	Total	O	0	0
			252	252		
6	B	227	Total	O	0	0
			227	227		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: SPH1118




• Molecule 1: SPH1118



• Molecule 2: 2,6-anhydro-3-deoxy-L-threo-hex-2-enonic acid-(1-4)-alpha-D-galactopyranuronic acid-(1-4)-alpha-D-galactopyranuronic acid



• Molecule 2: 2,6-anhydro-3-deoxy-L-threo-hex-2-enonic acid-(1-4)-alpha-D-galactopyranuronic acid-(1-4)-alpha-D-galactopyranuronic acid



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	57.69Å 83.66Å 148.52Å 90.00° 101.04° 90.00°	Depositor
Resolution (Å)	48.59 – 1.92 48.59 – 1.92	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.59-1.92) 99.9 (48.59-1.92)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 1.91Å)	Xtriage
Refinement program	REFMAC 5.8.0267	Depositor
R, R_{free}	0.210 , 0.232 0.212 , 0.236	Depositor DCC
R_{free} test set	5421 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	29.6	Xtriage
Anisotropy	0.684	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 33.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.013 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10339	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TLA, GOL, EPE, GAD, ADA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4976	0.47	0/6760
1	B	0.30	0/4976	0.47	0/6759
All	All	0.30	0/9952	0.47	0/13519

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4854	0	4819	37	0
1	B	4854	0	4824	42	0
2	C	36	0	20	2	0
2	D	36	0	20	2	0
3	A	15	0	17	3	0
3	B	15	0	17	1	0
4	A	6	0	8	1	0
4	B	24	0	32	4	0
5	A	10	0	4	1	0
5	B	10	0	4	0	0
6	A	252	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	227	0	0	1	0
All	All	10339	0	9765	81	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (81) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:303:ARG:HH11	1:B:576:SER:HB2	1.42	0.82
1:A:90:GLU:OE2	1:A:151:LYS:HD2	1.84	0.76
1:B:303:ARG:NH1	1:B:576:SER:HB2	2.04	0.73
1:A:180:TYR:O	1:A:183:GLN:HG3	1.90	0.72
1:B:303:ARG:HD2	1:B:576:SER:CB	2.21	0.70
1:B:303:ARG:HD2	1:B:576:SER:OG	1.92	0.69
1:B:358[B]:MET:HG3	1:B:452:TRP:HE1	1.58	0.68
1:A:466:ARG:HE	4:A:802:GOL:H11	1.59	0.67
1:B:169:LEU:HD12	4:B:805:GOL:H12	1.77	0.66
1:B:46:MET:HE2	1:B:238:TYR:CE1	2.32	0.65
1:A:384:LYS:H	3:A:801:EPE:H32	1.62	0.64
1:B:384:LYS:HG2	3:B:801:EPE:O1S	1.99	0.62
1:A:438:ARG:HD2	2:C:3:GAD:O6B	2.00	0.62
1:B:133:TYR:O	1:B:140:PRO:HD3	2.00	0.61
1:A:383:SER:HA	3:A:801:EPE:H81	1.85	0.59
1:B:263:LEU:HB3	1:B:264:PRO:HA	1.85	0.58
1:B:436:ILE:HD12	1:B:437:ASP:N	2.18	0.58
5:A:803:TLA:O11	5:A:803:TLA:O3	2.22	0.57
1:B:438:ARG:HD2	2:D:3:GAD:O6A	2.05	0.57
1:B:438:ARG:NH2	2:D:3:GAD:O6A	2.38	0.57
1:A:385:TRP:CZ3	1:A:550:LEU:HD12	2.40	0.56
1:A:133:TYR:O	1:A:140:PRO:HD3	2.04	0.56
1:A:438:ARG:NH1	2:C:3:GAD:O6B	2.40	0.55
1:B:303:ARG:HD2	1:B:576:SER:HB2	1.88	0.54
1:B:90:GLU:CD	1:B:151:LYS:HD2	2.32	0.54
1:B:205:PRO:O	1:B:209:ARG:HG3	2.08	0.54
1:A:204:TRP:CD1	1:A:205:PRO:HD3	2.43	0.53
1:B:169:LEU:CD1	4:B:805:GOL:H12	2.38	0.53
1:A:234:ILE:HD13	1:A:247:MET:HG2	1.91	0.52
1:A:70:ASP:O	1:A:71:ILE:HG13	2.10	0.51
1:B:375:TRP:CZ2	1:B:391:ALA:HB1	2.45	0.51
1:A:303:ARG:HA	1:A:306:MET:HB2	1.91	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:385:TRP:CZ3	1:B:553:PHE:HB3	2.47	0.50
1:A:285:THR:HG22	1:A:306:MET:SD	2.52	0.49
1:A:399:LEU:HD21	1:A:454:LYS:HB3	1.93	0.49
1:B:399:LEU:HD21	1:B:454:LYS:HB3	1.95	0.49
1:A:167:THR:HB	1:A:168:PRO:HD2	1.95	0.48
1:A:303:ARG:NE	1:A:576:SER:OG	2.46	0.48
1:B:431:ASP:HB3	1:B:462:LYS:HD2	1.96	0.48
1:A:303:ARG:NH2	1:A:574:VAL:O	2.47	0.47
1:B:528:GLU:OE2	1:B:531:LYS:NZ	2.40	0.47
1:B:333:ASN:HB2	1:B:478:TYR:CE2	2.49	0.47
1:A:339:GLU:O	1:A:343:LYS:NZ	2.46	0.47
4:B:805:GOL:H2	6:B:1086:HOH:O	2.16	0.46
1:A:300:VAL:HG13	1:A:303:ARG:HD2	1.97	0.46
1:B:381:LYS:HA	1:B:386:TYR:CD1	2.51	0.46
1:A:333:ASN:HB2	1:A:478:TYR:CE2	2.51	0.46
1:A:384:LYS:H	3:A:801:EPE:C3	2.28	0.46
1:A:375:TRP:CZ2	1:A:391:ALA:HB1	2.51	0.45
1:B:303:ARG:N	1:B:304:PRO:HD2	2.32	0.45
1:A:319:GLY:HA2	1:A:575:ILE:O	2.17	0.45
1:B:204:TRP:CZ3	1:B:208:MET:HG3	2.52	0.44
1:A:140:PRO:HB3	1:A:154:PHE:CD1	2.52	0.44
1:B:70:ASP:O	1:B:71:ILE:HG13	2.17	0.44
1:B:396:LYS:HD3	1:B:396:LYS:HA	1.64	0.44
1:B:285:THR:HG21	1:B:305:LEU:HD13	2.00	0.43
1:B:234:ILE:HD13	1:B:247:MET:HG2	2.00	0.43
1:A:263:LEU:HB3	1:A:264:PRO:HA	1.99	0.43
1:A:316:LYS:HE3	1:A:588:GLU:OE1	2.19	0.43
1:A:590:MET:HB2	1:A:601:LEU:HD23	2.01	0.42
1:A:485:PHE:CZ	1:A:566:VAL:HB	2.54	0.42
1:A:424:ASP:OD1	1:A:424:ASP:N	2.53	0.42
1:B:171:GLN:O	1:B:171:GLN:HG2	2.20	0.42
1:B:46:MET:HE2	1:B:238:TYR:CZ	2.54	0.42
1:A:204:TRP:CG	1:A:205:PRO:HD3	2.55	0.42
1:A:381:LYS:HA	1:A:386:TYR:CD1	2.55	0.42
1:B:340:LYS:HE2	1:B:424:ASP:OD2	2.19	0.42
1:B:204:TRP:CD1	1:B:205:PRO:HD3	2.55	0.42
1:A:500:ALA:HA	1:A:506:SER:HB3	2.01	0.41
1:A:58:THR:O	1:A:604:PRO:HG3	2.19	0.41
1:B:257:ASP:HB2	1:B:258:PRO:CD	2.51	0.41
1:B:530:MET:HG3	1:B:534:MET:HE3	2.03	0.41
1:B:590:MET:HB2	1:B:601:LEU:HD23	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:578:LEU:C	1:B:578:LEU:HD12	2.45	0.41
1:A:71:ILE:HG12	1:A:591:PRO:HG3	2.03	0.40
1:B:285:THR:HG23	1:B:306:MET:HE1	2.03	0.40
1:A:332:LEU:HD22	1:A:480:ILE:HG12	2.04	0.40
1:B:408:ARG:HE	4:B:804:GOL:C3	2.34	0.40
1:A:306:MET:CA	1:A:306:MET:HE3	2.52	0.40
1:B:157:ALA:O	1:B:542:ALA:HA	2.22	0.40
1:B:358[B]:MET:HG3	1:B:452:TRP:NE1	2.33	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	608/619 (98%)	583 (96%)	22 (4%)	3 (0%)	24	14
1	B	608/619 (98%)	580 (95%)	26 (4%)	2 (0%)	36	26
All	All	1216/1238 (98%)	1163 (96%)	48 (4%)	5 (0%)	30	19

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	509	SER
1	B	213	SER
1	A	213	SER
1	B	509	SER
1	A	71	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	522/530 (98%)	514 (98%)	8 (2%)	57	47
1	B	522/530 (98%)	511 (98%)	11 (2%)	47	33
All	All	1044/1060 (98%)	1025 (98%)	19 (2%)	51	39

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LYS
1	A	183	GLN
1	A	190	LYS
1	A	213	SER
1	A	291	ILE
1	A	303	ARG
1	A	330	LEU
1	A	443	GLN
1	B	30	LYS
1	B	197	THR
1	B	235	LYS
1	B	291	ILE
1	B	292	GLU
1	B	301	THR
1	B	303	ARG
1	B	305	LEU
1	B	459	LEU
1	B	548	GLN
1	B	576	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	288	GLN
1	A	401	GLN
1	A	443	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	584	GLN
1	B	20	GLN
1	B	393	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ADA	C	1	2	13,13,13	1.10	1 (7%)	18,19,19	0.92	0
2	ADA	C	2	2	12,12,13	1.07	1 (8%)	14,17,19	0.69	0
2	GAD	C	3	2	10,11,11	3.17	4 (40%)	12,15,15	1.21	1 (8%)
2	ADA	D	1	2	13,13,13	1.19	2 (15%)	18,19,19	0.96	0
2	ADA	D	2	2	12,12,13	1.18	1 (8%)	14,17,19	0.68	0
2	GAD	D	3	2	10,11,11	3.32	3 (30%)	12,15,15	1.33	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADA	C	1	2	-	0/4/24/24	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADA	C	2	2	-	0/4/21/24	0/1/1/1
2	GAD	C	3	2	-	0/4/17/17	0/1/1/1
2	ADA	D	1	2	-	0/4/24/24	0/1/1/1
2	ADA	D	2	2	-	1/4/21/24	0/1/1/1
2	GAD	D	3	2	-	0/4/17/17	0/1/1/1

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	3	GAD	C3-C4	-8.74	1.39	1.50
2	C	3	GAD	C3-C4	-8.17	1.40	1.50
2	D	3	GAD	C5-C6	-4.05	1.39	1.48
2	C	3	GAD	C5-C6	-3.74	1.40	1.48
2	D	3	GAD	C4-C5	3.55	1.39	1.33
2	C	3	GAD	C4-C5	3.34	1.39	1.33
2	D	1	ADA	C4-C5	2.74	1.57	1.53
2	C	1	ADA	C4-C5	2.33	1.57	1.53
2	D	2	ADA	O5-C5	2.30	1.47	1.43
2	C	3	GAD	O6B-C6	-2.16	1.24	1.30
2	C	2	ADA	O5-C5	2.15	1.47	1.43
2	D	1	ADA	C1-C2	2.09	1.57	1.52

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	3	GAD	O6B-C6-C5	3.14	121.17	114.06
2	C	3	GAD	O6B-C6-C5	2.46	119.63	114.06

There are no chirality outliers.

All (1) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	D	2	ADA	C4-C5-C6-O6B

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	3	GAD	2	0
2	C	3	GAD	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	TLA	B	806	-	9,9,9	1.13	0	12,12,12	0.99	0
5	TLA	A	803	-	9,9,9	1.20	0	12,12,12	1.12	1 (8%)
4	GOL	B	803	-	5,5,5	0.79	0	5,5,5	1.29	1 (20%)
3	EPE	A	801	-	15,15,15	0.89	1 (6%)	19,20,20	1.64	4 (21%)
4	GOL	A	802	-	5,5,5	0.44	0	5,5,5	0.98	0
4	GOL	B	804	-	5,5,5	0.84	0	5,5,5	1.20	1 (20%)
4	GOL	B	805	-	5,5,5	0.81	0	5,5,5	1.28	1 (20%)
3	EPE	B	801	-	15,15,15	0.90	1 (6%)	19,20,20	1.97	6 (31%)
4	GOL	B	802	-	5,5,5	0.98	0	5,5,5	1.60	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TLA	B	806	-	-	6/12/12/12	-
5	TLA	A	803	-	-	10/12/12/12	-
4	GOL	B	803	-	-	4/4/4/4	-
3	EPE	A	801	-	-	3/9/19/19	0/1/1/1
4	GOL	A	802	-	-	2/4/4/4	-
4	GOL	B	804	-	-	0/4/4/4	-
4	GOL	B	805	-	-	0/4/4/4	-
3	EPE	B	801	-	-	3/9/19/19	0/1/1/1
4	GOL	B	802	-	-	2/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	801	EPE	C10-S	2.91	1.81	1.77
3	B	801	EPE	C10-S	2.82	1.81	1.77

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	801	EPE	C5-N4-C3	4.61	118.77	108.84
3	B	801	EPE	C5-N4-C3	4.57	118.68	108.84
3	B	801	EPE	C7-N4-C3	3.62	120.89	111.24
3	B	801	EPE	O2S-S-C10	3.47	111.97	106.73
3	B	801	EPE	C7-N4-C5	2.88	118.90	111.24
3	A	801	EPE	C7-N4-C3	2.84	118.81	111.24
4	B	802	GOL	C3-C2-C1	-2.72	101.81	111.80
3	B	801	EPE	O3S-S-C10	2.51	110.91	106.00
3	B	801	EPE	O1S-S-C10	-2.24	103.34	106.73
5	A	803	TLA	O1-C1-C2	-2.20	115.77	121.62
4	B	805	GOL	C3-C2-C1	-2.18	103.81	111.80
4	B	804	GOL	C3-C2-C1	-2.12	104.01	111.80
3	A	801	EPE	C7-N4-C5	2.06	116.72	111.24
4	B	803	GOL	C3-C2-C1	-2.03	104.35	111.80
3	A	801	EPE	O1S-S-C10	2.01	109.77	106.73

There are no chirality outliers.

All (30) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	803	GOL	C1-C2-C3-O3
5	A	803	TLA	O1-C1-C2-O2
5	A	803	TLA	O11-C1-C2-O2
5	A	803	TLA	C1-C2-C3-C4
5	A	803	TLA	O2-C2-C3-O3
5	A	803	TLA	C1-C2-C3-O3
5	A	803	TLA	O2-C2-C3-C4
4	B	803	GOL	O2-C2-C3-O3
4	B	802	GOL	C1-C2-C3-O3
4	B	803	GOL	O1-C1-C2-C3
5	A	803	TLA	C2-C3-C4-O4
5	A	803	TLA	C2-C3-C4-O41
3	B	801	EPE	C8-C7-N4-C5
5	B	806	TLA	C2-C3-C4-O4
3	A	801	EPE	C10-C9-N1-C2
3	A	801	EPE	C10-C9-N1-C6
3	B	801	EPE	C10-C9-N1-C6
4	B	802	GOL	O1-C1-C2-C3
5	B	806	TLA	C2-C3-C4-O41
3	A	801	EPE	N4-C7-C8-O8
5	A	803	TLA	O3-C3-C4-O41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
5	B	806	TLA	O1-C1-C2-O2
5	A	803	TLA	O3-C3-C4-O4
5	B	806	TLA	O11-C1-C2-C3
5	B	806	TLA	O1-C1-C2-C3
4	B	803	GOL	O1-C1-C2-O2
3	B	801	EPE	C10-C9-N1-C2
5	B	806	TLA	O11-C1-C2-O2
4	A	802	GOL	C1-C2-C3-O3
4	A	802	GOL	O2-C2-C3-O3

There are no ring outliers.

6 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	803	TLA	1	0
3	A	801	EPE	3	0
4	A	802	GOL	1	0
4	B	804	GOL	1	0
4	B	805	GOL	3	0
3	B	801	EPE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	609/619 (98%)	0.59	11 (1%) 67 74	19, 35, 51, 62	1 (0%)
1	B	609/619 (98%)	0.53	14 (2%) 61 67	17, 36, 52, 65	1 (0%)
All	All	1218/1238 (98%)	0.56	25 (2%) 63 70	17, 36, 52, 65	2 (0%)

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	194	ALA	3.4
1	A	49	ASN	3.2
1	A	277	LEU	2.9
1	A	306	MET	2.9
1	A	193	GLN	2.9
1	A	2	ALA	2.7
1	A	274	VAL	2.7
1	B	2	ALA	2.6
1	A	303	ARG	2.6
1	B	275	SER	2.6
1	B	477	ASP	2.5
1	B	49	ASN	2.4
1	B	277	LEU	2.4
1	B	306	MET	2.3
1	B	274	VAL	2.2
1	B	303	ARG	2.2
1	A	281	ILE	2.2
1	B	436	ILE	2.2
1	B	47	ARG	2.2
1	A	197	THR	2.2
1	A	188	TYR	2.1
1	B	281	ILE	2.1
1	B	413	LYS	2.1
1	A	47	ARG	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	273	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	GAD	C	3	11/11	0.78	0.13	32,36,43,45	0
2	GAD	D	3	11/11	0.82	0.12	34,38,45,47	0
2	ADA	C	1	13/13	0.91	0.08	23,26,29,34	0
2	ADA	C	2	12/13	0.92	0.08	24,28,29,30	0
2	ADA	D	2	12/13	0.93	0.08	25,30,32,32	0
2	ADA	D	1	13/13	0.93	0.07	26,28,30,36	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around Chain C:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain D:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EPE	A	801	15/15	0.59	0.20	39,56,85,90	0
4	GOL	A	802	6/6	0.67	0.19	41,42,45,49	0
4	GOL	B	804	6/6	0.68	0.16	48,54,57,60	0
4	GOL	B	803	6/6	0.70	0.17	47,48,51,53	0
3	EPE	B	801	15/15	0.74	0.19	42,58,69,69	0
4	GOL	B	802	6/6	0.76	0.15	42,47,49,50	0
4	GOL	B	805	6/6	0.77	0.16	41,42,45,46	0
5	TLA	A	803	10/10	0.81	0.11	44,51,55,59	0
5	TLA	B	806	10/10	0.86	0.09	49,51,54,55	0

6.5 Other polymers [i](#)

There are no such residues in this entry.