



Full wwPDB EM Validation Report ⓘ

Jun 2, 2026 – 04:17 PM JST

PDB ID : 9VFT / pdb_00009vft
EMDB ID : EMD-65036
Title : Structure of mature CVA6 virus complexed with 3H7 Fab
Authors : Ke, X.; Li, X.; Liu, Z.; Liu, K.; Yan, X.; Shu, B.; Zhang, C.
Deposited on : 2025-06-11
Resolution : 2.59 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : **NOT EXECUTED**
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	229148	23984
Ramachandran outliers	224038	23583
Sidechain outliers	223484	23102

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	F	124	87% 12% .
2	E	107	90% 10%
3	D	69	65% . 33%
4	B	256	82% 13% 5%
5	C	240	89% 10%
6	A	305	86% 10% .

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 7632 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VH.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	F	124	Total	C	N	O	S	0	0
			895	571	151	169	4		

- Molecule 2 is a protein called VL.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	107	Total	C	N	O	S	0	0
			710	448	124	136	2		

- Molecule 3 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	D	46	Total	C	N	O	0	0
			309	201	54	54		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	39	ALA	VAL	conflict	UNP E3VJS6

- Molecule 4 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B	244	Total	C	N	O	S	0	0
			1811	1172	314	318	7		


- Molecule 5 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	C	240	Total	C	N	O	S	0	0
			1773	1150	297	317	9		

- Molecule 6 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A	292	Total	C	N	O	S	0	0
			2114	1337	384	382	11		

- Molecule 7 is STEARIC ACID (CCD ID: STE) (formula: $C_{18}H_{36}O_2$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			AltConf
7	A	1	Total	C	O	0
			20	18	2	

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: VH

Chain F:  87% 12% .




- Molecule 2: VL

Chain E:  90% 10%




- Molecule 3: Genome polyprotein

Chain D:  65% 33%



- Molecule 4: Genome polyprotein

Chain B:  82% 13% 5%



- Molecule 5: Genome polyprotein

Chain C:  89% 10%



- Molecule 6: Genome polyprotein

Chain A:

86%

10%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	96512	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	JEOL CRYO ARM 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOCONTINUUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: STE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	F	0.14	0/919	0.30	0/1254
2	E	0.12	0/726	0.32	0/998
3	D	0.19	0/316	0.30	0/434
4	B	0.23	0/1866	0.33	0/2559
5	C	0.22	0/1823	0.30	0/2504
6	A	0.21	0/2170	0.31	0/2975
All	All	0.20	0/7820	0.31	0/10724

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	895	0	787	11	0
2	E	710	0	558	6	0
3	D	309	0	261	1	0
4	B	1811	0	1679	24	0
5	C	1773	0	1702	17	0
6	A	2114	0	1918	24	0
7	A	20	0	35	2	0
All	All	7632	0	6940	67	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (67) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:67:ARG:NH2	1:F:90:ASP:OD2	2.26	0.67
1:F:31:THR:HA	4:B:73:THR:HG21	1.79	0.64
1:F:32:TYR:O	1:F:72:ARG:NH1	2.30	0.64
3:D:38:ALA:HB2	5:C:23:PRO:HG3	1.80	0.63
5:C:106:TYR:O	5:C:228:LYS:NZ	2.31	0.62
4:B:12:ARG:NH2	4:B:189:THR:O	2.33	0.62
1:F:31:THR:O	4:B:225:LYS:NZ	2.36	0.59
2:E:19:VAL:HG22	2:E:78:LEU:HD11	1.85	0.59
4:B:91:VAL:O	4:B:95:ASN:ND2	2.29	0.57
4:B:186:ASN:HB3	4:B:189:THR:HG22	1.87	0.56
4:B:133:ALA:HB2	6:A:272:PRO:HB2	1.87	0.56
1:F:51:ILE:HD13	1:F:72:ARG:HB2	1.88	0.55
6:A:187:VAL:HG11	7:A:401:STE:H102	1.87	0.54
6:A:287:SER:HB3	6:A:290:THR:HG23	1.89	0.54
4:B:188:ARG:NH1	5:C:122:SER:O	2.40	0.54
6:A:197:GLN:O	6:A:223:ASN:ND2	2.41	0.54
4:B:163:ARG:NH1	6:A:274:TYR:OH	2.40	0.54
5:C:34:ILE:HG12	6:A:194:THR:HG21	1.90	0.53
5:C:101:GLN:HB3	6:A:261:LEU:HD12	1.92	0.51
1:F:52:SER:HB3	1:F:57:TYR:HB2	1.91	0.51
4:B:23:ILE:HD11	4:B:239:THR:HG21	1.92	0.51
4:B:60:VAL:HG13	4:B:92:PHE:HD1	1.76	0.50
5:C:86:VAL:HG11	5:C:167:ILE:HG12	1.94	0.50
5:C:89:GLY:HA3	5:C:178:VAL:HG13	1.93	0.49
4:B:136:SER:OG	6:A:267:MET:SD	2.71	0.48
4:B:188:ARG:NH2	5:C:158:GLY:O	2.44	0.48
7:A:401:STE:H81	7:A:401:STE:H51	1.60	0.48
4:B:82:PHE:O	4:B:85:VAL:HG12	2.13	0.48
4:B:176:GLN:HB2	6:A:260:PRO:HB3	1.95	0.48
2:E:84:VAL:HG23	2:E:85:ASP:H	1.78	0.48
6:A:93:ASP:H	6:A:241:ASN:HD22	1.62	0.48
6:A:93:ASP:H	6:A:241:ASN:ND2	2.12	0.47
1:F:48:VAL:HG12	1:F:64:VAL:HG21	1.98	0.46
6:A:204:PRO:HG3	6:A:219:GLN:O	2.16	0.45
5:C:54:GLU:OE1	5:C:96:SER:OG	2.34	0.45
5:C:114:LYS:HB2	5:C:219:GLN:HE21	1.81	0.45
5:C:50:GLU:HA	5:C:217:ALA:HB2	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:C:131:ILE:HG12	5:C:194:ILE:HG23	1.99	0.44
6:A:142:PRO:O	6:A:178:LEU:HB2	2.18	0.44
2:E:51:THR:HG21	2:E:71:TYR:HD1	1.83	0.44
2:E:37:GLN:HE21	2:E:47:LEU:HD11	1.81	0.43
4:B:206:ASP:OD1	4:B:207:SER:N	2.46	0.43
6:A:168:THR:OG1	6:A:171:ASN:O	2.35	0.43
4:B:73:THR:HG22	4:B:224:LEU:O	2.19	0.43
4:B:63:PHE:CD1	4:B:241:ALA:HB2	2.54	0.43
5:C:61:THR:O	5:C:66:ARG:NH1	2.44	0.42
5:C:22:PRO:HA	5:C:23:PRO:HD3	1.89	0.42
6:A:267:MET:HE3	6:A:275:SER:HB2	2.01	0.42
4:B:101:LEU:HB3	4:B:205:PHE:HB3	2.01	0.42
6:A:200:TYR:O	6:A:218:GLY:HA2	2.20	0.42
1:F:84:SER:O	1:F:86:LEU:HG	2.19	0.42
2:E:66:ARG:HH12	6:A:286:ALA:HB1	1.85	0.41
4:B:202:ALA:O	6:A:194:THR:HG22	2.20	0.41
5:C:40:PHE:CD2	6:A:258:PRO:HG3	2.55	0.41
2:E:40:PRO:HD3	2:E:84:VAL:HG11	2.01	0.41
1:F:36:TRP:HD1	1:F:70:ILE:HD12	1.85	0.41
6:A:147:GLN:HE21	6:A:231:ARG:HE	1.67	0.41
4:B:79:TYR:OH	4:B:152:HIS:O	2.31	0.41
6:A:264:GLN:HE21	6:A:279:THR:H	1.68	0.41
4:B:124:VAL:HG22	4:B:218:VAL:HG22	2.03	0.41
5:C:83:SER:O	6:A:285:ARG:NH1	2.43	0.41
6:A:271:TYR:HA	6:A:272:PRO:HD3	1.93	0.41
1:F:67:ARG:HH21	1:F:86:LEU:HA	1.86	0.41
5:C:129:MET:HE3	5:C:194:ILE:HG22	2.02	0.40
1:F:53:SER:HG	4:B:73:THR:HG1	1.59	0.40
4:B:82:PHE:CZ	4:B:106:PHE:HB3	2.56	0.40
4:B:147:TYR:CE1	6:A:213:THR:HG23	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	F	122/124 (98%)	116 (95%)	6 (5%)	0	100	100
2	E	105/107 (98%)	92 (88%)	13 (12%)	0	100	100
3	D	44/69 (64%)	43 (98%)	1 (2%)	0	100	100
4	B	240/256 (94%)	230 (96%)	10 (4%)	0	100	100
5	C	238/240 (99%)	230 (97%)	8 (3%)	0	100	100
6	A	290/305 (95%)	278 (96%)	12 (4%)	0	100	100
All	All	1039/1101 (94%)	989 (95%)	50 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	F	80/103 (78%)	78 (98%)	2 (2%)	42	69
2	E	52/93 (56%)	51 (98%)	1 (2%)	50	75
3	D	20/55 (36%)	20 (100%)	0	100	100
4	B	173/218 (79%)	172 (99%)	1 (1%)	78	91
5	C	178/206 (86%)	176 (99%)	2 (1%)	65	84
6	A	194/260 (75%)	194 (100%)	0	100	100
All	All	697/935 (74%)	691 (99%)	6 (1%)	68	87

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	48	VAL
1	F	81	LEU
2	E	89	LEU
4	B	102	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	C	65	SER
5	C	86	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (19) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	82	GLN
2	E	37	GLN
3	D	31	ASN
4	B	61	ASN
4	B	118	HIS
4	B	154	ASN
4	B	244	ASN
4	B	252	GLN
5	C	12	GLN
5	C	48	GLN
5	C	235	GLN
6	A	113	GLN
6	A	147	GLN
6	A	167	GLN
6	A	171	ASN
6	A	211	GLN
6	A	241	ASN
6	A	243	HIS
6	A	264	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
7	STE	A	401	-	19,19,19	0.53	0	19,19,19	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	STE	A	401	-	-	11/17/17/17	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
7	A	401	STE	C5-C6-C7-C8
7	A	401	STE	C7-C8-C9-C10
7	A	401	STE	C11-C12-C13-C14
7	A	401	STE	C2-C3-C4-C5
7	A	401	STE	C4-C5-C6-C7
7	A	401	STE	C12-C13-C14-C15
7	A	401	STE	C9-C10-C11-C12
7	A	401	STE	C14-C15-C16-C17
7	A	401	STE	C1-C2-C3-C4
7	A	401	STE	C11-C10-C9-C8
7	A	401	STE	C6-C7-C8-C9

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	A	401	STE	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.