



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2026 – 10:53 AM UTC

PDB ID : 5VH2 / pdb_00005vh2
Title : Crystal Structure of Mouse Cadherin-23 EC12-13 with Engineered Mutation S1339D
Authors : Termine, D.J.; Jaiganesh, A.; Sotomayor, M.
Deposited on : 2017-04-12
Resolution : 2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1520 (2.86-2.82)
Clashscore	190562	1559 (2.86-2.82)
Ramachandran outliers	187476	1517 (2.86-2.82)
Sidechain outliers	187428	1518 (2.86-2.82)
RSRZ outliers	180081	1521 (2.86-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	220	24% 88% 7% 5%
1	B	220	22% 87% 7% 5%
1	C	220	9% 86% 6% 8%
1	D	220	22% 81% 13% 5%

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cadherin-23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	0	0
			1606	1015	257	331	3			
1	B	208	Total	C	N	O	S	0	0	0
			1598	1011	256	328	3			
1	C	203	Total	C	N	O	S	0	0	0
			1572	996	250	323	3			
1	D	208	Total	C	N	O	S	0	0	0
			1600	1012	255	330	3			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1178	MET	-	initiating methionine	UNP Q99PF4
A	1316	ASP	SER	engineered mutation	UNP Q99PF4
A	1390	LEU	-	expression tag	UNP Q99PF4
A	1391	GLU	-	expression tag	UNP Q99PF4
A	1392	HIS	-	expression tag	UNP Q99PF4
A	1393	HIS	-	expression tag	UNP Q99PF4
A	1394	HIS	-	expression tag	UNP Q99PF4
A	1395	HIS	-	expression tag	UNP Q99PF4
A	1396	HIS	-	expression tag	UNP Q99PF4
A	1397	HIS	-	expression tag	UNP Q99PF4
B	1178	MET	-	initiating methionine	UNP Q99PF4
B	1316	ASP	SER	engineered mutation	UNP Q99PF4
B	1390	LEU	-	expression tag	UNP Q99PF4
B	1391	GLU	-	expression tag	UNP Q99PF4
B	1392	HIS	-	expression tag	UNP Q99PF4
B	1393	HIS	-	expression tag	UNP Q99PF4
B	1394	HIS	-	expression tag	UNP Q99PF4
B	1395	HIS	-	expression tag	UNP Q99PF4
B	1396	HIS	-	expression tag	UNP Q99PF4
B	1397	HIS	-	expression tag	UNP Q99PF4
C	1178	MET	-	initiating methionine	UNP Q99PF4

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	1316	ASP	SER	engineered mutation	UNP Q99PF4
C	1390	LEU	-	expression tag	UNP Q99PF4
C	1391	GLU	-	expression tag	UNP Q99PF4
C	1392	HIS	-	expression tag	UNP Q99PF4
C	1393	HIS	-	expression tag	UNP Q99PF4
C	1394	HIS	-	expression tag	UNP Q99PF4
C	1395	HIS	-	expression tag	UNP Q99PF4
C	1396	HIS	-	expression tag	UNP Q99PF4
C	1397	HIS	-	expression tag	UNP Q99PF4
D	1178	MET	-	initiating methionine	UNP Q99PF4
D	1316	ASP	SER	engineered mutation	UNP Q99PF4
D	1390	LEU	-	expression tag	UNP Q99PF4
D	1391	GLU	-	expression tag	UNP Q99PF4
D	1392	HIS	-	expression tag	UNP Q99PF4
D	1393	HIS	-	expression tag	UNP Q99PF4
D	1394	HIS	-	expression tag	UNP Q99PF4
D	1395	HIS	-	expression tag	UNP Q99PF4
D	1396	HIS	-	expression tag	UNP Q99PF4
D	1397	HIS	-	expression tag	UNP Q99PF4

- Molecule 2 is CALCIUM ION (CCD ID: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	3	Total Ca 3 3	0	0
2	B	3	Total Ca 3 3	0	0
2	C	2	Total Ca 2 2	0	0
2	D	2	Total Ca 2 2	0	0

- Molecule 3 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	1	Total Na 1 1	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Na	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cadherin-23




• Molecule 1: Cadherin-23




• Molecule 1: Cadherin-23



• Molecule 1: Cadherin-23





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	43.74Å 47.21Å 113.04Å 89.95° 90.02° 115.76°	Depositor
Resolution (Å)	33.99 – 2.84 33.99 – 2.84	Depositor EDS
% Data completeness (in resolution range)	92.7 (33.99-2.84) 93.9 (33.99-2.84)	Depositor EDS
R_{merge}	0.17	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.15 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, R_{free}	0.238 , 0.272 (Not available) , 0.280	Depositor DCC
R_{free} test set	1084 reflections (5.54%)	wwPDB-VP
Wilson B-factor (Å ²)	10.8	Xtriage
Anisotropy	1.327	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 25.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.043 for h,-h-k,-l 0.370 for -h,-k,l 0.036 for -h,h+k,-l	Xtriage
Reported twinning fraction	0.564 for H, K, L 0.436 for -h,-k,l	Depositor
Outliers	0 of 18188 reflections	Xtriage
F_o, F_c correlation	0.80	EDS
Total number of atoms	6390	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.75	0/1629	0.90	0/2217
1	B	0.78	0/1621	0.91	1/2206 (0.0%)
1	C	0.78	0/1594	0.94	1/2168 (0.0%)
1	D	0.74	0/1622	0.91	0/2205
All	All	0.76	0/6466	0.91	2/8796 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
1	D	0	1
All	All	0	4

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	1237	GLU	CB-CA-C	-8.00	95.84	110.63
1	B	1237	GLU	CB-CA-C	-5.62	100.23	110.63

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	1245	VAL	Peptide
1	B	1245	VAL	Peptide
1	C	1245	VAL	Peptide
1	D	1245	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1606	0	1573	10	0
1	B	1598	0	1569	7	0
1	C	1572	0	1541	8	0
1	D	1600	0	1565	19	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
All	All	6390	0	6248	39	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (39) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1360:ASP:OD2	1:B:1215:THR:OG1	2.14	0.65
1:A:1309:ILE:HD11	1:A:1350:VAL:HG23	1.82	0.61
1:C:1303:LEU:HG	1:C:1350:VAL:HG21	1.83	0.60
1:B:1299:ILE:HG21	1:B:1309:ILE:HD12	1.81	0.60
1:A:1326:ARG:HE	1:D:1201:ILE:HG21	1.70	0.57
1:D:1309:ILE:HD11	1:D:1350:VAL:HG23	1.87	0.56
1:B:1309:ILE:HD11	1:B:1350:VAL:HG23	1.88	0.56
1:C:1299:ILE:HG21	1:C:1309:ILE:HD12	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1298:VAL:HG22	1:B:1384:THR:CG2	2.39	0.52
1:C:1309:ILE:HD11	1:C:1350:VAL:HG23	1.92	0.52
1:A:1326:ARG:NE	1:D:1201:ILE:HG21	2.24	0.51
1:B:1356:ARG:NH1	1:B:1360:ASP:HB2	2.26	0.50
1:B:1298:VAL:HG13	1:B:1384:THR:HG23	1.95	0.49
1:B:1367:VAL:HG22	1:B:1378:THR:HG22	1.94	0.49
1:D:1367:VAL:HG22	1:D:1378:THR:HG22	1.96	0.47
1:A:1367:VAL:HG22	1:A:1378:THR:HG22	1.96	0.47
1:D:1182:ALA:HB2	1:D:1270:ASN:HB3	1.96	0.47
1:D:1301:GLU:HG3	1:D:1386:LEU:O	2.15	0.47
1:C:1355:ASP:HB3	1:C:1358:LYS:HD2	1.97	0.46
1:C:1367:VAL:HG22	1:C:1378:THR:HG22	1.99	0.45
1:D:1299:ILE:HG21	1:D:1309:ILE:HD12	1.98	0.44
1:A:1354:VAL:O	1:A:1354:VAL:HG23	2.16	0.44
1:D:1220:LEU:C	1:D:1220:LEU:HD23	2.43	0.44
1:D:1212:ASP:HB3	1:D:1219:GLY:CA	2.48	0.44
1:D:1354:VAL:HG23	1:D:1354:VAL:O	2.17	0.43
1:A:1299:ILE:HG21	1:A:1309:ILE:HD12	1.99	0.43
1:A:1301:GLU:HG3	1:A:1386:LEU:O	2.19	0.43
1:A:1179:ASN:HA	1:A:1270:ASN:HD21	1.84	0.42
1:C:1353:LEU:HD12	1:D:1269:PHE:CE2	2.54	0.42
1:D:1236:ASP:HB3	1:D:1239:THR:HB	2.02	0.41
1:A:1301:GLU:OE2	1:A:1356:ARG:HG3	2.20	0.41
1:D:1301:GLU:OE1	1:D:1388:GLU:HB2	2.21	0.41
1:D:1212:ASP:HB3	1:D:1219:GLY:HA2	2.03	0.41
1:D:1222:ASN:OD1	1:D:1237:GLU:HG2	2.21	0.41
1:D:1185:PHE:HA	1:D:1210:ALA:HA	2.02	0.41
1:C:1303:LEU:CG	1:C:1350:VAL:HG21	2.48	0.40
1:C:1353:LEU:HD11	1:D:1267:PRO:HB3	2.03	0.40
1:D:1212:ASP:CG	1:D:1219:GLY:HA2	2.47	0.40
1:D:1301:GLU:OE1	1:D:1388:GLU:N	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/220 (94%)	201 (97%)	6 (3%)	0	100	100
1	B	206/220 (94%)	197 (96%)	9 (4%)	0	100	100
1	C	199/220 (90%)	189 (95%)	10 (5%)	0	100	100
1	D	204/220 (93%)	192 (94%)	12 (6%)	0	100	100
All	All	816/880 (93%)	779 (96%)	37 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	175/186 (94%)	173 (99%)	2 (1%)	65	81
1	B	174/186 (94%)	170 (98%)	4 (2%)	44	68
1	C	172/186 (92%)	170 (99%)	2 (1%)	63	80
1	D	174/186 (94%)	168 (97%)	6 (3%)	32	57
All	All	695/744 (93%)	681 (98%)	14 (2%)	48	72

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1221	VAL
1	A	1238	SER
1	B	1179	ASN
1	B	1221	VAL
1	B	1238	SER
1	B	1354	VAL
1	C	1238	SER
1	C	1328	ASP
1	D	1180	ASP
1	D	1181	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	1213	LYS
1	D	1221	VAL
1	D	1328	ASP
1	D	1388	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1187	GLN
1	A	1270	ASN
1	A	1322	GLN
1	B	1179	ASN
1	B	1322	GLN
1	C	1222	ASN
1	C	1292	ASN
1	C	1302	ASN
1	C	1322	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 14 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	209/220 (95%)	1.45	52 (24%) 2 1	18, 25, 34, 43	0
1	B	208/220 (94%)	1.34	48 (23%) 2 2	17, 22, 39, 48	0
1	C	203/220 (92%)	1.03	19 (9%) 14 11	13, 19, 30, 35	0
1	D	208/220 (94%)	1.49	49 (23%) 2 1	20, 26, 35, 46	0
All	All	828/880 (94%)	1.33	168 (20%) 3 2	13, 24, 35, 48	0

All (168) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1179	ASN	6.2
1	D	1217	ASP	5.3
1	D	1303	LEU	5.1
1	D	1216	GLY	5.1
1	A	1180	ASP	4.9
1	A	1179	ASN	4.6
1	D	1181	GLU	4.5
1	D	1213	LYS	4.4
1	D	1218	GLY	4.1
1	A	1387	ASP	4.1
1	B	1357	GLU	4.0
1	D	1267	PRO	3.8
1	A	1357	GLU	3.7
1	D	1300	MET	3.7
1	C	1304	ALA	3.6
1	B	1330	TYR	3.6
1	D	1214	ASP	3.6
1	C	1238	SER	3.4
1	A	1371	GLY	3.4
1	D	1211	THR	3.4
1	D	1321	ASN	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1300	MET	3.4
1	C	1180	ASP	3.2
1	B	1298	VAL	3.2
1	D	1264	ASP	3.2
1	B	1352	GLY	3.2
1	D	1265	GLY	3.1
1	B	1255	SER	3.1
1	D	1219	GLY	3.1
1	B	1385	VAL	3.1
1	A	1216	GLY	3.1
1	A	1322	GLN	3.0
1	D	1187	GLN	3.0
1	B	1302	ASN	3.0
1	B	1315	TYR	3.0
1	B	1306	GLY	3.0
1	A	1215	THR	3.0
1	B	1304	ALA	3.0
1	D	1322	GLN	3.0
1	D	1266	ALA	3.0
1	B	1361	PHE	3.0
1	B	1222	ASN	2.9
1	D	1210	ALA	2.9
1	A	1302	ASN	2.8
1	D	1296	GLU	2.8
1	B	1354	VAL	2.8
1	A	1329	ALA	2.8
1	D	1212	ASP	2.8
1	C	1296	GLU	2.7
1	A	1298	VAL	2.7
1	D	1304	ALA	2.7
1	A	1330	TYR	2.7
1	B	1238	SER	2.7
1	A	1182	ALA	2.7
1	A	1340	LYS	2.7
1	B	1355	ASP	2.7
1	B	1372	GLY	2.7
1	C	1387	ASP	2.7
1	A	1284	LEU	2.7
1	B	1293	ALA	2.7
1	C	1342	ASP	2.7
1	D	1288	VAL	2.7
1	D	1375	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1386	LEU	2.7
1	D	1317	ILE	2.6
1	B	1228	GLY	2.6
1	B	1373	PRO	2.6
1	B	1384	THR	2.6
1	A	1375	VAL	2.6
1	B	1300	MET	2.6
1	A	1237	GLU	2.6
1	A	1354	VAL	2.6
1	B	1353	LEU	2.6
1	A	1211	THR	2.6
1	A	1246	ASP	2.6
1	B	1329	ALA	2.6
1	D	1387	ASP	2.6
1	B	1218	GLY	2.6
1	C	1209	ARG	2.5
1	D	1256	TYR	2.5
1	B	1180	ASP	2.5
1	A	1301	GLU	2.5
1	A	1331	THR	2.5
1	D	1238	SER	2.5
1	D	1188	GLN	2.5
1	C	1196	ARG	2.5
1	A	1291	SER	2.5
1	D	1354	VAL	2.4
1	B	1331	THR	2.4
1	A	1321	ASN	2.4
1	B	1333	ALA	2.4
1	A	1186	THR	2.4
1	D	1207	VAL	2.4
1	D	1361	PHE	2.4
1	D	1324	THR	2.4
1	B	1377	SER	2.3
1	A	1382	TYR	2.3
1	B	1295	TYR	2.3
1	B	1324	THR	2.3
1	C	1324	THR	2.3
1	D	1378	THR	2.3
1	C	1358	LYS	2.3
1	B	1303	LEU	2.3
1	A	1378	THR	2.3
1	D	1190	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1288	VAL	2.3
1	A	1353	LEU	2.3
1	B	1358	LYS	2.3
1	A	1362	TYR	2.3
1	A	1332	SER	2.3
1	D	1237	GLU	2.2
1	A	1320	LEU	2.2
1	B	1268	PRO	2.2
1	B	1362	TYR	2.2
1	D	1223	TYR	2.2
1	A	1384	THR	2.2
1	D	1220	LEU	2.2
1	A	1183	PRO	2.2
1	A	1310	VAL	2.2
1	C	1359	GLY	2.2
1	B	1386	LEU	2.2
1	B	1301	GLU	2.2
1	B	1337	ALA	2.2
1	A	1264	ASP	2.2
1	D	1240	GLY	2.2
1	A	1262	ALA	2.2
1	C	1308	GLU	2.2
1	B	1366	VAL	2.1
1	B	1376	ASP	2.1
1	B	1363	THR	2.1
1	D	1247	TYR	2.1
1	B	1246	ASP	2.1
1	B	1360	ASP	2.1
1	A	1228	GLY	2.1
1	A	1359	GLY	2.1
1	A	1365	THR	2.1
1	C	1211	THR	2.1
1	A	1224	ARG	2.1
1	C	1266	ALA	2.1
1	B	1344	ILE	2.1
1	C	1237	GLU	2.1
1	D	1309	ILE	2.1
1	B	1322	GLN	2.1
1	A	1350	VAL	2.1
1	D	1180	ASP	2.1
1	A	1287	ALA	2.1
1	A	1227	SER	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	1184	VAL	2.1
1	B	1224	ARG	2.1
1	D	1297	ALA	2.1
1	B	1270	ASN	2.0
1	D	1357	GLU	2.0
1	C	1213	LYS	2.0
1	C	1340	LYS	2.0
1	A	1261	SER	2.0
1	B	1183	PRO	2.0
1	D	1280	LEU	2.0
1	D	1259	ASN	2.0
1	A	1361	PHE	2.0
1	C	1372	GLY	2.0
1	A	1244	THR	2.0
1	A	1251	GLU	2.0
1	A	1369	ASP	2.0
1	D	1251	GLU	2.0
1	D	1355	ASP	2.0
1	C	1300	MET	2.0
1	A	1385	VAL	2.0
1	D	1310	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	1403	1/1	0.79	0.12	27,27,27,27	0
2	CA	A	1401	1/1	0.84	0.10	26,26,26,26	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	CA	D	1402	1/1	0.84	0.08	23,23,23,23	0
3	NA	C	1403	1/1	0.92	0.06	16,16,16,16	0
3	NA	A	1404	1/1	0.94	0.09	28,28,28,28	0
2	CA	A	1402	1/1	0.95	0.09	27,27,27,27	0
2	CA	B	1401	1/1	0.95	0.06	21,21,21,21	0
2	CA	C	1401	1/1	0.95	0.07	16,16,16,16	0
3	NA	D	1403	1/1	0.95	0.08	28,28,28,28	0
3	NA	B	1404	1/1	0.96	0.06	26,26,26,26	0
2	CA	B	1403	1/1	0.96	0.05	19,19,19,19	0
2	CA	C	1402	1/1	0.96	0.08	16,16,16,16	0
2	CA	B	1402	1/1	0.97	0.05	19,19,19,19	0
2	CA	D	1401	1/1	0.98	0.05	22,22,22,22	0

6.5 Other polymers [i](#)

There are no such residues in this entry.