



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 19, 2026 – 04:57 AM UTC

PDB ID : 6VHY / pdb_00006vhy
Title : NpsA-ThdA, an artificially fused Adenylation-PCP di-domain NRPS from *Klebsiella oxytoca*
Authors : Kreitler, D.F.; Gulick, A.M.
Deposited on : 2020-01-10
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	586	
1	B	586	
1	C	586	
1	D	586	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 15436 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NpsA Adenylation Domain, Non-ribosomal peptide synthetase fusion protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	527	Total	C	N	O	S	0	0	0
			3860	2456	658	724	22			
1	B	527	Total	C	N	O	S	0	0	0
			3762	2411	637	694	20			
1	C	540	Total	C	N	O	S	0	0	0
			3950	2527	664	736	23			
1	D	499	Total	C	N	O	S	0	0	0
			3662	2335	627	678	22			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP A0A2U4DY99
A	0	HIS	-	expression tag	UNP A0A2U4DY99
A	258	SER	LEU	variant	UNP A0A2U4DY99
A	312	ALA	GLU	engineered mutation	UNP A0A2U4DY99
A	313	ALA	GLU	engineered mutation	UNP A0A2U4DY99
A	314	ALA	GLN	engineered mutation	UNP A0A2U4DY99
A	507	ALA	-	linker	UNP A0A2U4DY99
A	508	SER	-	linker	UNP A0A2U4DY99
B	-1	GLY	-	expression tag	UNP A0A2U4DY99
B	0	HIS	-	expression tag	UNP A0A2U4DY99
B	258	SER	LEU	variant	UNP A0A2U4DY99
B	312	ALA	GLU	engineered mutation	UNP A0A2U4DY99
B	313	ALA	GLU	engineered mutation	UNP A0A2U4DY99
B	314	ALA	GLN	engineered mutation	UNP A0A2U4DY99
B	507	ALA	-	linker	UNP A0A2U4DY99
B	508	SER	-	linker	UNP A0A2U4DY99
C	-1	GLY	-	expression tag	UNP A0A2U4DY99
C	0	HIS	-	expression tag	UNP A0A2U4DY99
C	258	SER	LEU	variant	UNP A0A2U4DY99
C	312	ALA	GLU	engineered mutation	UNP A0A2U4DY99

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	313	ALA	GLU	engineered mutation	UNP A0A2U4DY99
C	314	ALA	GLN	engineered mutation	UNP A0A2U4DY99
C	507	ALA	-	linker	UNP A0A2U4DY99
C	508	SER	-	linker	UNP A0A2U4DY99
D	-1	GLY	-	expression tag	UNP A0A2U4DY99
D	0	HIS	-	expression tag	UNP A0A2U4DY99
D	258	SER	LEU	variant	UNP A0A2U4DY99
D	312	ALA	GLU	engineered mutation	UNP A0A2U4DY99
D	313	ALA	GLU	engineered mutation	UNP A0A2U4DY99
D	314	ALA	GLN	engineered mutation	UNP A0A2U4DY99
D	507	ALA	-	linker	UNP A0A2U4DY99
D	508	SER	-	linker	UNP A0A2U4DY99

- Molecule 2 is 5'-deoxy-5'-([[(2R)-2-{[2-({N-[(2R)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl]sulfanyl}-2-(3-hydroxyphenyl)ethyl]sulfonyl]amino)adenosine (CCD ID: QXD) (formula: C₂₉H₄₃N₈O₁₃PS₂) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	S	0	0
			52	29	8	12	1	2		
2	B	1	Total	C	N	O	P	S	0	0
			52	29	8	12	1	2		
2	C	1	Total	C	N	O	P	S	0	0
			52	29	8	12	1	2		
2	D	1	Total	C	N	O	P	S	0	0
			45	24	7	11	1	2		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	O	0	0
			1	1		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NpsA Adenylation Domain, Non-ribosomal peptide synthetase fusion protein




- Molecule 1: NpsA Adenylation Domain, Non-ribosomal peptide synthetase fusion protein



- Molecule 1: NpsA Adenylation Domain, Non-ribosomal peptide synthetase fusion protein



- Molecule 1: NpsA Adenylation Domain, Non-ribosomal peptide synthetase fusion protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	58.54Å 98.72Å 118.75Å 95.33° 96.34° 106.51°	Depositor
Resolution (Å)	47.61 – 3.00 47.61 – 3.00	Depositor EDS
% Data completeness (in resolution range)	90.8 (47.61-3.00) 87.4 (47.61-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.23 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.15_3459	Depositor
R, R_{free}	0.214 , 0.260 0.217 , 0.263	Depositor DCC
R_{free} test set	2238 reflections (4.44%)	wwPDB-VP
Wilson B-factor (Å ²)	70.9	Xtriage
Anisotropy	0.225	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 73.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	15436	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.44% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: QXD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/3934	0.39	0/5367
1	B	0.23	0/3837	0.45	0/5249
1	C	0.23	0/4031	0.40	0/5512
1	D	0.34	0/3736	0.47	0/5101
All	All	0.26	0/15538	0.43	0/21229

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3860	0	3691	32	0
1	B	3762	0	3556	38	0
1	C	3950	0	3822	31	0
1	D	3662	0	3542	39	0
2	A	52	0	0	3	0
2	B	52	0	0	6	0
2	C	52	0	0	4	0
2	D	45	0	0	1	0
3	C	1	0	0	0	0
All	All	15436	0	14611	139	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (139) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:254:PHE:HB3	1:B:262:LEU:HD11	1.45	0.98
1:D:452:THR:HG23	1:D:453:GLN:H	1.28	0.97
1:D:452:THR:HG23	1:D:453:GLN:N	1.83	0.91
1:C:234:ARG:HG3	1:C:234:ARG:HH11	1.36	0.89
1:B:361:TYR:H	1:B:367:THR:HG22	1.46	0.78
1:B:257:VAL:HG12	1:B:258:SER:N	2.02	0.75
2:B:601:QXD:N38	1:D:294:GLY:O	2.23	0.71
2:B:601:QXD:C15	1:D:247:SER:HB3	2.23	0.69
1:B:404:GLY:O	1:B:406:HIS:N	2.24	0.67
1:C:535:LEU:HA	1:C:570:THR:HG22	1.76	0.66
1:A:536:LEU:HA	1:A:570:THR:HG22	1.78	0.66
1:D:450:TYR:O	1:D:482:LEU:HA	1.96	0.66
1:D:436:VAL:HG12	1:D:437:VAL:H	1.63	0.62
2:A:601:QXD:N38	1:C:294:GLY:O	2.33	0.61
2:B:601:QXD:O08	1:D:411:ARG:NE	2.29	0.61
1:D:440:THR:HG21	1:D:445:ARG:HE	1.67	0.59
1:B:363:ASP:O	1:B:367:THR:HG23	2.03	0.58
1:A:388:ASP:OD1	2:C:601:QXD:O44	2.21	0.58
1:A:541:ASN:OD1	1:A:544:HIS:ND1	2.37	0.58
2:B:601:QXD:O44	1:D:388:ASP:OD1	2.21	0.58
1:D:244:LEU:HG	1:D:246:LEU:HD21	1.84	0.58
1:B:411:ARG:NH2	2:D:601:QXD:O08	2.37	0.57
1:B:532:GLN:O	1:B:570:THR:OG1	2.22	0.57
1:D:292:PHE:CE2	1:D:308:HIS:HB2	2.38	0.57
1:C:440:THR:HG23	1:C:441:PRO:HD2	1.86	0.57
1:D:195:LEU:HD21	1:D:232:LEU:HD22	1.86	0.57
1:C:538:GLN:O	1:C:540:GLY:N	2.34	0.57
1:B:538:GLN:OE1	1:B:538:GLN:N	2.38	0.56
1:B:432:ASP:OD1	1:B:433:VAL:N	2.37	0.56
1:D:229:LEU:HD11	1:D:253:LEU:HB3	1.87	0.56
1:C:234:ARG:HG3	1:C:234:ARG:NH1	2.10	0.56
1:D:244:LEU:CG	1:D:246:LEU:HD21	2.36	0.56
1:C:519:ILE:HG23	1:C:551:MET:HE3	1.88	0.55
1:B:92:ASN:HB3	1:B:95:SER:OG	2.07	0.55
1:B:424:LEU:O	1:B:430:VAL:HG11	2.07	0.55
1:A:68:ILE:HB	1:A:74:LEU:HD13	1.89	0.54
1:B:541:ASN:OD1	1:B:544:HIS:ND1	2.38	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:410:ILE:HB	1:D:415:ILE:HD12	1.90	0.54
1:D:452:THR:CG2	1:D:453:GLN:N	2.56	0.53
1:A:207:ASN:HD21	2:C:601:QXD:C50	2.21	0.53
1:A:294:GLY:O	2:C:601:QXD:N38	2.41	0.52
1:A:440:THR:OG1	1:A:443:GLU:O	2.27	0.52
1:B:516:LEU:HD13	1:B:574:LEU:HD22	1.92	0.52
1:C:19:GLU:HG2	1:C:23:ARG:HE	1.74	0.51
1:C:538:GLN:OE1	1:C:538:GLN:N	2.35	0.51
1:A:550:SER:HB2	1:C:230:MET:HE3	1.91	0.51
1:B:427:HIS:HB3	1:B:430:VAL:HG12	1.93	0.51
1:C:252:ARG:NH2	1:C:443:GLU:OE1	2.37	0.51
1:B:236:ILE:HG23	1:B:241:VAL:HB	1.93	0.50
1:A:228:ASP:HB3	1:A:231:ALA:HB3	1.94	0.50
1:B:129:SER:O	1:B:132:THR:HG22	2.13	0.49
1:A:103:VAL:HG13	1:A:158:MET:HE3	1.93	0.49
1:B:377:GLN:HG2	1:B:378:GLY:H	1.77	0.49
1:D:175:GLY:HA2	1:D:356:GLY:HA2	1.95	0.49
1:A:384:TYR:CE2	1:A:386:THR:HG22	2.48	0.49
1:B:416:ASN:O	1:B:420:ILE:HD12	2.12	0.49
1:D:436:VAL:HG12	1:D:437:VAL:N	2.27	0.49
1:B:550:SER:HB2	1:D:230:MET:HE3	1.94	0.49
1:D:450:TYR:CD1	1:D:450:TYR:N	2.81	0.48
1:C:420:ILE:HD11	1:C:474:MET:HG2	1.96	0.48
1:C:4:SER:O	1:C:7:VAL:HG22	2.13	0.48
1:C:276:ASN:OD1	1:C:279:LEU:HG	2.14	0.48
1:C:556:PHE:O	1:C:558:LEU:N	2.47	0.48
1:D:207:ASN:O	1:D:211:MET:HB2	2.14	0.47
1:A:75:TYR:OH	1:A:196:GLN:HG2	2.14	0.47
1:B:351:PHE:HB3	1:B:383:PHE:HB3	1.97	0.47
1:D:89:VAL:HG22	1:D:156:ILE:HB	1.97	0.47
1:B:115:ASP:O	1:B:131:ARG:NH1	2.42	0.47
1:C:228:ASP:HB3	1:C:231:ALA:HB3	1.97	0.47
1:A:150:ALA:HB1	1:A:174:ARG:HB3	1.96	0.47
1:B:386:THR:HG22	1:B:387:ASP:N	2.30	0.47
1:A:49:LEU:HD21	1:A:77:PHE:CD1	2.50	0.47
1:D:543:LEU:HD12	1:D:543:LEU:H	1.80	0.47
1:C:207:ASN:O	1:C:211:MET:HB2	2.15	0.46
1:B:386:THR:HG22	1:B:387:ASP:H	1.79	0.46
2:B:601:QXD:O13	1:D:413:PHE:HZ	1.98	0.46
1:D:197:ILE:HD11	1:D:227:PRO:HG3	1.98	0.45
1:C:78:MET:HE2	1:C:88:MET:HE1	1.98	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:228:ASP:O	1:B:232:LEU:HD13	2.16	0.45
1:A:353:ALA:HA	1:A:357:VAL:HG21	1.98	0.45
1:B:175:GLY:HA2	1:B:356:GLY:HA2	1.98	0.45
1:C:384:TYR:CE2	1:C:386:THR:HG22	2.52	0.45
1:A:88:MET:HE2	1:A:88:MET:HB3	1.69	0.45
1:A:336:ASN:HD21	1:A:340:GLN:HB2	1.80	0.45
2:A:601:QXD:C50	1:C:207:ASN:HD21	2.29	0.45
1:A:407:ILE:HG23	1:A:414:ARG:HG3	1.99	0.45
1:C:234:ARG:NH1	1:C:234:ARG:CG	2.77	0.45
1:C:227:PRO:HB3	1:C:232:LEU:HD11	1.99	0.44
1:C:411:ARG:NH1	1:C:473:TRP:O	2.49	0.44
1:D:168:SER:HB2	1:D:362:SER:HB3	2.00	0.44
1:C:103:VAL:HG13	1:C:158:MET:HE3	2.00	0.44
1:C:442:ASP:OD1	1:C:442:ASP:N	2.50	0.44
1:D:14:PRO:HG3	1:D:82:MET:HB3	1.99	0.44
1:D:553:SER:HA	1:D:558:LEU:O	2.17	0.44
1:A:175:GLY:HA2	1:A:356:GLY:HA2	2.00	0.44
1:B:207:ASN:O	1:B:211:MET:HB2	2.18	0.44
1:D:542:SER:OG	1:D:543:LEU:HD12	2.18	0.44
1:B:150:ALA:HB1	1:B:174:ARG:HB3	1.99	0.43
1:A:207:ASN:O	1:A:211:MET:HB2	2.18	0.43
1:A:168:SER:OG	1:A:362:SER:HB3	2.17	0.43
1:A:271:SER:OG	2:C:601:QXD:O52	2.21	0.43
1:A:100:ILE:O	1:A:104:LEU:HG	2.19	0.43
1:C:48:ALA:HB1	1:C:137:CYS:HB3	2.01	0.43
1:D:417:ILE:HG23	1:D:435:ILE:HB	2.00	0.43
1:A:263:HIS:HE2	1:A:286:ALA:HB3	1.84	0.42
1:B:427:HIS:O	1:B:430:VAL:HG12	2.19	0.42
1:D:138:THR:OG1	1:D:140:GLN:HG2	2.19	0.42
1:D:73:GLU:OE1	1:D:73:GLU:N	2.44	0.42
1:A:446:LEU:HD23	1:A:476:PRO:HG3	2.02	0.42
1:A:523:ILE:HG21	1:A:544:HIS:HD2	1.84	0.42
1:B:377:GLN:HG2	1:B:378:GLY:N	2.33	0.42
1:C:252:ARG:HB2	1:C:279:LEU:HD13	2.01	0.42
1:A:97:GLU:HB2	1:A:121:PRO:HD3	2.01	0.42
2:B:601:QXD:C51	1:D:296:GLY:HA3	2.50	0.42
1:B:207:ASN:OD1	1:B:302:ALA:HB1	2.20	0.42
1:B:32:PHE:HD1	1:B:221:ILE:HB	1.84	0.42
1:D:349:GLU:OE1	1:D:385:ARG:HG2	2.20	0.42
1:D:299:GLU:OE1	1:D:299:GLU:N	2.46	0.42
2:A:601:QXD:O18	2:A:601:QXD:N14	2.53	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:387:ASP:OD1	1:A:405:ASN:HB2	2.20	0.41
1:B:18:ASP:OD2	1:B:83:LYS:NZ	2.51	0.41
1:B:73:GLU:OE2	1:B:73:GLU:N	2.49	0.41
1:A:305:SER:HB3	1:A:332:MET:SD	2.60	0.41
1:B:377:GLN:CG	1:B:378:GLY:H	2.33	0.41
1:B:186:LEU:HD22	1:B:243:MET:HE1	2.03	0.41
1:D:150:ALA:HB1	1:D:174:ARG:HB3	2.03	0.41
1:A:252:ARG:NH2	1:A:443:GLU:OE1	2.50	0.41
1:C:175:GLY:HA2	1:C:356:GLY:HA2	2.02	0.41
1:B:67:LYS:HE3	1:B:114:SER:OG	2.21	0.41
1:C:110:ARG:HG3	1:C:111:TYR:CD1	2.55	0.41
1:B:427:HIS:HB3	1:B:430:VAL:CG1	2.51	0.41
1:A:521:GLN:C	1:A:523:ILE:N	2.79	0.41
1:C:77:PHE:CE1	1:C:113:ILE:HG21	2.56	0.40
1:D:263:HIS:HA	1:D:289:ALA:HB2	2.03	0.40
1:C:547:LYS:HZ2	1:C:551:MET:HE2	1.86	0.40
1:B:451:VAL:O	1:B:453:GLN:N	2.51	0.40
1:D:263:HIS:HE2	1:D:286:ALA:HB3	1.86	0.40
1:A:332:MET:HE2	1:A:398:ILE:HD12	2.03	0.40
1:D:420:ILE:HD11	1:D:474:MET:HG2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	513/586 (88%)	489 (95%)	20 (4%)	4 (1%)	16	50
1	B	513/586 (88%)	488 (95%)	21 (4%)	4 (1%)	16	50
1	C	534/586 (91%)	516 (97%)	17 (3%)	1 (0%)	43	76
1	D	493/586 (84%)	472 (96%)	21 (4%)	0	100	100
All	All	2053/2344 (88%)	1965 (96%)	79 (4%)	9 (0%)	30	65

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	140	GLN
1	A	435	ILE
1	B	275	VAL
1	C	539	GLY
1	A	144	ASN
1	B	405	ASN
1	A	430	VAL
1	A	531	PRO
1	B	257	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	388/490 (79%)	386 (100%)	2 (0%)	81	89
1	B	365/490 (74%)	364 (100%)	1 (0%)	86	91
1	C	402/490 (82%)	398 (99%)	4 (1%)	68	84
1	D	371/490 (76%)	368 (99%)	3 (1%)	73	86
All	All	1526/1960 (78%)	1516 (99%)	10 (1%)	76	86

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	273	ASP
1	A	327	LEU
1	B	232	LEU
1	C	234	ARG
1	C	327	LEU
1	C	440	THR
1	C	442	ASP
1	D	66	ILE
1	D	246	LEU
1	D	450	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	300	ASN
1	A	532	GLN
1	B	56	ASN
1	B	397	ASN
1	C	173	HIS
1	C	293	ASN
1	C	422	HIS
1	D	447	HIS
1	D	469	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	QXD	B	601	1	50,55,56	1.84	8 (16%)	65,79,82	2.24	20 (30%)
2	QXD	D	601	1	42,47,56	2.07	10 (23%)	58,69,82	2.10	16 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	QXD	A	601	1	50,55,56	2.30	15 (30%)	65,79,82	1.90	18 (27%)
2	QXD	C	601	1	50,55,56	2.14	13 (26%)	65,79,82	1.85	20 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QXD	B	601	1	-	15/45/64/65	0/4/4/4
2	QXD	D	601	1	-	16/29/51/65	0/4/4/4
2	QXD	A	601	1	-	11/45/64/65	0/4/4/4
2	QXD	C	601	1	-	17/45/64/65	0/4/4/4

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	QXD	C04-C02	6.34	1.62	1.52
2	C	601	QXD	C04-C02	6.08	1.62	1.52
2	D	601	QXD	C04-C02	6.01	1.62	1.52
2	D	601	QXD	C12-N14	5.82	1.46	1.32
2	A	601	QXD	P06-O05	5.79	1.79	1.62
2	C	601	QXD	C12-N14	5.38	1.46	1.33
2	A	601	QXD	C12-N14	5.29	1.46	1.33
2	C	601	QXD	P06-O05	5.02	1.77	1.62
2	B	601	QXD	P06-O05	4.92	1.76	1.62
2	A	601	QXD	C17-N19	4.86	1.44	1.33
2	D	601	QXD	P06-O05	4.81	1.76	1.62
2	B	601	QXD	C21-S22	4.63	1.88	1.81
2	C	601	QXD	C17-N19	4.44	1.43	1.33
2	C	601	QXD	C21-S22	4.38	1.87	1.81
2	A	601	QXD	C21-S22	4.35	1.87	1.81
2	B	601	QXD	C17-N19	4.21	1.43	1.33
2	B	601	QXD	O31-C32	-4.14	1.32	1.42
2	B	601	QXD	C04-C02	3.96	1.59	1.52
2	D	601	QXD	O31-C32	-3.95	1.32	1.42
2	B	601	QXD	C12-N14	3.95	1.42	1.33
2	A	601	QXD	O31-C32	-3.58	1.33	1.42
2	C	601	QXD	O31-C32	-3.36	1.34	1.42
2	A	601	QXD	C37-N38	3.32	1.42	1.34
2	C	601	QXD	C37-N38	3.29	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	601	QXD	C16-C17	3.10	1.57	1.51
2	D	601	QXD	C37-N38	3.06	1.42	1.34
2	A	601	QXD	C36-C42	2.99	1.44	1.39
2	C	601	QXD	C36-C42	2.92	1.44	1.39
2	B	601	QXD	C37-N38	2.83	1.41	1.34
2	C	601	QXD	C42-N41	2.79	1.39	1.34
2	D	601	QXD	C36-C42	2.68	1.43	1.39
2	A	601	QXD	C34-N33	2.57	1.41	1.37
2	A	601	QXD	C42-N41	2.51	1.39	1.34
2	A	601	QXD	C15-C16	2.37	1.59	1.51
2	A	601	QXD	S25-N28	2.35	1.67	1.61
2	D	601	QXD	C47-C23	2.32	1.53	1.51
2	A	601	QXD	C42-N33	2.31	1.42	1.37
2	D	601	QXD	C43-C32	2.30	1.60	1.53
2	C	601	QXD	C16-C17	2.28	1.55	1.51
2	C	601	QXD	C15-C16	2.21	1.58	1.51
2	D	601	QXD	S25-N28	2.19	1.66	1.61
2	C	601	QXD	C40-N39	2.17	1.37	1.33
2	C	601	QXD	C42-N33	2.17	1.42	1.37
2	B	601	QXD	C16-C17	2.16	1.55	1.51
2	A	601	QXD	C40-N39	2.05	1.37	1.33
2	D	601	QXD	C42-N41	2.02	1.38	1.34

All (74) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	QXD	O27-S25-O26	-7.64	108.65	119.34
2	D	601	QXD	O27-S25-O26	-7.42	108.96	119.34
2	A	601	QXD	O27-S25-O26	-6.90	109.69	119.34
2	C	601	QXD	O27-S25-O26	-6.85	109.75	119.34
2	B	601	QXD	C10-C12-N14	6.05	127.96	116.48
2	B	601	QXD	O13-C12-N14	-4.93	112.55	122.98
2	B	601	QXD	C15-N14-C12	4.93	131.40	122.55
2	D	601	QXD	C30-C29-N28	4.48	121.08	112.53
2	A	601	QXD	C30-C29-N28	4.42	120.97	112.53
2	D	601	QXD	O11-C10-C12	-3.86	104.12	110.97
2	D	601	QXD	C10-C12-N14	3.79	120.22	117.16
2	D	601	QXD	O27-S25-C24	3.76	113.79	107.86
2	C	601	QXD	C30-C29-N28	3.72	119.64	112.53
2	B	601	QXD	C30-C29-N28	3.50	119.23	112.53
2	B	601	QXD	C29-N28-S25	3.46	127.86	120.79
2	B	601	QXD	C45-C43-C32	-3.34	95.14	101.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	601	QXD	C16-C17-N19	3.31	122.37	116.34
2	D	601	QXD	C48-C47-C53	-3.22	115.00	118.74
2	D	601	QXD	C29-N28-S25	3.19	127.32	120.79
2	A	601	QXD	C15-C16-C17	3.16	117.66	112.39
2	C	601	QXD	C03-C02-C10	3.15	114.14	108.77
2	B	601	QXD	C48-C47-C53	-3.12	115.12	118.74
2	D	601	QXD	O31-C30-C45	-3.05	99.10	105.15
2	A	601	QXD	C03-C02-C10	3.02	113.91	108.77
2	A	601	QXD	C29-N28-S25	3.01	126.94	120.79
2	B	601	QXD	O31-C30-C45	-2.99	99.21	105.15
2	A	601	QXD	C16-C17-N19	2.94	121.70	116.34
2	A	601	QXD	C48-C47-C53	-2.90	115.38	118.74
2	C	601	QXD	O31-C30-C45	-2.82	99.56	105.15
2	C	601	QXD	C48-C47-C53	-2.82	115.47	118.74
2	B	601	QXD	C36-C42-N41	-2.81	122.85	126.72
2	D	601	QXD	C03-C02-C10	2.79	113.53	108.77
2	A	601	QXD	C36-C42-N41	-2.76	122.91	126.72
2	B	601	QXD	C03-C02-C10	2.76	113.47	108.77
2	C	601	QXD	C29-N28-S25	2.74	126.40	120.79
2	D	601	QXD	C36-C42-N41	-2.73	122.95	126.72
2	A	601	QXD	C24-C23-C47	2.71	118.41	113.88
2	C	601	QXD	C15-C16-C17	2.70	116.88	112.39
2	B	601	QXD	C24-C23-C47	2.65	118.31	113.88
2	D	601	QXD	O13-C12-N14	-2.63	118.40	123.04
2	C	601	QXD	O13-C12-N14	-2.61	117.45	122.98
2	A	601	QXD	O44-C43-C45	-2.61	103.45	111.82
2	B	601	QXD	C49-C50-C51	-2.61	115.77	119.29
2	C	601	QXD	C36-C42-N41	-2.55	123.20	126.72
2	D	601	QXD	C42-N33-C34	-2.54	103.07	105.74
2	D	601	QXD	C49-C50-C51	-2.54	115.86	119.29
2	A	601	QXD	O18-C17-N19	-2.54	118.05	123.03
2	B	601	QXD	O18-C17-N19	-2.53	118.06	123.03
2	B	601	QXD	C16-C15-N14	-2.52	106.63	112.00
2	C	601	QXD	C24-C23-C47	2.52	118.08	113.88
2	A	601	QXD	O13-C12-N14	-2.51	117.67	122.98
2	C	601	QXD	C16-C17-N19	2.50	120.90	116.34
2	D	601	QXD	C51-C53-C47	2.50	122.24	120.09
2	C	601	QXD	O44-C43-C45	-2.45	103.95	111.82
2	A	601	QXD	C42-N33-C34	-2.40	103.22	105.74
2	D	601	QXD	O44-C43-C45	-2.37	104.22	111.82
2	A	601	QXD	C49-C50-C51	-2.31	116.17	119.29
2	B	601	QXD	O27-S25-C24	2.31	111.50	107.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	QXD	O18-C17-N19	-2.30	118.51	123.03
2	D	601	QXD	O13-C12-C10	2.27	121.37	119.11
2	C	601	QXD	C49-C50-C51	-2.24	116.26	119.29
2	C	601	QXD	C21-C20-N19	2.22	117.05	112.41
2	B	601	QXD	C42-N33-C34	-2.21	103.42	105.74
2	C	601	QXD	O31-C32-N33	2.21	112.33	108.09
2	A	601	QXD	C24-S25-N28	2.17	111.79	107.20
2	B	601	QXD	C51-C53-C47	2.14	121.93	120.09
2	A	601	QXD	C51-C53-C47	2.10	121.90	120.09
2	C	601	QXD	O27-S25-C24	2.08	111.15	107.86
2	B	601	QXD	C50-C51-C53	2.08	122.47	120.19
2	A	601	QXD	C21-C20-N19	2.07	116.74	112.41
2	A	601	QXD	C50-C51-C53	2.04	122.42	120.19
2	C	601	QXD	C50-C51-C53	2.03	122.42	120.19
2	C	601	QXD	C42-C36-N35	-2.02	108.27	110.58
2	C	601	QXD	C42-N33-C34	-2.02	103.62	105.74

There are no chirality outliers.

All (59) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	QXD	N14-C15-C16-C17
2	A	601	QXD	N19-C20-C21-S22
2	A	601	QXD	C10-C02-C04-O05
2	A	601	QXD	C03-C02-C04-O05
2	A	601	QXD	C01-C02-C04-O05
2	A	601	QXD	C29-N28-S25-O27
2	B	601	QXD	C03-C02-C10-O11
2	B	601	QXD	C04-C02-C10-O11
2	B	601	QXD	C01-C02-C10-O11
2	B	601	QXD	N14-C15-C16-C17
2	B	601	QXD	C20-C21-S22-C23
2	B	601	QXD	C47-C23-C24-S25
2	B	601	QXD	C24-C23-S22-C21
2	B	601	QXD	N28-C29-C30-O31
2	B	601	QXD	N28-C29-C30-C45
2	B	601	QXD	C10-C12-N14-C15
2	C	601	QXD	O11-C10-C12-O13
2	C	601	QXD	O11-C10-C12-N14
2	C	601	QXD	N19-C20-C21-S22
2	C	601	QXD	C47-C23-C24-S25
2	C	601	QXD	C10-C02-C04-O05

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	601	QXD	C03-C02-C04-O05
2	C	601	QXD	C01-C02-C04-O05
2	C	601	QXD	C24-C23-S22-C21
2	C	601	QXD	N28-C29-C30-O31
2	C	601	QXD	N28-C29-C30-C45
2	C	601	QXD	C10-C12-N14-C15
2	C	601	QXD	C29-N28-S25-O26
2	D	601	QXD	C03-C02-C10-C12
2	D	601	QXD	C04-C02-C10-C12
2	D	601	QXD	C01-C02-C10-C12
2	D	601	QXD	C03-C02-C10-O11
2	D	601	QXD	C04-C02-C10-O11
2	D	601	QXD	C01-C02-C10-O11
2	D	601	QXD	C23-C24-S25-N28
2	D	601	QXD	C23-C24-S25-O26
2	D	601	QXD	C23-C24-S25-O27
2	D	601	QXD	C10-C02-C04-O05
2	D	601	QXD	C03-C02-C04-O05
2	D	601	QXD	C01-C02-C04-O05
2	D	601	QXD	N28-C29-C30-O31
2	D	601	QXD	C29-N28-S25-O27
2	A	601	QXD	C16-C17-N19-C20
2	B	601	QXD	C16-C17-N19-C20
2	B	601	QXD	O13-C12-N14-C15
2	C	601	QXD	O13-C12-N14-C15
2	A	601	QXD	O18-C17-N19-C20
2	B	601	QXD	O18-C17-N19-C20
2	C	601	QXD	C29-N28-S25-C24
2	D	601	QXD	C29-N28-S25-C24
2	B	601	QXD	C02-C10-C12-O13
2	C	601	QXD	C02-C10-C12-O13
2	A	601	QXD	C02-C10-C12-N14
2	B	601	QXD	C02-C10-C12-N14
2	C	601	QXD	C02-C10-C12-N14
2	A	601	QXD	C20-C21-S22-C23
2	C	601	QXD	C20-C21-S22-C23
2	D	601	QXD	C24-C23-C47-C48
2	A	601	QXD	C02-C10-C12-O13



There are no ring outliers.


4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	601	QXD	6	0
2	D	601	QXD	1	0
2	A	601	QXD	3	0
2	C	601	QXD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	527/586 (89%)	0.20	18 (3%)	48	27	33, 68, 134, 174	0
1	B	527/586 (89%)	0.44	19 (3%)	46	26	48, 99, 147, 186	0
1	C	540/586 (92%)	0.32	17 (3%)	51	30	39, 87, 136, 191	0
1	D	499/586 (85%)	0.09	12 (2%)	59	36	35, 62, 123, 171	0
All	All	2093/2344 (89%)	0.27	66 (3%)	50	29	33, 79, 138, 191	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	449	CYS	4.0
1	B	248	GLY	3.9
1	A	530	ASN	3.8
1	A	540	GLY	3.7
1	A	565	ILE	3.7
1	C	138	THR	3.5
1	B	362	SER	3.5
1	C	166	PRO	3.4
1	D	541	ASN	3.4
1	A	317	SER	3.3
1	D	286	ALA	3.2
1	A	166	PRO	3.2
1	D	552	VAL	3.1
1	C	412	GLY	3.1
1	D	555	THR	3.0
1	D	393	ASP	3.0
1	C	407	ILE	3.0
1	C	143	GLY	3.0
1	A	119	SER	2.9
1	A	562	PRO	2.9
1	D	318	GLU	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	161	GLY	2.8
1	B	320	PRO	2.8
1	A	447	HIS	2.7
1	D	163	THR	2.7
1	A	520	TRP	2.7
1	B	479	PHE	2.6
1	C	557	ASN	2.6
1	A	237	GLU	2.6
1	B	280	PHE	2.5
1	B	408	CYS	2.5
1	C	408	CYS	2.5
1	C	555	THR	2.5
1	A	446	LEU	2.5
1	B	522	ALA	2.5
1	B	335	PHE	2.5
1	A	409	LYS	2.4
1	B	386	THR	2.4
1	B	454	ASP	2.4
1	A	404	GLY	2.4
1	B	197	ILE	2.4
1	B	457	LEU	2.4
1	B	520	TRP	2.3
1	D	344	CYS	2.3
1	B	566	PHE	2.2
1	A	523	ILE	2.2
1	C	525	HIS	2.2
1	B	230	MET	2.2
1	D	453	GLN	2.2
1	D	557	ASN	2.2
1	C	286	ALA	2.2
1	C	46	CYS	2.2
1	B	537	ASP	2.1
1	A	160	SER	2.1
1	B	166	PRO	2.1
1	C	404	GLY	2.1
1	A	534	ASN	2.1
1	C	405	ASN	2.1
1	C	541	ASN	2.1
1	C	516	LEU	2.1
1	C	160	SER	2.1
1	C	568	ALA	2.1
1	D	285	GLN	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	510	ASP	2.0
1	A	459	VAL	2.0
1	B	462	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	QXD	A	601	52/53	0.85	0.17	83,94,111,118	0
2	QXD	D	601	45/53	0.87	0.13	98,116,137,146	0
2	QXD	C	601	52/53	0.89	0.15	44,85,107,110	0
2	QXD	B	601	52/53	0.90	0.13	39,70,100,104	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around QXD A 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around QXD D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around QXD C 601:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around QXD B 601:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.