



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 12, 2026 – 09:31 PM UTC

PDB ID : 5VIG / pdb_00005vig
Title : Crystal structure of anti-Zika antibody Z006 bound to Zika virus envelope protein DIII
Authors : Keeffe, J.R.; West Jr., A.P.; Gristick, H.B.; Bjorkman, P.J.
Deposited on : 2017-04-16
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2672 (3.00-3.00)
Clashscore	190562	2977 (3.00-3.00)
Ramachandran outliers	187476	2877 (3.00-3.00)
Sidechain outliers	187428	2880 (3.00-3.00)
RSRZ outliers	180081	2671 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	63% 25% • 8%
1	H	232	63% 25% • 8%
2	B	213	81% 17%
2	L	213	83% 16%
3	G	110	64% 25% • 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	Z	110	% 64% 25% • 9%

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7905 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	213	Total	C	N	O	S	0	0	0
			1596	1009	273	308	6			
1	A	213	Total	C	N	O	S	0	0	0
			1596	1009	273	308	6			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
H	220	HIS	-	expression tag	UNP S6B291
H	221	HIS	-	expression tag	UNP S6B291
H	222	HIS	-	expression tag	UNP S6B291
H	223	HIS	-	expression tag	UNP S6B291
H	224	HIS	-	expression tag	UNP S6B291
H	225	HIS	-	expression tag	UNP S6B291
A	220	HIS	-	expression tag	UNP S6B291
A	221	HIS	-	expression tag	UNP S6B291
A	222	HIS	-	expression tag	UNP S6B291
A	223	HIS	-	expression tag	UNP S6B291
A	224	HIS	-	expression tag	UNP S6B291
A	225	HIS	-	expression tag	UNP S6B291

- Molecule 2 is a protein called Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	212	Total	C	N	O	S	0	0	0
			1591	997	263	325	6			
2	B	212	Total	C	N	O	S	0	0	0
			1591	997	263	325	6			


- Molecule 3 is a protein called Zika virus envelope protein DIII.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	Z	100	Total	C	N	O	S	0	0	0
			759	482	125	146	6			
3	G	100	Total	C	N	O	S	0	0	0
			759	482	125	146	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Z	298	MET	-	initiating methionine	UNP A0A1I9ZK43
G	298	MET	-	initiating methionine	UNP A0A1I9ZK43

- Molecule 4 is CITRATE ANION (CCD ID: FLC) (formula: $C_6H_5O_7^-$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			13	6	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fab heavy chain



- Molecule 1: Fab heavy chain




- Molecule 2: Fab light chain




- Molecule 2: Fab light chain

Chain B:  81% 17%




• Molecule 3: Zika virus envelope protein DIII

Chain Z:  64% 25% 9%



• Molecule 3: Zika virus envelope protein DIII

Chain G:  64% 25% 9%



4 Data and refinement statistics

Property	Value	Source
Space group	H 3 2	Depositor
Cell constants a, b, c, α , β , γ	385.08Å 385.08Å 56.64Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.75 – 3.00 29.75 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.8 (29.75-3.00) 98.7 (29.75-3.00)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.67 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.11.1_2575	Depositor
R, R_{free}	0.212 , 0.257 (Not available) , 0.256	Depositor DCC
R_{free} test set	1734 reflections (4.91%)	wwPDB-VP
Wilson B-factor (Å ²)	76.2	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 72.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7905	wwPDB-VP
Average B, all atoms (Å ²)	103.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/1633	0.52	0/2227
1	H	0.33	0/1633	0.51	0/2227
2	B	0.28	0/1627	0.47	0/2221
2	L	0.27	0/1627	0.47	0/2221
3	G	0.32	0/777	0.51	0/1060
3	Z	0.32	0/777	0.51	0/1060
All	All	0.31	0/8074	0.50	0/11016

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1596	0	1553	41	0
1	H	1596	0	1553	40	0
2	B	1591	0	1492	24	0
2	L	1591	0	1492	21	0
3	G	759	0	751	16	0
3	Z	759	0	751	14	0
4	A	13	0	5	0	0
All	All	7905	0	7597	142	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:51:LEU:HD21	1:A:71:ARG:HB2	1.69	0.75
2:L:83:VAL:HG22	2:L:106:ILE:HG13	1.70	0.73
1:H:51:LEU:HD21	1:H:71:ARG:HB2	1.69	0.72
1:A:98:ASN:HB3	3:G:392:GLY:H	1.57	0.69
1:H:32:TYR:CD2	1:H:94:ARG:HD3	2.29	0.68
1:H:87:THR:HG23	1:H:110:THR:HA	1.76	0.68
1:A:32:TYR:CD2	1:A:94:ARG:HD3	2.29	0.67
1:H:98:ASN:HB3	3:Z:392:GLY:H	1.59	0.67
1:A:87:THR:HG23	1:A:110:THR:HA	1.76	0.67
1:A:98:ASN:O	1:A:98:ASN:ND2	2.27	0.67
1:H:98:ASN:O	1:H:98:ASN:ND2	2.27	0.66
2:L:32:TRP:CE2	3:Z:394:LYS:HG2	2.36	0.61
2:L:118:PHE:HB2	2:L:133:VAL:HG23	1.82	0.61
1:H:40:ALA:HB3	1:H:43:LYS:HB2	1.84	0.60
1:A:112:SER:OG	1:A:113:SER:N	2.34	0.60
2:B:118:PHE:HB2	2:B:133:VAL:HG23	1.82	0.60
2:L:80:PRO:HA	2:L:106:ILE:HD12	1.84	0.59
1:A:40:ALA:HB3	1:A:43:LYS:HB2	1.84	0.59
2:B:186:TYR:O	2:B:192:TYR:OH	2.21	0.59
2:L:186:TYR:O	2:L:192:TYR:OH	2.21	0.58
3:Z:321:THR:OG1	3:Z:325:THR:OG1	2.22	0.57
2:B:47:LEU:HD23	2:B:58:ILE:HD12	1.87	0.57
2:L:13:ALA:O	2:L:107:LYS:N	2.31	0.57
1:A:96:ARG:NH2	2:B:55:GLU:OE1	2.37	0.57
1:A:93:VAL:HG13	1:A:100(C):ILE:HG23	1.87	0.56
1:A:12:VAL:HG11	1:A:82(C):LEU:HD12	1.86	0.56
1:H:119:PRO:HD2	1:H:205:THR:HG21	1.88	0.56
1:H:12:VAL:HG11	1:H:82(C):LEU:HD12	1.86	0.56
2:L:47:LEU:HD23	2:L:58:ILE:HD12	1.87	0.56
1:A:119:PRO:HD2	1:A:205:THR:HG21	1.87	0.56
1:H:93:VAL:HG13	1:H:100(C):ILE:HG23	1.87	0.56
1:H:11:LEU:HD12	1:H:147:PRO:HG3	1.88	0.55
1:A:98:ASN:OD1	3:G:352:LEU:HD12	2.07	0.55
2:B:83:VAL:HG22	2:B:106:ILE:HG13	1.89	0.55
1:A:59:TYR:O	1:A:64:LYS:NZ	2.36	0.54
3:Z:307:LEU:HG	3:Z:342:PRO:HG3	1.90	0.54
3:G:307:LEU:HG	3:G:342:PRO:HG3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:307:LEU:HD12	3:G:340:LYS:HB3	1.89	0.53
3:Z:307:LEU:HD12	3:Z:340:LYS:HB3	1.89	0.53
2:B:80:PRO:HA	2:B:106:ILE:HD12	1.90	0.53
2:B:32:TRP:CE2	3:G:394:LYS:HG2	2.44	0.53
1:H:96:ARG:NH2	2:L:55:GLU:OE1	2.41	0.52
3:Z:323:HIS:O	3:Z:402:ARG:NH1	2.43	0.52
2:B:143:GLU:N	2:B:143:GLU:OE2	2.42	0.52
1:H:59:TYR:O	1:H:64:LYS:NZ	2.36	0.52
3:G:323:HIS:O	3:G:402:ARG:NH1	2.43	0.52
1:H:4:LEU:HD22	1:H:102:LEU:HG	1.92	0.52
1:A:151:THR:HG23	1:A:199:ASN:HB3	1.93	0.51
1:A:4:LEU:HD22	1:A:102:LEU:HG	1.91	0.51
2:L:143:GLU:N	2:L:143:GLU:OE2	2.42	0.51
1:A:82:MET:HB2	1:A:82(C):LEU:HD21	1.93	0.51
1:H:151:THR:HG23	1:H:199:ASN:HB3	1.92	0.51
1:A:53:SER:O	1:A:57:THR:HG23	2.12	0.50
3:G:321:THR:OG1	3:G:325:THR:OG1	2.22	0.50
3:G:310:ALA:HB3	3:G:332:TYR:CZ	2.47	0.50
1:H:82:MET:HB2	1:H:82(C):LEU:HD21	1.93	0.50
1:H:143:LYS:NZ	1:H:171:GLN:OE1	2.45	0.50
3:Z:310:ALA:HB3	3:Z:332:TYR:CZ	2.47	0.49
1:H:32:TYR:CG	1:H:94:ARG:HD3	2.47	0.49
1:A:32:TYR:CG	1:A:94:ARG:HD3	2.47	0.49
2:L:49:TYR:O	2:L:53:ARG:HB2	2.12	0.49
1:H:53:SER:O	1:H:57:THR:HG23	2.12	0.49
1:A:143:LYS:NZ	1:A:171:GLN:OE1	2.45	0.48
2:B:49:TYR:O	2:B:53:ARG:HB2	2.12	0.48
2:L:158:ASN:OD1	2:L:158:ASN:N	2.47	0.48
1:A:150:VAL:HG12	1:A:200:HIS:HB2	1.95	0.48
1:H:150:VAL:HG12	1:H:200:HIS:HB2	1.95	0.48
1:H:171:GLN:NE2	1:H:177:SER:HB2	2.28	0.48
1:H:122:PHE:HB3	2:L:121:SER:OG	2.14	0.47
1:A:171:GLN:NE2	1:A:177:SER:HB2	2.28	0.47
1:H:66:ARG:NH1	1:H:82(B):ARG:O	2.47	0.47
1:H:137:ALA:HB2	1:H:183:THR:HG22	1.97	0.47
2:L:39:LYS:HG2	2:L:84:ALA:HB2	1.97	0.47
2:B:158:ASN:N	2:B:158:ASN:OD1	2.47	0.47
1:A:66:ARG:NH1	1:A:82(B):ARG:O	2.47	0.47
1:H:94:ARG:HD2	1:H:95:ASP:O	2.15	0.47
1:A:94:ARG:HD2	1:A:95:ASP:O	2.15	0.46
1:A:48:VAL:HG12	1:A:63:VAL:HG21	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:36:TRP:CG	1:H:80:LEU:HD12	2.50	0.46
1:A:66:ARG:HG2	1:A:82(B):ARG:HB2	1.98	0.46
1:A:99:GLY:O	3:G:392:GLY:HA3	2.15	0.46
2:B:39:LYS:HG2	2:B:84:ALA:HB2	1.97	0.46
2:B:192:TYR:HB2	2:B:209:PHE:CE2	2.51	0.46
2:L:192:TYR:HB2	2:L:209:PHE:CE2	2.51	0.46
1:A:36:TRP:CG	1:A:80:LEU:HD12	2.50	0.46
1:H:66:ARG:HG2	1:H:82(B):ARG:HB2	1.98	0.46
2:L:40:PRO:HG2	2:L:165:GLU:HG2	1.98	0.46
1:A:166:PHE:CE2	2:B:176:SER:HB2	2.51	0.46
1:A:137:ALA:HB2	1:A:183:THR:HG22	1.97	0.45
1:H:48:VAL:HG12	1:H:63:VAL:HG21	1.98	0.45
2:B:40:PRO:HG2	2:B:165:GLU:HG2	1.99	0.44
2:B:83:VAL:HG11	2:B:166:GLN:HB3	1.98	0.44
1:H:14:PRO:HD3	1:H:112:SER:O	2.18	0.44
3:Z:387:ILE:O	3:Z:397:THR:HA	2.18	0.44
3:G:387:ILE:O	3:G:397:THR:HA	2.18	0.44
1:A:98:ASN:H	3:G:392:GLY:HA2	1.83	0.44
1:A:150:VAL:HG23	1:A:178:LEU:HD21	2.00	0.43
1:A:14:PRO:HD3	1:A:112:SER:O	2.18	0.43
1:H:51:LEU:HB2	1:H:57:THR:HG22	2.01	0.43
1:A:29:PHE:O	1:A:71:ARG:NH1	2.50	0.43
1:H:124:LEU:HB3	2:L:118:PHE:CD1	2.53	0.43
1:H:150:VAL:HG23	1:H:178:LEU:HD21	2.00	0.43
2:B:80:PRO:O	2:B:83:VAL:HG23	2.19	0.43
1:A:51:LEU:HD13	1:A:57:THR:HG22	2.01	0.42
1:H:51:LEU:HD13	1:H:57:THR:HG22	2.02	0.42
2:L:80:PRO:O	2:L:83:VAL:HG23	2.19	0.42
1:A:52:TYR:CE2	1:A:52(A):ASN:ND2	2.87	0.42
1:H:52:TYR:CE2	1:H:52(A):ASN:ND2	2.87	0.42
2:L:37:GLN:HB2	2:L:47:LEU:HD11	2.01	0.42
3:Z:392:GLY:O	3:Z:395:LYS:HE3	2.19	0.42
1:A:35:ALA:HB2	1:A:50:LEU:HD12	2.02	0.42
1:A:103:TRP:CE3	2:B:44:PRO:HD2	2.55	0.42
2:B:47:LEU:HA	2:B:58:ILE:HG13	2.02	0.42
3:Z:305:TYR:HB2	3:Z:306:SER:H	1.64	0.42
2:L:47:LEU:HA	2:L:58:ILE:HG13	2.02	0.42
1:A:21:SER:HA	1:A:78:LEU:O	2.20	0.42
1:H:29:PHE:O	1:H:71:ARG:NH1	2.50	0.42
2:B:37:GLN:HB2	2:B:47:LEU:HD11	2.01	0.42
1:H:21:SER:HA	1:H:78:LEU:O	2.19	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:82:MET:HE2	1:H:82:MET:HB3	1.94	0.41
2:L:63:SER:O	2:L:73:LEU:HD12	2.21	0.41
1:A:51:LEU:HB2	1:A:57:THR:HG22	2.01	0.41
2:B:63:SER:O	2:B:73:LEU:HD12	2.21	0.41
3:G:316:LYS:HG2	3:G:329:GLU:HB3	2.03	0.41
3:G:392:GLY:O	3:G:395:LYS:HE3	2.19	0.41
1:H:35:ALA:HB2	1:H:50:LEU:HD12	2.02	0.41
2:B:94:PHE:CE1	3:G:309:THR:HG21	2.56	0.41
3:Z:317:ILE:HG13	3:Z:318:PRO:HD2	2.03	0.41
2:B:179:LEU:HD12	2:B:179:LEU:HA	1.90	0.41
3:Z:324:GLY:HA3	3:Z:402:ARG:HH11	1.85	0.41
3:Z:342:PRO:HG2	3:Z:391:VAL:HG13	2.03	0.41
1:A:34:MET:HB3	1:A:78:LEU:HD22	2.02	0.41
2:B:167:ASP:OD1	2:B:169:LYS:N	2.34	0.41
3:G:324:GLY:HA3	3:G:402:ARG:HH11	1.85	0.41
1:H:34:MET:HB3	1:H:78:LEU:HD22	2.02	0.40
1:H:119:PRO:HB3	1:H:145:TYR:HB3	2.02	0.40
3:Z:316:LYS:HG2	3:Z:329:GLU:HB3	2.03	0.40
2:B:30:SER:HB2	2:B:31:GLY:H	1.59	0.40
2:L:124:GLN:HG2	2:L:129:THR:O	2.21	0.40
1:A:119:PRO:HB3	1:A:145:TYR:HB3	2.02	0.40
3:G:305:TYR:HB2	3:G:306:SER:H	1.64	0.40
1:H:100(C):ILE:HG22	1:H:103:TRP:NE1	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	209/232 (90%)	194 (93%)	13 (6%)	2 (1%)	12	45
1	H	209/232 (90%)	194 (93%)	13 (6%)	2 (1%)	12	45

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	210/213 (99%)	191 (91%)	16 (8%)	3 (1%)	9	36
2	L	191/213 (90%)	175 (92%)	13 (7%)	3 (2%)	7	34
3	G	98/110 (89%)	85 (87%)	12 (12%)	1 (1%)	12	45
3	Z	68/110 (62%)	58 (85%)	10 (15%)	0	100	100
All	All	985/1110 (89%)	897 (91%)	77 (8%)	11 (1%)	11	43

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	H	28	THR
1	A	28	THR
3	G	322	LEU
2	L	138	ASN
2	B	138	ASN
2	L	68	GLY
2	B	68	GLY
1	H	150	VAL
1	A	150	VAL
2	L	83	VAL
2	B	83	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/199 (89%)	158 (89%)	19 (11%)	6	26
1	H	177/199 (89%)	158 (89%)	19 (11%)	6	26
2	B	174/187 (93%)	167 (96%)	7 (4%)	28	62
2	L	174/187 (93%)	166 (95%)	8 (5%)	24	58
3	G	85/94 (90%)	75 (88%)	10 (12%)	5	22
3	Z	85/94 (90%)	75 (88%)	10 (12%)	5	22
All	All	872/960 (91%)	799 (92%)	73 (8%)	10	37

All (73) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	H	4	LEU
1	H	18	LEU
1	H	20	LEU
1	H	49	SER
1	H	51	LEU
1	H	70	SER
1	H	71	ARG
1	H	80	LEU
1	H	93	VAL
1	H	98	ASN
1	H	105	ARG
1	H	150	VAL
1	H	151	THR
1	H	156	SER
1	H	170	LEU
1	H	179	SER
1	H	183	THR
1	H	206	LYS
1	H	211	VAL
2	L	20	THR
2	L	30	SER
2	L	33	LEU
2	L	69	THR
2	L	83	VAL
2	L	106	ILE
2	L	142	ARG
2	L	163	VAL
3	Z	307	LEU
3	Z	327	THR
3	Z	351	THR
3	Z	353	THR
3	Z	355	VAL
3	Z	365	ILE
3	Z	368	SER
3	Z	370	GLU
3	Z	389	ILE
3	Z	395	LYS
1	A	4	LEU
1	A	18	LEU
1	A	20	LEU
1	A	49	SER
1	A	51	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	70	SER
1	A	71	ARG
1	A	80	LEU
1	A	93	VAL
1	A	98	ASN
1	A	105	ARG
1	A	150	VAL
1	A	151	THR
1	A	156	SER
1	A	170	LEU
1	A	179	SER
1	A	183	THR
1	A	206	LYS
1	A	211	VAL
2	B	20	THR
2	B	30	SER
2	B	33	LEU
2	B	69	THR
2	B	83	VAL
2	B	142	ARG
2	B	163	VAL
3	G	307	LEU
3	G	327	THR
3	G	351	THR
3	G	353	THR
3	G	355	VAL
3	G	365	ILE
3	G	368	SER
3	G	370	GLU
3	G	389	ILE
3	G	395	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	73	ASN
2	L	124	GLN
2	L	147	GLN
2	L	210	ASN
1	A	73	ASN
1	A	76	ASN
1	A	164	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	124	GLN
2	B	147	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	FLC	A	500	-	12,12,12	1.16	0	17,17,17	1.35	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FLC	A	500	-	-	1/16/16/16	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	500	FLC	OB2-CBC-CB	3.01	118.91	113.14
4	A	500	FLC	OG2-CGC-CG	2.10	121.00	114.35

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	500	FLC	CB-CG-CGC-OG1

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	213/232 (91%)	-0.33	1 (0%) 87 72	68, 90, 128, 174	0
1	H	213/232 (91%)	-0.18	3 (1%) 73 51	67, 101, 162, 219	0
2	B	212/213 (99%)	-0.21	0 100 100	70, 94, 179, 204	0
2	L	212/213 (99%)	-0.22	0 100 100	68, 100, 175, 228	0
3	G	100/110 (90%)	-0.03	2 (2%) 65 41	78, 93, 146, 170	0
3	Z	100/110 (90%)	0.22	1 (1%) 79 59	79, 101, 137, 168	0
All	All	1050/1110 (94%)	-0.17	7 (0%) 84 66	67, 96, 166, 228	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	G	404	GLY	3.3
3	Z	404	GLY	3.1
3	G	375	MET	3.0
1	H	112	SER	2.9
1	H	127	SER	2.5
1	A	13	GLN	2.3
1	H	204	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	FLC	A	500	13/13	0.76	0.14	120,139,147,150	0

6.5 Other polymers

There are no such residues in this entry.