



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 09:00 AM UTC

PDB ID : 2VK8 / pdb_00002vk8
Title : Crystal structure of the *Saccharomyces cerevisiae* pyruvate decarboxylase variant E477Q in complex with its substrate
Authors : Kutter, S.; Weik, M.; Weiss, M.S.; Konig, S.
Deposited on : 2007-12-17
Resolution : 1.42 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4041 (1.44-1.40)
Clashscore	190562	4154 (1.44-1.40)
Ramachandran outliers	187476	4083 (1.44-1.40)
Sidechain outliers	187428	4082 (1.44-1.40)
RSRZ outliers	180081	4039 (1.44-1.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	563	4% 91% 7%
1	B	563	% 90% 9%
1	C	563	4% 91% 7%
1	D	563	3% 91% 9%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	2OP	A	1566	-	-	X	-
4	2OP	D	1566	X	-	X	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19242 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PYRUVATE DECARBOXYLASE ISOZYME 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	562	Total	C	N	O	S	0	0	0
			4323	2760	725	822	16			
1	B	562	Total	C	N	O	S	0	0	0
			4323	2760	725	822	16			
1	C	562	Total	C	N	O	S	0	0	0
			4323	2760	725	822	16			
1	D	562	Total	C	N	O	S	0	0	0
			4323	2760	725	822	16			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	477	GLN	GLU	engineered mutation	UNP P06169
B	477	GLN	GLU	engineered mutation	UNP P06169
C	477	GLN	GLU	engineered mutation	UNP P06169
D	477	GLN	GLU	engineered mutation	UNP P06169
A	206	VAL	ALA	conflict	UNP P06169
A	208	ASP	VAL	conflict	UNP P06169
A	538	VAL	ILE	conflict	UNP P06169
B	206	VAL	ALA	conflict	UNP P06169
B	208	ASP	VAL	conflict	UNP P06169
B	538	VAL	ILE	conflict	UNP P06169
C	206	VAL	ALA	conflict	UNP P06169
C	208	ASP	VAL	conflict	UNP P06169
C	538	VAL	ILE	conflict	UNP P06169
D	206	VAL	ALA	conflict	UNP P06169
D	208	ASP	VAL	conflict	UNP P06169
D	538	VAL	ILE	conflict	UNP P06169

- Molecule 2 is THIAMINE DIPHOSPHATE (CCD ID: TPP) (formula: C₁₂H₁₉N₄O₇P₂S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
2	B	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
2	C	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0
2	D	1	Total 26	C 12	N 4	O 7	P 2	S 1	0	0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Mg 1 1	0	0
3	B	1	Total Mg 1 1	0	0
3	C	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0

- Molecule 4 is (2S)-2-HYDROXYPROPANOIC ACID (CCD ID: 20P) (formula: $C_3H_6O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	D	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	423	Total	O	0	0
			423	423		
5	B	533	Total	O	0	0
			533	533		
5	C	433	Total	O	0	0
			433	433		
5	D	429	Total	O	0	0
			429	429		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: PYRUVATE DECARBOXYLASE ISOZYME 1




• Molecule 1: PYRUVATE DECARBOXYLASE ISOZYME 1



• Molecule 1: PYRUVATE DECARBOXYLASE ISOZYME 1



• Molecule 1: PYRUVATE DECARBOXYLASE ISOZYME 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.98Å 190.51Å 84.14Å 90.00° 113.01° 90.00°	Depositor
Resolution (Å)	95.35 – 1.42 95.25 – 1.42	Depositor EDS
% Data completeness (in resolution range)	99.6 (95.35-1.42) 99.6 (95.25-1.42)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.12 (at 1.42Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.181 , 0.186 0.180 , 0.184	Depositor DCC
R_{free} test set	1068 reflections (0.25%)	wwPDB-VP
Wilson B-factor (Å ²)	16.3	Xtriage
Anisotropy	0.124	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 34.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	19242	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPP, 2OP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.73	13/4414 (0.3%)	0.75	3/6002 (0.0%)
1	B	0.76	12/4414 (0.3%)	0.75	2/6002 (0.0%)
1	C	0.72	12/4414 (0.3%)	0.75	2/6002 (0.0%)
1	D	0.71	8/4414 (0.2%)	0.76	3/6002 (0.0%)
All	All	0.73	45/17656 (0.3%)	0.75	10/24008 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	7	0
1	B	8	0
1	C	9	0
1	D	8	0
All	All	32	0

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	208	ASP	CB-CG	-12.41	1.21	1.52
1	A	208	ASP	CB-CG	-11.37	1.23	1.52
1	C	208	ASP	CB-CG	-11.34	1.23	1.52
1	B	208	ASP	CA-CB	-8.05	1.40	1.53
1	C	515	THR	C-O	-7.91	1.14	1.24
1	D	230	GLU	C-O	-7.51	1.15	1.24
1	A	204	ILE	C-O	-7.42	1.15	1.24
1	B	361	ALA	C-O	-7.27	1.15	1.24
1	B	4	ILE	C-O	-7.16	1.16	1.23
1	B	230	GLU	C-O	-6.76	1.16	1.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	475	THR	C-O	-6.47	1.16	1.24
1	A	208	ASP	CA-CB	-6.26	1.43	1.53
1	C	208	ASP	CA-CB	-6.22	1.43	1.53
1	D	232	LYS	C-O	-6.17	1.17	1.24
1	C	235	ILE	C-O	-6.14	1.17	1.24
1	A	515	THR	C-O	-6.14	1.17	1.24
1	D	476	ILE	C-O	-6.13	1.17	1.24
1	B	364	PRO	C-O	-6.13	1.16	1.23
1	C	516	GLY	C-O	-6.11	1.16	1.23
1	A	475	THR	C-O	-6.10	1.16	1.24
1	D	364	PRO	C-O	-6.01	1.16	1.23
1	B	203	THR	C-O	-5.90	1.17	1.24
1	C	232	LYS	C-O	-5.88	1.17	1.24
1	D	203	THR	C-O	-5.78	1.17	1.24
1	D	204	ILE	C-O	-5.77	1.17	1.24
1	A	205	LEU	C-O	-5.74	1.17	1.24
1	C	231	THR	C-O	-5.69	1.17	1.24
1	B	231	THR	C-O	-5.60	1.17	1.24
1	B	204	ILE	C-O	-5.60	1.17	1.24
1	B	207	LEU	C-N	-5.59	1.26	1.33
1	B	238	THR	C-O	-5.58	1.16	1.24
1	A	474	TYR	C-O	-5.56	1.16	1.23
1	C	230	GLU	C-O	-5.47	1.17	1.24
1	D	473	GLY	C-O	-5.45	1.18	1.24
1	A	202	ASP	C-O	-5.40	1.17	1.24
1	B	232	LYS	C-O	-5.36	1.17	1.24
1	A	187	MET	SD-CE	-5.32	1.66	1.79
1	D	161	ARG	C-O	-5.32	1.19	1.24
1	A	266	THR	C-O	-5.29	1.17	1.24
1	C	514	THR	C-O	-5.24	1.17	1.23
1	A	516	GLY	C-O	-5.24	1.17	1.23
1	A	514	THR	C-O	-5.14	1.17	1.23
1	C	234	LEU	C-O	-5.13	1.18	1.24
1	C	319	ALA	C-O	-5.11	1.17	1.24
1	A	435	LYS	C-O	-5.04	1.17	1.24

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	208	ASP	N-CA-CB	-7.23	99.49	110.12
1	D	161	ARG	NE-CZ-NH1	6.44	127.94	121.50
1	D	161	ARG	CD-NE-CZ	6.07	132.90	124.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	161	ARG	CG-CD-NE	6.04	125.28	112.00
1	A	208	ASP	N-CA-CB	-6.00	101.31	110.01
1	A	187	MET	CG-SD-CE	-5.75	88.24	100.90
1	B	208	ASP	N-CA-C	5.73	117.52	111.28
1	C	208	ASP	N-CA-CB	-5.41	101.88	109.94
1	A	208	ASP	OD1-CG-OD2	5.31	135.65	122.90
1	C	208	ASP	N-CA-C	5.15	117.29	111.11

All (32) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	A	203	THR	CB
1	A	231	THR	CB
1	A	238	THR	CB
1	A	266	THR	CB
1	A	294	THR	CB
1	A	475	THR	CB
1	A	515	THR	CB
1	B	203	THR	CB
1	B	231	THR	CB
1	B	238	THR	CB
1	B	294	THR	CB
1	B	303	THR	CB
1	B	363	THR	CB
1	B	475	THR	CB
1	B	515	THR	CB
1	C	203	THR	CB
1	C	231	THR	CB
1	C	238	THR	CB
1	C	266	THR	CB
1	C	294	THR	CB
1	C	303	THR	CB
1	C	320	THR	CB
1	C	475	THR	CB
1	C	515	THR	CB
1	D	203	THR	CB
1	D	231	THR	CB
1	D	238	THR	CB
1	D	294	THR	CB
1	D	303	THR	CB
1	D	363	THR	CB
1	D	475	THR	CB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom
1	D	515	THR	CB

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4323	0	4328	36	0
1	B	4323	0	4327	39	0
1	C	4323	0	4327	37	0
1	D	4323	0	4327	39	0
2	A	26	0	16	0	0
2	B	26	0	16	0	0
2	C	26	0	16	0	0
2	D	26	0	16	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	6	0	5	5	0
4	B	6	0	4	2	0
4	C	6	0	4	3	0
4	D	6	0	4	4	0
5	A	423	0	0	3	0
5	B	533	0	0	7	0
5	C	433	0	0	6	0
5	D	429	0	0	7	0
All	All	19242	0	17390	146	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:221:CYS:SG	4:A:1566:2OP:HA	1.14	1.66
1:A:221:CYS:SG	4:A:1566:2OP:CA	2.11	1.37
1:D:303:THR:HG22	1:D:305:ASN:H	1.09	1.13
1:A:294:THR:HG23	1:A:297:PHE:H	1.16	1.10
1:A:187:MET:HA	1:A:187:MET:CE	1.79	1.09
1:B:303:THR:HG22	1:B:305:ASN:H	1.17	1.08
1:B:294:THR:HG23	1:B:297:PHE:H	1.18	1.07
1:A:187:MET:HA	1:A:187:MET:HE3	1.05	1.02
1:C:294:THR:HG23	1:C:297:PHE:H	1.23	1.00
1:A:187:MET:HE3	1:A:187:MET:CA	1.85	0.95
1:C:303:THR:HG22	1:C:305:ASN:H	1.29	0.94
1:C:336:THR:CB	5:C:2228:HOH:O	2.16	0.93
1:D:294:THR:HG23	1:D:297:PHE:H	1.32	0.92
1:A:238:THR:HG23	1:A:240:PHE:H	1.35	0.91
1:B:238:THR:HG23	1:B:240:PHE:H	1.34	0.90
1:D:238:THR:HG23	1:D:240:PHE:H	1.33	0.90
1:C:238:THR:HG23	1:C:240:PHE:H	1.36	0.90
1:C:221:CYS:SG	4:C:1566:2OP:CB	2.63	0.86
1:D:290:SER:O	1:D:294:THR:HG22	1.77	0.84
1:D:360:PRO:O	1:D:363:THR:HG23	1.78	0.83
1:D:303:THR:HG22	1:D:305:ASN:N	1.94	0.83
1:B:203:THR:HG21	5:B:2190:HOH:O	1.79	0.82
1:C:290:SER:O	1:C:294:THR:HG22	1.84	0.78
1:A:187:MET:CE	1:A:187:MET:CA	2.46	0.77
1:B:303:THR:HG22	1:B:305:ASN:N	1.98	0.76
1:A:294:THR:CG2	1:A:297:PHE:H	1.97	0.74
1:B:290:SER:O	1:B:294:THR:HG22	1.88	0.74
1:C:234:LEU:O	1:C:238:THR:HG22	1.89	0.73
1:A:234:LEU:O	1:A:238:THR:HG22	1.89	0.72
1:C:203:THR:HG21	5:C:2127:HOH:O	1.88	0.72
1:A:227:VAL:O	1:A:231:THR:HG23	1.90	0.71
1:D:199:GLU:O	1:D:203:THR:HG23	1.91	0.71
1:D:227:VAL:O	1:D:231:THR:HG23	1.90	0.71
1:D:310:HIS:ND1	4:D:1566:2OP:HB2	2.07	0.70
1:A:203:THR:HG21	5:A:2160:HOH:O	1.91	0.70
1:A:294:THR:HG23	1:A:297:PHE:N	2.00	0.70
1:B:360:PRO:O	1:B:363:THR:HG23	1.91	0.69
1:C:303:THR:HG23	5:C:2060:HOH:O	1.92	0.69
1:A:206:VAL:HG13	5:A:2162:HOH:O	1.93	0.69
1:B:221:CYS:SG	4:B:1566:2OP:C	2.81	0.68
1:B:294:THR:CG2	1:B:297:PHE:H	2.01	0.68
1:D:203:THR:HG21	5:D:2152:HOH:O	1.94	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:202:ASP:O	1:B:206:VAL:HG12	1.94	0.67
1:B:234:LEU:O	1:B:238:THR:HG22	1.94	0.67
1:C:227:VAL:O	1:C:231:THR:HG23	1.94	0.67
1:C:294:THR:CG2	1:C:297:PHE:H	2.05	0.67
1:D:234:LEU:O	1:D:238:THR:HG22	1.95	0.67
1:A:290:SER:O	1:A:294:THR:HG22	1.93	0.67
1:A:221:CYS:SG	4:A:1566:2OP:CB	2.83	0.65
1:C:199:GLU:O	1:C:203:THR:HG23	1.97	0.65
1:C:202:ASP:O	1:C:206:VAL:HG22	1.98	0.64
1:B:221:CYS:SG	4:B:1566:2OP:CB	2.85	0.64
1:B:227:VAL:O	1:B:231:THR:HG23	1.98	0.63
1:A:221:CYS:CB	4:A:1566:2OP:HA	2.23	0.63
1:A:206:VAL:HG23	5:A:2164:HOH:O	1.99	0.63
1:D:459:ARG:HD2	5:D:2052:HOH:O	1.97	0.63
1:A:475:THR:HG22	1:A:542:VAL:O	1.98	0.62
1:A:221:CYS:SG	4:A:1566:2OP:C	2.85	0.62
1:B:475:THR:HG22	1:B:542:VAL:O	2.01	0.60
1:D:431:GLU:O	5:D:2317:HOH:O	2.16	0.60
1:D:206:VAL:CG1	5:D:2155:HOH:O	2.50	0.59
1:B:303:THR:HG23	5:B:2280:HOH:O	2.03	0.59
1:C:127:ARG:NH2	1:D:131:ASN:OD1	2.36	0.58
1:B:199:GLU:O	1:B:203:THR:HG23	2.03	0.58
1:B:266:THR:HG23	1:B:298:SER:HB2	1.85	0.58
1:D:363:THR:HB	1:D:515:THR:HG22	1.85	0.58
1:D:286:GLY:HA2	4:D:1566:2OP:HB3	1.84	0.57
1:D:363:THR:HB	1:D:515:THR:CG2	2.35	0.57
1:D:294:THR:CG2	1:D:297:PHE:H	2.12	0.56
1:B:234:LEU:CD1	1:B:337:ILE:HD13	2.35	0.56
1:A:508:GLU:HG3	1:A:532:LYS:HD2	1.85	0.56
1:C:475:THR:HG22	1:C:542:VAL:O	2.05	0.56
1:B:317:ARG:HG3	5:B:2282:HOH:O	2.06	0.56
1:C:207:LEU:HD21	1:C:317:ARG:HH12	1.71	0.55
1:B:359:VAL:HB	1:B:363:THR:HG21	1.86	0.55
1:A:199:GLU:O	1:A:203:THR:HG23	2.07	0.55
1:C:221:CYS:CB	4:C:1566:2OP:CA	2.84	0.55
1:A:187:MET:CA	1:A:187:MET:HE2	2.31	0.54
1:D:475:THR:HG22	1:D:542:VAL:O	2.08	0.54
1:C:207:LEU:HD21	1:C:317:ARG:NH1	2.23	0.54
1:C:221:CYS:SG	4:C:1566:2OP:C	2.89	0.54
1:B:294:THR:HG23	1:B:297:PHE:N	2.04	0.53
1:A:154:ARG:HA	1:A:187:MET:HE1	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:508:GLU:HG3	1:D:532:LYS:HD2	1.89	0.53
1:C:363:THR:HB	1:C:515:THR:HG22	1.91	0.53
1:B:363:THR:HB	1:B:515:THR:CG2	2.39	0.53
1:D:287:ALA:O	4:D:1566:2OP:HB1	2.11	0.51
1:C:363:THR:HB	1:C:515:THR:CG2	2.41	0.51
1:D:359:VAL:HB	1:D:363:THR:HG21	1.92	0.51
1:C:294:THR:HG23	1:C:297:PHE:N	2.08	0.51
1:B:508:GLU:HG3	1:B:532:LYS:HD2	1.93	0.50
1:B:363:THR:HB	1:B:515:THR:HG22	1.93	0.50
1:A:476:ILE:HG13	1:A:549:LEU:HD11	1.94	0.50
1:B:336:THR:CB	5:B:2307:HOH:O	2.60	0.50
1:A:134:GLU:HB2	1:A:161:ARG:HB2	1.95	0.49
1:B:352:ARG:HE	1:B:399:THR:HG21	1.77	0.49
1:B:476:ILE:HG13	1:B:549:LEU:HD11	1.96	0.48
1:C:508:GLU:HB2	1:C:534:ARG:HG2	1.96	0.48
1:A:475:THR:CG2	1:A:542:VAL:O	2.62	0.47
1:B:134:GLU:HB2	1:B:161:ARG:HB2	1.97	0.47
1:C:475:THR:CG2	1:C:542:VAL:O	2.63	0.47
1:A:253:ASP:HB3	1:A:402:ASN:OD1	2.14	0.47
1:D:203:THR:O	1:D:206:VAL:HG12	2.15	0.47
1:C:508:GLU:HG3	1:C:532:LYS:HD2	1.97	0.46
1:C:134:GLU:HB2	1:C:161:ARG:HB2	1.97	0.46
1:D:134:GLU:HB2	1:D:161:ARG:HB2	1.98	0.46
1:C:253:ASP:HB3	1:C:402:ASN:OD1	2.15	0.46
1:C:303:THR:HG22	1:C:305:ASN:N	2.12	0.46
1:A:109:LYS:NZ	1:B:562:LYS:NZ	2.63	0.46
1:A:109:LYS:HZ2	1:B:562:LYS:HZ1	1.63	0.45
1:B:274:GLU:HG3	5:B:2255:HOH:O	2.15	0.45
1:D:43:MET:HA	1:D:43:MET:HE2	1.98	0.45
1:D:330:LEU:O	1:D:334:LEU:HG	2.17	0.45
1:C:359:VAL:HG23	1:C:515:THR:HG21	1.98	0.45
1:D:303:THR:HG21	1:D:305:ASN:HB3	1.99	0.45
1:B:247:MET:HE2	5:B:2077:HOH:O	2.15	0.45
1:B:508:GLU:HB2	1:B:534:ARG:HG2	1.98	0.44
1:B:233:LYS:HE3	5:B:2215:HOH:O	2.17	0.44
1:D:278:SER:HA	1:D:302:LYS:HE3	1.98	0.44
1:D:286:GLY:CA	4:D:1566:2OP:HB3	2.47	0.44
1:C:95:VAL:O	1:C:162:PRO:HA	2.17	0.44
1:A:95:VAL:O	1:A:162:PRO:HA	2.18	0.43
1:A:187:MET:HE2	1:A:187:MET:HB3	1.58	0.43
1:D:459:ARG:CD	5:D:2052:HOH:O	2.64	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:222:CYS:SG	1:C:231:THR:HG21	2.58	0.43
1:C:515:THR:HG23	5:C:2255:HOH:O	2.18	0.43
1:D:206:VAL:HG22	5:D:2158:HOH:O	2.19	0.43
1:C:403:ASN:HB2	5:C:2301:HOH:O	2.19	0.42
1:B:475:THR:CG2	1:B:542:VAL:O	2.67	0.42
1:D:266:THR:HG23	1:D:298:SER:HB2	2.02	0.42
1:D:515:THR:HG23	5:D:2266:HOH:O	2.20	0.42
1:D:43:MET:HE2	1:D:43:MET:CA	2.48	0.42
1:A:212:LYS:HA	1:A:212:LYS:HE2	2.00	0.42
1:D:95:VAL:O	1:D:162:PRO:HA	2.19	0.42
1:A:515:THR:HG23	1:A:516:GLY:N	2.34	0.41
1:A:363:THR:HB	1:A:515:THR:CG2	2.51	0.41
1:C:247:MET:HE2	1:C:410:VAL:HB	2.02	0.41
1:B:95:VAL:O	1:B:162:PRO:HA	2.20	0.41
1:B:320:THR:O	1:C:320:THR:HG22	2.20	0.41
1:B:317:ARG:HB3	1:B:318:ASN:H	1.70	0.41
1:C:206:VAL:HG23	5:C:2134:HOH:O	2.20	0.41
1:B:303:THR:HG22	1:B:304:LYS:N	2.35	0.41
1:D:224:ARG:CZ	1:D:224:ARG:HA	2.51	0.41
1:D:253:ASP:HB3	1:D:402:ASN:OD1	2.21	0.41
1:C:24:GLY:HA3	1:C:71:ILE:O	2.22	0.40
1:A:319:ALA:HB1	1:D:319:ALA:HB1	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	560/563 (100%)	551 (98%)	9 (2%)	0	100	100
1	B	560/563 (100%)	547 (98%)	13 (2%)	0	100	100
1	C	560/563 (100%)	551 (98%)	9 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	560/563 (100%)	549 (98%)	11 (2%)	0	100	100
All	All	2240/2252 (100%)	2198 (98%)	42 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	466/468 (100%)	456 (98%)	10 (2%)	47	14
1	B	466/468 (100%)	459 (98%)	7 (2%)	57	24
1	C	466/468 (100%)	462 (99%)	4 (1%)	70	43
1	D	466/468 (100%)	463 (99%)	3 (1%)	78	56
All	All	1864/1872 (100%)	1840 (99%)	24 (1%)	61	29

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	179	LYS
1	A	187	MET
1	A	208	ASP
1	A	210	ASP
1	A	212	LYS
1	A	264	VAL
1	A	302	LYS
1	A	337	ILE
1	A	342	LYS
1	A	352	ARG
1	B	179	LYS
1	B	190	LYS
1	B	206	VAL
1	B	208	ASP
1	B	317	ARG
1	B	342	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	554	LYS
1	C	206	VAL
1	C	208	ASP
1	C	210	ASP
1	C	232	LYS
1	D	179	LYS
1	D	208	ASP
1	D	525	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	325	GLN
1	C	110	GLN
1	C	325	GLN
1	C	477	GLN
1	D	110	GLN
1	D	325	GLN
1	D	552	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	2OP	C	1566	1	4,5,5	1.51	1 (25%)	2,6,6	0.35	0
4	2OP	D	1566	1	4,5,5	1.81	1 (25%)	2,6,6	1.02	0
2	TPP	B	1564	3	26,27,27	1.47	5 (19%)	38,40,40	2.07	11 (28%)
2	TPP	A	1564	3	26,27,27	1.61	9 (34%)	38,40,40	1.71	9 (23%)
4	2OP	A	1566	-	4,5,5	1.21	1 (25%)	2,6,6	0.23	0
4	2OP	B	1566	1	4,5,5	1.70	1 (25%)	2,6,6	0.83	0
2	TPP	C	1564	3	26,27,27	1.64	7 (26%)	38,40,40	1.66	9 (23%)
2	TPP	D	1564	3	26,27,27	1.72	8 (30%)	38,40,40	1.66	7 (18%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	2OP	C	1566	1	-	3/4/4/4	-
4	2OP	D	1566	1	1/1/2/2	4/4/4/4	-
2	TPP	B	1564	3	-	2/17/17/17	0/2/2/2
2	TPP	A	1564	3	-	3/17/17/17	0/2/2/2
4	2OP	A	1566	-	-	2/4/4/4	-
4	2OP	B	1566	1	-	2/4/4/4	-
2	TPP	C	1564	3	-	2/17/17/17	0/2/2/2
2	TPP	D	1564	3	-	2/17/17/17	0/2/2/2

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1564	TPP	C5-S1	-3.89	1.62	1.72
2	C	1564	TPP	C5-S1	-3.75	1.63	1.72
2	B	1564	TPP	C5-S1	-3.70	1.63	1.72
4	D	1566	2OP	OXT-C	-3.51	1.19	1.30
2	A	1564	TPP	C5-S1	-3.49	1.63	1.72
2	B	1564	TPP	C2-N3	3.14	1.40	1.32
4	B	1566	2OP	OXT-C	-3.14	1.20	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	1564	TPP	C2-N3	3.08	1.39	1.32
2	A	1564	TPP	C2-N3	2.94	1.39	1.32
2	D	1564	TPP	C4'-N3'	2.90	1.38	1.35
2	C	1564	TPP	C2-N3	2.85	1.39	1.32
2	D	1564	TPP	C2'-N1'	2.82	1.38	1.34
2	C	1564	TPP	C4'-N3'	2.80	1.38	1.35
2	C	1564	TPP	C6'-N1'	2.51	1.39	1.34
4	C	1566	2OP	OXT-C	-2.49	1.22	1.30
2	C	1564	TPP	C5-C4	2.48	1.40	1.35
2	A	1564	TPP	C5-C4	2.47	1.40	1.35
2	D	1564	TPP	C6'-N1'	2.40	1.39	1.34
2	C	1564	TPP	C2'-N1'	2.38	1.38	1.34
2	D	1564	TPP	C5-C4	2.37	1.40	1.35
2	D	1564	TPP	C4-N3	-2.37	1.35	1.39
2	B	1564	TPP	C5-C4	2.25	1.39	1.35
2	A	1564	TPP	C2'-N1'	2.25	1.37	1.34
4	A	1566	2OP	OXT-C	-2.22	1.23	1.30
2	A	1564	TPP	C6'-N1'	2.22	1.38	1.34
2	C	1564	TPP	C2'-N3'	2.20	1.37	1.34
2	A	1564	TPP	C4-N3	-2.16	1.35	1.39
2	A	1564	TPP	PA-O3A	2.16	1.61	1.59
2	D	1564	TPP	C2-S1	-2.05	1.62	1.69
2	B	1564	TPP	C4-N3	-2.05	1.35	1.39
2	A	1564	TPP	C2'-N3'	2.03	1.37	1.34
2	B	1564	TPP	C6'-N1'	2.01	1.38	1.34
2	A	1564	TPP	C5'-C4'	-2.01	1.39	1.42

All (36) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1564	TPP	C2-S1-C5	-5.30	87.71	91.22
2	B	1564	TPP	C2-N3-C4	-5.27	106.94	114.06
2	C	1564	TPP	C2-N3-C4	-4.63	107.81	114.06
2	B	1564	TPP	S1-C2-N3	4.57	118.08	112.30
2	D	1564	TPP	C2-N3-C4	-4.10	108.52	114.06
2	A	1564	TPP	C2-N3-C4	-4.10	108.53	114.06
2	A	1564	TPP	CM2-C2'-N1'	3.70	121.14	117.20
2	C	1564	TPP	S1-C2-N3	3.63	116.90	112.30
2	B	1564	TPP	C4-C5-S1	3.53	116.07	110.56
2	B	1564	TPP	N1'-C2'-N3'	-3.53	119.66	125.53
2	A	1564	TPP	S1-C2-N3	3.45	116.67	112.30
2	D	1564	TPP	S1-C2-N3	3.35	116.55	112.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1564	TPP	CM2-C2'-N1'	3.26	120.67	117.20
2	D	1564	TPP	C2-S1-C5	-3.17	89.11	91.22
2	A	1564	TPP	N1'-C2'-N3'	-3.14	120.31	125.53
2	A	1564	TPP	C2-S1-C5	-3.08	89.17	91.22
2	D	1564	TPP	C4-C5-S1	3.07	115.35	110.56
2	D	1564	TPP	CM2-C2'-N1'	2.89	120.28	117.20
2	D	1564	TPP	N1'-C2'-N3'	-2.88	120.74	125.53
2	C	1564	TPP	N1'-C2'-N3'	-2.87	120.75	125.53
2	A	1564	TPP	C6'-N1'-C2'	2.82	120.71	116.07
2	A	1564	TPP	C5'-C6'-N1'	-2.75	119.35	123.83
2	C	1564	TPP	C6'-C5'-C4'	2.74	118.92	115.55
2	A	1564	TPP	C4-C5-S1	2.71	114.79	110.56
2	A	1564	TPP	C6'-C5'-C4'	2.69	118.86	115.55
2	B	1564	TPP	C2'-N3'-C4'	2.58	122.06	118.10
2	C	1564	TPP	C2-S1-C5	-2.57	89.51	91.22
2	C	1564	TPP	C4-C5-S1	2.44	114.37	110.56
2	B	1564	TPP	C7'-N3-C2	2.33	128.34	123.48
2	B	1564	TPP	C6'-C5'-C4'	2.32	118.40	115.55
2	D	1564	TPP	C6'-N1'-C2'	2.18	119.65	116.07
2	C	1564	TPP	C6'-N1'-C2'	2.15	119.60	116.07
2	B	1564	TPP	C6'-N1'-C2'	2.14	119.59	116.07
2	C	1564	TPP	C5'-C6'-N1'	-2.12	120.39	123.83
2	B	1564	TPP	O3B-PB-O2B	2.11	115.73	107.80
2	C	1564	TPP	CM2-C2'-N3'	2.03	120.17	117.13

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	D	1566	2OP	CA

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1564	TPP	PA-O3A-PB-O3B
2	B	1564	TPP	PA-O3A-PB-O3B
2	C	1564	TPP	PA-O3A-PB-O3B
2	D	1564	TPP	PA-O3A-PB-O3B
4	D	1566	2OP	OXT-C-CA-OHN
4	C	1566	2OP	O-C-CA-CB
4	D	1566	2OP	O-C-CA-CB
4	D	1566	2OP	OXT-C-CA-CB
4	A	1566	2OP	O-C-CA-CB

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	C	1566	2OP	OXT-C-CA-CB
4	A	1566	2OP	OXT-C-CA-CB
4	B	1566	2OP	O-C-CA-CB
2	A	1564	TPP	PA-O3A-PB-O2B
2	B	1564	TPP	PA-O3A-PB-O2B
2	C	1564	TPP	PA-O3A-PB-O2B
2	D	1564	TPP	PA-O3A-PB-O2B
4	C	1566	2OP	OXT-C-CA-OHN
4	B	1566	2OP	OXT-C-CA-CB
2	A	1564	TPP	PA-O3A-PB-O1B
4	D	1566	2OP	O-C-CA-OHN


There are no ring outliers.

4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1566	2OP	3	0
4	D	1566	2OP	4	0
4	A	1566	2OP	5	0
4	B	1566	2OP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	562/563 (99%)	0.27	21 (3%) 45 47	10, 18, 28, 35	0
1	B	562/563 (99%)	-0.07	6 (1%) 78 81	9, 15, 24, 34	0
1	C	562/563 (99%)	0.30	20 (3%) 46 48	10, 18, 30, 37	0
1	D	562/563 (99%)	0.27	15 (2%) 56 59	10, 18, 28, 35	0
All	All	2248/2252 (99%)	0.19	62 (2%) 55 58	9, 17, 28, 37	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	358	ALA	4.3
1	B	206	VAL	4.0
1	C	206	VAL	4.0
1	D	208	ASP	3.7
1	A	301	TYR	3.2
1	A	206	VAL	3.1
1	D	301	TYR	3.1
1	C	106	ALA	3.0
1	D	553	ALA	2.9
1	D	556	THR	2.7
1	C	141	ASP	2.7
1	D	563	GLN	2.7
1	C	226	ASP	2.6
1	A	295	GLY	2.6
1	A	348	ALA	2.5
1	A	359	VAL	2.5
1	A	355	ALA	2.5
1	A	357	ALA	2.5
1	C	142	ILE	2.5
1	D	550	VAL	2.5
1	D	559	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	557	ALA	2.4
1	C	108	ALA	2.4
1	A	352	ARG	2.4
1	D	108	ALA	2.4
1	C	210	ASP	2.4
1	A	558	ALA	2.3
1	D	302	LYS	2.3
1	B	108	ALA	2.3
1	C	553	ALA	2.3
1	D	106	ALA	2.3
1	B	182	GLN	2.2
1	A	353	THR	2.2
1	C	4	ILE	2.2
1	A	270	PRO	2.2
1	C	171	LEU	2.2
1	A	553	ALA	2.2
1	C	157	TYR	2.2
1	B	302	LYS	2.2
1	A	189	LEU	2.1
1	A	557	ALA	2.1
1	D	144	THR	2.1
1	B	317	ARG	2.1
1	C	236	ASP	2.1
1	C	302	LYS	2.1
1	C	301	TYR	2.1
1	A	2	SER	2.1
1	D	206	VAL	2.1
1	A	561	ALA	2.1
1	C	183	THR	2.1
1	B	301	TYR	2.1
1	A	361	ALA	2.0
1	C	178	ALA	2.0
1	D	333	LEU	2.0
1	C	41	GLU	2.0
1	C	405	TYR	2.0
1	A	346	PRO	2.0
1	D	266	THR	2.0
1	A	108	ALA	2.0
1	C	2	SER	2.0
1	C	208	ASP	2.0
1	A	157	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	2OP	A	1566	6/6	0.89	0.10	22,24,25,26	0
4	2OP	D	1566	6/6	0.91	0.09	22,25,26,27	0
4	2OP	C	1566	6/6	0.92	0.09	22,24,25,25	0
4	2OP	B	1566	6/6	0.94	0.07	18,19,19,21	0
2	TPP	C	1564	26/26	0.98	0.05	9,12,14,18	1
2	TPP	D	1564	26/26	0.98	0.06	12,14,16,19	1
3	MG	A	1565	1/1	0.98	0.03	13,13,13,13	0
3	MG	D	1565	1/1	0.98	0.04	14,14,14,14	0
3	MG	B	1565	1/1	0.99	0.02	10,10,10,10	0
2	TPP	B	1564	26/26	0.99	0.04	9,10,12,17	1
2	TPP	A	1564	26/26	0.99	0.04	11,13,15,19	1
3	MG	C	1565	1/1	1.00	0.01	11,11,11,11	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around TPP C 1564:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around TPP D 1564:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around TPP B 1564:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around TPP A 1564:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.