



wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 12, 2026 – 04:49 AM UTC

PDB ID : 5VK2 / pdb_00005vk2
Title : Structural basis for antibody-mediated neutralization of Lassa virus
Authors : Hastie, K.M.; Zandonatti, M.A.; Kleinfelter, L.M.; Rowland, M.L.; Rowland, M.M.; Chandra, K.; Branco, L.M.; Robinson, J.E.; Garry, R.F.; Saphire, E.O.
Deposited on : 2017-04-20
Resolution : 3.20 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1466 (3.20-3.20)
Clashscore	190562	1573 (3.20-3.20)
Ramachandran outliers	187476	1548 (3.20-3.20)
Sidechain outliers	187428	1547 (3.20-3.20)
RSRZ outliers	180081	1466 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	259	
1	B	259	
1	C	259	
2	a	164	
2	b	164	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	c	164	% 
3	D	229	
3	F	229	
3	H	229	
4	E	217	
4	G	217	
4	L	217	
5	I	3	
5	V	3	
5	Z	3	
6	J	2	
6	K	2	
6	M	2	
6	O	2	
6	Q	2	
6	R	2	
6	S	2	
6	W	2	
6	X	2	
6	Y	2	
6	e	2	
7	N	4	
7	T	4	
7	d	4	
8	P	3	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain	
8	U	3		67% 33%
8	f	3		67% 33%

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 18672 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pre-glycoprotein polyprotein GP complex.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	186	Total	C	N	O	S	0	0	0
			1466	923	245	282	16			
1	B	185	Total	C	N	O	S	0	0	0
			1456	917	242	281	16			
1	C	185	Total	C	N	O	S	0	0	0
			1456	917	242	281	16			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	207	CYS	ARG	engineered mutation	UNP P08669
A	258	ARG	LEU	engineered mutation	UNP P08669
A	259	ARG	LEU	engineered mutation	UNP P08669
B	207	CYS	ARG	engineered mutation	UNP P08669
B	258	ARG	LEU	engineered mutation	UNP P08669
B	259	ARG	LEU	engineered mutation	UNP P08669
C	207	CYS	ARG	engineered mutation	UNP P08669
C	258	ARG	LEU	engineered mutation	UNP P08669
C	259	ARG	LEU	engineered mutation	UNP P08669

- Molecule 2 is a protein called Pre-glycoprotein polyprotein GP complex.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	a	155	Total	C	N	O	S	0	0	0
			1255	790	212	240	13			
2	b	159	Total	C	N	O	S	0	0	0
			1285	809	217	246	13			
2	c	157	Total	C	N	O	S	0	0	0
			1273	801	215	244	13			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
a	329	PRO	GLU	engineered mutation	UNP P08669
a	332	THR	MET	engineered mutation	UNP P08669
a	360	CYS	GLY	engineered mutation	UNP P08669
b	329	PRO	GLU	engineered mutation	UNP P08669
b	332	THR	MET	engineered mutation	UNP P08669
b	360	CYS	GLY	engineered mutation	UNP P08669
c	329	PRO	GLU	engineered mutation	UNP P08669
c	332	THR	MET	engineered mutation	UNP P08669
c	360	CYS	GLY	engineered mutation	UNP P08669


- Molecule 3 is a protein called Fab 37.7H heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	218	Total	C	N	O	S	0	0	0
			1636	1028	285	317	6			
3	F	217	Total	C	N	O	S	0	0	0
			1628	1024	284	314	6			
3	H	217	Total	C	N	O	S	0	0	0
			1625	1021	283	315	6			

- Molecule 4 is a protein called Fab 37.7H light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	211	Total	C	N	O	S	0	0	0
			1580	993	265	318	4			
4	G	211	Total	C	N	O	S	0	0	0
			1580	993	265	318	4			
4	L	212	Total	C	N	O	S	0	0	0
			1589	998	267	320	4			

- Molecule 5 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	I	3	Total	C	N	O	0	0	0
			39	22	2	15			
5	V	3	Total	C	N	O	0	0	0
			39	22	2	15			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	Z	3	Total	C	N	O	0	0	0
			39	22	2	15			

- Molecule 6 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	J	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	K	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	M	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	O	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	Q	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	R	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	S	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	W	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	X	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	Y	2	Total	C	N	O	0	0	0
			28	16	2	10			
6	e	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
7	N	4	Total	C	N	O	0	0	0
			50	28	2	20			
7	T	4	Total	C	N	O	0	0	0
			50	28	2	20			
7	d	4	Total	C	N	O	0	0	0
			50	28	2	20			

- Molecule 8 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
8	P	3	Total	C	N	O	0	0	0
			38	22	2	14			
8	U	3	Total	C	N	O	0	0	0
			38	22	2	14			
8	f	3	Total	C	N	O	0	0	0
			38	22	2	14			


- Molecule 9 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	A	1	Total	C	N	O	0	0
			14	8	1	5		
9	a	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		
9	B	1	Total	C	N	O	0	0
			14	8	1	5		
9	b	1	Total	C	N	O	0	0
			14	8	1	5		
9	C	1	Total	C	N	O	0	0
			14	8	1	5		
9	C	1	Total	C	N	O	0	0
			14	8	1	5		
9	c	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 1: Pre-glycoprotein polyprotein GP complex





- Molecule 2: Pre-glycoprotein polyprotein GP complex

Chain a: 83% 12% 5%



- Molecule 2: Pre-glycoprotein polyprotein GP complex

Chain b: 88% 9% .




- Molecule 2: Pre-glycoprotein polyprotein GP complex

Chain c: 82% 14% .




- Molecule 3: Fab 37.7H heavy chain

Chain D: 82% 13% 5%



- Molecule 3: Fab 37.7H heavy chain

Chain F: 80% 14% 5%



- Molecule 3: Fab 37.7H heavy chain

Chain H: 81% 14% 5%



- Molecule 4: Fab 37.7H light chain

Chain E: 87% 10% .



- Molecule 4: Fab 37.7H light chain

Chain G: 89% 8% .



- Molecule 4: Fab 37.7H light chain

Chain L: 90% 7% .



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I: 100%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V: 33% 67%



- Molecule 5: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 67% 33%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  100%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50% 50%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  100%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain O:  50% 50%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  100%

MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  100%


MAG1
MAG2

- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  50% 50%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  100%




- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X:  50% 50%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%



- Molecule 6: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  50% 50%



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  75% 25%



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  50% 50%



- Molecule 7: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  75% 25%

 NAG1
NAG2
BMA3
MAN4

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  67% 33%

 NAG1
NAG2
FUC3

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  67% 33%

 NAG1
NAG2
FUC3

- Molecule 8: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f:  67% 33%

 NAG1
NAG2
FUC3

4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	152.70Å 152.70Å 456.74Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.60 – 3.20 49.60 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.4 (49.60-3.20) 86.0 (49.60-3.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 3.19Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.189 , 0.231 0.193 , 0.236	Depositor DCC
R_{free} test set	2296 reflections (4.34%)	wwPDB-VP
Wilson B-factor (Å ²)	100.5	Xtriage
Anisotropy	0.211	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 94.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18672	wwPDB-VP
Average B, all atoms (Å ²)	106.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.97% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, FUC, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.13	0/1496	0.31	0/2024
1	B	0.13	0/1485	0.31	0/2009
1	C	0.13	0/1485	0.32	0/2009
2	a	0.12	0/1280	0.32	0/1729
2	b	0.14	0/1312	0.34	0/1774
2	c	0.13	0/1298	0.33	0/1752
3	D	0.14	0/1672	0.38	0/2275
3	F	0.14	0/1664	0.38	0/2264
3	H	0.15	0/1661	0.39	0/2261
4	E	0.13	0/1620	0.34	0/2210
4	G	0.13	0/1620	0.34	0/2210
4	L	0.15	0/1629	0.36	0/2222
All	All	0.13	0/18222	0.35	0/24739

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1466	0	1400	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	1456	0	1394	22	0
1	C	1456	0	1393	22	0
2	a	1255	0	1203	16	0
2	b	1285	0	1236	16	0
2	c	1273	0	1222	20	0
3	D	1636	0	1618	20	0
3	F	1628	0	1611	23	0
3	H	1625	0	1603	23	0
4	E	1580	0	1533	13	0
4	G	1580	0	1533	10	0
4	L	1589	0	1541	11	0
5	I	39	0	34	0	0
5	V	39	0	34	1	0
5	Z	39	0	34	0	0
6	J	28	0	25	0	0
6	K	28	0	25	1	0
6	M	28	0	25	0	0
6	O	28	0	25	1	0
6	Q	28	0	25	0	0
6	R	28	0	25	0	0
6	S	28	0	25	1	0
6	W	28	0	25	0	0
6	X	28	0	25	1	0
6	Y	28	0	25	0	0
6	e	28	0	25	1	0
7	N	50	0	43	0	0
7	T	50	0	43	0	0
7	d	50	0	43	0	0
8	P	38	0	34	0	0
8	U	38	0	34	1	0
8	f	38	0	34	0	0
9	A	42	0	39	1	0
9	B	42	0	39	1	0
9	C	28	0	26	0	0
9	a	14	0	13	0	0
9	b	14	0	13	1	0
9	c	14	0	13	0	0
All	All	18672	0	18038	188	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 188 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:216:SER:HB2	6:K:1:NAG:H3	1.65	0.78
1:B:105:LEU:HD23	1:B:222:ILE:HG12	1.74	0.69
1:A:108:THR:HG22	1:A:110:THR:H	1.58	0.68
1:C:61:LEU:HD13	1:C:64:GLY:HA2	1.76	0.67
2:b:269:SER:HB2	2:b:272:LYS:HE3	1.77	0.66

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	180/259 (70%)	169 (94%)	11 (6%)	0	100	100
1	B	179/259 (69%)	172 (96%)	7 (4%)	0	100	100
1	C	179/259 (69%)	169 (94%)	10 (6%)	0	100	100
2	a	151/164 (92%)	145 (96%)	6 (4%)	0	100	100
2	b	157/164 (96%)	152 (97%)	5 (3%)	0	100	100
2	c	153/164 (93%)	149 (97%)	4 (3%)	0	100	100
3	D	214/229 (93%)	206 (96%)	8 (4%)	0	100	100
3	F	213/229 (93%)	205 (96%)	8 (4%)	0	100	100
3	H	213/229 (93%)	204 (96%)	9 (4%)	0	100	100
4	E	209/217 (96%)	202 (97%)	7 (3%)	0	100	100
4	G	209/217 (96%)	203 (97%)	6 (3%)	0	100	100
4	L	210/217 (97%)	202 (96%)	8 (4%)	0	100	100
All	All	2267/2607 (87%)	2178 (96%)	89 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	167/228 (73%)	167 (100%)	0	100	100
1	B	166/228 (73%)	166 (100%)	0	100	100
1	C	166/228 (73%)	166 (100%)	0	100	100
2	a	140/148 (95%)	140 (100%)	0	100	100
2	b	143/148 (97%)	143 (100%)	0	100	100
2	c	142/148 (96%)	142 (100%)	0	100	100
3	D	185/194 (95%)	185 (100%)	0	100	100
3	F	183/194 (94%)	183 (100%)	0	100	100
3	H	183/194 (94%)	183 (100%)	0	100	100
4	E	176/182 (97%)	176 (100%)	0	100	100
4	G	176/182 (97%)	176 (100%)	0	100	100
4	L	177/182 (97%)	177 (100%)	0	100	100
All	All	2004/2256 (89%)	2004 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 26 such sidechains are listed below:

Mol	Chain	Res	Type
3	F	84	GLN
4	G	40	GLN
4	L	41	GLN
4	G	34	ASN
4	G	41	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

52 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	NAG	I	1	1,5	14,14,15	0.49	0	17,19,21	0.51	0
5	NAG	I	2	5	14,14,15	0.31	0	17,19,21	0.56	0
5	BMA	I	3	5	11,11,12	0.56	0	15,15,17	0.77	0
6	NAG	J	1	6,1	14,14,15	0.29	0	17,19,21	0.47	0
6	NAG	J	2	6	14,14,15	0.19	0	17,19,21	0.54	0
6	NAG	K	1	6,1	14,14,15	0.36	0	17,19,21	0.42	0
6	NAG	K	2	6	14,14,15	0.29	0	17,19,21	0.48	0
6	NAG	M	1	6,1	14,14,15	0.19	0	17,19,21	0.55	0
6	NAG	M	2	6	14,14,15	0.16	0	17,19,21	0.51	0
7	NAG	N	1	2,7	14,14,15	0.29	0	17,19,21	0.52	0
7	NAG	N	2	7	14,14,15	0.28	0	17,19,21	0.50	0
7	BMA	N	3	7	11,11,12	0.77	0	15,15,17	0.84	0
7	MAN	N	4	7	11,11,12	0.74	0	15,15,17	0.98	2 (13%)
6	NAG	O	1	6,2	14,14,15	0.36	0	17,19,21	0.53	0
6	NAG	O	2	6	14,14,15	0.34	0	17,19,21	0.40	0
8	NAG	P	1	2,8	14,14,15	0.53	0	17,19,21	0.58	0
8	NAG	P	2	8	14,14,15	0.33	0	17,19,21	0.40	0
8	FUC	P	3	8	10,10,11	0.98	1 (10%)	14,14,16	0.61	0
6	NAG	Q	1	6,1	14,14,15	0.51	0	17,19,21	0.49	0
6	NAG	Q	2	6	14,14,15	0.29	0	17,19,21	0.52	0
6	NAG	R	1	6,1	14,14,15	0.30	0	17,19,21	0.42	0
6	NAG	R	2	6	14,14,15	0.19	0	17,19,21	0.52	0
6	NAG	S	1	6,1	14,14,15	0.34	0	17,19,21	0.48	0
6	NAG	S	2	6	14,14,15	0.27	0	17,19,21	0.43	0
7	NAG	T	1	2,7	14,14,15	0.34	0	17,19,21	0.54	0
7	NAG	T	2	7	14,14,15	0.37	0	17,19,21	0.50	0
7	BMA	T	3	7	11,11,12	0.88	0	15,15,17	1.03	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	MAN	T	4	7	11,11,12	1.09	1 (9%)	15,15,17	1.24	3 (20%)
8	NAG	U	1	2,8	14,14,15	0.55	0	17,19,21	0.50	0
8	NAG	U	2	8	14,14,15	0.27	0	17,19,21	0.46	0
8	FUC	U	3	8	10,10,11	1.00	1 (10%)	14,14,16	0.63	0
5	NAG	V	1	1,5	14,14,15	0.43	0	17,19,21	0.49	0
5	NAG	V	2	5	14,14,15	0.33	0	17,19,21	0.65	1 (5%)
5	BMA	V	3	5	11,11,12	0.59	0	15,15,17	0.77	0
6	NAG	W	1	6,1	14,14,15	0.26	0	17,19,21	0.42	0
6	NAG	W	2	6	14,14,15	0.28	0	17,19,21	0.52	0
6	NAG	X	1	6,1	14,14,15	0.36	0	17,19,21	0.44	0
6	NAG	X	2	6	14,14,15	0.27	0	17,19,21	0.46	0
6	NAG	Y	1	6,1	14,14,15	0.22	0	17,19,21	0.53	0
6	NAG	Y	2	6	14,14,15	0.23	0	17,19,21	0.51	0
5	NAG	Z	1	1,5	14,14,15	0.28	0	17,19,21	0.41	0
5	NAG	Z	2	5	14,14,15	0.31	0	17,19,21	0.47	0
5	BMA	Z	3	5	11,11,12	0.61	0	15,15,17	0.90	1 (6%)
7	NAG	d	1	2,7	14,14,15	0.34	0	17,19,21	0.52	0
7	NAG	d	2	7	14,14,15	0.32	0	17,19,21	0.54	0
7	BMA	d	3	7	11,11,12	0.84	0	15,15,17	0.88	0
7	MAN	d	4	7	11,11,12	0.79	0	15,15,17	1.01	2 (13%)
6	NAG	e	1	6,2	14,14,15	0.35	0	17,19,21	0.46	0
6	NAG	e	2	6	14,14,15	0.36	0	17,19,21	0.42	0
8	NAG	f	1	2,8	14,14,15	0.40	0	17,19,21	0.54	0
8	NAG	f	2	8	14,14,15	0.30	0	17,19,21	0.43	0
8	FUC	f	3	8	10,10,11	0.93	1 (10%)	14,14,16	0.63	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	I	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	I	2	5	-	0/6/23/26	0/1/1/1
5	BMA	I	3	5	-	0/2/19/22	0/1/1/1
6	NAG	J	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	J	2	6	-	0/6/23/26	0/1/1/1
6	NAG	K	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	K	2	6	-	0/6/23/26	0/1/1/1
6	NAG	M	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	M	2	6	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	N	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	N	2	7	-	0/6/23/26	0/1/1/1
7	BMA	N	3	7	-	2/2/19/22	0/1/1/1
7	MAN	N	4	7	-	2/2/19/22	0/1/1/1
6	NAG	O	1	6,2	-	2/6/23/26	0/1/1/1
6	NAG	O	2	6	-	2/6/23/26	0/1/1/1
8	NAG	P	1	2,8	-	2/6/23/26	0/1/1/1
8	NAG	P	2	8	-	0/6/23/26	0/1/1/1
8	FUC	P	3	8	-	-	0/1/1/1
6	NAG	Q	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	Q	2	6	-	0/6/23/26	0/1/1/1
6	NAG	R	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	R	2	6	-	0/6/23/26	0/1/1/1
6	NAG	S	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	S	2	6	-	0/6/23/26	0/1/1/1
7	NAG	T	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	T	2	7	-	0/6/23/26	0/1/1/1
7	BMA	T	3	7	-	1/2/19/22	0/1/1/1
7	MAN	T	4	7	-	0/2/19/22	0/1/1/1
8	NAG	U	1	2,8	-	2/6/23/26	0/1/1/1
8	NAG	U	2	8	-	0/6/23/26	0/1/1/1
8	FUC	U	3	8	-	-	0/1/1/1
5	NAG	V	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	V	2	5	-	0/6/23/26	0/1/1/1
5	BMA	V	3	5	-	0/2/19/22	0/1/1/1
6	NAG	W	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	W	2	6	-	0/6/23/26	0/1/1/1
6	NAG	X	1	6,1	-	0/6/23/26	0/1/1/1
6	NAG	X	2	6	-	0/6/23/26	0/1/1/1
6	NAG	Y	1	6,1	-	2/6/23/26	0/1/1/1
6	NAG	Y	2	6	-	0/6/23/26	0/1/1/1
5	NAG	Z	1	1,5	-	2/6/23/26	0/1/1/1
5	NAG	Z	2	5	-	0/6/23/26	0/1/1/1
5	BMA	Z	3	5	-	0/2/19/22	0/1/1/1
7	NAG	d	1	2,7	-	0/6/23/26	0/1/1/1
7	NAG	d	2	7	-	0/6/23/26	0/1/1/1
7	BMA	d	3	7	-	1/2/19/22	0/1/1/1
7	MAN	d	4	7	-	0/2/19/22	0/1/1/1
6	NAG	e	1	6,2	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	e	2	6	-	2/6/23/26	0/1/1/1
8	NAG	f	1	2,8	-	2/6/23/26	0/1/1/1
8	NAG	f	2	8	-	2/6/23/26	0/1/1/1
8	FUC	f	3	8	-	-	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	P	3	FUC	O5-C1	-2.53	1.39	1.43
8	U	3	FUC	O5-C1	-2.41	1.39	1.43
7	T	4	MAN	C1-C2	2.40	1.57	1.52
8	f	3	FUC	O5-C1	-2.19	1.40	1.43

The worst 5 of 10 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	d	4	MAN	C1-O5-C5	2.51	115.55	112.19
7	N	4	MAN	C1-O5-C5	2.45	115.47	112.19
7	T	4	MAN	C1-O5-C5	2.34	115.32	112.19
7	T	4	MAN	O2-C2-C3	-2.17	105.65	110.15
7	T	3	BMA	C1-C2-C3	2.17	112.80	109.64

There are no chirality outliers.

5 of 38 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	N	3	BMA	O5-C5-C6-O6
5	I	1	NAG	O5-C5-C6-O6
6	O	2	NAG	O5-C5-C6-O6
6	O	1	NAG	O5-C5-C6-O6
5	I	1	NAG	C4-C5-C6-O6

There are no ring outliers.

7 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	1	NAG	1	0
6	X	1	NAG	1	0
5	V	1	NAG	1	0
6	O	1	NAG	1	0



Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	e	1	NAG	1	0
8	U	3	FUC	1	0
6	S	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



















































5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NAG	B	505	1	14,14,15	0.32	0	17,19,21	0.37	0
9	NAG	B	508	1	14,14,15	0.33	0	17,19,21	0.41	0
9	NAG	C	514	1	14,14,15	0.39	0	17,19,21	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	NAG	B	509	1	14,14,15	0.43	0	17,19,21	0.57	0
9	NAG	A	511	1	14,14,15	0.30	0	17,19,21	0.45	0
9	NAG	b	505	2	14,14,15	0.36	0	17,19,21	0.53	0
9	NAG	A	512	1	14,14,15	0.41	0	17,19,21	0.55	0
9	NAG	a	507	2	14,14,15	0.34	0	17,19,21	0.51	0
9	NAG	A	506	1	14,14,15	0.32	0	17,19,21	0.42	0
9	NAG	C	506	1	14,14,15	0.22	0	17,19,21	0.39	0
9	NAG	c	507	2	14,14,15	0.36	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NAG	B	505	1	-	2/6/23/26	0/1/1/1
9	NAG	B	508	1	-	2/6/23/26	0/1/1/1
9	NAG	C	514	1	-	2/6/23/26	0/1/1/1
9	NAG	B	509	1	-	0/6/23/26	0/1/1/1
9	NAG	A	511	1	-	2/6/23/26	0/1/1/1
9	NAG	b	505	2	-	2/6/23/26	0/1/1/1
9	NAG	A	512	1	-	2/6/23/26	0/1/1/1
9	NAG	a	507	2	-	2/6/23/26	0/1/1/1
9	NAG	A	506	1	-	2/6/23/26	0/1/1/1
9	NAG	C	506	1	-	2/6/23/26	0/1/1/1
9	NAG	c	507	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
9	A	511	NAG	O5-C5-C6-O6
9	A	511	NAG	C4-C5-C6-O6
9	C	506	NAG	O5-C5-C6-O6
9	C	506	NAG	C4-C5-C6-O6
9	a	507	NAG	O5-C5-C6-O6

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	B	509	NAG	1	0
9	b	505	NAG	1	0
9	A	512	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	186/259 (71%)	-0.40	1 (0%) 87 76	57, 108, 158, 192	0
1	B	185/259 (71%)	-0.50	0 100 100	70, 127, 172, 235	0
1	C	185/259 (71%)	-0.37	2 (1%) 78 61	72, 124, 174, 213	0
2	a	155/164 (94%)	-0.44	0 100 100	50, 84, 167, 199	0
2	b	159/164 (96%)	-0.54	0 100 100	68, 100, 165, 233	0
2	c	157/164 (95%)	-0.47	1 (0%) 85 73	63, 100, 172, 215	0
3	D	218/229 (95%)	-0.63	0 100 100	60, 104, 155, 185	0
3	F	217/229 (94%)	-0.66	0 100 100	67, 100, 137, 201	0
3	H	217/229 (94%)	-0.54	0 100 100	57, 87, 132, 174	0
4	E	211/217 (97%)	-0.80	0 100 100	55, 95, 154, 217	0
4	G	211/217 (97%)	-0.73	0 100 100	64, 94, 128, 170	0
4	L	212/217 (97%)	-0.69	0 100 100	22, 85, 126, 159	0
All	All	2313/2607 (88%)	-0.58	4 (0%) 91 85	22, 99, 159, 235	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	211	ASP	2.6
2	c	260	GLY	2.4
1	C	194	MET	2.3
1	A	208	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	NAG	I	1	14/15	-	-	72,92,105,124	0
5	NAG	I	2	14/15	-	-	138,149,159,165	0
5	BMA	I	3	11/12	-	-	164,172,175,175	0
8	NAG	P	2	14/15	0.45	0.11	116,133,143,148	0
8	NAG	P	1	14/15	0.52	0.10	69,96,112,125	0
5	BMA	V	3	11/12	-	-	146,149,161,161	0
5	NAG	V	2	14/15	0.60	0.07	134,145,154,156	0
7	NAG	N	2	14/15	0.61	0.09	97,107,115,126	0
5	BMA	Z	3	11/12	-	-	176,188,193,193	0
6	NAG	J	1	14/15	-	-	96,116,134,136	0
6	NAG	J	2	14/15	-	-	122,147,156,159	0
6	NAG	K	1	14/15	-	-	99,115,139,140	0
6	NAG	K	2	14/15	-	-	152,163,171,173	0
6	NAG	X	2	14/15	0.64	0.11	164,169,178,182	0
8	NAG	U	2	14/15	0.65	0.08	131,172,187,190	0
6	NAG	O	2	14/15	0.68	0.07	124,142,153,154	0
5	NAG	Z	2	14/15	0.71	0.07	157,170,184,186	0
6	NAG	S	2	14/15	0.72	0.08	147,156,162,164	0
6	NAG	R	2	14/15	0.78	0.08	167,176,182,184	0
7	NAG	T	2	14/15	0.83	0.08	125,138,143,145	0
6	NAG	M	2	14/15	0.83	0.09	166,187,198,207	0
6	NAG	X	1	14/15	0.86	0.08	112,131,146,160	0
7	NAG	T	1	14/15	0.88	0.08	95,110,126,127	0
8	NAG	U	1	14/15	0.89	0.05	102,121,145,167	0
6	NAG	Y	2	14/15	0.89	0.07	163,179,180,181	0
5	NAG	Z	1	14/15	0.90	0.06	115,135,152,157	0
6	NAG	W	2	14/15	0.90	0.08	161,167,175,178	0
6	NAG	O	1	14/15	0.90	0.05	66,83,103,120	0
6	NAG	Q	2	14/15	0.91	0.06	155,162,173,177	0
6	NAG	e	1	14/15	-	-	93,110,134,137	0
6	NAG	e	2	14/15	-	-	125,150,155,157	0
5	NAG	V	1	14/15	0.91	0.05	81,110,124,124	0
6	NAG	W	1	14/15	0.92	0.10	114,131,151,153	0
7	BMA	N	3	11/12	-	-	137,146,161,169	0
7	MAN	N	4	11/12	-	-	149,155,158,162	0
6	NAG	M	1	14/15	0.92	0.06	153,159,183,186	0
7	NAG	N	1	14/15	0.93	0.06	72,83,98,99	0

Continued on next page...

Continued from previous page...




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
7	BMA	T	3	11/12	-	-	143,151,157,159	0
7	MAN	T	4	11/12	-	-	140,154,155,156	0
7	NAG	d	1	14/15	-	-	102,115,128,134	0
7	NAG	d	2	14/15	-	-	126,136,150,153	0
7	BMA	d	3	11/12	-	-	153,160,166,171	0
7	MAN	d	4	11/12	-	-	162,167,173,173	0
6	NAG	Y	1	14/15	0.94	0.06	136,148,159,168	0
6	NAG	S	1	14/15	0.94	0.06	100,120,127,131	0
8	FUC	P	3	10/11	-	-	119,125,129,130	0
6	NAG	R	1	14/15	0.95	0.05	102,121,137,154	0
6	NAG	Q	1	14/15	0.96	0.08	83,109,128,142	0
8	FUC	U	3	10/11	-	-	141,145,156,158	0
8	NAG	f	1	14/15	-	-	78,101,122,134	0
8	NAG	f	2	14/15	-	-	131,140,153,154	0
8	FUC	f	3	10/11	-	-	125,128,134,135	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain V:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain Z:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain K:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain M:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain O:**

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Q:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain R:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain S:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain W:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain X:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain Y:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around Chain e:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain N:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain T:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around Chain d:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain P:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain U:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
9	NAG	A	506	14/15	0.60	0.08	130,145,153,154	0
9	NAG	B	505	14/15	0.61	0.09	139,155,171,172	0
9	NAG	C	514	14/15	0.64	0.08	108,122,131,133	0
9	NAG	c	507	14/15	0.66	0.10	150,164,172,174	0
9	NAG	C	506	14/15	0.68	0.09	137,155,163,164	0
9	NAG	B	508	14/15	0.72	0.07	115,130,138,138	0
9	NAG	A	511	14/15	0.73	0.08	122,133,138,141	0
9	NAG	B	509	14/15	0.76	0.07	85,110,114,123	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
9	NAG	A	512	14/15	0.77	0.08	92,110,121,125	0
9	NAG	a	507	14/15	0.77	0.09	136,155,166,166	0
9	NAG	b	505	14/15	0.83	0.08	112,128,139,140	0

6.5 Other polymers [i](#)

There are no such residues in this entry.