



wwPDB EM Validation Summary Report ⓘ

Mar 9, 2026 – 07:53 AM UTC

PDB ID : 6VKT / pdb_00006vkt
EMDB ID : EMD-21229
Title : Cryo-electron microscopy structures of a gonococcal multidrug efflux pump illuminate a mechanism of erythromycin drug recognition
Authors : Lyu, M.; Moseng, M.A.
Deposited on : 2020-01-22
Resolution : 2.72 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49



1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.72 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	10355 (2.22 - 3.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1046	 63% 36%
1	B	1046	 66% 33%
1	C	1046	 67% 33%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PTY	C	1106	-	-	X	-
3	ERY	B	1101	-	-	X	-

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 24331 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Efflux pump membrane transporter.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1037	Total	C	N	O	S	0	0
			7761	4977	1288	1451	45		
1	B	1043	Total	C	N	O	S	0	0
			7813	5010	1299	1459	45		
1	C	1042	Total	C	N	O	S	0	0
			7806	5006	1298	1457	45		

There are 66 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	738	VAL	ILE	conflict	UNP A0A4T9VBR9
A	774	GLY	GLU	conflict	UNP A0A4T9VBR9
A	791	SER	LYS	conflict	UNP A0A4T9VBR9
A	794	ILE	VAL	conflict	UNP A0A4T9VBR9
A	800	SER	THR	conflict	UNP A0A4T9VBR9
A	807	GLN	GLU	conflict	UNP A0A4T9VBR9
A	808	MET	ASN	conflict	UNP A0A4T9VBR9
A	821	ALA	SER	conflict	UNP A0A4T9VBR9
A	823	GLU	LYS	conflict	UNP A0A4T9VBR9
A	826	GLY	ALA	conflict	UNP A0A4T9VBR9
A	839	GLU	ALA	conflict	UNP A0A4T9VBR9
A	850	SER	GLY	conflict	UNP A0A4T9VBR9
A	854	LEU	PHE	conflict	UNP A0A4T9VBR9
A	871	ILE	LEU	conflict	UNP A0A4T9VBR9
A	872	ALA	ILE	conflict	UNP A0A4T9VBR9
A	875	ALA	GLY	conflict	UNP A0A4T9VBR9
A	878	ALA	VAL	conflict	UNP A0A4T9VBR9
A	879	VAL	ALA	conflict	UNP A0A4T9VBR9
A	899	LEU	ILE	conflict	UNP A0A4T9VBR9
A	902	MET	ILE	conflict	UNP A0A4T9VBR9
A	907	ALA	ILE	conflict	UNP A0A4T9VBR9
A	1000	GLY	ALA	conflict	UNP A0A4T9VBR9
B	738	VAL	ILE	conflict	UNP A0A4T9VBR9
B	774	GLY	GLU	conflict	UNP A0A4T9VBR9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	791	SER	LYS	conflict	UNP A0A4T9VBR9
B	794	ILE	VAL	conflict	UNP A0A4T9VBR9
B	800	SER	THR	conflict	UNP A0A4T9VBR9
B	807	GLN	GLU	conflict	UNP A0A4T9VBR9
B	808	MET	ASN	conflict	UNP A0A4T9VBR9
B	821	ALA	SER	conflict	UNP A0A4T9VBR9
B	823	GLU	LYS	conflict	UNP A0A4T9VBR9
B	826	GLY	ALA	conflict	UNP A0A4T9VBR9
B	839	GLU	ALA	conflict	UNP A0A4T9VBR9
B	850	SER	GLY	conflict	UNP A0A4T9VBR9
B	854	LEU	PHE	conflict	UNP A0A4T9VBR9
B	871	ILE	LEU	conflict	UNP A0A4T9VBR9
B	872	ALA	ILE	conflict	UNP A0A4T9VBR9
B	875	ALA	GLY	conflict	UNP A0A4T9VBR9
B	878	ALA	VAL	conflict	UNP A0A4T9VBR9
B	879	VAL	ALA	conflict	UNP A0A4T9VBR9
B	899	LEU	ILE	conflict	UNP A0A4T9VBR9
B	902	MET	ILE	conflict	UNP A0A4T9VBR9
B	907	ALA	ILE	conflict	UNP A0A4T9VBR9
B	1000	GLY	ALA	conflict	UNP A0A4T9VBR9
C	738	VAL	ILE	conflict	UNP A0A4T9VBR9
C	774	GLY	GLU	conflict	UNP A0A4T9VBR9
C	791	SER	LYS	conflict	UNP A0A4T9VBR9
C	794	ILE	VAL	conflict	UNP A0A4T9VBR9
C	800	SER	THR	conflict	UNP A0A4T9VBR9
C	807	GLN	GLU	conflict	UNP A0A4T9VBR9
C	808	MET	ASN	conflict	UNP A0A4T9VBR9
C	821	ALA	SER	conflict	UNP A0A4T9VBR9
C	823	GLU	LYS	conflict	UNP A0A4T9VBR9
C	826	GLY	ALA	conflict	UNP A0A4T9VBR9
C	839	GLU	ALA	conflict	UNP A0A4T9VBR9
C	850	SER	GLY	conflict	UNP A0A4T9VBR9
C	854	LEU	PHE	conflict	UNP A0A4T9VBR9
C	871	ILE	LEU	conflict	UNP A0A4T9VBR9
C	872	ALA	ILE	conflict	UNP A0A4T9VBR9
C	875	ALA	GLY	conflict	UNP A0A4T9VBR9
C	878	ALA	VAL	conflict	UNP A0A4T9VBR9
C	879	VAL	ALA	conflict	UNP A0A4T9VBR9
C	899	LEU	ILE	conflict	UNP A0A4T9VBR9
C	902	MET	ILE	conflict	UNP A0A4T9VBR9
C	907	ALA	ILE	conflict	UNP A0A4T9VBR9
C	1000	GLY	ALA	conflict	UNP A0A4T9VBR9

- Molecule 2 is PHOSPHATIDYLETHANOLAMINE (CCD ID: PTY) (formula: C₄₀H₈₀NO₈P).




Mol	Chain	Residues	Atoms					AltConf
2	A	1	Total	C	N	O	P	0
			48	38	1	8	1	
2	A	1	Total	C	N	O	P	0
			45	35	1	8	1	
2	A	1	Total	C	N	O	P	0
			45	35	1	8	1	
2	A	1	Total	C	N	O	P	0
			41	31	1	8	1	
2	A	1	Total	C	N	O	P	0
			44	34	1	8	1	
2	A	1	Total	C	N	O	P	0
			41	31	1	8	1	
2	B	1	Total	C	N	O	P	0
			37	27	1	8	1	
2	B	1	Total	C	N	O	P	0
			36	26	1	8	1	
2	B	1	Total	C	N	O	P	0
			41	31	1	8	1	
2	B	1	Total	C	N	O	P	0
			44	34	1	8	1	
2	B	1	Total	C	N	O	P	0
			35	25	1	8	1	
2	B	1	Total	C	N	O	P	0
			50	40	1	8	1	
2	B	1	Total	C	N	O	P	0
			35	25	1	8	1	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
2	B	1	Total	C	N	O	P	0
			44	34	1	8	1	
2	C	1	Total	C	N	O	P	0
			46	36	1	8	1	
2	C	1	Total	C	N	O	P	0
			41	31	1	8	1	
2	C	1	Total	C	N	O	P	0
			41	31	1	8	1	
2	C	1	Total	C	N	O	P	0
			32	22	1	8	1	
2	C	1	Total	C	N	O	P	0
			35	25	1	8	1	
2	C	1	Total	C	O			0
			38	34	4			
2	C	1	Total	C	N	O	P	0
			50	40	1	8	1	
2	C	1	Total	C	O			0
			16	14	2			
2	C	1	Total	C	O			0
			15	13	2			

- Molecule 3 is ERYTHROMYCIN A (CCD ID: ERY) (formula: $C_{37}H_{67}NO_{13}$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms					AltConf
3	B	1	Total	C	N	O		0
			51	37	1	13		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Efflux pump membrane transporter






• Molecule 1: Efflux pump membrane transporter

Chain B:



• Molecule 1: Efflux pump membrane transporter

Chain C:



S1006	P903	V804	R695	A577	S475	I381	E243
Q1007	G908	E811	L698	G578	I476	M386	L268
I1010	R916	Q812	K701	A579	F481	L391	G269
T1012	E920	G818	L707	T580	A483	T392	M270
T1013	L923	M822	F708	K581	L484	M393	E271
V1014	F1015	E823	S711	L588	T485	F394	D272
F1015		S827	T712	V591	L486	A395	Y273
M1018	F929	P828	V713	L594	T487	M396	S274
L1019	A930	A829	R714	I605	P488	I397	T285
I1020	I933	V832	L718	M618	M494	L398	G286
G1021	Y934	S833	E719	M619	E504	V399	M287
T1022	Q936	T834	L724	A620	E505	V403	M290
V1026	V937	A837	R730	F623	K506	V404	L291
V1029	G938	M838	A741	A624	G511	D406	M298
P1030	V942	E839	T744	I625	K515	A407	K302
Y1033	K948	A840	T745	R632	E525	I408	E306
K1041	I951	Q842	A748	S637	G526	V410	R307
E1042	L952	K843	S749	D638	R527	V411	L308
ALA	I953	M844	T752	A641	V531	N413	W321
HIS	I954	D845	S753	V642	L532	V414	P324
GLU	E955	E847	R764	K645	R533	M433	K329
	F956	L848	D758	L646	K534	I436	F330
	A957	L854	N761	M650	R537	V440	V331
	K958	E855	R764	M651	M538	I441	E332
	D959	W856	N761	G652	M539	G442	I333
	L960	R861	R764	T653	V540	I443	S334
	Q961	A875	V768	L654	V541	T444	I335
	K965	A879	M769	T660	Y542	A445	E336
	A971	V879	V770	A661	I543	V446	R337
	L972	F882	Q771	V662	G544	L447	V338
	E973	L883	A772	P663	L545	V452	F350
	A974	V884	D773	P664	V547	P453	Y354
	R976	L885	G774		V580	L454	L355
	R980	A886	M778	T667	F551	A455	F356
	M984	L888	Q779	E669	R555	M456	L357
	F989	Y889	P780	L676	L556	A460	Q358
	I990	W892	L784	S677	P557	A461	I360
	L991	S893	T787	I678	E564	G462	I361
	G992	I894	V788	N679		N463	Y362
	V993	P895	P789	L680	F568	I464	T363
	V994	P995	A795	Q681	V569	K466	L364
	L996	L899	V796	T686	W570	Q467	I365
	Y997	L900	P797	A690	V571	F468	P366
	A1005	V901			W572	A469	T367
		M902			V573	L470	V370
						T471	P371
						M472	

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	1507208	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	45.425	Depositor
Minimum map value	-21.501	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	4	Depositor
Map size ($\text{\AA}$)	378.0, 378.0, 378.0	wwPDB
Map dimensions	350, 350, 350	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing ($\text{\AA}$)	1.08, 1.08, 1.08	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ERY, PTY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.14	0/7900	0.30	0/10719
1	B	0.14	0/7955	0.30	0/10792
1	C	0.13	0/7948	0.28	0/10782
All	All	0.14	0/23803	0.29	0/32293

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	916	ARG	Sidechain
1	B	67	ARG	Sidechain
1	C	744	ARG	Sidechain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7761	0	7927	342	0
1	B	7813	0	7986	315	0
1	C	7806	0	7979	273	0
2	A	264	0	378	37	0
2	B	322	0	440	45	0
2	C	314	0	441	46	0
3	B	51	0	67	41	0
All	All	24331	0	25218	991	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 991 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:961:GLN:HG3	1:A:1046:GLU:OE2	1.33	1.26
2:C:1101:PTY:HC11	2:C:1106:PTY:C1	1.71	1.18
2:C:1101:PTY:HC11	2:C:1106:PTY:HC11	1.24	1.14
1:B:176:PHE:CG	3:B:1101:ERY:H26	1.85	1.11
1:B:176:PHE:CD2	3:B:1101:ERY:H26	1.85	1.11

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1033/1046 (99%)	1002 (97%)	31 (3%)	0	100	100
1	B	1041/1046 (100%)	1018 (98%)	23 (2%)	0	100	100
1	C	1040/1046 (99%)	1013 (97%)	27 (3%)	0	100	100
All	All	3114/3138 (99%)	3033 (97%)	81 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	829/837 (99%)	829 (100%)	0	100	100
1	B	835/837 (100%)	835 (100%)	0	100	100
1	C	834/837 (100%)	834 (100%)	0	100	100
All	All	2498/2511 (100%)	2498 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 42 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	124	GLN
1	C	684	ASN
1	C	192	GLN
1	C	503	HIS
1	C	762	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	PTY	B	1104	-	40,40,49	0.91	2 (5%)	43,45,54	1.28	4 (9%)
2	PTY	A	1101	-	47,47,49	0.95	2 (4%)	50,52,54	1.06	3 (6%)
2	PTY	C	1109	-	14,14,49	2.08	2 (14%)	14,14,54	1.05	1 (7%)
2	PTY	C	1102	-	40,40,49	0.99	2 (5%)	43,45,54	1.10	4 (9%)
2	PTY	C	1108	-	14,14,49	1.22	1 (7%)	14,14,54	1.04	0
2	PTY	B	1103	-	35,35,49	1.07	2 (5%)	38,40,54	1.23	4 (10%)
2	PTY	A	1104	-	40,40,49	1.00	2 (5%)	43,45,54	1.17	5 (11%)
2	PTY	A	1102	-	44,44,49	0.93	2 (4%)	47,49,54	1.15	4 (8%)
2	PTY	B	1105	-	43,43,49	1.00	2 (4%)	46,48,54	1.16	3 (6%)
2	PTY	B	1107	-	49,49,49	0.97	2 (4%)	52,54,54	1.12	4 (7%)
2	PTY	C	1107	-	49,49,49	0.89	2 (4%)	52,54,54	1.03	2 (3%)
2	PTY	C	1101	-	45,45,49	0.95	2 (4%)	48,50,54	1.09	4 (8%)
2	PTY	B	1102	-	36,36,49	1.02	2 (5%)	39,41,54	1.08	3 (7%)
2	PTY	C	1105	-	34,34,49	1.11	2 (5%)	37,39,54	1.10	2 (5%)
2	PTY	B	1108	-	34,34,49	1.11	2 (5%)	37,39,54	1.33	3 (8%)
2	PTY	A	1103	-	44,44,49	0.95	2 (4%)	47,49,54	1.08	2 (4%)
2	PTY	B	1109	-	43,43,49	0.99	2 (4%)	46,48,54	1.12	2 (4%)
2	PTY	A	1105	-	43,43,49	0.97	2 (4%)	46,48,54	1.06	2 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PTY	C	1104	-	31,31,49	1.16	2 (6%)	34,36,54	1.13	2 (5%)
2	PTY	B	1106	-	34,34,49	1.10	2 (5%)	37,39,54	1.13	2 (5%)
2	PTY	C	1106	-	37,37,49	1.09	3 (8%)	39,39,54	1.23	3 (7%)
2	PTY	C	1103	-	40,40,49	0.98	2 (5%)	43,45,54	1.21	3 (6%)
3	ERY	B	1101	-	53,53,53	0.94	1 (1%)	82,82,82	1.56	13 (15%)
2	PTY	A	1106	-	40,40,49	0.99	2 (5%)	43,45,54	1.11	1 (2%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PTY	B	1104	-	-	16/44/44/53	-
2	PTY	A	1101	-	-	17/51/51/53	-
2	PTY	C	1109	-	-	5/12/12/53	-
2	PTY	C	1102	-	-	14/44/44/53	-
2	PTY	C	1108	-	-	2/12/12/53	-
2	PTY	B	1103	-	-	9/39/39/53	-
2	PTY	A	1104	-	-	19/44/44/53	-
2	PTY	A	1102	-	-	10/48/48/53	-
2	PTY	B	1105	-	-	15/47/47/53	-
2	PTY	B	1107	-	-	22/53/53/53	-
2	PTY	C	1107	-	-	15/53/53/53	-
2	PTY	C	1101	-	-	15/49/49/53	-
2	PTY	B	1102	-	-	15/40/40/53	-
2	PTY	C	1105	-	-	16/38/38/53	-
2	PTY	B	1108	-	-	16/38/38/53	-
2	PTY	A	1103	-	-	19/48/48/53	-
2	PTY	B	1109	-	-	21/47/47/53	-
2	PTY	A	1105	-	-	19/47/47/53	-
2	PTY	C	1104	-	-	10/35/35/53	-
2	PTY	B	1106	-	-	7/38/38/53	-
2	PTY	C	1106	-	-	12/38/38/53	-
2	PTY	C	1103	-	-	8/44/44/53	-
3	ERY	B	1101	-	-	40/72/107/107	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PTY	A	1106	-	-	12/44/44/53	-

The worst 5 of 47 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	1109	PTY	O10-C8	7.29	1.45	1.22
3	B	1101	ERY	O2-C1	5.10	1.45	1.34
2	B	1107	PTY	O4-C30	4.67	1.47	1.33
2	C	1108	PTY	O4-C30	4.51	1.45	1.30
2	B	1105	PTY	O4-C30	4.32	1.45	1.33

The worst 5 of 76 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1104	PTY	O7-C8-C11	5.11	122.54	111.48
3	B	1101	ERY	C12-C11-C10	-4.77	110.82	116.40
2	B	1107	PTY	O7-C8-C11	4.67	121.57	111.48
2	A	1103	PTY	O7-C8-C11	4.65	121.55	111.48
2	A	1102	PTY	O7-C8-C11	4.60	121.43	111.48

There are no chirality outliers.

5 of 354 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1101	PTY	N1-C2-C3-O11
2	A	1101	PTY	C3-O11-P1-O13
2	A	1101	PTY	C3-O11-P1-O14
2	A	1103	PTY	N1-C2-C3-O11
2	A	1103	PTY	C3-O11-P1-O13

There are no ring outliers.

24 monomers are involved in 158 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1104	PTY	12	0
2	A	1101	PTY	4	0
2	C	1109	PTY	3	0
2	C	1102	PTY	1	0
2	C	1108	PTY	3	0
2	B	1103	PTY	8	0
2	A	1104	PTY	7	0



Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1102	PTY	4	0
2	B	1105	PTY	8	0
2	B	1107	PTY	2	0
2	C	1107	PTY	5	0
2	C	1101	PTY	20	0
2	B	1102	PTY	1	0
2	C	1105	PTY	9	0
2	B	1108	PTY	7	0
2	A	1103	PTY	9	0
2	B	1109	PTY	2	0
2	A	1105	PTY	9	0
2	C	1104	PTY	2	0
2	B	1106	PTY	12	0
2	C	1106	PTY	21	0
2	C	1103	PTY	2	0
3	B	1101	ERY	41	0
2	A	1106	PTY	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21229. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 175



Y Index: 175




Z Index: 175


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 155



Y Index: 190




Z Index: 183


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 4.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 224 nm^3 ; this corresponds to an approximate mass of 202 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.368 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-21229 and PDB model 6VKT. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 4.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (4).

9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 93% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (4) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.9290	0.5660
A	0.9170	0.5510
B	0.9270	0.5650
C	0.9430	0.5840

