



Full wwPDB EM Validation Report ⓘ

Mar 29, 2026 – 11:25 AM UTC

PDB ID : 6VLR / pdb_00006vlr
EMDB ID : EMD-21232
Title : BG505 SOSIP.v5.2 in complex with rhesus macaque Fab RM20E1 and PGT122 Fab
Authors : Cottrell, C.A.; Ward, A.B.
Deposited on : 2020-01-24
Resolution : 4.42 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:



EMDB validation analysis : 0.0.1.dev132
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
Q-score	-	25397	3109 (3.92 - 4.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	475	 84% 6% 9%
1	G	475	 83% 7% 9%
1	H	475	 85% 6% 9%
2	B	153	 75% 9% 16%



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	I	153	
2	J	153	
3	C	132	
3	D	132	
3	E	132	
4	K	106	
4	L	106	
4	M	106	
5	F	123	
6	N	112	
7	O	2	
7	P	2	
7	R	2	
7	V	2	
7	W	2	
7	X	2	
7	c	2	
7	d	2	
8	Q	5	
8	U	5	
8	Y	5	
8	e	5	
9	S	3	
9	Z	3	
10	T	6	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	a	6	 100%
10	f	6	 100%
11	b	4	 100%
11	g	4	 100%

2 Entry composition [i](#)

There are 12 unique types of molecules in this entry. The entry contains 21768 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Envelope glycoprotein gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	430	Total	C	N	O	S	0	0
			3393	2137	596	632	28		
1	H	430	Total	C	N	O	S	0	0
			3393	2137	596	632	28		
1	G	430	Total	C	N	O	S	0	0
			3393	2137	596	632	28		

There are 15 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	64	LYS	GLU	conflict	UNP Q2N0S6
A	73	CYS	ALA	conflict	UNP Q2N0S6
A	316	TRP	ALA	conflict	UNP Q2N0S6
A	332	ASN	THR	conflict	UNP Q2N0S6
A	501	CYS	ALA	conflict	UNP Q2N0S6
H	64	LYS	GLU	conflict	UNP Q2N0S6
H	73	CYS	ALA	conflict	UNP Q2N0S6
H	316	TRP	ALA	conflict	UNP Q2N0S6
H	332	ASN	THR	conflict	UNP Q2N0S6
H	501	CYS	ALA	conflict	UNP Q2N0S6
G	64	LYS	GLU	conflict	UNP Q2N0S6
G	73	CYS	ALA	conflict	UNP Q2N0S6
G	316	TRP	ALA	conflict	UNP Q2N0S6
G	332	ASN	THR	conflict	UNP Q2N0S6
G	501	CYS	ALA	conflict	UNP Q2N0S6

- Molecule 2 is a protein called BG505 SOSIPv5.2 gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	128	Total	C	N	O	S	0	0
			1014	644	174	190	6		
2	J	122	Total	C	N	O	S	0	0
			971	613	168	184	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf	Trace
2	I	122	Total	C	N	O	S	0	0
			971	613	168	184	6		

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	conflict	UNP Q2N0S6
B	561	CYS	ALA	conflict	UNP Q2N0S6
B	605	CYS	THR	conflict	UNP Q2N0S6
J	559	PRO	ILE	conflict	UNP Q2N0S6
J	561	CYS	ALA	conflict	UNP Q2N0S6
J	605	CYS	THR	conflict	UNP Q2N0S6
I	559	PRO	ILE	conflict	UNP Q2N0S6
I	561	CYS	ALA	conflict	UNP Q2N0S6
I	605	CYS	THR	conflict	UNP Q2N0S6

- Molecule 3 is a protein called PGT122 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	132	Total	C	N	O	S	0	0
			1047	669	180	195	3		
3	D	132	Total	C	N	O	S	0	0
			1047	669	180	195	3		
3	E	132	Total	C	N	O	S	0	0
			1047	669	180	195	3		

- Molecule 4 is a protein called PGT122 Fab Light Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	L	106	Total	C	N	O	S	0	0
			811	507	140	162	2		
4	K	106	Total	C	N	O	S	0	0
			811	507	140	162	2		
4	M	106	Total	C	N	O	S	0	0
			811	507	140	162	2		

- Molecule 5 is a protein called RM20E1 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	F	123	Total	C	N	O	S	0	0
			978	626	158	189	5		

- Molecule 6 is a protein called RM20E1 Fab Kappa Chain.


Mol	Chain	Residues	Atoms					AltConf	Trace
6	N	112	Total	C	N	O	S	0	0
			871	545	152	171	3		

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					AltConf	Trace
7	O	2	Total	C	N	O		0	0
			28	16	2	10			
7	P	2	Total	C	N	O		0	0
			29	16	2	11			
7	R	2	Total	C	N	O		0	0
			28	16	2	10			
7	V	2	Total	C	N	O		0	0
			28	16	2	10			
7	W	2	Total	C	N	O		0	0
			29	16	2	11			
7	X	2	Total	C	N	O		0	0
			28	16	2	10			
7	c	2	Total	C	N	O		0	0
			29	16	2	11			
7	d	2	Total	C	N	O		0	0
			29	16	2	11			

- Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					AltConf	Trace
8	Q	5	Total	C	N	O		0	0
			61	34	2	25			
8	U	5	Total	C	N	O		0	0
			61	34	2	25			

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
8	Y	5	Total	C	N	O	0	0
			61	34	2	25		
8	e	5	Total	C	N	O	0	0
			62	34	2	26		

- Molecule 9 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
9	S	3	Total	C	N	O	0	0
			39	22	2	15		
9	Z	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
10	T	6	Total	C	N	O	0	0
			72	40	2	30		
10	a	6	Total	C	N	O	0	0
			72	40	2	30		
10	f	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
11	b	4	Total	C	N	O	0	0
			50	28	2	20		
11	g	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 12 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				AltConf
12	A	1	Total	C	N	O	0
			14	8	1	5	
12	A	1	Total	C	N	O	0
			15	8	1	6	
12	A	1	Total	C	N	O	0
			15	8	1	6	
12	A	1	Total	C	N	O	0
			14	8	1	5	
12	A	1	Total	C	N	O	0
			14	8	1	5	
12	H	1	Total	C	N	O	0
			14	8	1	5	
12	H	1	Total	C	N	O	0
			14	8	1	5	
12	H	1	Total	C	N	O	0
			15	8	1	6	
12	H	1	Total	C	N	O	0
			15	8	1	6	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
12	H	1	Total 14	C 8	N 1	O 5	0
12	H	1	Total 15	C 8	N 1	O 6	0
12	H	1	Total 14	C 8	N 1	O 5	0
12	H	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 15	C 8	N 1	O 6	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 15	C 8	N 1	O 6	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	G	1	Total 14	C 8	N 1	O 5	0
12	I	1	Total 14	C 8	N 1	O 5	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Envelope glycoprotein gp120




• Molecule 1: Envelope glycoprotein gp120





• Molecule 1: Envelope glycoprotein gp120








- Molecule 2: BG505 SOSIPv5.2 gp41




- Molecule 2: BG505 SOSIPv5.2 gp41




- Molecule 2: BG505 SOSIPv5.2 gp41




- Molecule 3: PGT122 Fab Heavy Chain





- Molecule 3: PGT122 Fab Heavy Chain




- Molecule 3: PGT122 Fab Heavy Chain




- Molecule 4: PGT122 Fab Light Chain




- Molecule 4: PGT122 Fab Light Chain




- Molecule 4: PGT122 Fab Light Chain



- Molecule 5: RM20E1 Fab Heavy Chain



- Molecule 6: RM20E1 Fab Kappa Chain



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 




- Molecule 9: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 




- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 




- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a: 




- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f: 



- Molecule 11: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 



- Molecule 11: α -D-mannopyranose-(1-3)- β -D-mannopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose-(1-4)-2-acetamido-2-deoxy- β -D-glucopyranose

Chain g:

100%

MAG1
MAG2
BMA3
MAM4

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	17010	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51.3	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	1.928	Depositor
Minimum map value	-0.975	Depositor
Average map value	0.006	Depositor
Map value standard deviation	0.139	Depositor
Recommended contour level	0.7	Depositor
Map size (Å)	345.0, 345.0, 345.0	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.15, 1.15, 1.15	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.01	1/3464 (0.0%)	1.23	27/4702 (0.6%)
1	G	1.03	1/3464 (0.0%)	1.25	30/4702 (0.6%)
1	H	0.99	0/3464	1.23	24/4702 (0.5%)
2	B	1.04	0/1032	1.15	7/1400 (0.5%)
2	I	1.01	0/988	1.08	4/1340 (0.3%)
2	J	1.01	0/988	1.09	6/1340 (0.4%)
3	C	1.06	1/1076 (0.1%)	1.31	9/1465 (0.6%)
3	D	0.99	0/1076	1.20	7/1465 (0.5%)
3	E	1.03	0/1076	1.21	6/1465 (0.4%)
4	K	0.99	0/832	1.25	8/1138 (0.7%)
4	L	0.98	0/832	1.28	8/1138 (0.7%)
4	M	0.97	0/832	1.25	9/1138 (0.8%)
5	F	1.03	0/1006	1.29	8/1375 (0.6%)
6	N	1.01	0/892	1.35	6/1212 (0.5%)
All	All	1.01	3/21022 (0.0%)	1.23	159/28582 (0.6%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	374	HIS	CB-CG	-7.02	1.40	1.50
1	G	233	PHE	CB-CG	-5.21	1.38	1.50
3	C	100	ARG	CD-NE	-5.06	1.39	1.46

All (159) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	239	CYS	CA-C-N	8.54	128.27	119.56
1	H	239	CYS	C-N-CA	8.54	128.27	119.56
1	A	239	CYS	CA-C-N	8.42	128.15	119.56
1	A	239	CYS	C-N-CA	8.42	128.15	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	8	GLY	CA-C-N	8.40	128.13	119.56
3	C	8	GLY	C-N-CA	8.40	128.13	119.56
3	C	75	LYS	N-CA-C	-7.69	104.39	114.31
6	N	17	GLN	CA-C-N	7.64	127.59	120.03
6	N	17	GLN	C-N-CA	7.64	127.59	120.03
1	A	261	LEU	N-CA-C	7.61	122.32	112.89
3	E	8	GLY	CA-C-N	7.50	128.17	119.47
3	E	8	GLY	C-N-CA	7.50	128.17	119.47
1	G	239	CYS	CA-C-N	7.44	127.15	119.56
1	G	239	CYS	C-N-CA	7.44	127.15	119.56
1	G	237	GLY	CA-C-N	7.39	127.37	119.76
1	G	237	GLY	C-N-CA	7.39	127.37	119.76
1	G	219	ALA	CA-C-N	7.38	127.54	120.31
1	G	219	ALA	C-N-CA	7.38	127.54	120.31
1	A	219	ALA	CA-C-N	7.27	127.72	120.52
1	A	219	ALA	C-N-CA	7.27	127.72	120.52
1	G	205	CYS	CA-C-N	7.16	126.79	119.56
1	G	205	CYS	C-N-CA	7.16	126.79	119.56
4	K	90	ILE	N-CA-C	7.14	118.11	108.11
1	H	219	ALA	CA-C-N	7.08	127.24	120.31
1	H	219	ALA	C-N-CA	7.08	127.24	120.31
4	L	90	ILE	N-CA-C	7.01	117.98	108.17
1	H	492	GLU	CA-C-N	6.92	127.06	119.87
1	H	492	GLU	C-N-CA	6.92	127.06	119.87
1	G	437	PRO	CA-C-N	6.92	126.90	119.78
1	G	437	PRO	C-N-CA	6.92	126.90	119.78
6	N	43	PRO	N-CA-C	-6.90	102.28	110.70
1	A	492	GLU	CA-C-N	6.81	126.95	119.87
1	A	492	GLU	C-N-CA	6.81	126.95	119.87
1	H	448	ASN	CA-C-N	-6.81	111.72	120.98
1	H	448	ASN	C-N-CA	-6.81	111.72	120.98
5	F	104	GLY	N-CA-C	-6.76	103.78	112.10
1	A	205	CYS	CA-C-N	6.71	126.34	119.56
1	A	205	CYS	C-N-CA	6.71	126.34	119.56
4	M	90	ILE	N-CA-C	6.66	117.50	108.17
2	I	608	VAL	CA-C-N	6.61	126.57	120.03
2	I	608	VAL	C-N-CA	6.61	126.57	120.03
1	G	492	GLU	CA-C-N	6.48	126.61	119.87
1	G	492	GLU	C-N-CA	6.48	126.61	119.87
4	M	54	ARG	CA-C-N	6.45	126.42	119.78
4	M	54	ARG	C-N-CA	6.45	126.42	119.78
1	H	205	CYS	CA-C-N	6.41	126.03	119.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	205	CYS	C-N-CA	6.41	126.03	119.56
4	K	58	ILE	CA-C-N	6.36	126.33	119.78
4	K	58	ILE	C-N-CA	6.36	126.33	119.78
1	A	437	PRO	N-CA-C	-6.19	103.95	110.58
1	H	424	ILE	N-CA-C	6.17	116.74	107.80
1	H	449	ILE	N-CA-C	-6.13	101.64	109.30
3	D	75	LYS	N-CA-C	-6.12	106.42	114.31
1	G	100	MET	N-CA-C	-6.10	104.74	111.82
2	B	523	LEU	N-CA-C	-6.09	104.55	112.23
3	D	8	GLY	CA-C-N	6.06	125.74	119.56
3	D	8	GLY	C-N-CA	6.06	125.74	119.56
1	H	261	LEU	N-CA-C	6.00	120.76	113.38
4	L	39	ARG	N-CA-C	-6.00	102.59	110.39
2	B	608	VAL	CA-C-N	5.97	125.94	120.03
2	B	608	VAL	C-N-CA	5.97	125.94	120.03
4	K	54	ARG	CA-C-N	5.96	125.92	119.78
4	K	54	ARG	C-N-CA	5.96	125.92	119.78
1	H	159	PHE	N-CA-C	5.93	117.26	108.60
1	A	424	ILE	N-CA-C	5.88	116.40	108.17
4	K	65	SER	CA-C-N	5.87	125.78	119.85
4	K	65	SER	C-N-CA	5.87	125.78	119.85
3	D	13	LYS	CA-C-N	5.87	125.82	119.78
3	D	13	LYS	C-N-CA	5.87	125.82	119.78
3	E	95	THR	N-CA-C	5.85	118.31	109.41
1	H	312	GLY	CA-C-N	5.82	127.11	119.84
1	H	312	GLY	C-N-CA	5.82	127.11	119.84
1	H	53	PHE	CA-CB-CG	-5.81	107.99	113.80
1	G	80	ASN	CA-C-N	5.81	125.72	119.85
1	G	80	ASN	C-N-CA	5.81	125.72	119.85
3	C	67	VAL	N-CA-C	5.81	117.11	108.46
4	M	98	PHE	CA-CB-CG	5.79	119.59	113.80
5	F	72	ASP	CA-CB-CG	-5.78	106.82	112.60
4	L	58	ILE	CA-C-N	5.76	125.73	120.03
4	L	58	ILE	C-N-CA	5.76	125.73	120.03
4	L	65	SER	CA-C-N	5.73	125.70	120.03
4	L	65	SER	C-N-CA	5.73	125.70	120.03
3	D	39	GLN	CA-C-N	5.72	125.67	119.78
3	D	39	GLN	C-N-CA	5.72	125.67	119.78
4	L	54	ARG	CA-C-N	5.71	125.68	120.03
4	L	54	ARG	C-N-CA	5.71	125.68	120.03
2	I	641	ILE	N-CA-C	-5.68	106.16	111.45
4	K	89	HIS	CA-CB-CG	-5.65	108.15	113.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	65	SER	CA-C-N	5.65	125.62	120.03
4	M	65	SER	C-N-CA	5.65	125.62	120.03
2	J	608	VAL	CA-C-N	5.61	125.81	120.31
2	J	608	VAL	C-N-CA	5.61	125.81	120.31
5	F	104	GLY	CA-C-N	5.61	125.23	119.56
5	F	104	GLY	C-N-CA	5.61	125.23	119.56
1	G	130	GLN	CA-C-N	-5.61	112.72	122.37
1	G	130	GLN	C-N-CA	-5.61	112.72	122.37
1	A	78	ASP	CA-C-N	5.60	125.27	119.56
1	A	78	ASP	C-N-CA	5.60	125.27	119.56
1	A	393	SER	N-CA-C	5.56	117.55	108.55
3	E	39	GLN	CA-C-N	5.54	125.49	119.78
3	E	39	GLN	C-N-CA	5.54	125.49	119.78
2	B	535	MET	N-CA-C	-5.52	106.26	114.64
1	H	437	PRO	N-CA-C	-5.50	103.99	110.70
1	A	312	GLY	CA-C-N	5.49	126.70	119.84
1	A	312	GLY	C-N-CA	5.49	126.70	119.84
1	G	261	LEU	N-CA-C	5.49	119.96	112.88
5	F	29	PHE	CA-C-N	5.48	126.69	119.84
5	F	29	PHE	C-N-CA	5.48	126.69	119.84
4	M	58	ILE	CA-C-N	5.47	125.44	120.03
4	M	58	ILE	C-N-CA	5.47	125.44	120.03
1	G	78	ASP	CA-C-N	5.43	125.10	119.56
1	G	78	ASP	C-N-CA	5.43	125.10	119.56
5	F	72	ASP	N-CA-CB	-5.42	103.95	112.13
2	B	517	ALA	CA-C-N	-5.40	114.34	122.01
2	B	517	ALA	C-N-CA	-5.40	114.34	122.01
1	H	437	PRO	CA-C-N	5.39	125.33	119.78
1	H	437	PRO	C-N-CA	5.39	125.33	119.78
1	A	237	GLY	CA-C-N	5.38	125.30	119.76
1	A	237	GLY	C-N-CA	5.38	125.30	119.76
1	G	134	VAL	N-CA-C	5.37	117.76	111.05
1	H	41	GLY	N-CA-C	-5.37	107.21	116.01
3	E	67	VAL	N-CA-C	5.37	117.81	108.95
1	G	159	PHE	N-CA-C	5.36	116.43	108.60
3	C	105	LYS	N-CA-C	-5.36	107.28	113.88
3	C	39	GLN	CA-C-N	5.36	125.30	119.78
3	C	39	GLN	C-N-CA	5.36	125.30	119.78
3	C	60	ASN	CA-C-N	5.34	125.01	119.56
3	C	60	ASN	C-N-CA	5.34	125.01	119.56
2	J	535	MET	N-CA-C	-5.34	106.52	114.64
1	A	101	VAL	N-CA-C	-5.33	105.33	110.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	G	448	ASN	CA-C-N	-5.32	113.74	120.98
1	G	448	ASN	C-N-CA	-5.32	113.74	120.98
1	A	80	ASN	CA-C-N	5.31	125.21	119.85
1	A	80	ASN	C-N-CA	5.31	125.21	119.85
1	G	424	ILE	N-CA-C	5.31	115.50	107.80
1	A	436	ALA	CA-C-N	5.29	123.47	119.66
1	A	436	ALA	C-N-CA	5.29	123.47	119.66
2	I	602	LEU	N-CA-C	-5.29	105.97	112.90
1	H	199	SER	N-CA-C	5.29	117.22	109.24
1	H	80	ASN	CA-C-N	5.28	125.18	119.85
1	H	80	ASN	C-N-CA	5.28	125.18	119.85
2	B	641	ILE	N-CA-C	-5.25	105.73	110.82
4	M	39	ARG	N-CA-C	-5.20	102.91	110.08
1	G	123	THR	CA-C-N	5.19	124.91	119.82
1	G	123	THR	C-N-CA	5.19	124.91	119.82
2	J	570	VAL	N-CA-C	-5.17	102.91	109.58
1	G	297	THR	N-CA-C	5.16	116.91	109.07
6	N	42	GLN	CA-C-N	5.13	125.66	120.38
6	N	42	GLN	C-N-CA	5.13	125.66	120.38
1	A	107	ASP	CA-CB-CG	5.09	117.69	112.60
5	F	104	GLY	CA-C-O	-5.05	117.56	122.46
1	A	449	ILE	N-CA-C	-5.04	103.00	109.30
6	N	100	GLN	N-CA-C	5.04	116.77	111.28
2	J	641	ILE	N-CA-C	-5.03	105.94	110.82
2	J	602	LEU	N-CA-C	-5.03	107.28	113.41
1	G	422	GLN	CA-C-N	-5.02	116.35	122.93
1	G	422	GLN	C-N-CA	-5.02	116.35	122.93
1	A	123	THR	CA-C-N	5.01	124.67	119.56
1	A	123	THR	C-N-CA	5.01	124.67	119.56

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3393	0	3332	8	0
1	G	3393	0	3332	12	0
1	H	3393	0	3332	7	0
2	B	1014	0	1001	6	0
2	I	971	0	952	4	0
2	J	971	0	953	4	0
3	C	1047	0	1026	2	0
3	D	1047	0	1026	0	0
3	E	1047	0	1026	1	0
4	K	811	0	766	2	0
4	L	811	0	766	2	0
4	M	811	0	766	1	0
5	F	978	0	942	2	0
6	N	871	0	845	2	0
7	O	28	0	25	4	0
7	P	29	0	27	0	0
7	R	28	0	25	0	0
7	V	28	0	25	0	0
7	W	29	0	27	0	0
7	X	28	0	25	0	0
7	c	29	0	27	0	0
7	d	29	0	27	0	0
8	Q	61	0	49	0	0
8	U	61	0	50	0	0
8	Y	61	0	49	1	0
8	e	62	0	51	0	0
9	S	39	0	33	0	0
9	Z	39	0	33	0	0
10	T	72	0	58	0	0
10	a	72	0	58	0	0
10	f	72	0	58	0	0
11	b	50	0	41	0	0
11	g	50	0	41	0	0
12	A	72	0	69	0	0
12	G	142	0	134	0	0
12	H	115	0	110	0	0
12	I	14	0	13	2	0
All	All	21768	0	21120	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:1:NAG:H83	7:O:1:NAG:H3	1.61	0.81
7:O:1:NAG:H3	7:O:1:NAG:C8	2.15	0.76
12:I:701:NAG:O7	12:I:701:NAG:O3	2.05	0.74
1:G:133:ASN:N	1:G:133:ASN:OD1	2.34	0.60
7:O:1:NAG:C8	7:O:1:NAG:C3	2.80	0.60
1:G:137:ASN:O	1:G:151:ILE:C	2.45	0.59
12:I:701:NAG:HO3	12:I:701:NAG:C7	2.16	0.57
1:G:234:ASN:N	1:G:234:ASN:OD1	2.37	0.57
1:H:446:VAL:HB	8:Y:2:NAG:H81	1.88	0.56
1:H:123:THR:N	1:H:124:PRO:CD	2.71	0.53
1:G:107:ASP:OD1	2:I:574:LYS:NZ	2.41	0.53
7:O:1:NAG:H83	7:O:1:NAG:C3	2.33	0.53
2:J:545:LEU:O	2:J:546:SER:C	2.51	0.53
1:G:123:THR:N	1:G:124:PRO:CD	2.72	0.53
1:A:123:THR:N	1:A:124:PRO:CD	2.72	0.53
1:H:107:ASP:OD1	2:J:574:LYS:NZ	2.42	0.53
4:K:60:ASP:OD1	4:K:60:ASP:N	2.43	0.52
1:G:232:LYS:NZ	1:G:268:GLU:OE1	2.44	0.50
6:N:60:ASP:OD1	6:N:60:ASP:N	2.44	0.50
1:A:474:ASP:OD1	1:A:475:MET:N	2.44	0.49
1:A:87:GLU:O	1:A:88:ASN:HB2	2.12	0.49
1:H:232:LYS:NZ	1:H:268:GLU:OE1	2.45	0.49
2:I:545:LEU:O	2:I:546:SER:C	2.55	0.49
4:L:106(A):LEU:O	4:L:107:SER:C	2.54	0.49
4:K:106(A):LEU:O	4:K:107:SER:C	2.56	0.49
4:M:106(A):LEU:O	4:M:107:SER:C	2.55	0.48
5:F:27:TYR:CD1	5:F:27:TYR:C	2.92	0.47
2:B:545:LEU:O	2:B:546:SER:C	2.58	0.46
1:A:232:LYS:NZ	1:A:269:GLU:OE1	2.49	0.45
1:A:107:ASP:OD1	2:B:574:LYS:NZ	2.50	0.45
2:J:569:THR:OG1	2:J:570:VAL:N	2.49	0.45
1:H:117:LYS:N	1:H:118:PRO:CD	2.80	0.44
4:L:60:ASP:N	4:L:60:ASP:OD1	2.43	0.44
2:J:611:ASN:OD1	2:J:611:ASN:C	2.60	0.44
1:G:88:ASN:N	1:G:88:ASN:OD1	2.50	0.44
2:B:515:ILE:HG22	2:B:516:GLY:N	2.33	0.43
5:F:70:SER:OG	5:F:71:ALA:N	2.51	0.43
2:I:604:CYS:O	2:I:604:CYS:SG	2.77	0.43
2:B:539:VAL:HA	2:B:542:ARG:HH21	1.83	0.43
1:A:197:ASN:OD1	1:A:197:ASN:N	2.51	0.43
1:H:502:LYS:O	1:H:503:ARG:C	2.62	0.43
1:A:57:ASP:O	1:A:58:ALA:C	2.62	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:604:CYS:O	2:B:604:CYS:SG	2.76	0.43
1:G:502:LYS:O	1:G:503:ARG:C	2.62	0.41
3:C:22:CYS:HB3	3:C:78:VAL:HB	2.03	0.41
1:G:210:PHE:O	1:G:211:GLU:C	2.63	0.41
1:G:262:ASN:N	1:G:262:ASN:OD1	2.49	0.41
1:H:50:THR:OG1	1:H:51:THR:N	2.54	0.41
2:I:569:THR:OG1	2:I:570:VAL:N	2.50	0.41
1:G:134:VAL:O	1:G:135:THR:CB	2.68	0.41
1:G:397:SER:O	1:G:398:ASN:C	2.64	0.40
1:A:46:LYS:NZ	2:B:632:ASP:OD2	2.45	0.40
3:E:95:THR:OG1	3:E:96:LYS:N	2.54	0.40
6:N:58:VAL:HA	6:N:59:PRO:HD3	1.97	0.40
3:C:112:SER:O	3:C:113:SER:C	2.63	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	418/475 (88%)	404 (97%)	13 (3%)	1 (0%)	43	77
1	G	418/475 (88%)	405 (97%)	11 (3%)	2 (0%)	24	62
1	H	418/475 (88%)	406 (97%)	11 (3%)	1 (0%)	43	77
2	B	124/153 (81%)	120 (97%)	4 (3%)	0	100	100
2	I	118/153 (77%)	114 (97%)	4 (3%)	0	100	100
2	J	118/153 (77%)	114 (97%)	4 (3%)	0	100	100
3	C	130/132 (98%)	126 (97%)	4 (3%)	0	100	100
3	D	130/132 (98%)	128 (98%)	2 (2%)	0	100	100
3	E	130/132 (98%)	127 (98%)	3 (2%)	0	100	100
4	K	104/106 (98%)	103 (99%)	1 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	L	104/106 (98%)	103 (99%)	1 (1%)	0	100	100
4	M	104/106 (98%)	103 (99%)	1 (1%)	0	100	100
5	F	121/123 (98%)	115 (95%)	5 (4%)	1 (1%)	16	52
6	N	110/112 (98%)	107 (97%)	3 (3%)	0	100	100
All	All	2547/2833 (90%)	2475 (97%)	67 (3%)	5 (0%)	44	77

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	135	THR
1	H	387	THR
5	F	30	PRO
1	G	69	TRP
1	A	134	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	386/424 (91%)	386 (100%)	0	100	100
1	G	386/424 (91%)	383 (99%)	3 (1%)	73	77
1	H	386/424 (91%)	386 (100%)	0	100	100
2	B	109/130 (84%)	109 (100%)	0	100	100
2	I	105/130 (81%)	105 (100%)	0	100	100
2	J	105/130 (81%)	105 (100%)	0	100	100
3	C	116/116 (100%)	116 (100%)	0	100	100
3	D	116/116 (100%)	116 (100%)	0	100	100
3	E	116/116 (100%)	116 (100%)	0	100	100
4	K	89/89 (100%)	89 (100%)	0	100	100
4	L	89/89 (100%)	89 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	M	89/89 (100%)	89 (100%)	0	100	100
5	F	109/109 (100%)	109 (100%)	0	100	100
6	N	99/99 (100%)	99 (100%)	0	100	100
All	All	2300/2485 (93%)	2297 (100%)	3 (0%)	87	88

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	88	ASN
1	G	133	ASN
1	G	234	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	234	ASN
2	B	540	GLN
1	H	234	ASN
1	H	315	GLN
2	J	616	ASN
1	G	339	ASN
2	I	616	ASN
3	D	5	GLN
3	D	97	HIS
3	E	68	HIS
4	M	37	GLN
5	F	39	GLN
6	N	38	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

68 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	NAG	O	1	7,1	14,14,15	0.40	0	17,19,21	0.71	0
7	NAG	O	2	7	14,14,15	0.38	0	17,19,21	0.51	0
7	NAG	P	1	7	15,15,15	1.93	4 (26%)	21,21,21	1.25	1 (4%)
7	NAG	P	2	7	14,14,15	2.10	2 (14%)	17,19,21	0.75	0
8	NAG	Q	1	1,8	14,14,15	2.05	2 (14%)	17,19,21	1.00	2 (11%)
8	NAG	Q	2	8	14,14,15	2.04	3 (21%)	17,19,21	0.97	1 (5%)
8	BMA	Q	3	8	11,11,12	1.84	1 (9%)	15,15,17	1.00	0
8	MAN	Q	4	8	11,11,12	1.84	3 (27%)	15,15,17	1.01	2 (13%)
8	MAN	Q	5	8	11,11,12	1.81	2 (18%)	15,15,17	0.89	1 (6%)
7	NAG	R	1	7,1	14,14,15	1.95	3 (21%)	17,19,21	0.97	2 (11%)
7	NAG	R	2	7	14,14,15	2.10	2 (14%)	17,19,21	0.76	0
9	NAG	S	1	9,1	14,14,15	2.06	3 (21%)	17,19,21	1.26	3 (17%)
9	NAG	S	2	9	14,14,15	2.11	2 (14%)	17,19,21	0.78	0
9	BMA	S	3	9	11,11,12	1.81	2 (18%)	15,15,17	0.89	1 (6%)
10	NAG	T	1	10,1	14,14,15	1.95	2 (14%)	17,19,21	0.91	1 (5%)
10	NAG	T	2	10	14,14,15	2.19	4 (28%)	17,19,21	1.30	2 (11%)
10	BMA	T	3	10	11,11,12	1.84	2 (18%)	15,15,17	1.37	3 (20%)
10	MAN	T	4	10	11,11,12	1.54	1 (9%)	15,15,17	1.22	3 (20%)
10	MAN	T	5	10	11,11,12	1.83	2 (18%)	15,15,17	1.16	2 (13%)
10	MAN	T	6	10	11,11,12	1.79	2 (18%)	15,15,17	0.96	1 (6%)
8	NAG	U	1	1,8	14,14,15	2.01	3 (21%)	17,19,21	0.98	0
8	NAG	U	2	8	14,14,15	2.08	4 (28%)	17,19,21	1.03	0
8	BMA	U	3	8	11,11,12	1.82	1 (9%)	15,15,17	1.06	1 (6%)
8	MAN	U	4	8	11,11,12	1.51	1 (9%)	15,15,17	0.74	0
8	MAN	U	5	8	11,11,12	1.81	2 (18%)	15,15,17	1.20	2 (13%)
7	NAG	V	1	7,1	14,14,15	1.96	4 (28%)	17,19,21	1.63	4 (23%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	NAG	V	2	7	14,14,15	2.11	2 (14%)	17,19,21	1.02	1 (5%)
7	NAG	W	1	7	15,15,15	1.83	4 (26%)	21,21,21	1.15	2 (9%)
7	NAG	W	2	7	14,14,15	2.13	1 (7%)	17,19,21	1.21	2 (11%)
7	NAG	X	1	7,1	14,14,15	1.97	3 (21%)	17,19,21	0.88	1 (5%)
7	NAG	X	2	7	14,14,15	2.13	2 (14%)	17,19,21	0.79	0
8	NAG	Y	1	1,8	14,14,15	2.12	2 (14%)	17,19,21	1.20	2 (11%)
8	NAG	Y	2	8	14,14,15	2.07	4 (28%)	17,19,21	1.09	1 (5%)
8	BMA	Y	3	8	11,11,12	1.85	2 (18%)	15,15,17	1.10	1 (6%)
8	MAN	Y	4	8	11,11,12	1.82	3 (27%)	15,15,17	1.05	2 (13%)
8	MAN	Y	5	8	11,11,12	1.81	2 (18%)	15,15,17	0.94	1 (6%)
9	NAG	Z	1	9,1	14,14,15	2.08	2 (14%)	17,19,21	1.21	3 (17%)
9	NAG	Z	2	9	14,14,15	2.05	3 (21%)	17,19,21	0.76	0
9	BMA	Z	3	9	11,11,12	1.83	2 (18%)	15,15,17	0.88	0
10	NAG	a	1	10,1	14,14,15	1.91	3 (21%)	17,19,21	1.15	1 (5%)
10	NAG	a	2	10	14,14,15	2.03	3 (21%)	17,19,21	1.46	2 (11%)
10	BMA	a	3	10	11,11,12	1.87	2 (18%)	15,15,17	1.11	1 (6%)
10	MAN	a	4	10	11,11,12	1.49	1 (9%)	15,15,17	1.06	1 (6%)
10	MAN	a	5	10	11,11,12	1.77	1 (9%)	15,15,17	0.87	0
10	MAN	a	6	10	11,11,12	1.80	2 (18%)	15,15,17	0.90	0
11	NAG	b	1	11,1	14,14,15	1.97	4 (28%)	17,19,21	1.01	1 (5%)
11	NAG	b	2	11	14,14,15	2.15	2 (14%)	17,19,21	0.79	0
11	BMA	b	3	11	11,11,12	1.79	1 (9%)	15,15,17	1.07	1 (6%)
11	MAN	b	4	11	11,11,12	1.81	2 (18%)	15,15,17	1.06	2 (13%)
7	NAG	c	1	7	15,15,15	2.07	4 (26%)	21,21,21	1.74	4 (19%)
7	NAG	c	2	7	14,14,15	2.08	2 (14%)	17,19,21	0.95	2 (11%)
7	NAG	d	1	7	15,15,15	1.76	5 (33%)	21,21,21	0.97	1 (4%)
7	NAG	d	2	7	14,14,15	2.13	2 (14%)	17,19,21	0.80	1 (5%)
8	NAG	e	1	8	15,15,15	1.85	4 (26%)	21,21,21	1.37	5 (23%)
8	NAG	e	2	8	14,14,15	2.04	3 (21%)	17,19,21	1.07	2 (11%)
8	BMA	e	3	8	11,11,12	1.89	2 (18%)	15,15,17	1.08	1 (6%)
8	MAN	e	4	8	11,11,12	1.84	2 (18%)	15,15,17	0.99	1 (6%)
8	MAN	e	5	8	11,11,12	1.80	2 (18%)	15,15,17	0.97	1 (6%)
10	NAG	f	1	10,1	14,14,15	1.98	3 (21%)	17,19,21	1.06	1 (5%)
10	NAG	f	2	10	14,14,15	2.08	2 (14%)	17,19,21	1.19	1 (5%)
10	BMA	f	3	10	11,11,12	1.90	2 (18%)	15,15,17	1.24	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MAN	f	4	10	11,11,12	1.57	1 (9%)	15,15,17	1.06	1 (6%)
10	MAN	f	5	10	11,11,12	1.79	1 (9%)	15,15,17	1.13	0
10	MAN	f	6	10	11,11,12	1.84	2 (18%)	15,15,17	1.03	1 (6%)
11	NAG	g	1	11,1	14,14,15	1.99	3 (21%)	17,19,21	0.93	1 (5%)
11	NAG	g	2	11	14,14,15	2.12	2 (14%)	17,19,21	0.84	0
11	BMA	g	3	11	11,11,12	1.87	2 (18%)	15,15,17	1.45	2 (13%)
11	MAN	g	4	11	11,11,12	1.84	2 (18%)	15,15,17	1.04	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	O	1	7,1	-	4/6/23/26	0/1/1/1
7	NAG	O	2	7	-	0/6/23/26	0/1/1/1
7	NAG	P	1	7	-	3/6/26/26	0/1/1/1
7	NAG	P	2	7	-	2/6/23/26	0/1/1/1
8	NAG	Q	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Q	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Q	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Q	4	8	-	1/2/19/22	0/1/1/1
8	MAN	Q	5	8	-	1/2/19/22	0/1/1/1
7	NAG	R	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	R	2	7	-	2/6/23/26	0/1/1/1
9	NAG	S	1	9,1	-	2/6/23/26	0/1/1/1
9	NAG	S	2	9	-	0/6/23/26	0/1/1/1
9	BMA	S	3	9	-	1/2/19/22	0/1/1/1
10	NAG	T	1	10,1	-	0/6/23/26	0/1/1/1
10	NAG	T	2	10	-	1/6/23/26	0/1/1/1
10	BMA	T	3	10	-	2/2/19/22	0/1/1/1
10	MAN	T	4	10	-	1/2/19/22	0/1/1/1
10	MAN	T	5	10	-	2/2/19/22	0/1/1/1
10	MAN	T	6	10	-	1/2/19/22	0/1/1/1
8	NAG	U	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	U	2	8	-	1/6/23/26	0/1/1/1
8	BMA	U	3	8	-	1/2/19/22	0/1/1/1
8	MAN	U	4	8	-	1/2/19/22	0/1/1/1
8	MAN	U	5	8	-	2/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	V	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	V	2	7	-	2/6/23/26	0/1/1/1
7	NAG	W	1	7	-	1/6/26/26	0/1/1/1
7	NAG	W	2	7	-	1/6/23/26	0/1/1/1
7	NAG	X	1	7,1	-	0/6/23/26	0/1/1/1
7	NAG	X	2	7	-	2/6/23/26	0/1/1/1
8	NAG	Y	1	1,8	-	0/6/23/26	0/1/1/1
8	NAG	Y	2	8	-	0/6/23/26	0/1/1/1
8	BMA	Y	3	8	-	0/2/19/22	0/1/1/1
8	MAN	Y	4	8	-	1/2/19/22	0/1/1/1
8	MAN	Y	5	8	-	1/2/19/22	0/1/1/1
9	NAG	Z	1	9,1	-	2/6/23/26	0/1/1/1
9	NAG	Z	2	9	-	0/6/23/26	0/1/1/1
9	BMA	Z	3	9	-	1/2/19/22	0/1/1/1
10	NAG	a	1	10,1	-	0/6/23/26	0/1/1/1
10	NAG	a	2	10	-	1/6/23/26	0/1/1/1
10	BMA	a	3	10	-	0/2/19/22	0/1/1/1
10	MAN	a	4	10	-	1/2/19/22	0/1/1/1
10	MAN	a	5	10	-	2/2/19/22	0/1/1/1
10	MAN	a	6	10	-	1/2/19/22	0/1/1/1
11	NAG	b	1	11,1	-	0/6/23/26	0/1/1/1
11	NAG	b	2	11	-	0/6/23/26	0/1/1/1
11	BMA	b	3	11	-	2/2/19/22	0/1/1/1
11	MAN	b	4	11	-	1/2/19/22	0/1/1/1
7	NAG	c	1	7	-	0/6/26/26	0/1/1/1
7	NAG	c	2	7	-	1/6/23/26	0/1/1/1
7	NAG	d	1	7	-	0/6/26/26	0/1/1/1
7	NAG	d	2	7	-	2/6/23/26	0/1/1/1
8	NAG	e	1	8	-	3/6/26/26	0/1/1/1
8	NAG	e	2	8	-	0/6/23/26	0/1/1/1
8	BMA	e	3	8	-	0/2/19/22	0/1/1/1
8	MAN	e	4	8	-	1/2/19/22	0/1/1/1
8	MAN	e	5	8	-	1/2/19/22	0/1/1/1
10	NAG	f	1	10,1	-	0/6/23/26	0/1/1/1
10	NAG	f	2	10	-	1/6/23/26	0/1/1/1
10	BMA	f	3	10	-	2/2/19/22	0/1/1/1
10	MAN	f	4	10	-	1/2/19/22	0/1/1/1
10	MAN	f	5	10	-	1/2/19/22	0/1/1/1
10	MAN	f	6	10	-	1/2/19/22	0/1/1/1
11	NAG	g	1	11,1	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	NAG	g	2	11	-	0/6/23/26	0/1/1/1
11	BMA	g	3	11	-	2/2/19/22	0/1/1/1
11	MAN	g	4	11	-	1/2/19/22	0/1/1/1

All (156) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	W	2	NAG	O5-C1	7.20	1.55	1.43
11	b	2	NAG	O5-C1	6.92	1.55	1.43
7	R	2	NAG	O5-C1	6.89	1.55	1.43
7	P	2	NAG	O5-C1	6.86	1.55	1.43
7	V	2	NAG	O5-C1	6.81	1.55	1.43
7	X	2	NAG	O5-C1	6.81	1.55	1.43
7	d	2	NAG	O5-C1	6.77	1.55	1.43
11	g	2	NAG	O5-C1	6.75	1.55	1.43
9	S	2	NAG	O5-C1	6.67	1.54	1.43
7	c	2	NAG	O5-C1	6.61	1.54	1.43
9	Z	2	NAG	O5-C1	6.56	1.54	1.43
10	f	2	NAG	O5-C1	6.55	1.54	1.43
8	Y	1	NAG	O5-C1	6.51	1.54	1.43
9	S	1	NAG	O5-C1	6.49	1.54	1.43
8	U	2	NAG	O5-C1	6.42	1.54	1.43
9	Z	1	NAG	O5-C1	6.33	1.54	1.43
10	a	2	NAG	O5-C1	6.31	1.54	1.43
8	U	1	NAG	O5-C1	6.28	1.54	1.43
10	T	2	NAG	O5-C1	6.27	1.54	1.43
8	Y	2	NAG	O5-C1	6.27	1.54	1.43
7	X	1	NAG	O5-C1	6.25	1.54	1.43
11	g	1	NAG	O5-C1	6.19	1.54	1.43
11	b	1	NAG	O5-C1	6.17	1.54	1.43
8	Q	1	NAG	O5-C1	6.16	1.54	1.43
8	Q	2	NAG	O5-C1	6.14	1.54	1.43
10	f	1	NAG	O5-C1	6.11	1.54	1.43
8	e	2	NAG	O5-C1	6.11	1.54	1.43
10	a	1	NAG	O5-C1	6.01	1.53	1.43
7	R	1	NAG	O5-C1	5.87	1.53	1.43
10	T	1	NAG	O5-C1	5.86	1.53	1.43
7	V	1	NAG	O5-C1	5.61	1.53	1.43
7	P	1	NAG	O5-C1	5.03	1.55	1.42
7	d	1	NAG	O5-C1	4.67	1.54	1.42
7	W	1	NAG	O5-C1	4.57	1.54	1.42
11	g	3	BMA	O2-C2	-4.39	1.34	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	c	1	NAG	O5-C1	4.37	1.53	1.42
10	f	5	MAN	O2-C2	-4.30	1.34	1.43
8	e	1	NAG	O5-C1	4.29	1.53	1.42
10	T	5	MAN	O2-C2	-4.27	1.34	1.43
8	Q	3	BMA	O2-C2	-4.26	1.34	1.43
10	T	6	MAN	O2-C2	-4.26	1.34	1.43
8	Q	5	MAN	O2-C2	-4.25	1.34	1.43
10	f	6	MAN	O2-C2	-4.24	1.34	1.43
10	a	6	MAN	O2-C2	-4.24	1.34	1.43
9	S	3	BMA	O2-C2	-4.22	1.34	1.43
8	Y	4	MAN	O2-C2	-4.22	1.34	1.43
8	e	4	MAN	O2-C2	-4.22	1.34	1.43
8	e	3	BMA	O2-C2	-4.21	1.34	1.43
8	Y	5	MAN	O2-C2	-4.20	1.34	1.43
10	f	3	BMA	O2-C2	-4.20	1.34	1.43
8	Y	3	BMA	O2-C2	-4.18	1.34	1.43
8	Q	4	MAN	O2-C2	-4.18	1.34	1.43
10	T	3	BMA	O2-C2	-4.17	1.34	1.43
8	e	5	MAN	O2-C2	-4.17	1.34	1.43
10	a	3	BMA	O2-C2	-4.15	1.34	1.43
7	c	1	NAG	C1-C2	-4.15	1.48	1.52
9	Z	3	BMA	O2-C2	-4.14	1.34	1.43
10	a	5	MAN	O2-C2	-4.13	1.34	1.43
11	b	3	BMA	O2-C2	-4.13	1.34	1.43
8	U	3	BMA	O2-C2	-4.13	1.34	1.43
11	g	4	MAN	O2-C2	-4.13	1.34	1.43
8	U	5	MAN	O2-C2	-4.11	1.34	1.43
11	b	4	MAN	O2-C2	-4.04	1.34	1.43
7	P	1	NAG	C3-C2	-3.70	1.46	1.53
10	f	4	MAN	O2-C2	-3.62	1.35	1.43
7	c	1	NAG	C3-C2	-3.51	1.46	1.53
7	W	1	NAG	C1-C2	-3.29	1.49	1.52
10	T	4	MAN	O2-C2	-3.26	1.36	1.43
10	a	4	MAN	O2-C2	-3.24	1.36	1.43
8	e	1	NAG	C3-C2	-3.23	1.47	1.53
8	e	1	NAG	C1-C2	-3.19	1.49	1.52
9	Z	1	NAG	C3-C2	-3.09	1.46	1.52
10	T	2	NAG	C1-C2	-3.05	1.48	1.52
7	c	1	NAG	C4-C5	2.92	1.59	1.53
7	d	1	NAG	C3-C2	-2.80	1.48	1.53
7	P	1	NAG	C1-C2	-2.73	1.49	1.52
10	T	2	NAG	C3-C2	-2.73	1.46	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	Y	1	NAG	C3-C2	-2.72	1.46	1.52
10	f	3	BMA	C2-C3	-2.70	1.48	1.52
10	T	1	NAG	C3-C2	-2.69	1.46	1.52
9	S	1	NAG	C3-C2	-2.67	1.46	1.52
8	Q	1	NAG	C3-C2	-2.67	1.46	1.52
7	V	1	NAG	C4-C5	2.65	1.58	1.53
7	W	1	NAG	C4-C3	2.61	1.59	1.52
10	f	1	NAG	C3-C2	-2.61	1.47	1.52
7	W	1	NAG	C3-C2	-2.55	1.48	1.53
8	U	4	MAN	O2-C2	-2.54	1.38	1.43
10	a	3	BMA	C2-C3	-2.53	1.48	1.52
10	f	2	NAG	C3-C2	-2.52	1.47	1.52
8	Y	2	NAG	C3-C2	-2.47	1.47	1.52
10	T	3	BMA	C2-C3	-2.46	1.48	1.52
7	d	1	NAG	C1-C2	-2.46	1.50	1.52
8	Q	2	NAG	C3-C2	-2.46	1.47	1.52
8	e	2	NAG	C3-C2	-2.45	1.47	1.52
8	e	2	NAG	C1-C2	-2.45	1.49	1.52
7	V	1	NAG	C4-C3	2.45	1.58	1.52
11	b	4	MAN	C2-C3	-2.41	1.48	1.52
8	U	2	NAG	C4-C3	2.41	1.58	1.52
11	g	4	MAN	C2-C3	-2.39	1.48	1.52
8	U	5	MAN	C2-C3	-2.37	1.48	1.52
8	e	3	BMA	C2-C3	-2.37	1.48	1.52
10	T	5	MAN	C2-C3	-2.34	1.48	1.52
10	a	2	NAG	C3-C2	-2.34	1.47	1.52
7	c	2	NAG	C3-C2	-2.32	1.47	1.52
11	b	2	NAG	C3-C2	-2.32	1.47	1.52
11	g	1	NAG	C4-C3	2.32	1.58	1.52
7	R	1	NAG	C4-C3	2.30	1.58	1.52
11	g	2	NAG	C3-C2	-2.29	1.47	1.52
8	Q	2	NAG	C1-C2	-2.28	1.49	1.52
8	U	1	NAG	C3-C2	-2.27	1.47	1.52
8	e	4	MAN	C2-C3	-2.27	1.49	1.52
7	V	2	NAG	C3-C2	-2.26	1.47	1.52
8	Y	2	NAG	C1-C2	-2.25	1.49	1.52
10	f	6	MAN	C2-C3	-2.25	1.49	1.52
10	a	1	NAG	C3-C2	-2.25	1.47	1.52
9	S	2	NAG	C3-C2	-2.22	1.47	1.52
10	a	2	NAG	C4-C3	2.22	1.58	1.52
7	X	2	NAG	C3-C2	-2.21	1.47	1.52
9	Z	3	BMA	C2-C3	-2.21	1.49	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	a	6	MAN	C2-C3	-2.19	1.49	1.52
7	X	1	NAG	C3-C2	-2.19	1.47	1.52
8	Q	5	MAN	C2-C3	-2.19	1.49	1.52
7	P	1	NAG	C4-C5	2.18	1.57	1.53
10	f	1	NAG	C4-C3	2.17	1.58	1.52
9	S	3	BMA	C2-C3	-2.17	1.49	1.52
8	Q	4	MAN	C2-C3	-2.17	1.49	1.52
8	e	1	NAG	C4-C5	2.16	1.57	1.53
7	d	2	NAG	C3-C2	-2.15	1.48	1.52
10	T	2	NAG	C4-C3	2.14	1.57	1.52
11	b	1	NAG	C4-C3	2.14	1.57	1.52
7	d	1	NAG	C4-C3	2.14	1.57	1.52
8	e	5	MAN	C2-C3	-2.13	1.49	1.52
9	Z	2	NAG	C3-C2	-2.11	1.48	1.52
7	R	1	NAG	C3-C2	-2.10	1.48	1.52
8	Y	5	MAN	C2-C3	-2.10	1.49	1.52
9	S	1	NAG	C4-C3	2.09	1.57	1.52
8	Y	3	BMA	C2-C3	-2.09	1.49	1.52
11	b	1	NAG	C3-C2	-2.09	1.48	1.52
10	a	1	NAG	C4-C3	2.09	1.57	1.52
8	U	1	NAG	C4-C3	2.08	1.57	1.52
11	g	3	BMA	O3-C3	2.08	1.48	1.43
8	U	2	NAG	C3-C2	-2.07	1.48	1.52
7	V	1	NAG	C3-C2	-2.07	1.48	1.52
8	U	2	NAG	C1-C2	-2.06	1.49	1.52
8	Y	4	MAN	C2-C3	-2.06	1.49	1.52
7	d	1	NAG	C4-C5	2.05	1.57	1.53
8	Y	2	NAG	C4-C5	2.04	1.57	1.53
7	X	1	NAG	C4-C3	2.04	1.57	1.52
7	P	2	NAG	C3-C2	-2.04	1.48	1.52
8	Q	4	MAN	O5-C1	2.04	1.47	1.43
11	b	1	NAG	C4-C5	2.03	1.57	1.53
7	R	2	NAG	C3-C2	-2.03	1.48	1.52
8	Y	4	MAN	O5-C1	2.02	1.47	1.43
11	g	1	NAG	C4-C5	2.00	1.57	1.53
10	T	6	MAN	C2-C3	-2.00	1.49	1.52
9	Z	2	NAG	C4-C3	2.00	1.57	1.52

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	P	1	NAG	O4-C4-C5	4.34	120.02	109.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	c	1	NAG	O4-C4-C3	-3.66	101.75	110.38
7	V	1	NAG	O5-C5-C6	-3.62	100.62	107.66
11	g	3	BMA	C2-C3-C4	-3.50	104.71	110.86
7	c	1	NAG	C3-C4-C5	-3.49	103.91	110.23
8	e	1	NAG	C1-C2-N2	-3.45	106.73	110.73
7	V	1	NAG	C3-C4-C5	-3.43	104.02	110.23
7	W	2	NAG	C1-O5-C5	3.24	116.53	112.19
8	Y	1	NAG	C3-C4-C5	-3.12	104.58	110.23
8	U	3	BMA	C2-C3-C4	-3.12	105.38	110.86
11	b	3	BMA	C2-C3-C4	-3.05	105.49	110.86
7	c	1	NAG	O4-C4-C5	2.97	116.64	109.32
10	a	2	NAG	C3-C4-C5	-2.96	104.86	110.23
10	f	3	BMA	C2-C3-C4	-2.96	105.66	110.86
7	V	2	NAG	C4-C3-C2	-2.85	106.85	111.02
8	Y	3	BMA	O3-C3-C4	2.82	117.03	110.38
7	R	1	NAG	C3-C4-C5	-2.81	105.14	110.23
8	e	3	BMA	O3-C3-C4	2.80	116.98	110.38
9	S	1	NAG	C4-C3-C2	-2.79	106.93	111.02
10	T	2	NAG	C2-N2-C7	-2.79	119.17	122.90
7	W	2	NAG	O5-C1-C2	-2.72	107.09	111.29
10	f	4	MAN	O2-C2-C1	-2.70	103.03	109.22
9	Z	1	NAG	O4-C4-C5	2.67	115.91	109.32
10	T	3	BMA	C2-C3-C4	-2.66	106.18	110.86
10	a	3	BMA	C2-C3-C4	-2.60	106.29	110.86
10	T	3	BMA	O3-C3-C2	-2.58	104.79	110.05
11	b	4	MAN	C2-C3-C4	-2.56	106.37	110.86
7	c	1	NAG	C1-C2-N2	-2.55	107.77	110.73
10	T	4	MAN	O2-C2-C1	-2.55	103.39	109.22
10	a	4	MAN	O2-C2-C1	-2.52	103.46	109.22
7	V	1	NAG	O4-C4-C3	-2.50	104.48	110.38
9	Z	1	NAG	C4-C3-C2	-2.49	107.36	111.02
9	S	1	NAG	O4-C4-C5	2.46	115.38	109.32
11	g	1	NAG	C3-C4-C5	-2.44	105.81	110.23
8	Q	1	NAG	C1-O5-C5	-2.42	108.94	112.19
8	Y	2	NAG	C4-C3-C2	-2.40	107.50	111.02
9	Z	1	NAG	C1-O5-C5	-2.39	108.98	112.19
10	f	2	NAG	C3-C4-C5	-2.39	105.91	110.23
7	c	2	NAG	C1-O5-C5	-2.38	109.00	112.19
11	g	4	MAN	C2-C3-C4	-2.37	106.69	110.86
8	Q	2	NAG	C4-C3-C2	-2.36	107.56	111.02
10	T	4	MAN	O2-C2-C3	2.34	114.99	110.15
8	U	5	MAN	C2-C3-C4	-2.33	106.76	110.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	b	1	NAG	C3-C4-C5	-2.31	106.05	110.23
8	e	1	NAG	O4-C4-C3	-2.29	104.98	110.38
8	e	1	NAG	O5-C1-C2	2.28	111.81	109.52
10	a	2	NAG	O4-C4-C5	-2.26	103.76	109.32
8	e	4	MAN	C2-C3-C4	-2.26	106.89	110.86
11	g	3	BMA	O3-C3-C2	2.26	114.66	110.05
10	T	3	BMA	C1-C2-C3	2.25	112.92	109.64
7	X	1	NAG	C3-C4-C5	-2.25	106.16	110.23
8	Q	4	MAN	C2-C3-C4	-2.25	106.91	110.86
9	S	1	NAG	C1-O5-C5	-2.24	109.19	112.19
7	R	1	NAG	C1-C2-N2	-2.22	106.94	110.43
10	a	1	NAG	C1-O5-C5	-2.21	109.22	112.19
10	T	2	NAG	C4-C3-C2	-2.21	107.78	111.02
10	T	5	MAN	C2-C3-C4	-2.21	106.97	110.86
8	Y	1	NAG	O4-C4-C3	-2.20	105.19	110.38
7	c	2	NAG	C4-C3-C2	-2.17	107.83	111.02
10	T	1	NAG	C1-O5-C5	-2.17	109.28	112.19
8	Y	4	MAN	C1-C2-C3	2.17	112.80	109.64
8	Y	5	MAN	C2-C3-C4	-2.17	107.05	110.86
9	S	3	BMA	C2-C3-C4	-2.16	107.07	110.86
10	f	3	BMA	C1-C2-C3	2.14	112.76	109.64
11	g	4	MAN	C1-C2-C3	2.14	112.76	109.64
7	W	1	NAG	C1-C2-N2	-2.13	108.26	110.73
8	Y	4	MAN	C2-C3-C4	-2.13	107.12	110.86
8	U	5	MAN	C1-C2-C3	2.12	112.74	109.64
11	b	4	MAN	C1-C2-C3	2.12	112.73	109.64
8	e	5	MAN	C2-C3-C4	-2.12	107.14	110.86
7	d	2	NAG	C4-C3-C2	-2.12	107.92	111.02
7	W	1	NAG	O5-C1-C2	2.11	111.64	109.52
8	Q	1	NAG	C3-C4-C5	-2.11	106.41	110.23
10	f	6	MAN	C2-C3-C4	-2.10	107.17	110.86
8	e	2	NAG	O5-C5-C6	-2.09	103.60	107.66
10	T	4	MAN	C3-C4-C5	-2.09	106.45	110.23
8	e	1	NAG	C1-O5-C5	-2.06	109.67	113.65
7	d	1	NAG	C3-C4-C5	-2.05	106.51	110.23
8	e	2	NAG	C1-O5-C5	-2.04	109.45	112.19
8	Q	5	MAN	C2-C3-C4	-2.04	107.28	110.86
8	Q	4	MAN	C1-C2-C3	2.03	112.59	109.64
7	V	1	NAG	C4-C3-C2	2.02	113.98	111.02
10	f	1	NAG	C1-O5-C5	-2.02	109.48	112.19
10	T	6	MAN	C2-C3-C4	-2.01	107.32	110.86
10	T	5	MAN	C1-C2-C3	2.01	112.57	109.64

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	e	1	NAG	C3-C4-C5	-2.01	106.59	110.23

There are no chirality outliers.

All (65) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	b	3	BMA	C4-C5-C6-O6
7	P	1	NAG	O5-C5-C6-O6
7	V	2	NAG	C4-C5-C6-O6
8	e	1	NAG	O5-C5-C6-O6
10	T	5	MAN	O5-C5-C6-O6
7	P	2	NAG	O5-C5-C6-O6
7	X	2	NAG	O5-C5-C6-O6
7	O	1	NAG	C8-C7-N2-C2
8	U	5	MAN	O5-C5-C6-O6
7	d	2	NAG	O5-C5-C6-O6
11	b	3	BMA	O5-C5-C6-O6
7	V	2	NAG	O5-C5-C6-O6
7	R	2	NAG	O5-C5-C6-O6
10	a	5	MAN	O5-C5-C6-O6
7	O	1	NAG	O7-C7-N2-C2
7	P	2	NAG	C4-C5-C6-O6
10	a	4	MAN	O5-C5-C6-O6
7	W	2	NAG	O5-C5-C6-O6
8	U	2	NAG	O5-C5-C6-O6
9	S	3	BMA	O5-C5-C6-O6
11	g	4	MAN	O5-C5-C6-O6
7	P	1	NAG	C4-C5-C6-O6
9	Z	3	BMA	O5-C5-C6-O6
8	e	1	NAG	C4-C5-C6-O6
8	e	5	MAN	O5-C5-C6-O6
10	T	6	MAN	O5-C5-C6-O6
10	T	3	BMA	O5-C5-C6-O6
8	Y	4	MAN	O5-C5-C6-O6
8	U	4	MAN	O5-C5-C6-O6
10	f	4	MAN	O5-C5-C6-O6
8	e	4	MAN	O5-C5-C6-O6
8	Q	4	MAN	O5-C5-C6-O6
10	f	3	BMA	C4-C5-C6-O6
9	S	1	NAG	O5-C5-C6-O6
10	a	6	MAN	O5-C5-C6-O6
10	f	6	MAN	O5-C5-C6-O6

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
10	T	3	BMA	C4-C5-C6-O6
8	Y	5	MAN	O5-C5-C6-O6
10	f	5	MAN	O5-C5-C6-O6
11	g	3	BMA	O5-C5-C6-O6
10	T	4	MAN	O5-C5-C6-O6
8	U	3	BMA	O5-C5-C6-O6
7	c	2	NAG	O5-C5-C6-O6
10	a	2	NAG	O5-C5-C6-O6
10	T	5	MAN	C4-C5-C6-O6
10	f	2	NAG	O5-C5-C6-O6
10	T	2	NAG	O5-C5-C6-O6
11	b	4	MAN	O5-C5-C6-O6
8	Q	5	MAN	O5-C5-C6-O6
9	S	1	NAG	C4-C5-C6-O6
9	Z	1	NAG	O5-C5-C6-O6
11	g	3	BMA	C4-C5-C6-O6
8	U	5	MAN	C4-C5-C6-O6
7	O	1	NAG	C3-C2-N2-C7
7	P	1	NAG	C1-C2-N2-C7
10	f	3	BMA	O5-C5-C6-O6
7	X	2	NAG	C4-C5-C6-O6
10	a	5	MAN	C4-C5-C6-O6
7	d	2	NAG	C4-C5-C6-O6
9	Z	1	NAG	C4-C5-C6-O6
7	O	1	NAG	C1-C2-N2-C7
11	g	1	NAG	C1-C2-N2-C7
8	e	1	NAG	C1-C2-N2-C7
7	R	2	NAG	C4-C5-C6-O6
7	W	1	NAG	O5-C5-C6-O6


There are no ring outliers.


2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	O	1	NAG	4	0
8	Y	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











































Oligosaccharide Chain f



Oligosaccharide Chain b





5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
12	NAG	G	603	1	14,14,15	2.07	2 (14%)	17,19,21	0.88	0
12	NAG	G	602	1	14,14,15	2.07	2 (14%)	17,19,21	0.76	0
12	NAG	G	610	-	15,15,15	1.83	3 (20%)	21,21,21	0.77	0
12	NAG	G	611	1	14,14,15	2.07	2 (14%)	17,19,21	0.75	0
12	NAG	A	603	1	14,14,15	2.10	2 (14%)	17,19,21	1.01	1 (5%)
12	NAG	G	625	1	14,14,15	2.11	2 (14%)	17,19,21	0.83	0
12	NAG	G	601	1	14,14,15	2.10	2 (14%)	17,19,21	1.34	2 (11%)
12	NAG	A	631	1	14,14,15	2.11	3 (21%)	17,19,21	0.87	1 (5%)
12	NAG	H	629	1	14,14,15	2.04	2 (14%)	17,19,21	0.85	1 (5%)
12	NAG	A	611	-	15,15,15	1.77	3 (20%)	21,21,21	1.02	1 (4%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NAG	H	601	1	14,14,15	2.06	2 (14%)	17,19,21	1.15	2 (11%)
12	NAG	H	630	1	14,14,15	2.09	2 (14%)	17,19,21	0.80	0
12	NAG	G	624	1	14,14,15	2.07	2 (14%)	17,19,21	0.66	0
12	NAG	G	623	1	14,14,15	2.04	2 (14%)	17,19,21	0.93	1 (5%)
12	NAG	G	609	1	14,14,15	2.09	2 (14%)	17,19,21	0.86	1 (5%)
12	NAG	A	632	1	14,14,15	2.00	2 (14%)	17,19,21	0.97	0
12	NAG	G	612	-	15,15,15	1.85	3 (20%)	21,21,21	0.84	0
12	NAG	H	612	1	14,14,15	2.05	2 (14%)	17,19,21	0.90	0
12	NAG	I	701	2	14,14,15	0.39	0	17,19,21	0.48	0
12	NAG	A	612	-	15,15,15	1.86	3 (20%)	21,21,21	0.75	0
12	NAG	H	602	1	14,14,15	2.10	2 (14%)	17,19,21	0.72	0
12	NAG	H	628	-	15,15,15	1.80	3 (20%)	21,21,21	0.97	2 (9%)
12	NAG	H	610	-	15,15,15	1.76	2 (13%)	21,21,21	1.01	1 (4%)
12	NAG	H	611	-	15,15,15	1.82	3 (20%)	21,21,21	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	G	603	1	-	1/6/23/26	0/1/1/1
12	NAG	G	602	1	-	1/6/23/26	0/1/1/1
12	NAG	G	610	-	-	2/6/26/26	0/1/1/1
12	NAG	G	611	1	-	1/6/23/26	0/1/1/1
12	NAG	A	603	1	-	2/6/23/26	0/1/1/1
12	NAG	G	625	1	-	1/6/23/26	0/1/1/1
12	NAG	G	601	1	-	2/6/23/26	0/1/1/1
12	NAG	A	631	1	-	1/6/23/26	0/1/1/1
12	NAG	H	629	1	-	2/6/23/26	0/1/1/1
12	NAG	A	611	-	-	4/6/26/26	0/1/1/1
12	NAG	H	601	1	-	2/6/23/26	0/1/1/1
12	NAG	H	630	1	-	1/6/23/26	0/1/1/1
12	NAG	G	624	1	-	1/6/23/26	0/1/1/1
12	NAG	G	623	1	-	1/6/23/26	0/1/1/1
12	NAG	G	609	1	-	2/6/23/26	0/1/1/1
12	NAG	A	632	1	-	1/6/23/26	0/1/1/1
12	NAG	G	612	-	-	2/6/26/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
12	NAG	H	612	1	-	1/6/23/26	0/1/1/1
12	NAG	I	701	2	-	2/6/23/26	0/1/1/1
12	NAG	A	612	-	-	2/6/26/26	0/1/1/1
12	NAG	H	602	1	-	1/6/23/26	0/1/1/1
12	NAG	H	628	-	-	2/6/26/26	0/1/1/1
12	NAG	H	610	-	-	3/6/26/26	0/1/1/1
12	NAG	H	611	-	-	2/6/26/26	0/1/1/1

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	A	631	NAG	O5-C1	6.86	1.55	1.43
12	G	625	NAG	O5-C1	6.81	1.55	1.43
12	G	609	NAG	O5-C1	6.80	1.55	1.43
12	H	602	NAG	O5-C1	6.77	1.55	1.43
12	A	603	NAG	O5-C1	6.77	1.55	1.43
12	G	624	NAG	O5-C1	6.77	1.55	1.43
12	G	603	NAG	O5-C1	6.73	1.55	1.43
12	H	630	NAG	O5-C1	6.70	1.54	1.43
12	G	602	NAG	O5-C1	6.64	1.54	1.43
12	H	612	NAG	O5-C1	6.59	1.54	1.43
12	G	601	NAG	O5-C1	6.58	1.54	1.43
12	G	611	NAG	O5-C1	6.56	1.54	1.43
12	H	601	NAG	O5-C1	6.50	1.54	1.43
12	H	629	NAG	O5-C1	6.42	1.54	1.43
12	A	632	NAG	O5-C1	6.41	1.54	1.43
12	G	623	NAG	O5-C1	6.38	1.54	1.43
12	A	612	NAG	O5-C1	5.02	1.55	1.42
12	G	610	NAG	O5-C1	4.99	1.55	1.42
12	G	612	NAG	O5-C1	4.99	1.55	1.42
12	A	611	NAG	O5-C1	4.94	1.54	1.42
12	H	610	NAG	O5-C1	4.86	1.54	1.42
12	H	611	NAG	O5-C1	4.86	1.54	1.42
12	H	628	NAG	O5-C1	4.86	1.54	1.42
12	H	611	NAG	C3-C2	-3.09	1.47	1.53
12	A	612	NAG	C3-C2	-3.05	1.47	1.53
12	H	610	NAG	C3-C2	-3.01	1.47	1.53
12	G	610	NAG	C1-C2	-2.96	1.49	1.52
12	A	611	NAG	C3-C2	-2.92	1.47	1.53
12	G	612	NAG	C1-C2	-2.91	1.49	1.52
12	A	612	NAG	C1-C2	-2.90	1.49	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	H	611	NAG	C1-C2	-2.83	1.49	1.52
12	G	610	NAG	C3-C2	-2.82	1.47	1.53
12	H	628	NAG	C1-C2	-2.82	1.49	1.52
12	H	628	NAG	C3-C2	-2.78	1.48	1.53
12	G	612	NAG	C3-C2	-2.77	1.48	1.53
12	G	602	NAG	C3-C2	-2.50	1.47	1.52
12	H	602	NAG	C3-C2	-2.44	1.47	1.52
12	A	603	NAG	C3-C2	-2.44	1.47	1.52
12	G	601	NAG	C3-C2	-2.36	1.47	1.52
12	A	611	NAG	C1-C2	-2.31	1.50	1.52
12	G	623	NAG	C3-C2	-2.30	1.47	1.52
12	H	630	NAG	C3-C2	-2.29	1.47	1.52
12	G	611	NAG	C3-C2	-2.27	1.47	1.52
12	H	601	NAG	C3-C2	-2.27	1.47	1.52
12	H	612	NAG	C3-C2	-2.25	1.47	1.52
12	A	631	NAG	C3-C2	-2.24	1.47	1.52
12	G	625	NAG	C3-C2	-2.24	1.47	1.52
12	G	603	NAG	C3-C2	-2.22	1.47	1.52
12	H	629	NAG	C3-C2	-2.18	1.47	1.52
12	A	632	NAG	C3-C2	-2.13	1.48	1.52
12	G	624	NAG	C3-C2	-2.13	1.48	1.52
12	G	609	NAG	C3-C2	-2.05	1.48	1.52
12	A	631	NAG	C4-C3	2.01	1.57	1.52

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	G	601	NAG	C4-C3-C2	-3.64	105.69	111.02
12	H	601	NAG	C4-C3-C2	-3.33	106.14	111.02
12	H	610	NAG	C4-C3-C2	-2.82	106.29	110.40
12	A	611	NAG	C4-C3-C2	-2.69	106.49	110.40
12	G	623	NAG	C4-C3-C2	-2.53	107.31	111.02
12	A	631	NAG	C4-C3-C2	-2.44	107.44	111.02
12	H	629	NAG	C4-C3-C2	-2.40	107.50	111.02
12	H	628	NAG	C4-C3-C2	-2.35	106.98	110.40
12	A	603	NAG	C4-C3-C2	-2.33	107.60	111.02
12	G	601	NAG	C2-N2-C7	-2.31	119.80	122.90
12	H	601	NAG	C1-O5-C5	-2.04	109.45	112.19
12	G	609	NAG	O5-C1-C2	-2.01	108.18	111.29
12	H	628	NAG	O7-C7-N2	-2.01	118.42	121.98

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
12	A	611	NAG	C1-C2-N2-C7
12	H	610	NAG	C1-C2-N2-C7
12	H	611	NAG	O5-C5-C6-O6
12	A	611	NAG	O5-C5-C6-O6
12	A	612	NAG	O5-C5-C6-O6
12	G	601	NAG	O5-C5-C6-O6
12	G	610	NAG	O5-C5-C6-O6
12	H	628	NAG	O5-C5-C6-O6
12	G	609	NAG	O5-C5-C6-O6
12	G	612	NAG	O5-C5-C6-O6
12	H	601	NAG	O5-C5-C6-O6
12	A	603	NAG	O5-C5-C6-O6
12	H	629	NAG	O5-C5-C6-O6
12	H	628	NAG	C4-C5-C6-O6
12	G	612	NAG	C4-C5-C6-O6
12	A	611	NAG	C4-C5-C6-O6
12	G	602	NAG	O5-C5-C6-O6
12	G	623	NAG	O5-C5-C6-O6
12	H	610	NAG	O5-C5-C6-O6
12	A	632	NAG	O5-C5-C6-O6
12	A	631	NAG	O5-C5-C6-O6
12	G	603	NAG	O5-C5-C6-O6
12	H	611	NAG	C4-C5-C6-O6
12	H	602	NAG	O5-C5-C6-O6
12	G	611	NAG	O5-C5-C6-O6
12	A	612	NAG	C4-C5-C6-O6
12	G	624	NAG	O5-C5-C6-O6
12	G	601	NAG	C4-C5-C6-O6
12	G	610	NAG	C4-C5-C6-O6
12	I	701	NAG	O5-C5-C6-O6
12	H	630	NAG	O5-C5-C6-O6
12	H	612	NAG	O5-C5-C6-O6
12	G	625	NAG	O5-C5-C6-O6
12	A	603	NAG	C4-C5-C6-O6
12	H	629	NAG	C4-C5-C6-O6
12	G	609	NAG	C4-C5-C6-O6
12	H	601	NAG	C4-C5-C6-O6
12	I	701	NAG	C3-C2-N2-C7
12	A	611	NAG	C3-C2-N2-C7
12	H	610	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	I	701	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-21232. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 150




Y Index: 150




Z Index: 150


6.2.2 Raw map



X Index: 150



Y Index: 150




Z Index: 150


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 160




Y Index: 164




Z Index: 165


6.3.2 Raw map



X Index: 161



Y Index: 164




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.7. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_21232_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 178 nm^3 ; this corresponds to an approximate mass of 161 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.226 $\text{\AA}^{-1}$

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.226 $\text{\AA}^{-1}$

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.42	-	-
Author-provided FSC curve	4.42	5.96	4.50
Unmasked-calculated*	7.69	10.10	7.96

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.69 differs from the reported value 4.42 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-21232 and PDB model 6VLR. Per-residue inclusion information can be found in section 3 on page 11.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.7 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.7).

9.4 Atom inclusion [i](#)



At the recommended contour level, 90% of all backbone atoms, 67% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6690	 0.3370
A	 0.7000	 0.3610
B	 0.7020	 0.3200
C	 0.6350	 0.2800
D	 0.6500	 0.2900
E	 0.6590	 0.2830
F	 0.6290	 0.3120
G	 0.6940	 0.3680
H	 0.6770	 0.3570
I	 0.6880	 0.3230
J	 0.6630	 0.3250
K	 0.6540	 0.3130
L	 0.6720	 0.3250
M	 0.6700	 0.3090
N	 0.5750	 0.3100
O	 0.6070	 0.4110
P	 0.5170	 0.3430
Q	 0.5570	 0.4130
R	 0.4640	 0.3720
S	 0.3850	 0.3630
T	 0.8190	 0.4250
U	 0.4260	 0.3210
V	 0.5710	 0.3410
W	 0.3790	 0.3300
X	 0.6070	 0.4350
Y	 0.5740	 0.3930
Z	 0.3850	 0.3460
a	 0.7920	 0.3990
b	 0.5400	 0.3560
c	 0.4480	 0.3190
d	 0.1720	 0.3030
e	 0.5160	 0.4240
f	 0.8330	 0.4500
g	 0.6200	 0.3970

