



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 06:14 PM UTC

PDB ID : 1VM1 / pdb_00001vm1
Title : STRUCTURE OF SHV-1 BETA-LACTAMASE INHIBITED BY TAZOBACTAM
Authors : Kuzin, A.P.; Nukaga, M.; Nukaga, Y.; Hujer, A.; Bonomo, R.A.; Knox, J.R.
Deposited on : 2004-08-27
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	1022 (2.02-2.02)
Ramachandran outliers	187476	1014 (2.02-2.02)
Sidechain outliers	187428	1014 (2.02-2.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	265	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MA4	A	300	X	-	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 2285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-LACTAMASE SHV-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	265	Total	C	N	O	S	0	0	0
			2023	1256	373	383	11			

- Molecule 2 is CYCLOHEXYL-HEXYL-BETA-D-MALTOSIDE (CCD ID: MA4) (formula: $C_{24}H_{44}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			35	24	11		
2	A	1	Total	C		0	0
			7	7			

- Molecule 3 is TAZOBACTAM INTERMEDIATE (CCD ID: TBE) (formula: $C_{10}H_{14}N_4O_5S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			20	10	4	5	1		

- Molecule 4 is ACRYLIC ACID (CCD ID: AKR) (formula: $C_3H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			5	3	2		

- Molecule 5 is TAZOBACTAM (CCD ID: TAZ) (formula: $C_{10}H_{12}N_4O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	S	0	0
			20	10	4	5	1		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	175	Total	O	0	0
			175	175		

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: BETA-LACTAMASE SHV-1



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.20Å 56.10Å 82.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.02	Depositor
% Data completeness (in resolution range)	95.0 (50.00-2.02)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.171 , 0.257	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2285	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AKR, TAZ, TBE, MA4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.05	1/2053 (0.0%)	2.15	83/2781 (3.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	45	GLY	CA-C	5.23	1.56	1.51

All (83) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	34	LYS	CB-CG-CD	18.02	152.74	111.30
1	A	244	ARG	CD-NE-CZ	13.93	143.90	124.40
1	A	292	ARG	CA-C-O	-10.49	102.96	120.80
1	A	163	ASP	CA-CB-CG	9.64	122.24	112.60
1	A	59	ALA	CA-C-O	-8.98	111.62	121.23
1	A	65	ARG	CD-NE-CZ	8.45	136.22	124.40
1	A	209	GLN	OE1-CD-NE2	-8.44	114.17	122.60
1	A	93	ARG	NE-CZ-NH1	-8.42	113.08	121.50
1	A	198	ARG	CA-C-O	-8.03	111.33	120.24
1	A	234	LYS	CG-CD-CE	7.89	129.44	111.30
1	A	150	ALA	O-C-N	-7.68	113.98	122.12
1	A	112	HIS	CA-CB-CG	-7.46	106.34	113.80
1	A	31	GLU	CB-CG-CD	7.33	125.06	112.60
1	A	136	ASN	CA-CB-CG	-7.15	105.45	112.60
1	A	83	ARG	CD-NE-CZ	6.98	134.17	124.40
1	A	145	PRO	CA-C-N	6.93	130.43	120.79
1	A	145	PRO	C-N-CA	6.93	130.43	120.79
1	A	96	HIS	CA-CB-CG	-6.89	106.91	113.80
1	A	292	ARG	NE-CZ-NH2	6.86	125.37	119.20
1	A	270	ALA	N-CA-C	6.79	119.33	110.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	153	ARG	NE-CZ-NH2	6.75	125.28	119.20
1	A	39	GLN	CA-C-O	6.72	127.54	120.42
1	A	267	ASP	CA-CB-CG	-6.54	106.06	112.60
1	A	288	GLU	CB-CG-CD	6.51	123.67	112.60
1	A	51	LEU	CA-C-O	6.48	127.42	120.55
1	A	94	LYS	CA-C-N	-6.46	114.76	123.10
1	A	94	LYS	C-N-CA	-6.46	114.76	123.10
1	A	202	ARG	CA-C-O	-6.46	113.58	120.42
1	A	120	GLY	CA-C-O	6.40	127.44	120.66
1	A	89	GLU	O-C-N	-6.40	115.96	123.25
1	A	285	ALA	CA-C-O	6.32	127.25	120.55
1	A	195	THR	CB-CA-C	-6.30	98.93	109.27
1	A	58	THR	CB-CA-C	-6.22	99.97	109.99
1	A	214	ASP	CA-C-O	-6.18	114.77	120.95
1	A	197	GLN	N-CA-C	-6.02	105.77	112.57
1	A	254	ASN	CA-CB-CG	-5.99	106.61	112.60
1	A	39	GLN	O-C-N	-5.98	115.33	122.15
1	A	272	MET	CA-C-O	-5.93	114.27	120.55
1	A	232	ALA	CA-C-O	-5.87	113.92	120.66
1	A	285	ALA	CA-C-N	5.81	128.00	120.44
1	A	285	ALA	C-N-CA	5.81	128.00	120.44
1	A	202	ARG	NE-CZ-NH2	5.81	124.43	119.20
1	A	146	ALA	CA-C-N	5.78	126.39	119.98
1	A	146	ALA	C-N-CA	5.78	126.39	119.98
1	A	105	TYR	CA-CB-CG	-5.69	103.66	113.90
1	A	134	ALA	CA-C-O	-5.68	114.86	120.82
1	A	172	ALA	N-CA-C	5.66	118.99	111.30
1	A	172	ALA	O-C-N	-5.61	115.55	122.57
1	A	283	GLY	N-CA-C	-5.58	106.02	112.50
1	A	278	GLN	OE1-CD-NE2	-5.53	117.07	122.60
1	A	111	LYS	CA-CB-CG	-5.53	103.04	114.10
1	A	155	ILE	CA-C-O	5.52	126.43	119.48
1	A	246	ILE	O-C-N	5.51	128.48	123.19
1	A	148	LEU	CA-C-O	-5.49	113.66	119.97
1	A	121	GLU	N-CA-C	-5.43	105.44	111.36
1	A	277	GLN	CA-C-O	-5.42	114.67	120.42
1	A	121	GLU	O-C-N	5.41	128.31	122.15
1	A	267	ASP	N-CA-C	5.39	118.77	111.17
1	A	49	MET	CA-C-O	-5.38	114.47	120.66
1	A	90	GLN	CA-C-O	-5.34	114.52	120.66
1	A	255	ASN	CB-CG-ND2	5.33	124.39	116.40
1	A	58	THR	N-CA-CB	5.30	119.67	111.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	150	ALA	CA-C-N	5.28	127.30	120.44
1	A	150	ALA	C-N-CA	5.28	127.30	120.44
1	A	187	ALA	CA-C-N	5.26	127.33	120.28
1	A	187	ALA	C-N-CA	5.26	127.33	120.28
1	A	275	ARG	NH1-CZ-NH2	5.24	126.11	119.30
1	A	202	ARG	CA-C-N	5.23	127.29	120.28
1	A	202	ARG	C-N-CA	5.23	127.29	120.28
1	A	223	SER	CA-C-N	-5.21	114.27	121.77
1	A	223	SER	C-N-CA	-5.21	114.27	121.77
1	A	244	ARG	NE-CZ-NH2	5.18	123.86	119.20
1	A	108	VAL	CB-CA-C	-5.11	105.78	111.80
1	A	104	ASP	CA-CB-CG	-5.10	107.50	112.60
1	A	198	ARG	NE-CZ-NH1	-5.10	116.40	121.50
1	A	43	ARG	CD-NE-CZ	5.07	131.50	124.40
1	A	231	ILE	CA-C-N	5.04	130.89	122.73
1	A	231	ILE	C-N-CA	5.04	130.89	122.73
1	A	83	ARG	NE-CZ-NH2	-5.03	114.67	119.20
1	A	134	ALA	O-C-N	5.03	127.25	122.07
1	A	171	GLU	N-CA-C	5.03	118.18	111.75
1	A	202	ARG	CD-NE-CZ	-5.02	117.38	124.40
1	A	55	ARG	CA-C-O	-5.01	114.94	120.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2023	0	2043	41	0
2	A	42	0	51	3	0
3	A	20	0	12	3	0
4	A	5	0	2	0	0
5	A	20	0	11	1	0
6	A	175	0	0	4	0
All	All	2285	0	2119	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:74:VAL:HG23	1:A:234:LYS:HG2	1.68	0.73
1:A:29:PRO:HB3	1:A:286:LEU:HD13	1.75	0.68
1:A:273:ALA:O	1:A:277:GLN:HG3	2.03	0.59
1:A:226:PRO:HB3	2:A:300:MA4:H31	1.84	0.59
1:A:132:ASN:ND2	3:A:501:TBE:O12	2.35	0.59
1:A:170:ASN:OD1	3:A:501:TBE:H19	2.04	0.57
1:A:161:ARG:HH21	1:A:163:ASP:CG	2.13	0.57
1:A:49:MET:CE	1:A:260:ILE:HD12	2.36	0.55
1:A:28:GLN:HB2	1:A:31:GLU:OE1	2.07	0.54
1:A:261:VAL:HG11	2:A:300:MA4:H321	1.89	0.54
1:A:69:MET:HA	1:A:170:ASN:HD22	1.74	0.53
1:A:83:ARG:HD2	1:A:142:VAL:HG12	1.91	0.53
1:A:71:THR:HA	1:A:234:LYS:HG3	1.92	0.51
1:A:167:THR:HB	3:A:501:TBE:C19	2.40	0.51
1:A:246:ILE:HD13	2:A:300:MA4:H121	1.92	0.51
1:A:29:PRO:HG2	6:A:754:HOH:O	2.10	0.51
1:A:57:LEU:HD13	1:A:259:ARG:HD3	1.93	0.51
1:A:58:THR:HG23	6:A:730:HOH:O	2.11	0.50
1:A:171:GLU:O	1:A:241:ARG:NH1	2.44	0.50
1:A:209:GLN:NE2	6:A:635:HOH:O	2.41	0.50
1:A:164:ARG:NH2	1:A:171:GLU:OE2	2.44	0.49
1:A:84:VAL:HG21	1:A:91:LEU:HD22	1.96	0.48
1:A:27:PRO:HG2	1:A:32:GLN:HB2	1.96	0.48
1:A:84:VAL:HG21	1:A:91:LEU:CD2	2.43	0.47
1:A:152:LEU:HD23	1:A:160:THR:HB	1.97	0.47
1:A:77:CYS:HB2	1:A:127:ILE:HD11	1.96	0.47
1:A:202:ARG:HD3	6:A:682:HOH:O	2.15	0.47
1:A:162:LEU:HD22	1:A:179:ASP:OD2	2.16	0.45
1:A:226:PRO:HG2	1:A:229:TRP:CD1	2.52	0.45
1:A:155:ILE:HG13	1:A:198:ARG:NE	2.33	0.43
1:A:126:ALA:O	1:A:130:SER:HA	2.19	0.43
1:A:232:ALA:HB3	1:A:249:LEU:HB2	2.01	0.43
1:A:91:LEU:HD12	1:A:120:GLY:HA2	2.00	0.43
1:A:110:GLU:OE2	5:A:504:TAZ:O10	2.36	0.42
1:A:74:VAL:CG2	1:A:234:LYS:HG2	2.45	0.41
1:A:94:LYS:HA	1:A:118:THR:HA	2.01	0.41
1:A:69:MET:HE3	1:A:69:MET:HB2	2.01	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:MET:HA	1:A:170:ASN:ND2	2.35	0.41
1:A:161:ARG:NH2	1:A:178:ARG:HG2	2.35	0.40
1:A:57:LEU:HD22	1:A:259:ARG:NH1	2.36	0.40
1:A:230:PHE:O	1:A:250:LEU:HD12	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	263/265 (99%)	258 (98%)	5 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/211 (100%)	200 (95%)	11 (5%)	21	13

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LEU
1	A	57	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	94	LYS
1	A	100	GLN
1	A	130	SER
1	A	138	LEU
1	A	155	ILE
1	A	162	LEU
1	A	208	LEU
1	A	268	THR
1	A	286	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	197	GLN
1	A	209	GLN
1	A	255	ASN
1	A	289	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	MA4	A	300	-	37,37,37	2.14	8 (21%)	50,50,50	2.33	20 (40%)
4	AKR	A	503	1	4,4,4	1.19	0	4,4,4	7.76	3 (75%)
3	TBE	A	501	1	17,20,20	2.72	4 (23%)	13,27,27	2.87	6 (46%)
5	TAZ	A	504	-	20,22,22	1.33	3 (15%)	19,36,36	2.57	8 (42%)
2	MA4	A	301	-	7,7,37	0.57	0	8,8,50	2.66	3 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MA4	A	300	-	2/2/11/11	10/18/66/66	0/3/3/3
4	AKR	A	503	1	-	0/2/2/2	-
3	TBE	A	501	1	-	13/19/26/26	0/1/1/1
5	TAZ	A	504	-	-	0/8/46/46	0/3/3/3
2	MA4	A	301	-	-	-	0/1/1/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	TBE	C5-C6	8.75	1.52	1.37
2	A	300	MA4	C4-C5	-5.49	1.41	1.53
2	A	300	MA4	C30-C20	-5.23	1.38	1.52
3	A	501	TBE	C2-S1	-5.11	1.76	1.85
2	A	300	MA4	C10-C20	-4.82	1.38	1.52
2	A	300	MA4	C40-C50	-4.45	1.40	1.52
2	A	300	MA4	C4-C3	-4.18	1.41	1.52
2	A	300	MA4	C3-C2	-3.93	1.42	1.52
2	A	300	MA4	C1-C2	-3.73	1.41	1.52
2	A	300	MA4	C30-C40	-3.44	1.42	1.52
5	A	504	TAZ	O10-C9	-3.05	1.20	1.30
3	A	501	TBE	C6-C7	2.71	1.52	1.44
3	A	501	TBE	N15-N16	-2.61	1.30	1.34
5	A	504	TAZ	O11-C9	2.61	1.29	1.22
5	A	504	TAZ	C14-C2	2.40	1.55	1.53

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	AKR	CB-CA-C	11.71	141.43	121.50
4	A	503	AKR	OXT-C-O	-8.07	106.28	122.70
4	A	503	AKR	OXT-C-CA	6.20	131.08	114.19
5	A	504	TAZ	O8-C7-C6	5.83	142.78	136.78
2	A	301	MA4	C61-C12-C22	-5.45	100.17	112.08
3	A	501	TBE	C5-C6-C7	-5.30	105.86	121.71
3	A	501	TBE	C6-C5-N4	-5.10	116.57	125.89
2	A	300	MA4	C61-C12-C22	-5.07	99.30	112.05
2	A	300	MA4	C10-C20-C30	4.90	120.32	110.01
5	A	504	TAZ	O8-C7-N4	-4.84	122.48	130.31
2	A	300	MA4	C60-C50-C40	4.63	126.41	113.38
2	A	300	MA4	O10-C10-C20	4.45	115.04	108.27
2	A	300	MA4	C61-C12-C62	-4.32	101.18	112.05
3	A	501	TBE	C14-C2-S1	-4.03	97.59	107.26
3	A	501	TBE	O10-C9-O11	-3.96	115.09	124.08
2	A	300	MA4	C20-C30-C40	3.85	118.42	109.68
2	A	300	MA4	C10-O50-C50	3.75	121.04	113.72
5	A	504	TAZ	O12-S1-C2	3.67	118.02	109.91
5	A	504	TAZ	O10-C9-C3	3.63	122.90	112.47
2	A	300	MA4	C3-C4-C5	3.55	116.67	110.23
2	A	300	MA4	O50-C50-C40	3.49	116.94	109.72
2	A	300	MA4	C1-C2-C3	3.48	117.33	110.01
5	A	504	TAZ	C9-C3-N4	3.45	117.82	112.10
2	A	300	MA4	C42-C32-C22	-3.43	104.37	111.42
2	A	300	MA4	C30-C40-C50	3.37	118.41	110.93
2	A	301	MA4	C42-C52-C62	3.29	118.18	111.42
2	A	301	MA4	C61-C12-C62	-3.04	105.43	112.08
3	A	501	TBE	C2-C3-N4	-3.00	105.33	111.69
2	A	300	MA4	C6-C5-C4	2.80	119.90	113.02
2	A	300	MA4	O2-C2-C3	-2.70	104.02	110.38
2	A	300	MA4	O50-C10-C20	2.53	115.56	110.37
5	A	504	TAZ	O10-C9-O11	-2.51	118.38	124.08
2	A	300	MA4	C52-C62-C12	-2.41	107.01	112.08
5	A	504	TAZ	O13-S1-O12	2.30	122.59	119.20
3	A	501	TBE	C14-N15-N16	-2.30	116.94	120.43
2	A	300	MA4	O50-C50-C60	2.20	111.89	106.44
2	A	300	MA4	O5-C5-C4	2.12	113.52	109.70
2	A	300	MA4	O30-C30-C20	2.11	115.35	110.38
5	A	504	TAZ	C14-N15-N16	-2.10	117.24	120.43
2	A	300	MA4	O20-C20-C30	2.02	115.14	110.38

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	300	MA4	C30
2	A	300	MA4	C2

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	MA4	C20-C10-O10-C11
2	A	300	MA4	O50-C10-O10-C11
3	A	501	TBE	C20-C2-S1-O12
3	A	501	TBE	C20-C2-S1-O13
3	A	501	TBE	S1-C2-C3-C9
3	A	501	TBE	C20-C2-C3-N4
3	A	501	TBE	C20-C2-C3-C9
3	A	501	TBE	C14-C2-C3-N4
3	A	501	TBE	C14-C2-C3-C9
3	A	501	TBE	C6-C5-N4-C3
3	A	501	TBE	N4-C5-C6-C7
3	A	501	TBE	C5-C6-C7-O8
2	A	300	MA4	O50-C50-C60-O60
2	A	300	MA4	C4-C5-C6-O6
2	A	300	MA4	C62-C12-C61-C51
2	A	300	MA4	C40-C50-C60-O60
2	A	300	MA4	O5-C5-C6-O6
2	A	300	MA4	C22-C12-C61-C51
2	A	300	MA4	C31-C41-C51-C61
2	A	300	MA4	C41-C51-C61-C12
3	A	501	TBE	C2-C3-C9-O10
3	A	501	TBE	C2-C3-C9-O11
3	A	501	TBE	N15-C14-C2-C20



There are no ring outliers.

3 monomers are involved in 7 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	300	MA4	3	0
3	A	501	TBE	3	0
5	A	504	TAZ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier.


Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand TAZ A 504



Ligand MA4 A 301



5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.