



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 10:48 AM UTC

PDB ID : 1VM6 / pdb_00001vm6
Title : Crystal structure of Dihydropicolinate reductase (TM1520) from *Thermotoga maritima* at 2.27 Å resolution
Authors : Joint Center for Structural Genomics (JCSG)
Deposited on : 2004-09-03
Resolution : 2.27 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.27 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	9078 (2.30-2.26)
Clashscore	190562	9802 (2.30-2.26)
Ramachandran outliers	187476	9690 (2.30-2.26)
Sidechain outliers	187428	9691 (2.30-2.26)
RSRZ outliers	180081	9085 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	228	4% 86% 7% 6%
1	B	228	2% 84% 11% •
1	C	228	12% 82% 12% 6%
1	D	228	3% 84% 10% • 5%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ACT	A	218	-	-	X	-
2	ACT	B	218	-	-	X	-
2	ACT	B	221	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 7538 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dihydrodipicolinate reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	0	0
			1667	1073	280	309	5			
1	B	218	Total	C	N	O	S	0	0	0
			1705	1096	292	312	5			
1	C	215	Total	C	N	O	S	0	0	0
			1663	1070	279	309	5			
1	D	217	Total	C	N	O	S	0	1	0
			1699	1092	289	313	5			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	expression tag	UNP Q9X1K8
A	-10	GLY	-	expression tag	UNP Q9X1K8
A	-9	SER	-	expression tag	UNP Q9X1K8
A	-8	ASP	-	expression tag	UNP Q9X1K8
A	-7	LYS	-	expression tag	UNP Q9X1K8
A	-6	ILE	-	expression tag	UNP Q9X1K8
A	-5	HIS	-	expression tag	UNP Q9X1K8
A	-4	HIS	-	expression tag	UNP Q9X1K8
A	-3	HIS	-	expression tag	UNP Q9X1K8
A	-2	HIS	-	expression tag	UNP Q9X1K8
A	-1	HIS	-	expression tag	UNP Q9X1K8
A	0	HIS	-	expression tag	UNP Q9X1K8
B	-11	MET	-	expression tag	UNP Q9X1K8
B	-10	GLY	-	expression tag	UNP Q9X1K8
B	-9	SER	-	expression tag	UNP Q9X1K8
B	-8	ASP	-	expression tag	UNP Q9X1K8
B	-7	LYS	-	expression tag	UNP Q9X1K8
B	-6	ILE	-	expression tag	UNP Q9X1K8
B	-5	HIS	-	expression tag	UNP Q9X1K8
B	-4	HIS	-	expression tag	UNP Q9X1K8
B	-3	HIS	-	expression tag	UNP Q9X1K8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	expression tag	UNP Q9X1K8
B	-1	HIS	-	expression tag	UNP Q9X1K8
B	0	HIS	-	expression tag	UNP Q9X1K8
C	-11	MET	-	expression tag	UNP Q9X1K8
C	-10	GLY	-	expression tag	UNP Q9X1K8
C	-9	SER	-	expression tag	UNP Q9X1K8
C	-8	ASP	-	expression tag	UNP Q9X1K8
C	-7	LYS	-	expression tag	UNP Q9X1K8
C	-6	ILE	-	expression tag	UNP Q9X1K8
C	-5	HIS	-	expression tag	UNP Q9X1K8
C	-4	HIS	-	expression tag	UNP Q9X1K8
C	-3	HIS	-	expression tag	UNP Q9X1K8
C	-2	HIS	-	expression tag	UNP Q9X1K8
C	-1	HIS	-	expression tag	UNP Q9X1K8
C	0	HIS	-	expression tag	UNP Q9X1K8
D	-11	MET	-	expression tag	UNP Q9X1K8
D	-10	GLY	-	expression tag	UNP Q9X1K8
D	-9	SER	-	expression tag	UNP Q9X1K8
D	-8	ASP	-	expression tag	UNP Q9X1K8
D	-7	LYS	-	expression tag	UNP Q9X1K8
D	-6	ILE	-	expression tag	UNP Q9X1K8
D	-5	HIS	-	expression tag	UNP Q9X1K8
D	-4	HIS	-	expression tag	UNP Q9X1K8
D	-3	HIS	-	expression tag	UNP Q9X1K8
D	-2	HIS	-	expression tag	UNP Q9X1K8
D	-1	HIS	-	expression tag	UNP Q9X1K8
D	0	HIS	-	expression tag	UNP Q9X1K8

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is TETRAETHYLENE GLYCOL (CCD ID: PG4) (formula: C₈H₁₈O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			13	8	5		
4	B	1	Total	C	O	0	0
			8	5	3		
4	C	1	Total	C	O	0	0
			13	8	5		

- Molecule 5 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	93	Total	O	0	0
			93	93		
6	B	190	Total	O	0	0
			190	190		
6	C	106	Total	O	0	0
			106	106		
6	D	140	Total	O	0	0
			140	140		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Dihydrodipicolinate reductase





- Molecule 1: Dihydrodipicolinate reductase



- Molecule 1: Dihydrodipicolinate reductase



- Molecule 1: Dihydrodipicolinate reductase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	133.08Å 109.22Å 112.60Å 90.00° 119.23° 90.00°	Depositor
Resolution (Å)	29.03 – 2.27 29.03 – 2.27	Depositor EDS
% Data completeness (in resolution range)	95.5 (29.03-2.27) 95.4 (29.03-2.27)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.75 (at 2.26Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.171 , 0.213 0.176 , 0.217	Depositor DCC
R_{free} test set	3151 reflections (5.09%)	wwPDB-VP
Wilson B-factor (Å ²)	34.4	Xtriage
Anisotropy	0.379	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7538	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.92% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, PG4, ACT, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/1699	0.87	0/2294
1	B	0.95	1/1741 (0.1%)	0.95	0/2351
1	C	0.79	1/1694 (0.1%)	0.94	5/2286 (0.2%)
1	D	0.81	0/1738	0.92	1/2347 (0.0%)
All	All	0.82	2/6872 (0.0%)	0.92	6/9278 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	134	ALA	C-O	-5.91	1.16	1.24
1	C	98	PHE	C-N	5.05	1.40	1.33

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	99	SER	N-CA-C	-7.08	99.18	109.59
1	C	104	VAL	CB-CA-C	-5.30	104.99	112.14
1	C	99	SER	N-CA-CB	5.28	117.84	109.71
1	C	100	ILE	CB-CA-C	-5.16	105.17	112.14
1	C	98	PHE	CA-C-O	-5.09	113.72	119.78
1	D	32	ASP	N-CA-CB	-5.01	102.95	111.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1667	0	1701	12	0
1	B	1705	0	1733	23	0
1	C	1663	0	1704	17	0
1	D	1699	0	1726	17	0
2	A	8	0	6	2	0
2	B	24	0	18	4	0
2	C	8	0	6	0	0
2	D	8	0	6	0	0
3	A	44	0	26	1	0
3	B	44	0	26	0	0
3	C	44	0	26	1	0
3	D	44	0	26	0	0
4	B	34	0	45	1	0
4	C	13	0	18	0	0
5	C	4	0	6	0	0
6	A	93	0	0	1	0
6	B	190	0	0	2	0
6	C	106	0	0	1	0
6	D	140	0	0	1	0
All	All	7538	0	7073	63	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (63) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:VAL:HG23	1:B:198:LEU:HD21	1.61	0.83
1:B:1:MET:HE2	1:B:199:VAL:HG21	1.62	0.81
1:B:-2:HIS:HB2	1:B:1:MET:HE3	1.71	0.72
1:D:196:GLU:OE2	6:D:411:HOH:O	2.13	0.66
1:A:93:VAL:HG23	1:A:198:LEU:HD21	1.75	0.66
1:C:91:PRO:HB2	1:C:198:LEU:HD22	1.78	0.65
1:B:210:GLU:OE1	6:B:491:HOH:O	2.14	0.64
1:A:91:PRO:HB2	1:A:198:LEU:HD22	1.80	0.64
1:D:9:SER:OG	1:D:32:ASP:OD1	2.16	0.63
1:C:93:VAL:HG23	1:C:198:LEU:HD21	1.83	0.61
1:B:193:LYS:NZ	2:B:221:ACT:H1	2.15	0.60
1:B:91:PRO:HB2	1:B:198:LEU:HD22	1.85	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:23:LYS:HG3	1:C:192:LEU:HD21	1.87	0.56
2:A:217:ACT:H1	2:A:218:ACT:H2	1.87	0.55
1:D:106:LYS:HE2	1:D:209:GLU:OE2	2.06	0.55
1:A:178:LYS:NZ	6:A:338:HOH:O	2.37	0.55
1:B:193:LYS:HZ3	2:B:221:ACT:H1	1.71	0.55
1:D:38:GLU:OE2	1:D:63:LYS:NZ	2.40	0.54
1:D:103:ASN:O	1:D:107:ARG:HD3	2.08	0.54
1:C:55:PRO:HG3	1:C:82:MET:HE1	1.89	0.54
1:B:1:MET:HE2	1:B:199:VAL:CG2	2.35	0.54
1:D:-3:HIS:HA	1:D:196:GLU:OE1	2.09	0.53
1:B:169:GLY:HA3	1:D:157:VAL:HG13	1.89	0.53
1:B:106:LYS:HG2	1:B:145:ALA:HB2	1.92	0.51
1:C:16:ILE:HD13	1:C:46:ILE:HG21	1.93	0.50
2:B:218:ACT:H2	2:B:222:ACT:H3	1.93	0.50
1:C:16:ILE:HD13	1:C:46:ILE:CG2	2.41	0.49
1:B:1:MET:HE1	1:B:196:GLU:HA	1.94	0.49
1:A:73:THR:HG21	2:A:218:ACT:H3	1.93	0.49
1:B:106:LYS:HD2	6:B:376:HOH:O	2.13	0.48
1:A:71:GLY:O	3:A:300:NAD:H2N	2.13	0.48
1:B:80:LEU:HD21	4:B:302:PG4:H52	1.96	0.48
1:C:183:SER:O	1:C:186:VAL:HG12	2.13	0.47
1:A:165:VAL:HG22	1:A:178:LYS:HG3	1.97	0.47
1:B:178:LYS:HZ2	1:C:178:LYS:HE2	1.80	0.47
1:D:165:VAL:HG22	1:D:178:LYS:HG3	1.96	0.46
1:A:107:ARG:CZ	1:A:209:GLU:OE2	2.64	0.46
1:A:23:LYS:HG3	1:A:192:LEU:HD21	1.99	0.45
1:A:157:VAL:CG1	1:C:169:GLY:HA3	2.46	0.45
1:B:-2:HIS:CB	1:B:1:MET:HE3	2.45	0.45
1:A:108:PHE:HB3	1:D:108:PHE:CE2	2.52	0.45
1:B:73:THR:HA	1:B:96:TYR:CE1	2.53	0.44
1:D:91:PRO:HB2	1:D:198:LEU:HD22	1.98	0.44
1:D:42:PRO:HD2	1:D:64:TYR:CG	2.53	0.44
1:B:121:VAL:HA	1:B:167:VAL:O	2.18	0.43
1:D:10:GLY:O	1:D:14:GLN:HG3	2.18	0.43
1:B:178:LYS:CD	1:C:178:LYS:HZ3	2.32	0.43
1:B:165:VAL:HG22	1:B:178:LYS:HG2	2.01	0.42
1:B:169:GLY:HA3	1:D:157:VAL:CG1	2.49	0.42
1:C:23:LYS:NZ	6:C:382:HOH:O	2.51	0.42
1:C:121:VAL:HA	1:C:167:VAL:O	2.19	0.42
1:B:-1:HIS:O	1:B:0:HIS:C	2.62	0.42
1:B:127:HIS:CD2	2:B:218:ACT:H3	2.55	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:93:VAL:HG23	1:D:198:LEU:HD21	2.02	0.42
1:A:121:VAL:O	1:A:150:VAL:HG13	2.20	0.41
1:A:157:VAL:HG13	1:C:169:GLY:HA3	2.02	0.41
1:C:104:VAL:HG22	1:C:212:ILE:HG21	2.02	0.41
1:D:84:ARG:HH12	1:D:205:MET:HG3	1.84	0.41
1:C:42:PRO:HD2	1:C:64:TYR:CG	2.56	0.41
1:B:157:VAL:HG13	1:D:169:GLY:HA3	2.02	0.41
1:C:104:VAL:CG2	1:C:212:ILE:HG21	2.52	0.40
1:C:71:GLY:O	3:C:300:NAD:H2N	2.22	0.40
1:D:81:GLN:OE1	1:D:81:GLN:HA	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	213/228 (93%)	208 (98%)	4 (2%)	1 (0%)	24	29
1	B	216/228 (95%)	214 (99%)	2 (1%)	0	100	100
1	C	213/228 (93%)	208 (98%)	5 (2%)	0	100	100
1	D	216/228 (95%)	212 (98%)	4 (2%)	0	100	100
All	All	858/912 (94%)	842 (98%)	15 (2%)	1 (0%)	48	59

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	213	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	182/194 (94%)	179 (98%)	3 (2%)	55	71
1	B	187/194 (96%)	185 (99%)	2 (1%)	65	79
1	C	182/194 (94%)	177 (97%)	5 (3%)	39	55
1	D	187/194 (96%)	184 (98%)	3 (2%)	55	71
All	All	738/776 (95%)	725 (98%)	13 (2%)	51	68

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	SER
1	A	78	GLU
1	A	121	VAL
1	B	-4	HIS
1	B	177	ILE
1	C	50	SER
1	C	141	LEU
1	C	144	SER
1	C	157	VAL
1	C	173	GLU
1	D	84	ARG
1	D	107	ARG
1	D	144	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	103	ASN
1	D	-1	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

21 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAD	A	300	-	46,48,48	1.55	5 (10%)	64,73,73	1.67	12 (18%)
4	PG4	B	303	-	7,7,12	0.51	0	6,6,11	0.45	0
2	ACT	B	217	-	3,3,3	1.02	0	3,3,3	1.00	0
2	ACT	B	222	-	3,3,3	0.72	0	3,3,3	1.07	0
4	PG4	B	302	-	12,12,12	0.49	0	11,11,11	0.52	0
2	ACT	B	219	-	3,3,3	0.72	0	3,3,3	1.32	0
2	ACT	D	218	-	3,3,3	0.90	0	3,3,3	0.56	0
2	ACT	D	217	-	3,3,3	0.90	0	3,3,3	0.92	0
2	ACT	B	220	-	3,3,3	1.07	0	3,3,3	1.44	1 (33%)
3	NAD	B	300	-	46,48,48	1.73	7 (15%)	64,73,73	1.57	10 (15%)
2	ACT	A	217	-	3,3,3	0.86	0	3,3,3	1.47	0
5	EDO	C	301	-	3,3,3	0.57	0	2,2,2	0.23	0
3	NAD	C	300	-	46,48,48	1.89	7 (15%)	64,73,73	1.62	13 (20%)
4	PG4	B	301	-	12,12,12	0.61	0	11,11,11	0.28	0
2	ACT	C	217	-	3,3,3	0.81	0	3,3,3	1.38	0
2	ACT	B	221	-	3,3,3	0.46	0	3,3,3	1.97	1 (33%)
2	ACT	C	218	-	3,3,3	0.89	0	3,3,3	1.28	0
2	ACT	A	218	-	3,3,3	0.65	0	3,3,3	1.15	0
3	NAD	D	300	-	46,48,48	1.68	5 (10%)	64,73,73	1.70	12 (18%)
4	PG4	C	302	-	12,12,12	0.68	0	11,11,11	0.46	0
2	ACT	B	218	-	3,3,3	0.93	0	3,3,3	1.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	300	-	-	6/30/62/62	0/5/5/5
4	PG4	B	302	-	-	5/10/10/10	-
4	PG4	B	303	-	-	3/5/5/10	-
3	NAD	C	300	-	-	4/30/62/62	0/5/5/5
4	PG4	B	301	-	-	4/10/10/10	-
3	NAD	D	300	-	-	4/30/62/62	0/5/5/5
4	PG4	C	302	-	-	5/10/10/10	-
3	NAD	B	300	-	-	3/30/62/62	0/5/5/5
5	EDO	C	301	-	-	1/1/1/1	-

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	300	NAD	O7N-C7N	8.99	1.40	1.24
3	D	300	NAD	O7N-C7N	8.90	1.40	1.24
3	B	300	NAD	O7N-C7N	7.88	1.38	1.24
3	A	300	NAD	O7N-C7N	7.39	1.37	1.24
3	C	300	NAD	PN-O3	4.14	1.64	1.59
3	C	300	NAD	PA-O3	3.83	1.63	1.59
3	B	300	NAD	C2A-N1A	3.48	1.40	1.33
3	B	300	NAD	PN-O3	3.22	1.63	1.59
3	B	300	NAD	PA-O3	3.20	1.63	1.59
3	C	300	NAD	C2A-N1A	3.06	1.39	1.33
3	C	300	NAD	C2A-N3A	2.91	1.39	1.33
3	A	300	NAD	C2A-N1A	2.87	1.39	1.33
3	B	300	NAD	C2A-N3A	2.82	1.39	1.33
3	A	300	NAD	C2A-N3A	2.79	1.38	1.33
3	D	300	NAD	C2A-N3A	2.70	1.38	1.33
3	D	300	NAD	PA-O3	2.69	1.62	1.59
3	A	300	NAD	C8A-N7A	2.63	1.36	1.31
3	A	300	NAD	PA-O3	2.50	1.62	1.59
3	C	300	NAD	C2N-N1N	2.37	1.37	1.35
3	D	300	NAD	C2A-N1A	2.35	1.38	1.33
3	B	300	NAD	C5A-N7A	-2.26	1.35	1.39
3	C	300	NAD	C8A-N7A	2.25	1.36	1.31
3	B	300	NAD	C8A-N7A	2.06	1.35	1.31
3	D	300	NAD	C8A-N7A	2.03	1.35	1.31

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	300	NAD	N3A-C2A-N1A	-5.97	119.54	128.58
3	D	300	NAD	N3A-C2A-N1A	-5.88	119.68	128.58
3	C	300	NAD	N3A-C2A-N1A	-5.08	120.89	128.58
3	B	300	NAD	N3A-C2A-N1A	-4.90	121.17	128.58
3	C	300	NAD	N9A-C8A-N7A	-4.39	107.70	113.94
3	D	300	NAD	N9A-C8A-N7A	-4.39	107.71	113.94
3	B	300	NAD	C4D-O4D-C1D	-4.27	106.02	109.92
3	A	300	NAD	C5A-C4A-N3A	-4.21	120.92	126.72
3	B	300	NAD	C5A-C4A-N3A	-4.05	121.13	126.72
3	A	300	NAD	N9A-C8A-N7A	-3.67	108.72	113.94
3	C	300	NAD	C5A-C4A-N3A	-3.65	121.69	126.72
3	D	300	NAD	C5A-C4A-N3A	-3.65	121.69	126.72
3	A	300	NAD	C2A-N3A-C4A	3.58	120.57	111.83
3	D	300	NAD	C5A-N7A-C8A	3.48	108.91	103.45
3	A	300	NAD	C3N-C7N-N7N	3.27	121.77	117.74
3	D	300	NAD	C5N-C4N-C3N	-3.27	117.15	120.36
3	C	300	NAD	O3-PA-O1A	-3.25	100.93	110.70
3	D	300	NAD	C2A-N3A-C4A	3.24	119.74	111.83
3	C	300	NAD	C5A-N7A-C8A	3.23	108.53	103.45
3	B	300	NAD	N9A-C8A-N7A	-3.23	109.35	113.94
3	A	300	NAD	C5A-N7A-C8A	3.11	108.34	103.45
3	C	300	NAD	C4A-N9A-C8A	3.09	108.98	105.74
3	B	300	NAD	N3A-C4A-N9A	3.04	132.33	127.17
3	C	300	NAD	O2A-PA-O3	3.02	115.45	107.27
3	D	300	NAD	C4A-N9A-C8A	2.91	108.80	105.74
3	C	300	NAD	C2A-N3A-C4A	2.90	118.92	111.83
2	B	221	ACT	OXT-C-CH3	2.70	126.38	115.05
3	C	300	NAD	N3A-C4A-N9A	2.70	131.75	127.17
3	D	300	NAD	C2N-C3N-C4N	2.67	121.36	118.26
3	D	300	NAD	C4A-C5A-N7A	-2.66	107.54	110.58
3	B	300	NAD	C2A-N3A-C4A	2.63	118.27	111.83
3	B	300	NAD	C5A-N7A-C8A	2.62	107.58	103.45
3	B	300	NAD	C6A-C5A-C4A	2.56	120.67	117.18
3	A	300	NAD	N3A-C4A-N9A	2.50	131.41	127.17
3	D	300	NAD	C4D-O4D-C1D	-2.48	107.66	109.92
3	D	300	NAD	N3A-C4A-N9A	2.41	131.27	127.17
3	A	300	NAD	O3-PA-O1A	-2.37	103.56	110.70
3	A	300	NAD	C4A-C5A-N7A	-2.34	107.91	110.58
3	B	300	NAD	C3N-C7N-N7N	2.32	120.59	117.74
3	A	300	NAD	O2A-PA-O3	2.17	113.15	107.27
3	D	300	NAD	C6N-N1N-C2N	-2.14	120.06	121.88
3	C	300	NAD	C6N-N1N-C2N	-2.11	120.08	121.88

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	300	NAD	O2N-PN-O1N	2.11	122.26	112.44
3	A	300	NAD	C4D-O4D-C1D	-2.09	108.01	109.92
3	C	300	NAD	C4A-C5A-N7A	-2.07	108.22	110.58
3	C	300	NAD	O2N-PN-O1N	2.06	122.03	112.44
3	B	300	NAD	C2N-C3N-C4N	2.06	120.65	118.26
2	B	220	ACT	OXT-C-O	-2.03	114.49	122.03
3	C	300	NAD	C6N-N1N-C1D	2.01	123.66	119.73

There are no chirality outliers.

All (35) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	300	NAD	O4D-C1D-N1N-C2N
3	A	300	NAD	O4D-C1D-N1N-C6N
3	A	300	NAD	C2D-C1D-N1N-C2N
3	B	300	NAD	O4D-C1D-N1N-C2N
3	B	300	NAD	O4D-C1D-N1N-C6N
3	B	300	NAD	C2D-C1D-N1N-C2N
3	C	300	NAD	O4D-C1D-N1N-C2N
3	C	300	NAD	O4D-C1D-N1N-C6N
3	C	300	NAD	C2D-C1D-N1N-C2N
3	C	300	NAD	C2D-C1D-N1N-C6N
3	D	300	NAD	O4D-C1D-N1N-C2N
3	D	300	NAD	O4D-C1D-N1N-C6N
3	D	300	NAD	C2D-C1D-N1N-C2N
4	C	302	PG4	O2-C3-C4-O3
4	C	302	PG4	O3-C5-C6-O4
4	B	302	PG4	O3-C5-C6-O4
4	B	301	PG4	O4-C7-C8-O5
4	B	301	PG4	O1-C1-C2-O2
4	B	303	PG4	O4-C7-C8-O5
4	B	302	PG4	C1-C2-O2-C3
4	C	302	PG4	C8-C7-O4-C6
4	C	302	PG4	C6-C5-O3-C4
4	C	302	PG4	O4-C7-C8-O5
4	B	301	PG4	C1-C2-O2-C3
3	A	300	NAD	C2D-C1D-N1N-C6N
3	D	300	NAD	C2D-C1D-N1N-C6N
5	C	301	EDO	O1-C1-C2-O2
4	B	302	PG4	C6-C5-O3-C4
3	A	300	NAD	PN-O3-PA-O1A
4	B	301	PG4	C4-C3-O2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	B	303	PG4	C5-C6-O4-C7
4	B	303	PG4	O3-C5-C6-O4
4	B	302	PG4	C3-C4-O3-C5
4	B	302	PG4	O2-C3-C4-O3
3	A	300	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.


8 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	300	NAD	1	0
2	B	222	ACT	1	0
4	B	302	PG4	1	0
2	A	217	ACT	1	0
3	C	300	NAD	1	0
2	B	221	ACT	2	0
2	A	218	ACT	2	0
2	B	218	ACT	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	215/228 (94%)	0.71	8 (3%) 45 47	43, 46, 53, 75	0
1	B	218/228 (95%)	0.68	5 (2%) 61 63	38, 46, 52, 70	0
1	C	215/228 (94%)	1.17	27 (12%) 8 8	42, 46, 52, 62	0
1	D	217/228 (95%)	0.75	6 (2%) 55 56	34, 46, 53, 64	1 (0%)
All	All	865/912 (94%)	0.83	46 (5%) 32 33	34, 46, 52, 75	1 (0%)

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	213	PHE	5.9
1	C	99	SER	5.0
1	A	0	HIS	4.9
1	A	214	GLY	4.4
1	D	130	PHE	4.2
1	B	-4	HIS	3.9
1	D	-3	HIS	3.5
1	D	213	PHE	3.5
1	C	98	PHE	3.3
1	C	215	GLY	3.3
1	C	97	ASN	3.3
1	C	171	ILE	3.2
1	A	130	PHE	3.1
1	C	213	PHE	3.1
1	C	95	ALA	3.1
1	B	213	PHE	2.7
1	C	133	ASP	2.6
1	A	108	PHE	2.6
1	C	169	GLY	2.6
1	C	170	ASN	2.6
1	C	132	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	174	THR	2.5
1	C	186	VAL	2.5
1	C	130	PHE	2.4
1	C	172	GLY	2.3
1	C	214	GLY	2.3
1	D	-2	HIS	2.3
1	C	24	GLY	2.3
1	A	1	MET	2.3
1	C	28	VAL	2.3
1	B	199	VAL	2.2
1	B	-3	HIS	2.2
1	C	173	GLU	2.2
1	C	80	LEU	2.2
1	B	130	PHE	2.2
1	C	117	GLU	2.2
1	C	84	ARG	2.1
1	C	5	ILE	2.1
1	C	175	ILE	2.1
1	C	34	ASN	2.1
1	D	171	ILE	2.1
1	A	195	ALA	2.1
1	A	198	LEU	2.1
1	D	107	ARG	2.1
1	C	15	GLU	2.0
1	C	70	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	ACT	B	219	4/4	0.77	0.27	70,71,71,72	0
2	ACT	C	218	4/4	0.80	0.26	62,65,65,66	0
2	ACT	B	220	4/4	0.81	0.23	66,67,68,69	0
4	PG4	B	303	8/13	0.81	0.18	56,58,68,69	0
2	ACT	B	217	4/4	0.83	0.26	62,66,66,66	0
4	PG4	C	302	13/13	0.83	0.20	45,63,76,78	0
4	PG4	B	301	13/13	0.85	0.17	61,67,75,75	0
2	ACT	C	217	4/4	0.86	0.20	62,63,63,66	0
4	PG4	B	302	13/13	0.88	0.16	37,48,73,78	0
2	ACT	B	221	4/4	0.90	0.23	46,50,51,51	0
3	NAD	C	300	44/44	0.90	0.13	38,56,62,69	0
3	NAD	A	300	44/44	0.93	0.11	30,43,49,56	0
2	ACT	D	217	4/4	0.93	0.17	39,40,44,46	0
2	ACT	A	217	4/4	0.94	0.23	47,47,48,50	0
5	EDO	C	301	4/4	0.94	0.15	50,52,54,55	0
2	ACT	B	218	4/4	0.95	0.20	30,36,37,39	0
2	ACT	A	218	4/4	0.95	0.13	39,40,40,41	0
3	NAD	D	300	44/44	0.95	0.10	22,38,48,50	0
2	ACT	B	222	4/4	0.95	0.18	26,28,28,30	0
3	NAD	B	300	44/44	0.97	0.09	20,28,35,37	0
2	ACT	D	218	4/4	0.98	0.15	30,32,34,34	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAD C 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 300:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 300:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAD B 300:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.