



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 10:43 AM UTC

PDB ID : 5VMJ / pdb_00005vmj
Title : Influenza hemagglutinin H1 mutant DH1E in complex with 3'SLN
Authors : Ni, F.; Kondrashkina, E.; Wang, Q.
Deposited on : 2017-04-27
Resolution : 2.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	1130 (2.98-2.94)
Clashscore	190562	1157 (2.98-2.94)
Ramachandran outliers	187476	1101 (2.98-2.94)
Sidechain outliers	187428	1101 (2.98-2.94)
RSRZ outliers	180081	1130 (2.98-2.94)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	326	3% 90% 8% .
1	C	326	4% 90% 8% .
1	E	326	93% 5% ..
2	B	191	14% 80% 5% . 14%
2	D	191	17% 75% 10% . 14%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	191	
3	G	2	
3	I	2	
3	J	2	
4	H	3	
5	K	2	

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 22666 atoms, of which 11072 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemagglutinin HA1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	321	Total	C	H	N	O	S	0	0	0
			4857	1561	2382	426	477	11			
1	C	321	Total	C	H	N	O	S	0	0	0
			4864	1562	2386	426	479	11			
1	E	321	Total	C	H	N	O	S	0	0	0
			4908	1572	2419	426	480	11			

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	deletion	UNP Q9WFX4
A	186	GLU	ASP	engineered mutation	UNP Q9WFX4
A	222	LEU	GLN	engineered mutation	UNP Q9WFX4
A	224	SER	GLY	engineered mutation	UNP Q9WFX4
C	?	-	LYS	deletion	UNP Q9WFX4
C	186	GLU	ASP	engineered mutation	UNP Q9WFX4
C	222	LEU	GLN	engineered mutation	UNP Q9WFX4
C	224	SER	GLY	engineered mutation	UNP Q9WFX4
E	?	-	LYS	deletion	UNP Q9WFX4
E	186	GLU	ASP	engineered mutation	UNP Q9WFX4
E	222	LEU	GLN	engineered mutation	UNP Q9WFX4
E	224	SER	GLY	engineered mutation	UNP Q9WFX4


- Molecule 2 is a protein called Hemagglutinin HA2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	164	Total	C	H	N	O	S	0	0	0
			2552	825	1235	225	261	6			
2	D	164	Total	C	H	N	O	S	0	0	0
			2551	825	1234	225	261	6			
2	F	164	Total	C	H	N	O	S	0	0	0
			2552	825	1235	225	261	6			

There are 18 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	186	GLY	-	expression tag	UNP Q9WFX3
B	187	ALA	-	expression tag	UNP Q9WFX3
B	188	LEU	-	expression tag	UNP Q9WFX3
B	189	VAL	-	expression tag	UNP Q9WFX3
B	190	PRO	-	expression tag	UNP Q9WFX3
B	191	ARG	-	expression tag	UNP Q9WFX3
D	186	GLY	-	expression tag	UNP Q9WFX3
D	187	ALA	-	expression tag	UNP Q9WFX3
D	188	LEU	-	expression tag	UNP Q9WFX3
D	189	VAL	-	expression tag	UNP Q9WFX3
D	190	PRO	-	expression tag	UNP Q9WFX3
D	191	ARG	-	expression tag	UNP Q9WFX3
F	186	GLY	-	expression tag	UNP Q9WFX3
F	187	ALA	-	expression tag	UNP Q9WFX3
F	188	LEU	-	expression tag	UNP Q9WFX3
F	189	VAL	-	expression tag	UNP Q9WFX3
F	190	PRO	-	expression tag	UNP Q9WFX3
F	191	ARG	-	expression tag	UNP Q9WFX3

- Molecule 3 is an oligosaccharide called N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	2	Total	C	H	N	O	0	0	0
			57	17	26	1	13			
3	I	2	Total	C	H	N	O	0	0	0
			57	17	26	1	13			
3	J	2	Total	C	H	N	O	0	0	0
			57	17	26	1	13			

- Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	3	Total	C	H	N	O	0	0	0
			75	22	36	2	15			

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	K	2	Total	C	H	N	O	0	0	0
			52	16	25	2	9			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	A	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
6	C	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
6	C	1	Total	C	H	N	O	0	0
			28	8	14	1	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Hemagglutinin HA1




• Molecule 1: Hemagglutinin HA1




• Molecule 1: Hemagglutinin HA1




• Molecule 2: Hemagglutinin HA2



- Molecule 2: Hemagglutinin HA2




- Molecule 2: Hemagglutinin HA2




- Molecule 3: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose




- Molecule 3: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



- Molecule 3: N-acetyl-alpha-neuraminic acid-(2-3)-beta-D-galactopyranose



- Molecule 4: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	95.94Å 81.05Å 120.95Å 90.00° 91.13° 90.00°	Depositor
Resolution (Å)	54.83 – 2.95 54.83 – 2.95	Depositor EDS
% Data completeness (in resolution range)	100.0 (54.83-2.95) 99.9 (54.83-2.95)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.96Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.208 , 0.248 0.213 , 0.252	Depositor DCC
R_{free} test set	2013 reflections (5.11%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtriage
Anisotropy	0.194	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 39.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.029 for h,-k,-l	Xtriage
F_o, F_c correlation	0.89	EDS
Total number of atoms	22666	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SIA, BMA, NAG, GAL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.32	0/2539	0.70	3/3460 (0.1%)
1	C	0.31	0/2542	0.68	0/3464
1	E	0.34	0/2553	0.70	3/3479 (0.1%)
2	B	0.30	0/1344	0.67	0/1811
2	D	0.36	0/1344	0.76	1/1811 (0.1%)
2	F	0.31	0/1344	0.73	1/1811 (0.1%)
All	All	0.32	0/11666	0.70	8/15836 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	134	GLY	N-CA-C	-9.98	98.92	111.70
2	D	162	TYR	N-CA-C	9.20	124.75	112.88
1	E	155	SER	CB-CA-C	-7.15	102.75	109.83
1	E	294	ILE	N-CA-C	6.40	117.15	110.62
1	A	72	THR	N-CA-C	-6.21	101.28	110.48
1	A	256	LEU	N-CA-C	5.71	117.52	108.79
1	E	155	SER	N-CA-C	5.40	121.72	113.51
1	A	315	THR	N-CA-C	-5.05	106.21	112.93

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2475	2382	2384	17	0
1	C	2478	2386	2386	16	0
1	E	2489	2419	2419	10	0
2	B	1317	1235	1234	7	0
2	D	1317	1234	1234	14	0
2	F	1317	1235	1234	4	0
3	G	31	26	26	1	0
3	I	31	26	26	0	0
3	J	31	26	26	0	0
4	H	39	36	34	3	0
5	K	27	25	23	0	0
6	A	14	14	13	0	0
6	C	28	28	26	2	0
All	All	11594	11072	11065	62	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (62) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:124:PRO:O	1:E:153:LYS:NZ	1.99	0.95
1:A:213:ILE:O	1:C:208:ARG:NH1	2.15	0.80
2:B:129:ASN:ND2	2:B:162:TYR:O	2.19	0.76
1:A:216:ARG:NH1	1:C:206:ASN:OD1	2.23	0.70
1:A:155:SER:O	1:A:192:GLN:NE2	2.25	0.69
2:D:133:ILE:HD11	2:D:139:GLU:HG3	1.73	0.68
1:A:307:ARG:NH2	2:D:62:GLN:OE1	2.32	0.63
1:A:1:ASP:N	2:B:27:GLN:O	2.30	0.61
1:C:179:HIS:O	1:C:246:ASN:ND2	2.32	0.61
2:B:135:ASN:O	2:B:135:ASN:ND2	2.31	0.60
2:B:148:CYS:O	2:B:151:SER:OG	2.13	0.58
2:D:133:ILE:HD11	2:D:139:GLU:CG	2.34	0.57
1:A:179:HIS:ND1	1:A:191:TYR:OH	2.36	0.56
1:C:155:SER:C	1:C:192:GLN:HE21	2.14	0.55
2:B:133:ILE:HD11	2:B:139:GLU:HG3	1.91	0.53
1:A:21:GLU:OE1	1:A:318:ARG:NH2	2.42	0.53
1:C:10:ASN:OD1	1:C:319:ASN:ND2	2.41	0.53
1:A:220:ARG:NH2	4:H:1:NAG:O7	2.42	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:154:GLY:O	1:E:155:SER:HB3	2.10	0.51
1:C:124:PRO:O	1:C:153:LYS:NZ	2.44	0.50
2:D:119:TYR:CE1	2:D:136:GLY:HA2	2.48	0.49
1:C:8:HIS:N	2:D:21:TRP:O	2.44	0.48
2:B:119:TYR:CE1	2:B:136:GLY:HA2	2.49	0.48
1:E:31:ASN:ND2	1:E:33:LEU:O	2.47	0.48
2:D:142:HIS:CD2	2:D:162:TYR:HB3	2.48	0.47
1:C:31:ASN:ND2	1:C:33:LEU:O	2.48	0.46
1:E:157:TYR:CZ	1:E:245:GLY:HA2	2.50	0.46
2:D:17:MET:SD	2:D:23:GLY:HA3	2.55	0.46
2:D:148:CYS:O	2:D:151:SER:OG	2.21	0.46
1:E:154:GLY:O	1:E:155:SER:CB	2.65	0.45
2:F:159:TYR:HB3	2:F:160:PRO:HD3	1.98	0.45
2:D:129:ASN:ND2	2:D:162:TYR:HB2	2.31	0.45
2:D:133:ILE:HD11	2:D:139:GLU:CD	2.42	0.44
1:A:155:SER:C	1:A:192:GLN:HE21	2.25	0.43
1:C:86:GLU:HB2	6:C:803:NAG:H82	2.00	0.43
1:E:182:PRO:HD3	1:E:224:SER:HB3	2.00	0.43
2:D:19:ASP:OD1	2:D:19:ASP:N	2.51	0.43
1:C:16:VAL:HG12	1:C:312:ARG:HG2	2.00	0.42
1:A:133:ALA:N	3:G:2:SIA:O1A	2.50	0.42
4:H:2:NAG:O7	4:H:2:NAG:O3	2.31	0.42
1:C:157:TYR:CZ	1:C:245:GLY:HA2	2.54	0.42
1:C:216:ARG:HD2	1:C:225:ARG:HG2	2.01	0.42
1:A:179:HIS:O	1:A:246:ASN:ND2	2.47	0.42
1:C:307:ARG:HH21	2:F:62:GLN:HG3	1.84	0.41
1:E:285:ILE:HG21	1:E:294:ILE:HG13	2.02	0.41
2:D:162:TYR:O	2:D:163:SER:C	2.64	0.41
1:A:96:ILE:HG13	1:A:229:TYR:CE1	2.55	0.41
1:E:98:TYR:CZ	1:E:102:ARG:HD2	2.55	0.41
1:A:182:PRO:HD3	1:A:224:SER:HB3	2.03	0.41
2:D:159:TYR:HB3	2:D:160:PRO:HD3	2.01	0.41
1:A:66:GLU:HG3	4:H:1:NAG:HN2	1.85	0.41
1:A:157:TYR:CZ	1:A:245:GLY:HA2	2.55	0.41
2:B:75:ARG:HD3	1:C:104:GLN:HG2	2.01	0.41
1:C:91:TYR:CD1	1:C:226:MET:HB2	2.56	0.41
1:C:220:ARG:HH22	6:C:803:NAG:H5	1.85	0.41
1:A:46:GLY:HA2	1:A:275:ASN:HD21	1.85	0.41
1:E:110:SER:O	1:E:256:LEU:HA	2.21	0.40
2:F:119:TYR:CE1	2:F:136:GLY:HA2	2.56	0.40
2:F:159:TYR:C	2:F:161:LYS:H	2.29	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:285:ILE:HG21	1:A:294:ILE:HG13	2.03	0.40
2:D:126:LEU:HD23	2:D:157:TYR:CE2	2.57	0.40
1:E:74:SER:O	1:E:111:PHE:N	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	319/326 (98%)	315 (99%)	4 (1%)	0	100	100
1	C	319/326 (98%)	313 (98%)	6 (2%)	0	100	100
1	E	319/326 (98%)	314 (98%)	5 (2%)	0	100	100
2	B	162/191 (85%)	159 (98%)	3 (2%)	0	100	100
2	D	162/191 (85%)	160 (99%)	2 (1%)	0	100	100
2	F	162/191 (85%)	159 (98%)	3 (2%)	0	100	100
All	All	1443/1551 (93%)	1420 (98%)	23 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	272/282 (96%)	270 (99%)	2 (1%)	76	87
1	C	273/282 (97%)	271 (99%)	2 (1%)	76	87
1	E	277/282 (98%)	276 (100%)	1 (0%)	84	92
2	B	139/162 (86%)	138 (99%)	1 (1%)	76	87
2	D	139/162 (86%)	138 (99%)	1 (1%)	76	87
2	F	139/162 (86%)	139 (100%)	0	100	100
All	All	1239/1332 (93%)	1232 (99%)	7 (1%)	78	89

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	256	LEU
1	A	320	ILE
2	B	135	ASN
1	C	244	THR
1	C	317	LEU
2	D	18	ILE
1	E	317	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	31	ASN
1	A	188	GLN
2	B	30	GLN
2	B	60	ASN
1	C	192	GLN
2	D	25	HIS
2	D	135	ASN
1	E	104	GLN
1	E	206	ASN
1	E	275	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

11 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GAL	G	1	3	11,11,12	1.40	3 (27%)	15,15,17	1.57	3 (20%)
3	SIA	G	2	3	20,20,21	1.24	3 (15%)	21,28,31	1.61	4 (19%)
4	NAG	H	1	4,1	14,14,15	0.33	0	17,19,21	0.60	0
4	NAG	H	2	4	14,14,15	0.76	1 (7%)	17,19,21	0.75	0
4	BMA	H	3	4	11,11,12	0.59	0	15,15,17	0.73	0
3	GAL	I	1	3	11,11,12	1.09	1 (9%)	15,15,17	1.24	1 (6%)
3	SIA	I	2	3	20,20,21	1.24	3 (15%)	21,28,31	1.71	4 (19%)
3	GAL	J	1	3	11,11,12	1.26	3 (27%)	15,15,17	1.57	3 (20%)
3	SIA	J	2	3	20,20,21	1.25	3 (15%)	21,28,31	1.74	3 (14%)
5	NAG	K	1	5,1	14,14,15	0.19	0	17,19,21	0.60	0
5	NAG	K	2	5	13,13,15	0.63	1 (7%)	15,17,21	0.53	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GAL	G	1	3	-	0/2/19/22	0/1/1/1
3	SIA	G	2	3	-	6/18/34/38	0/1/1/1
4	NAG	H	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	H	2	4	-	3/6/23/26	0/1/1/1
4	BMA	H	3	4	-	0/2/19/22	0/1/1/1
3	GAL	I	1	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SIA	I	2	3	-	2/18/34/38	0/1/1/1
3	GAL	J	1	3	-	0/2/19/22	0/1/1/1
3	SIA	J	2	3	-	5/18/34/38	0/1/1/1
5	NAG	K	1	5,1	-	0/6/23/26	0/1/1/1
5	NAG	K	2	5	-	2/6/19/26	0/1/1/1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	G	1	GAL	O5-C1	-2.84	1.38	1.43
4	H	2	NAG	O5-C1	-2.74	1.39	1.43
3	J	2	SIA	C4-C5	-2.69	1.50	1.53
3	G	2	SIA	C4-C5	-2.67	1.50	1.53
3	I	2	SIA	C4-C5	-2.58	1.50	1.53
3	I	2	SIA	C10-N5	2.50	1.42	1.34
3	J	1	GAL	O5-C1	-2.49	1.39	1.43
3	I	1	GAL	O5-C1	-2.48	1.39	1.43
3	J	2	SIA	C10-N5	2.46	1.42	1.34
3	G	2	SIA	C10-N5	2.43	1.42	1.34
3	G	1	GAL	C2-C3	2.42	1.56	1.52
3	G	1	GAL	C4-C3	2.36	1.58	1.52
3	J	1	GAL	C2-C3	2.21	1.55	1.52
3	J	2	SIA	C5-N5	-2.15	1.42	1.45
3	J	1	GAL	C4-C3	2.15	1.57	1.52
3	G	2	SIA	C5-N5	-2.13	1.42	1.45
3	I	2	SIA	C5-N5	-2.08	1.42	1.45
5	K	2	NAG	C1-C2	2.03	1.53	1.51

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	J	2	SIA	O6-C2-C1	4.20	115.65	107.72
3	I	2	SIA	O6-C2-C3	-4.10	105.05	110.56
3	J	2	SIA	O6-C2-C3	-3.95	105.24	110.56
3	I	2	SIA	O6-C2-C1	3.94	115.15	107.72
3	G	2	SIA	O6-C2-C1	3.57	114.46	107.72
3	G	2	SIA	O6-C2-C3	-3.57	105.76	110.56
3	J	1	GAL	C1-C2-C3	3.42	114.62	109.64
3	J	1	GAL	C2-C3-C4	3.26	116.59	110.86
3	G	1	GAL	C2-C3-C4	3.22	116.52	110.86
3	J	2	SIA	O1B-C1-C2	3.11	120.80	112.71

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	G	1	GAL	C1-C2-C3	2.91	113.88	109.64
3	G	2	SIA	O1B-C1-C2	2.88	120.21	112.71
3	I	2	SIA	O1B-C1-C2	2.77	119.92	112.71
3	G	1	GAL	C3-C4-C5	2.57	114.90	110.23
3	G	2	SIA	C11-C10-N5	2.47	120.22	116.12
3	I	2	SIA	C11-C10-N5	2.30	119.94	116.12
3	I	1	GAL	C3-C4-C5	2.09	114.02	110.23
3	J	1	GAL	O2-C2-C3	-2.05	105.91	110.15

There are no chirality outliers.

All (20) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	H	1	NAG	O5-C5-C6-O6
3	G	2	SIA	O8-C8-C9-O9
5	K	2	NAG	C4-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
5	K	2	NAG	O5-C5-C6-O6
3	J	2	SIA	O8-C8-C9-O9
3	G	2	SIA	C7-C8-C9-O9
3	J	2	SIA	C7-C8-C9-O9
4	H	2	NAG	C4-C5-C6-O6
3	I	2	SIA	O8-C8-C9-O9
4	H	2	NAG	O5-C5-C6-O6
4	H	2	NAG	C3-C2-N2-C7
3	G	2	SIA	C6-C7-C8-O8
3	J	2	SIA	C6-C7-C8-O8
3	G	2	SIA	O7-C7-C8-O8
3	G	2	SIA	O7-C7-C8-C9
3	J	2	SIA	O7-C7-C8-C9
3	I	2	SIA	C7-C8-C9-O9
3	J	2	SIA	O7-C7-C8-O8
3	G	2	SIA	C6-C7-C8-C9


There are no ring outliers.


3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	H	2	NAG	1	0
4	H	1	NAG	2	0
3	G	2	SIA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.








Oligosaccharide Chain H



Oligosaccharide Chain K



5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
6	NAG	C	803	1	14,14,15	0.50	0	17,19,21	0.45	0
6	NAG	A	806	1	14,14,15	0.72	1 (7%)	17,19,21	0.89	1 (5%)
6	NAG	C	804	1	14,14,15	0.49	0	17,19,21	0.73	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	803	1	-	3/6/23/26	0/1/1/1
6	NAG	A	806	1	-	2/6/23/26	0/1/1/1
6	NAG	C	804	1	-	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	806	NAG	O5-C1	2.27	1.47	1.43

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	806	NAG	C1-O5-C5	3.31	116.63	112.19
6	C	804	NAG	C1-O5-C5	2.62	115.70	112.19

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	804	NAG	O5-C5-C6-O6
6	C	804	NAG	C4-C5-C6-O6
6	C	803	NAG	O5-C5-C6-O6
6	C	803	NAG	C4-C5-C6-O6
6	A	806	NAG	C4-C5-C6-O6
6	A	806	NAG	O5-C5-C6-O6
6	C	803	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	C	803	NAG	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å²)	Q<0.9
1	A	321/326 (98%)	-0.06	10 (3%)	51	44	13, 30, 56, 104	0
1	C	321/326 (98%)	0.31	14 (4%)	39	32	21, 41, 68, 94	0
1	E	321/326 (98%)	-0.21	1 (0%)	90	88	12, 23, 53, 74	0
2	B	164/191 (85%)	0.71	26 (15%)	5	4	11, 51, 98, 115	0
2	D	164/191 (85%)	0.84	33 (20%)	3	2	15, 60, 102, 116	0
2	F	164/191 (85%)	0.60	19 (11%)	9	8	11, 51, 85, 104	0
All	All	1455/1551 (93%)	0.25	103 (7%)	22	19	11, 37, 88, 116	0

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	164	GLU	5.6
2	D	164	GLU	5.3
1	C	70	LEU	5.0
2	D	163	SER	4.8
2	F	163	SER	4.7
2	F	164	GLU	4.1
1	A	72	THR	3.9
1	A	70	LEU	3.9
2	B	136	GLY	3.9
2	B	163	SER	3.7
2	B	162	TYR	3.6
2	B	160	PRO	3.6
2	B	134	GLY	3.5
2	D	134	GLY	3.5
2	B	158	ASP	3.5
1	A	69	LEU	3.4
1	A	1	ASP	3.4
1	C	71	LEU	3.3
2	F	141	TYR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	29	GLU	3.2
1	A	68	ASP	3.2
1	A	71	LEU	3.2
2	D	159	TYR	3.2
2	B	135	ASN	3.2
2	D	141	TYR	3.1
1	C	204	LYS	3.1
2	F	134	GLY	3.1
1	C	184	GLY	3.0
2	B	141	TYR	3.0
2	B	151	SER	3.0
2	D	127	LYS	2.9
2	D	138	PHE	2.9
1	A	321	PRO	2.9
2	F	30	GLN	2.9
2	D	161	LYS	2.9
2	B	26	HIS	2.9
1	C	188	GLN	2.8
2	F	135	ASN	2.8
2	D	143	LYS	2.8
2	D	147	ALA	2.8
2	B	143	LYS	2.8
2	B	18	ILE	2.7
2	D	25	HIS	2.7
2	D	26	HIS	2.7
2	F	160	PRO	2.7
2	F	159	TYR	2.6
1	C	321	PRO	2.6
2	D	39	LYS	2.6
2	D	144	CYS	2.5
2	F	129	ASN	2.5
2	F	133	ILE	2.5
2	F	140	PHE	2.4
2	D	162	TYR	2.4
1	A	2	THR	2.4
1	C	2	THR	2.4
2	B	153	ARG	2.4
2	D	136	GLY	2.4
2	D	130	ALA	2.4
2	D	61	THR	2.4
2	B	60	ASN	2.4
2	D	135	ASN	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	29	GLU	2.3
1	A	3	ILE	2.3
2	F	162	TYR	2.3
2	D	9	PHE	2.3
2	B	159	TYR	2.3
2	D	160	PRO	2.3
2	D	146	ASP	2.3
2	B	140	PHE	2.2
2	B	128	ASN	2.2
2	F	130	ALA	2.2
2	D	145	ASP	2.2
1	C	138	ALA	2.2
2	B	127	LYS	2.2
2	B	27	GLN	2.2
2	B	30	GLN	2.2
2	B	161	LYS	2.2
1	C	1	ASP	2.2
1	C	205	TYR	2.2
1	A	215	ALA	2.2
2	F	31	GLY	2.2
2	F	143	LYS	2.2
2	B	118	LEU	2.2
1	C	140	ALA	2.2
2	B	156	THR	2.1
2	D	140	PHE	2.1
2	D	30	GLN	2.1
2	B	142	HIS	2.1
1	C	185	THR	2.1
2	D	149	MET	2.1
2	D	33	GLY	2.1
2	D	153	ARG	2.1
1	C	156	SER	2.0
2	F	122	VAL	2.0
2	D	60	ASN	2.0
2	D	158	ASP	2.0
2	F	139	GLU	2.0
2	D	131	LYS	2.0
1	E	321	PRO	2.0
2	F	128	ASN	2.0
1	C	154	GLY	2.0
2	B	155	GLY	2.0
2	D	157	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	BMA	H	3	11/12	0.53	0.17	57,70,84,92	0
4	NAG	H	2	14/15	0.54	0.21	56,74,88,90	0
5	NAG	K	2	13/15	0.72	0.18	27,42,54,74	0
4	NAG	H	1	14/15	0.81	0.19	36,52,70,77	0
3	GAL	G	1	11/12	0.82	0.12	37,49,60,61	0
3	GAL	I	1	11/12	0.82	0.12	43,55,66,70	0
3	GAL	J	1	11/12	0.88	0.12	28,37,44,48	0
3	SIA	I	2	20/21	0.91	0.10	33,46,55,56	0
5	NAG	K	1	14/15	0.92	0.09	22,28,36,66	0
3	SIA	G	2	20/21	0.94	0.08	24,33,43,48	0
3	SIA	J	2	20/21	0.96	0.07	13,18,24,28	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain I:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
6	NAG	A	806	14/15	0.32	0.22	57,78,98,107	0
6	NAG	C	803	14/15	0.62	0.24	54,70,82,86	0
6	NAG	C	804	14/15	0.74	0.16	45,61,74,79	0

6.5 Other polymers [i](#)

There are no such residues in this entry.