



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 18, 2026 – 04:35 AM UTC

PDB ID : 2VO5 / pdb_00002vo5
Title : Structural and biochemical evidence for a boat-like transition state in beta-mannosidases
Authors : Tailford, L.E.; Offen, W.A.; Smith, N.L.; Dumon, C.; Moreland, C.; Gratien, J.; Heck, M.P.; Stick, R.V.; Bleriot, Y.; Vasella, A.; Gilbert, H.J.; Davies, G.J.
Deposited on : 2008-02-08
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6319 (2.30-2.30)
Clashscore	190562	6919 (2.30-2.30)
Ramachandran outliers	187476	6854 (2.30-2.30)
Sidechain outliers	187428	6854 (2.30-2.30)
RSRZ outliers	180081	6325 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	846	 83% 14% ..
1	B	846	 84% 14% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	EDO	A	1873	-	-	X	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 14826 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-MANNOSIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	833	Total	C	N	O	S	0	13	0
			6816	4375	1143	1265	33			
1	B	841	Total	C	N	O	S	0	16	0
			6874	4407	1153	1280	34			

- Molecule 2 is (1R,4R,5R,7R,8R)-2-Benzyl-5-hydroxymethyl-2-aza-bicyclo[2.2.2]octane-4,7,8-triol (CCD ID: VBZ) (formula: C₁₅H₂₁NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			20	15	1	4		
2	B	1	Total	C	N	O	0	0
			20	15	1	4		

- Molecule 3 is 1,2-ETHANEDIOL (CCD ID: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is BROMIDE ION (CCD ID: BR) (formula: Br).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	5	Total 5	Br 5	0	0
4	B	4	Total 4	Br 4	0	0

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total 2	Cl 2	0	0
5	B	4	Total 4	Cl 4	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	468	Total 468	O 468	0	0
6	B	481	Total 481	O 481	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: BETA-MANNOSIDASE



• Molecule 1: BETA-MANNOSIDASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	91.12Å 115.69Å 99.64Å 90.00° 113.17° 90.00°	Depositor
Resolution (Å)	52.49 – 2.30 52.49 – 2.30	Depositor EDS
% Data completeness (in resolution range)	100.0 (52.49-2.30) 99.9 (52.49-2.30)	Depositor EDS
R_{merge}	0.25	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.4.0065	Depositor
R, R_{free}	0.169 , 0.247 0.169 , 0.246	Depositor DCC
R_{free} test set	4219 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	20.2	Xtriage
Anisotropy	0.177	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	14826	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BR, VBZ, CL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.06	5/7030 (0.1%)	1.06	11/9554 (0.1%)
1	B	1.06	4/7096 (0.1%)	1.08	6/9641 (0.1%)
All	All	1.06	9/14126 (0.1%)	1.07	17/19195 (0.1%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	414	ILE	CA-CB	5.99	1.61	1.54
1	B	654	VAL	CA-CB	5.91	1.60	1.54
1	A	839	VAL	CA-CB	5.71	1.61	1.54
1	A	328	ILE	CA-CB	5.46	1.61	1.54
1	B	220	ILE	CA-CB	5.20	1.61	1.54
1	A	510	VAL	CA-CB	5.14	1.62	1.54
1	A	591	ILE	CA-CB	5.11	1.61	1.54
1	B	328	ILE	CA-CB	5.07	1.60	1.54
1	A	445	ILE	CA-CB	5.02	1.60	1.54

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	521	ARG	CA-C-N	9.35	130.31	119.47
1	A	521	ARG	C-N-CA	9.35	130.31	119.47
1	A	425	THR	CA-C-N	-7.24	112.87	120.03
1	A	425	THR	C-N-CA	-7.24	112.87	120.03
1	B	250	VAL	CA-C-N	7.14	126.64	118.85
1	B	250	VAL	C-N-CA	7.14	126.64	118.85
1	A	396	GLY	N-CA-C	6.36	123.19	115.31
1	A	519	TRP	N-CA-C	5.88	118.47	111.71
1	A	534	GLY	N-CA-C	-5.72	105.45	112.77
1	B	75	GLY	N-CA-C	5.60	121.44	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	201	GLY	N-CA-C	5.36	118.94	110.96
1	A	564	MET	N-CA-C	5.33	117.08	111.28
1	B	755	SER	N-CA-C	5.18	116.68	108.96
1	A	540	LYS	CA-C-N	5.16	125.06	119.85
1	A	540	LYS	C-N-CA	5.16	125.06	119.85
1	A	216	ARG	N-CA-C	5.09	116.71	108.41
1	B	462	GLU	N-CA-C	5.01	119.24	113.38

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6816	0	6559	87	0
1	B	6874	0	6606	74	0
2	A	20	0	21	1	0
2	B	20	0	21	3	0
3	A	56	0	84	18	0
3	B	76	0	114	7	0
4	A	5	0	0	0	0
4	B	4	0	0	0	0
5	A	2	0	0	0	0
5	B	4	0	0	0	0
6	A	468	0	0	6	0
6	B	481	0	0	6	0
All	All	14826	0	13405	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:626[B]:ARG:HH22	3:B:1882:EDO:H12	1.14	1.03

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:214:THR:HG22	6:A:2056:HOH:O	1.61	0.98
1:A:626[B]:ARG:HH22	1:A:674:ARG:CB	1.77	0.96
1:B:626[B]:ARG:NH2	3:B:1882:EDO:H12	1.82	0.94
1:A:49:LYS:HE3	1:A:51[B]:MET:HE2	1.52	0.92
1:B:695:ILE:HG23	3:B:1892:EDO:H22	1.57	0.86
1:A:626[B]:ARG:HH22	1:A:674:ARG:HB2	1.38	0.85
1:A:69:LEU:HD22	1:A:81:ILE:HG22	1.59	0.84
1:B:161:ARG:HH11	1:B:161:ARG:HG2	1.42	0.84
1:A:626[B]:ARG:NH2	1:A:674:ARG:HB2	1.92	0.82
1:A:775:PHE:H	3:A:1873:EDO:H11	1.45	0.80
1:A:626[B]:ARG:HH22	1:A:674:ARG:HB3	1.47	0.78
1:A:626[B]:ARG:NH2	1:A:674:ARG:CB	2.49	0.76
3:A:1878:EDO:H21	6:A:2463:HOH:O	1.84	0.76
1:A:394:ILE:HD11	1:A:405:PHE:CE2	2.26	0.71
1:B:578:ILE:HG23	3:B:1889:EDO:H22	1.74	0.69
1:B:51:MET:HE1	3:B:1881:EDO:H21	1.77	0.67
1:A:795:GLN:HE22	1:A:852:LEU:N	1.93	0.65
1:A:75:GLY:HA2	1:A:582:VAL:HG13	1.80	0.63
1:B:157:HIS:ND1	1:B:161:ARG:NH2	2.46	0.63
1:A:775:PHE:N	3:A:1873:EDO:H11	2.12	0.63
1:A:786:PRO:HA	1:A:860[B]:ARG:NE	2.13	0.62
1:B:200:TRP:HZ2	1:B:395:TRP:CH2	2.17	0.62
1:A:564:MET:HG3	1:A:611[A]:GLU:HG2	1.81	0.62
1:B:161:ARG:HD3	6:B:2042:HOH:O	1.99	0.62
1:A:469:TYR:HE2	3:A:1869:EDO:H22	1.65	0.61
1:B:27:GLY:HA3	1:B:323:GLU:OE1	2.02	0.59
1:A:501:LYS:O	1:A:505:SER:HB3	2.01	0.59
1:B:183:LYS:HE2	6:B:2104:HOH:O	2.04	0.58
1:B:441:ALA:O	1:B:445:ILE:HG13	2.04	0.58
1:B:161:ARG:HG2	1:B:161:ARG:NH1	2.14	0.57
1:B:437:VAL:HG11	1:B:491:LEU:HD11	1.86	0.57
1:A:568:ALA:O	3:A:1885:EDO:H22	2.04	0.57
1:B:104:ARG:HG3	1:B:217:PHE:HB3	1.87	0.57
1:A:516:LEU:HD13	1:A:516:LEU:O	2.04	0.56
1:A:546:ASP:OD2	1:A:627:HIS:NE2	2.35	0.56
1:B:158:SER:HB3	1:B:161:ARG:HB3	1.87	0.56
1:B:55:VAL:HA	1:B:56:PRO:C	2.31	0.55
1:A:110:ILE:HB	1:A:214:THR:HG23	1.88	0.55
1:B:796:THR:CG2	1:B:799:LYS:HB3	2.36	0.54
1:B:394:ILE:HD11	1:B:405:PHE:CE2	2.42	0.54
1:A:451:HIS:CE1	3:A:1883:EDO:H11	2.43	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:161:ARG:HH11	1:B:161:ARG:CG	2.16	0.54
1:B:602:ARG:O	1:B:778:LYS:HD3	2.07	0.54
1:A:361:ASN:OD1	1:A:393:ARG:HD3	2.08	0.53
1:A:525:TRP:CE2	3:A:1870:EDO:H22	2.44	0.52
1:A:343:GLY:HA3	1:A:526:GLY:O	2.10	0.52
1:A:104:ARG:HG3	1:A:217:PHE:HB3	1.92	0.52
1:A:820:GLN:HA	1:A:820:GLN:OE1	2.10	0.52
1:A:601:GLU:HA	1:A:606:ILE:HD11	1.91	0.52
1:B:798:GLY:N	1:B:846:ILE:O	2.34	0.51
1:A:437:VAL:HG11	1:A:491:LEU:HD11	1.92	0.51
1:B:214:THR:HB	6:B:2062:HOH:O	2.11	0.51
1:B:482:GLN:O	1:B:486[A]:HIS:ND1	2.28	0.51
1:A:76:MET:HE3	1:A:585:ALA:HB2	1.92	0.51
1:B:586:HIS:HD2	1:B:652:PRO:O	1.93	0.51
1:B:536:TRP:CH2	1:B:559:GLN:HB2	2.47	0.50
1:A:417:TRP:C	1:A:417:TRP:CD1	2.89	0.50
1:B:253:LYS:NZ	1:B:279:GLN:HG2	2.27	0.50
1:B:787:THR:HG1	1:B:806:SER:HG	1.59	0.50
1:B:539:LYS:HG2	1:B:595:LEU:HD11	1.93	0.49
1:B:567:ILE:CG2	1:B:583:MET:HE1	2.43	0.49
1:A:451:HIS:ND1	3:A:1883:EDO:H11	2.28	0.49
1:B:69:LEU:HD22	1:B:81:ILE:HG22	1.95	0.49
1:A:545:LEU:HD13	1:A:628:GLY:HA3	1.95	0.49
1:A:626[B]:ARG:HH21	1:A:675:ALA:N	2.11	0.49
1:A:158:SER:HB3	1:A:161:ARG:HG2	1.94	0.49
1:B:702:MET:HE3	1:B:730:VAL:HB	1.95	0.49
1:A:99:GLU:HB2	1:A:147:LYS:CD	2.43	0.48
1:A:805:PHE:CE1	1:A:834:GLY:HA2	2.48	0.48
1:A:775:PHE:H	3:A:1873:EDO:C1	2.21	0.48
1:B:522:PRO:HA	1:B:525:TRP:CE2	2.48	0.48
1:A:316:CYS:O	1:A:319:ARG:HG3	2.13	0.48
3:A:1873:EDO:H12	6:A:2422:HOH:O	2.13	0.48
1:B:525:TRP:CE2	3:B:1878:EDO:H11	2.48	0.48
1:A:496:LEU:N	1:A:497:PRO:HD2	2.29	0.48
1:B:626[A]:ARG:HD2	1:B:675:ALA:HB2	1.96	0.48
1:B:533:TRP:CZ2	2:B:1868:VBZ:H7C2	2.49	0.47
1:B:85:GLU:HG3	1:B:160:ILE:HG13	1.96	0.47
1:A:601:GLU:CA	1:A:606:ILE:HD11	2.45	0.47
1:B:802:LEU:O	1:B:838:LYS:HA	2.14	0.47
1:B:78:GLU:O	1:B:81:ILE:HG12	2.15	0.47
1:A:522:PRO:HA	1:A:525:TRP:CE2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:95:PHE:CE1	1:B:215:LEU:HD11	2.50	0.47
1:B:626[A]:ARG:HB2	1:B:671:GLN:HB3	1.96	0.47
1:B:626[B]:ARG:HB2	1:B:671:GLN:HB3	1.96	0.47
1:B:791:TYR:HA	1:B:803:THR:O	2.14	0.47
1:A:438:GLU:HG3	1:A:495:LEU:HD11	1.97	0.46
1:A:615:TYR:HB2	3:A:1871:EDO:H12	1.97	0.46
1:A:634:ARG:HD3	1:A:682:ASN:OD1	2.15	0.46
1:A:578:ILE:HG22	1:A:579:GLU:OE1	2.16	0.46
1:A:373:THR:HG22	1:B:796:THR:OG1	2.16	0.46
1:B:44:GLN:HB2	1:B:89:TRP:CZ3	2.50	0.46
1:A:75:GLY:O	1:A:586:HIS:HE1	1.99	0.46
1:A:507:ARG:NH1	3:A:1868:EDO:O1	2.49	0.45
1:B:567:ILE:HG23	1:B:583:MET:HE1	1.98	0.45
1:A:257:GLU:OE1	1:A:259:ARG:NE	2.49	0.45
1:B:625:MET:HB2	1:B:668:LEU:HD13	1.98	0.45
1:A:469:TYR:CE2	3:A:1869:EDO:H22	2.50	0.45
1:B:778:LYS:HG2	6:B:2346:HOH:O	2.16	0.45
1:A:51[A]:MET:SD	1:A:68:LEU:HD21	2.57	0.45
1:B:787:THR:HB	1:B:808[B]:MET:HB2	1.98	0.45
1:A:82:GLN:O	1:A:85:GLU:HG2	2.18	0.45
1:A:465:GLU:HB2	3:A:1869:EDO:H12	1.99	0.45
1:A:516:LEU:HD13	1:A:516:LEU:C	2.41	0.45
1:B:258:VAL:HG22	1:B:314:ILE:HD12	1.99	0.44
1:A:94:SER:HG	1:A:151:HIS:HD1	1.65	0.44
1:B:793:MET:SD	1:B:800[B]:CYS:SG	3.16	0.44
1:B:724:GLN:HE21	1:B:726:HIS:CE1	2.35	0.44
1:A:167:TYR:HB2	1:A:185:LEU:CD2	2.48	0.44
1:B:646:GLN:O	1:B:657:SER:HA	2.17	0.44
1:A:537:TYR:CZ	2:A:1865:VBZ:H15	2.53	0.44
1:B:543:GLU:H	1:B:543:GLU:CD	2.26	0.44
1:A:798:GLY:HA2	1:A:843:SER:O	2.18	0.43
1:A:466:ALA:HA	1:A:470:TRP:CD2	2.54	0.43
1:A:615:TYR:CB	3:A:1871:EDO:H12	2.48	0.43
1:A:115:ASP:OD1	1:A:191:LYS:NZ	2.47	0.43
1:B:260:VAL:HB	1:B:272:VAL:HG23	1.99	0.43
1:A:465:GLU:OE2	6:A:2281:HOH:O	2.21	0.43
1:A:539:LYS:HG2	1:A:595:LEU:HD11	2.01	0.43
1:B:753:ARG:HD2	6:B:2416:HOH:O	2.19	0.43
1:A:646:GLN:O	1:A:657:SER:HA	2.18	0.43
1:A:757:LEU:HB3	1:A:774:HIS:HB3	2.00	0.43
1:B:417:TRP:C	1:B:417:TRP:CD1	2.97	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:ILE:HG23	1:A:282:ILE:HG23	2.00	0.42
1:A:774:HIS:HA	3:A:1873:EDO:H11	2.01	0.42
1:A:626[B]:ARG:HE	1:A:626[B]:ARG:HB2	1.59	0.42
2:B:1868:VBZ:C10	3:B:1869:EDO:H22	2.49	0.42
1:A:151:HIS:HD2	6:A:2069:HOH:O	2.02	0.42
1:A:601:GLU:CB	1:A:606:ILE:HD11	2.50	0.42
1:B:30:THR:HG23	1:B:320:ILE:O	2.20	0.42
2:B:1868:VBZ:H9C1	2:B:1868:VBZ:H7C1	1.68	0.42
1:B:464:LEU:HD22	1:B:511:HIS:HE1	1.84	0.42
1:B:161:ARG:HB2	6:B:2045:HOH:O	2.19	0.42
1:A:307:LEU:HD11	1:A:410:ASP:HB3	2.02	0.42
1:B:589:SER:HB3	1:B:591:ILE:O	2.20	0.42
1:A:373:THR:CG2	1:B:796:THR:OG1	2.67	0.41
1:A:99:GLU:HB2	1:A:147:LYS:HD2	2.02	0.41
1:B:164:LEU:HD23	1:B:164:LEU:HA	1.90	0.41
1:A:44:GLN:H	3:A:1867:EDO:H22	1.86	0.41
1:A:51[A]:MET:SD	1:A:68:LEU:CD2	3.09	0.41
1:B:250:VAL:HB	1:B:251:PRO:HD2	2.02	0.41
1:B:729:GLU:O	1:B:731:PRO:HD3	2.21	0.41
1:A:774:HIS:HA	3:A:1873:EDO:C1	2.50	0.41
1:B:813:ILE:HD13	1:B:858:HIS:HB3	2.03	0.41
1:B:425:THR:O	1:B:463:ILE:HD13	2.20	0.41
1:B:813:ILE:O	1:B:828:PHE:HA	2.20	0.41
1:A:270:THR:HG21	1:A:290:GLU:O	2.21	0.41
1:A:857:LYS:HE3	1:A:857:LYS:HB3	1.72	0.41
1:A:76:MET:CE	1:A:585:ALA:HB2	2.50	0.40
1:A:685:GLN:HA	1:A:689:SER:O	2.21	0.40
1:B:577:GLN:O	1:B:583:MET:HG3	2.22	0.40
1:A:151:HIS:CD2	6:A:2069:HOH:O	2.75	0.40
1:A:579:GLU:HG3	1:A:584:ASN:OD1	2.22	0.40
1:A:657:SER:O	1:A:666:LYS:HD2	2.22	0.40
1:B:253:LYS:HZ1	1:B:279:GLN:HG2	1.86	0.40
1:B:73:PHE:HB3	1:B:652:PRO:HD2	2.04	0.40
1:B:262:VAL:HG12	1:B:269:VAL:HG22	2.02	0.40
1:B:391:MET:HE3	1:B:391:MET:HB2	1.99	0.40
1:B:803:THR:HG21	1:B:836:ARG:HD3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	839/846 (99%)	804 (96%)	34 (4%)	1 (0%)	48	60
1	B	851/846 (101%)	815 (96%)	34 (4%)	2 (0%)	43	55
All	All	1690/1692 (100%)	1619 (96%)	68 (4%)	3 (0%)	43	55

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	847	LYS
1	A	536	TRP
1	B	536	TRP

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	738/754 (98%)	714 (97%)	24 (3%)	33	50
1	B	747/754 (99%)	721 (96%)	26 (4%)	32	48
All	All	1485/1508 (98%)	1435 (97%)	50 (3%)	33	49

All (50) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LYS
1	A	68	LEU
1	A	76	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	144	VAL
1	A	161	ARG
1	A	248	GLN
1	A	285	ILE
1	A	318	ASP
1	A	319	ARG
1	A	417	TRP
1	A	431	PRO
1	A	440	GLU
1	A	498	SER
1	A	507	ARG
1	A	516	LEU
1	A	589	SER
1	A	680	LEU
1	A	717	LYS
1	A	725	VAL
1	A	764	LYS
1	A	769	VAL
1	A	788	SER
1	A	800	CYS
1	A	857	LYS
1	B	28[A]	ASN
1	B	28[B]	ASN
1	B	48	GLU
1	B	51	MET
1	B	144	VAL
1	B	161	ARG
1	B	214	THR
1	B	244	LEU
1	B	271	GLU
1	B	277	THR
1	B	287	LEU
1	B	414	ILE
1	B	417	TRP
1	B	479	GLU
1	B	494	GLU
1	B	501	LYS
1	B	550	PRO
1	B	574	GLU
1	B	579	GLU
1	B	580	SER
1	B	581	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	593	ASN
1	B	626[A]	ARG
1	B	626[B]	ARG
1	B	788	SER
1	B	838	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	178	ASN
1	A	337	ASN
1	A	482	GLN
1	A	767	HIS
1	A	795	GLN
1	B	82	GLN
1	B	247	ASN
1	B	293	ASN
1	B	388	ASN
1	B	584	ASN
1	B	724	GLN
1	B	733	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 50 ligands modelled in this entry, 15 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	EDO	A	1869	-	3,3,3	0.41	0	2,2,2	1.02	0
3	EDO	B	1878	-	3,3,3	0.59	0	2,2,2	0.67	0
3	EDO	A	1871	-	3,3,3	0.40	0	2,2,2	0.32	0
3	EDO	B	1881	-	3,3,3	0.48	0	2,2,2	0.54	0
3	EDO	B	1892	-	3,3,3	0.70	0	2,2,2	0.06	0
3	EDO	B	1883	-	3,3,3	0.42	0	2,2,2	0.45	0
3	EDO	A	1867	-	3,3,3	0.48	0	2,2,2	0.64	0
3	EDO	B	1874	-	3,3,3	0.85	0	2,2,2	0.36	0
3	EDO	A	1873	-	3,3,3	0.79	0	2,2,2	0.72	0
3	EDO	B	1872	-	3,3,3	0.38	0	2,2,2	0.49	0
3	EDO	B	1870	-	3,3,3	0.70	0	2,2,2	0.14	0
3	EDO	A	1870	-	3,3,3	0.50	0	2,2,2	0.69	0
3	EDO	B	1876	-	3,3,3	0.94	0	2,2,2	0.48	0
3	EDO	A	1880	-	3,3,3	0.35	0	2,2,2	0.67	0
3	EDO	B	1873	-	3,3,3	0.56	0	2,2,2	0.36	0
3	EDO	B	1879	-	3,3,3	0.39	0	2,2,2	0.58	0
3	EDO	A	1868	-	3,3,3	0.55	0	2,2,2	0.33	0
3	EDO	B	1871	-	3,3,3	0.42	0	2,2,2	0.26	0
3	EDO	A	1883	-	3,3,3	0.38	0	2,2,2	0.72	0
3	EDO	B	1875	-	3,3,3	0.59	0	2,2,2	0.12	0
3	EDO	B	1891	-	3,3,3	0.55	0	2,2,2	0.25	0
3	EDO	A	1866	-	3,3,3	0.30	0	2,2,2	0.81	0
2	VBZ	B	1868	-	21,22,22	0.93	2 (9%)	24,33,33	1.41	3 (12%)
3	EDO	A	1881	-	3,3,3	0.36	0	2,2,2	0.66	0
3	EDO	A	1885	-	3,3,3	0.54	0	2,2,2	0.29	0
3	EDO	B	1880	-	3,3,3	0.72	0	2,2,2	0.30	0
3	EDO	A	1878	-	3,3,3	0.40	0	2,2,2	0.06	0
3	EDO	B	1882	-	3,3,3	0.33	0	2,2,2	0.45	0
3	EDO	B	1877	-	3,3,3	0.50	0	2,2,2	0.28	0
3	EDO	B	1869	-	3,3,3	0.46	0	2,2,2	0.14	0
2	VBZ	A	1865	-	21,22,22	1.00	1 (4%)	24,33,33	1.26	5 (20%)
3	EDO	B	1889	-	3,3,3	0.64	0	2,2,2	0.24	0
3	EDO	A	1872	-	3,3,3	0.37	0	2,2,2	0.31	0
3	EDO	A	1879	-	3,3,3	0.62	0	2,2,2	0.12	0
3	EDO	B	1890	-	3,3,3	0.55	0	2,2,2	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	A	1869	-	-	1/1/1/1	-
3	EDO	B	1878	-	-	1/1/1/1	-
3	EDO	A	1871	-	-	0/1/1/1	-
3	EDO	B	1881	-	-	1/1/1/1	-
3	EDO	B	1892	-	-	1/1/1/1	-
3	EDO	B	1883	-	-	1/1/1/1	-
3	EDO	A	1867	-	-	1/1/1/1	-
3	EDO	B	1874	-	-	1/1/1/1	-
3	EDO	A	1873	-	-	1/1/1/1	-
3	EDO	B	1872	-	-	0/1/1/1	-
3	EDO	B	1870	-	-	0/1/1/1	-
3	EDO	A	1870	-	-	1/1/1/1	-
3	EDO	B	1876	-	-	1/1/1/1	-
3	EDO	A	1880	-	-	0/1/1/1	-
3	EDO	B	1873	-	-	0/1/1/1	-
3	EDO	B	1879	-	-	1/1/1/1	-
3	EDO	A	1868	-	-	1/1/1/1	-
3	EDO	B	1871	-	-	1/1/1/1	-
3	EDO	A	1883	-	-	1/1/1/1	-
3	EDO	B	1875	-	-	1/1/1/1	-
3	EDO	B	1891	-	-	0/1/1/1	-
3	EDO	A	1866	-	-	0/1/1/1	-
2	VBZ	B	1868	-	-	0/6/39/39	0/4/3/3
3	EDO	A	1881	-	-	0/1/1/1	-
3	EDO	A	1885	-	-	1/1/1/1	-
3	EDO	B	1880	-	-	0/1/1/1	-
3	EDO	A	1878	-	-	1/1/1/1	-
3	EDO	B	1882	-	-	1/1/1/1	-
3	EDO	B	1877	-	-	0/1/1/1	-
3	EDO	B	1869	-	-	1/1/1/1	-
2	VBZ	A	1865	-	-	0/6/39/39	0/4/3/3
3	EDO	B	1889	-	-	1/1/1/1	-
3	EDO	A	1872	-	-	0/1/1/1	-
3	EDO	A	1879	-	-	1/1/1/1	-
3	EDO	B	1890	-	-	1/1/1/1	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1865	VBZ	C9-N1	2.37	1.51	1.47
2	B	1868	VBZ	C9-N1	2.11	1.50	1.47
2	B	1868	VBZ	C2-C1	2.00	1.57	1.53

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	1868	VBZ	C7-C1-N1	-3.89	106.40	110.50
2	B	1868	VBZ	C7-C5-C4	-2.88	107.60	110.40
2	B	1868	VBZ	O2-C2-C1	2.65	114.73	109.87
2	A	1865	VBZ	C7-C1-C2	-2.60	106.28	110.02
2	A	1865	VBZ	C8-C4-C5	2.32	112.81	108.98
2	A	1865	VBZ	C9-N1-C1	-2.28	108.38	112.94
2	A	1865	VBZ	C10-C9-N1	2.11	116.16	112.73
2	A	1865	VBZ	O2-C2-C1	2.11	113.73	109.87

There are no chirality outliers.

All (22) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1883	EDO	O1-C1-C2-O2
3	B	1869	EDO	O1-C1-C2-O2
3	A	1867	EDO	O1-C1-C2-O2
3	A	1878	EDO	O1-C1-C2-O2
3	A	1885	EDO	O1-C1-C2-O2
3	B	1874	EDO	O1-C1-C2-O2
3	B	1881	EDO	O1-C1-C2-O2
3	B	1882	EDO	O1-C1-C2-O2
3	B	1889	EDO	O1-C1-C2-O2
3	B	1890	EDO	O1-C1-C2-O2
3	A	1869	EDO	O1-C1-C2-O2
3	B	1875	EDO	O1-C1-C2-O2
3	A	1868	EDO	O1-C1-C2-O2
3	A	1870	EDO	O1-C1-C2-O2
3	B	1871	EDO	O1-C1-C2-O2
3	B	1878	EDO	O1-C1-C2-O2
3	A	1873	EDO	O1-C1-C2-O2
3	A	1879	EDO	O1-C1-C2-O2
3	B	1879	EDO	O1-C1-C2-O2
3	B	1883	EDO	O1-C1-C2-O2
3	B	1892	EDO	O1-C1-C2-O2
3	B	1876	EDO	O1-C1-C2-O2


There are no ring outliers.

17 monomers are involved in 28 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1869	EDO	3	0
3	B	1878	EDO	1	0
3	A	1871	EDO	2	0
3	B	1881	EDO	1	0
3	B	1892	EDO	1	0
3	A	1867	EDO	1	0
3	A	1873	EDO	6	0
3	A	1870	EDO	1	0
3	A	1868	EDO	1	0
3	A	1883	EDO	2	0
2	B	1868	VBZ	3	0
3	A	1885	EDO	1	0
3	A	1878	EDO	1	0
3	B	1882	EDO	2	0
3	B	1869	EDO	1	0
2	A	1865	VBZ	1	0
3	B	1889	EDO	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand VBZ B 1868




Bond lengths




Bond angles



Torsions



Rings



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	833/846 (98%)	-0.40	3 (0%)	88 89	7, 18, 37, 49	13 (1%)
1	B	841/846 (99%)	-0.49	1 (0%)	92 91	6, 17, 34, 46	16 (1%)
All	All	1674/1692 (98%)	-0.45	4 (0%)	91 91	6, 18, 36, 49	29 (1%)

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	590	SER	2.7
1	A	585	ALA	2.6
1	A	590	SER	2.0
1	A	767	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	EDO	B	1890	4/4	0.78	0.14	24,27,27,29	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
3	EDO	A	1880	4/4	0.81	0.19	45,46,46,47	0
3	EDO	B	1891	4/4	0.84	0.14	40,43,43,43	0
3	EDO	A	1873	4/4	0.86	0.13	30,32,33,33	0
3	EDO	B	1876	4/4	0.86	0.11	17,17,18,18	0
3	EDO	A	1885	4/4	0.87	0.12	42,45,45,48	0
3	EDO	B	1889	4/4	0.87	0.10	29,32,32,33	0
3	EDO	A	1867	4/4	0.89	0.08	28,29,31,32	0
3	EDO	B	1882	4/4	0.90	0.11	25,30,32,33	0
3	EDO	A	1879	4/4	0.90	0.14	30,30,30,32	0
3	EDO	B	1877	4/4	0.90	0.11	33,38,39,40	0
3	EDO	B	1880	4/4	0.90	0.11	16,19,19,21	0
3	EDO	B	1875	4/4	0.91	0.09	30,31,31,32	0
3	EDO	A	1883	4/4	0.91	0.14	29,31,32,35	0
3	EDO	B	1892	4/4	0.91	0.13	24,25,27,28	0
4	BR	B	1893	1/1	0.91	0.09	43,43,43,43	1
3	EDO	A	1881	4/4	0.92	0.09	31,32,34,35	0
3	EDO	A	1869	4/4	0.93	0.08	24,25,30,31	0
3	EDO	B	1874	4/4	0.94	0.08	11,14,14,19	0
3	EDO	B	1879	4/4	0.94	0.08	25,25,26,28	0
3	EDO	A	1868	4/4	0.94	0.10	12,19,23,26	0
3	EDO	B	1881	4/4	0.94	0.08	24,26,28,31	0
3	EDO	B	1870	4/4	0.94	0.11	22,23,24,27	0
3	EDO	B	1883	4/4	0.95	0.08	13,16,16,18	0
3	EDO	B	1878	4/4	0.95	0.07	16,19,22,25	0
2	VBZ	B	1868	20/20	0.95	0.07	11,15,18,20	0
3	EDO	A	1872	4/4	0.95	0.07	22,25,25,26	0
3	EDO	A	1866	4/4	0.95	0.08	25,26,27,32	0
3	EDO	B	1871	4/4	0.95	0.08	26,28,30,32	0
2	VBZ	A	1865	20/20	0.96	0.07	13,17,26,27	0
3	EDO	A	1871	4/4	0.96	0.09	19,21,23,24	0
3	EDO	B	1869	4/4	0.96	0.08	17,18,20,20	0
4	BR	A	1882	1/1	0.96	0.08	32,32,32,32	1
3	EDO	A	1878	4/4	0.96	0.07	21,22,22,24	0
5	CL	A	1877	1/1	0.96	0.09	36,36,36,36	0
3	EDO	B	1873	4/4	0.97	0.05	19,19,22,25	0
3	EDO	A	1870	4/4	0.97	0.06	16,16,17,19	0
3	EDO	B	1872	4/4	0.97	0.06	14,20,22,29	0
5	CL	B	1896	1/1	0.97	0.10	24,24,24,24	1
5	CL	B	1886	1/1	0.98	0.05	20,20,20,20	0
5	CL	B	1887	1/1	0.98	0.05	32,32,32,32	0
5	CL	B	1888	1/1	0.98	0.04	30,30,30,30	0
5	CL	A	1876	1/1	0.98	0.07	21,21,21,21	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
4	BR	B	1895	1/1	0.99	0.02	17,17,17,17	1
4	BR	A	1874	1/1	0.99	0.02	14,14,14,14	1
4	BR	A	1884	1/1	0.99	0.04	8,8,8,8	1
4	BR	A	1895	1/1	0.99	0.04	9,9,9,9	1
4	BR	B	1884	1/1	0.99	0.02	20,20,20,20	1
4	BR	B	1885	1/1	0.99	0.10	15,15,15,15	1
4	BR	A	1875	1/1	0.99	0.02	12,12,12,12	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



Electron density around VBZ B 1868:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around VBZ A 1865:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.